

NEAR EAST UNIVERSITY

FACULTY OF ENGINEERING

DEPARTMENT OF COMPUTER ENGINEERING

**HOTEL MANAGEMENT
USING FOXPRO PROGRAMMING**

**GRADUATION PROJECT
COM-400**

STUDENT: ABDUL SAMEE MUHAMMAD

SUPERVISOR: MS. BESIME ERIN

NICOSIA-2002

ABSTRACT

Computer technology is proved that it is very important in our life. As the time is passing, technology is changed. Nowadays every department needs to be computerized. In order to complete our requirements in computers, we need strong database system where we can put our information and data.

Database management system is the branch of software, which is very famous in Computer Software to store all types of data and information.

My project is for hotel management using Computer programming. I used FoxPro Programming Language, which is one of the best and strongest database language.

In this project, I worked hard to make a good program, which will cover all services needed in most hotels.

ACKNOWLEDGEMENT

I have no words to say thanks to my parents, my brother, my aunt and uncle who supported me through all my life until this moment. This moment is the happiest moment of my life and I m glad to give happiness to my parents.

Also I would like to thank my supervisor Miss. Besime Erin who supported me in my studies whenever I required help and advice. She taught me FoxPro in two courses and completed her favor by taking the responsibility of supervising me in my final graduation project.

Here, I would also like to say thanks to my teachers who supported me well through out my studies.

TABLE OF CONTENTS

INTRODUCTION.....	1
BLOCK DIAGRAM.....	2
MAIN MENU.....	3
RECEPTION.....	12
*RESERVATION MENU.....	16
• New Reservation.....	21
• Cancel Reservation.....	25
• Reservation List.....	28
• Reservation Searching by Name.....	32
• Reservation Searching by Surname.....	36
*CHECK IN.....	39
*CHECK OUT MENU.....	43
• Check out by Name.....	46
• Check out by Room No.....	50
SEARCHING.....	54
*SEARCHING BY NAME.....	58
*SEARCHING BY ROOM NO.....	63
INFORMATION.....	68
*CHECK ROOMS	72
*FULL ROOMS.....	77
TRANSACTIONS.....	80
*TRANSACTION BY NAME.....	84
*TRANSACTION BY ROOM NO.....	89
*TRANSACTION LIST.....	94

MAIN MENU FLOWCHAT.....	97
RECEPTION FLOWCHAT.....	98
RESERVATION FLOWCHAT.....	99
RESERVATION BY NAME.....	100
RESERVATION BY SURNAME.....	101
NEW RESERVATION.....	102
CHECKIN	103
CHECKOUT BY NAME.....	104
CHECKOUT BY ROOM NO.....	105
SEARCHING	106
SEARCHING BY NAME.....	107
SEARCHING BY ROOM NO.....	108
TRANSACTIONS.....	109
TRANSACTIONS BY NAME.....	110
TRANSACTIONS BY ROOM NO.....	111
INFORMATIONS.....	112
CONCLUSION.....	113

INTRODUCTION


Technology is important in every field. Every department needs computer hardware and software to improve their performance. There are my companies, who improve their performances with the help of computer hardware and software. In my project, I tried to make a well-designed program for hotel management.

The aim of hotel departments is to give a warm welcome to the customers and look after them through their holiday. The hotel consists of many departments like, Reception, Restaurant, Bar, Reservation e.t.c.

Programming in FOXPRO, first of all, four databases named as Check in.DBF, reservation.DBF, rooms.DBF have been created and the attribute values have been entered. Using these databases, there are several menu-based applications of the programs have been developed. These menus include Main Menu, Reception Menu, Searching Menu, information Menu and Transaction Menu. Each of these menus provides different Submenus and options for dealing the Customers affairs. For example, adding a new entry to any of defined databases, searching these databases, updating and deleting the entries from the databases.

The purpose of this project (Use of FoxPro) as well as this course is to implement the Database Management Systems for different fields of life and this can be realized by looking at just one example of this Hotel Management Program.

BLOCK DIAGRAM



```

clear
set sysmenu off
set safety off
set status bar off
set sysmenu on
close all
set clock on off
set clock to 31.6,62
if not wexist("sameeri")
define window sameeri;
at 0.000,0.000;
size 32.077,96.000;
title "ONAR VILLAGE HOTEL";
font "MS Sans Serif",8;
float;
close;
minimize;
system;
color scheme 4
    move window sameeri center
endif
if wvisible("sameeri")
activate window sameeri same
else
activate window sameeri noshow
endif
@1.000,17.200 say "ONAR VILLAGE HOTEL";
    font "garamond",20;
    style"bit";
    color rgb(255,255,0,,,,,)

@4.000,32.200 say "WELCOME";
    font "MS Sans Serif",18;
    style"bit";
    color rgb(0,255,0,,,,,)

```



```
@12.923,7.200 get A;  
  picture "@*hn MAIN MENU";  
  size 1.278,30.167,0.667;  
  default 1;  
  font "garamond",12;  
  style "b";  
  valid ov2('mainmenu')
```

```
@16.624,7.200 get m.ov_exit;  
  picture "@*hn/< EXIT";  
  size 1.278,12.167,0.667;  
  default 1;  
  font "garamond",12;  
  style "b";  
  valid ov2('exit')
```

```
@24.385,20.600 say Date();  
  size 1.000,12.600;  
  font "book antiqua",12;  
  color rgb(0,0,255,,,) )
```

```
@24.385,11.200 say "Date:";  
  font "book antiqua",12;  
  style "bit";  
  color rgb(255,255,0,,,) )
```

```
@27.000,12.800 say "time:";  
  font "book antiqua",12;  
  style "bit";  
  color rgb(255,255,0,,,) )
```


```
if not wvisible("sameeri")  
activate window sameeri  
endif
```

```
read cycle
procedure ov2
  parameter sami
do case
case sami='mainmenu'
  do c:\onarvillage
case sami='exit'
endcase
set sysm to defa
deactivate window sameeri
release window sameeri
set clock off

return
```

MAIN MENU

The aim of the main menu is to use the program easily, faster. The main menu is divided into following options:



```
clear
set sysmenu off
set safety off
set status bar off
set sysmenu on
```

```
set clock on off
set clock to 31.6,62
if not wexist("sameer")
define window sameer;
at 0.000,0.000;
size 32.077,96.000;
title "ONAR VILLAGE HOTEL";
font "MS Sans Serif",8;
float;
close;
minimize;
system;
color scheme 4
    move window sameer center
endif
if wvisible("sameer")
activate window sameer same
else
activate window sameer noshow
endif
@1.000,17.200 say "ONAR VILLAGE HOTEL";
    font "garamond",20;
    style"bit";
    color rgb(0,255,0,,,,)

@4.846,29.800 say "MAIN MENU";
    font "garamond",18;
    style"bit";
    color rgb(0,255,0,,,,)

@12.923,7.200 get A;
picture "@*hn RECEPTION";
size 1.278,30.167,0.667;
```



```
default 1;  
font "garamond",12;  
style "b";  
valid ov('reception')
```

```
@12.923,52.800 get a;  
picture "@*hn SEARCHING";  
size 1.278,30.167,0.667;  
default 1;  
font "garamond",12;  
style "b";  
valid ov('searching')
```

```
@16.615,7.200 get a;  
picture "@*hn INFORMATION";  
size 1.278,30.167,0.667;  
default 1;  
font "garamond",12;  
style "b";  
valid ov('information')
```

```
@16.615,52.800 get a;  
picture "@*hn TRANSACTION";  
size 1.278,30.167,0.667;  
default 1;  
font "garamond",12;  
style "b";  
valid ov('transaction')
```

```
@20.624,40.800 get m.ov_back;  
picture "@*hn/< BACK";  
size 1.278,12.167,0.667;  
default 1;  
font "garamond",12;  
style "b";  
valid ov('back')
```



```
@24.385,20.600 say Date();  
size 1.000,12.600;  
font "book antiqua",12;  
color rgb(0,0,255,,,) )
```

```
@24.385,11.200 say "Date:";  
font "book antiqua",12;  
style "bit";  
color rgb(255,255,0,,,) )
```

```
@27.000,12.800 say "time:";  
font "book antiqua",12;  
style "bit";  
color rgb(255,255,0,,,) )
```

```
if not wvisible("sameer")  
activate window sameer  
endif
```

```
*****
```

```
read cycle  
procedure ov  
parameter m.ovreception  
do case  
case m.ovreception='reception'  
do c:\reception  
case m.ovreception='searching'  
do c:\searching  
case m.ovreception='information'  
do c:\information  
case m.ovreception='transaction'  
do c:\services
```


```
case m.ovreception='back'  
  do c:\mainonar
```

```
endcase  
set sysm to defa  
deactivate window sameer  
release window sameer  
set clock off
```

```
return
```

RECEPTION

The department of Reception or a front office has too many responsibilities to do. The work on reception is to handling a cash, book rooms, telephone receiving, making receipt, communication, exchange money e.t.c.



```

clear
set sysmenu off
set safety off
set status bar off
set sysmenu on

set clock on off
set clock to 31.6,62
if not wexist("sameer0")
define window sameer0;
at 0.000,0.000;
size 32.077,96.000;
title "ONAR VILLAGE HOTEL";
font "MS Sans Serif",8;
float;
close;
minimize;
system;
color scheme 4
    move window sameer0 center
endif
if wvisible("sameer0")
activate window sameer0 same
else
activate window sameer0 noshow
endif
@1.000,17.200 say "ONAR VILLAGE HOTEL";
    font "garamond",20;
    style"bit";
    color rgb(0,255,0,,,,)

@4.846,29.800 say "RECEPTION";
    font "garamond",18;
    style"bit";
    color rgb(0,255,0,,,,)

```


@12.923,7.200 get A;
picture "@*hn RESERVATION";
size 1.278,30.167,0.667;
default 1;
font "garamond",12;
style "b";
valid ov3('resv')

@12.923,52.800 get a;
picture "@*hn CHECK IN";
size 1.278,30.167,0.667;
default 1;
font "garamond",12;
style "b";
valid ov3('checkin')

@16.615,7.200 get a;
picture "@*hn CHECK OUT";
size 1.278,30.167,0.667;
default 1;
font "garamond",12;
style "b";
valid ov3('checkout')

@16.615,52.800 get m.ov_back;
picture "@*hn/< BACK";
size 1.278,12.167,0.667;
default 1;
font "garamond",12;
style "b";
valid ov3('back')

@28.150,13.000 say "time:";
font "book antiqua",12;
style "bit";
color rgb(255,255,0,,,))


```
if not wvisible("sameer0")
activate window sameer0
endif
```

```
read cycle
procedure ov3
    parameter sam
do case
case sam='resv'
    do c:\resvmenu
case sam='checkin'
    do c:\cuscheckin
case sam='checkout'
    do c:\chkout
case sam='back'
    do c:\onarvillage

endcase
set sysm to defa
set clock off
deactivate window sameer0
release window sameer0
set clock off

return
```

RESERVATION MENU

Reservation menu helps receptionist to do his job easily when any reservation comes, he will have new reservation, reservation list, reserved room search by name and search by surname.



```

clear
set sysmenu off
set safety off
set status bar off
set sysmenu on

set clock on off
set clock to 31.6,62
if not wexist("sameerf")
define window sameerf;
at 0.000,0.000;
size 32.077,96.000;
title "ONAR VILLAGE HOTEL";
font "MS Sans Serif",8;
float;
close;
minimize;
system;
color schem 4
    move window sameerf center
endif
if wvisible("sameerf")
activate window sameerf same
else
activate window sameerf noshow
endif
@1.000,17.200 say "ONAR VILLAGE HOTEL";
    font "garamond",20;
    style"bit";
    color rgb(0,255,0,,,,,)

@4.846,29.800 say "RESERVATION MENU";
    font "garamond",18;
    style"bit";
    color rgb(0,255,0,,,,,)

@12.923,7.200 get A;
picture "@*hn NEW RESERVATION";

```


size 1.278,30.167,0.667;
default 1;
font "garamond",12;
style "b";
valid ov3('nresv')

@12.923,52.800 get a;
picture "@*hn CANCEL RESERVATION";
size 1.278,30.167,0.667;
default 1;
font "garamond",12;
style "b";
valid ov3('rcancel')

@16.615,7.200 get a;
picture "@*hn RESERVATION LIST";
size 1.278,30.167,0.667;
default 1;
font "garamond",12;
style "b";
valid ov3('rlist')

@16.615,52.800 get a;
picture "@*hn SEARCH BY NAME";
size 1.278,30.167,0.667;
default 1;
font "garamond",12;
style "b";
valid ov3('byname')

@20.615,7.200 get a;
picture "@*hn SEARCH BY SURNAME";
size 1.278,30.167,0.667;
default 1;
font "garamond",12;
style "b";
valid ov3('bysurname')

```
@20.615,52.800 get m.ov_back;  
picture "@*hn/< BACK";  
size 1.278,12.167,0.667;  
default 1;  
font "garamond",12;  
style "b";  
valid ov3('back')
```

```
if not wvisible("sameerf")  
activate window sameerf  
endif
```

```
*****
```

```
read cycle  
procedure ov3  
    parameter sam  
do case  
case sam='nresv'  
    do c:\reservation  
case sam='rcancel'  
    do c:\cresv  
case sam='rlist'  
    do c:\resvlist  
case sam='byname'  
    do c:\rbyname  
case sam='bysurname'  
    do c:\rbysurname  
case sam='back'  
    do c:\reception  
  
endcase  
set sysm to defa
```


set clock off
deactivate window sameerf
release window sameerf
set clock off

return

```
clear
set sysmenu off
set safety off
set status bar off
set sysmenu on
set clock on off
```

```
if not wexist("sameerC")
define window sameerC;
at 0.000,0.000;
size 32.077,96.000;
title "ONAR VILLAGE HOTEL";
font "MS Sans Serif",8;
float;
close;
minimize;
system;
fill file;
locfile("c:\my documents\tratilea.jpg","bmp/ico/pct/icn",;
"where is space?")
move window sameerC center
endif
if wvisible("sameerC")
activate window sameerC same
else
activate window sameerC noshow
endif
use c:\reservations
index on reg_no to reg_nox
devam="Y"
do while devam=upper("Y")
scatter to dizi blank
clear
```

```
@1.846,16.800 say "NEW RESERVATION ";
font "garamond",18;
style"bit";
color rgb(0,255,0,,,,)
```

```

@8,6 say "Enter Registration No..." get dizi[1] picture "@10"
read
if dizi[1]=space(10)
    close databases
    clear
    return
endif
cevap="N"
@8,6 say "Registration No..."
@8,21 say dizi[1] picture "@8"
@10,6 say "Name...." get dizi[2] picture "@20"
@12,6 say "Surname....." get dizi[3] picture "@20"
@14,6 say "Arrival date....." get dizi[4] picture "@8"
@16,6 say "Departure date....." get dizi[5] picture "@8"
@18,6 say "Agency.." get dizi[6] picture "@20"
@20,6 say "Adult....." get dizi[7] picture "@2"
@22,6 say "Children....." get dizi[8] picture "@2"
@24,6 say "hotel or villa....." get dizi[9] picture "@6"
@26,6 say "Cost....." get dizi[10] picture "@10"

read
@26,40 say "Are you sure you want to quit? ....(Y/N)..."
    get devam picture "@!1"
read
if devam=upper("Y")
    append blank
    gather from dizi
endif
@28,40 say "Another new entry?....(Y/N)..."
    get devam picture "@!1"
read
enddo
close databases
clear
return

```

```

clear
set sysmenu off
set safety off
set status bar off
set sysmenu on
CLOSE ALL
set clock on off
set clock to 31.6,62
if not wexist("sameer3")
define window sameer3;
at 0.000,0.000;
size 32.077,96.000;
title "ONAR VILLAGE HOTEL";
font "MS Sans Serif",8;
float;
close;
minimize;
system;
color scheme 4
    move window sameer3 center
endif
if wvisible("sameer3")
activate window sameer3 same
else
activate window sameer3 noshow
endif
@1.000,17.200 say "ONAR VILLAGE HOTEL";
    font "garamond",20;
    style"bit";
    color rgb(0,255,0,,,,,)

@4.846,29.800 say "CANCEL RESERVATION";
    font "garamond",18;
    style"bit";
    color rgb(0,255,0,,,,,)

@16.615,7.200 get a;
    picture "@*hn BY NAME";
    size 1.278,30.167,0.667;

```

```
default 1;  
font "garamond",12;  
style "b";  
valid ov4('byname')
```

```
@16.615,52.800 get a;  
picture "@*hn BY ROOM NO";  
size 1.278,30.167,0.667;  
default 1;  
font "garamond",12;  
style "b";  
valid ov4('byroomno')
```

```
@20.624,40.800 get m.ov_back;  
picture "@*hn/< BACK";  
size 1.278,12.167,0.667;  
default 1;  
font "garamond",12;  
style "b";  
valid ov4('back')  
    if not wvisible("sameer3")  
activate window sameer3  
endif
```

```
read cycle  
procedure ov4  
    parameter m.ovreception  
do case  
case m.ovreception='byname'  
    do c:\cname  
case m.ovreception='byroomno'  
    do c:\crno
```




```
case m.ovreception='back'  
  do c:\services
```

```
endcase  
set sysm to defa  
deactivate window sameer3  
release window sameer3  
set clock off
```

```
return
```

RESERVATION SEARCH BY NAME

Receptionist can search reservations by name. If he will not found the information about that name , then message will be there and he will have to try again.



The screenshot shows a window titled "ONAR VILLAGE HOTEL" with a dark, textured background. The title bar includes standard window controls (minimize, maximize, close). The main content area displays the following text:

SEARCHING BY NAME

Enter name[Enter exit] CETIN

There is no such information.

Do you want to search anymore? (Y/N) Y

```
clear
set sysmenu off
set safety off
set status bar off
set sysmenu on
set clock on off
CLOSE ALL
```

```
if not wexist("sameerG")
define window sameerG;
at 0.000,0.000;
size 32.077,96.000;
title "ONAR VILLAGE HOTEL";
font "MS Sans Serif",8;
float;
close;
minimize;
system;
color schem 4
    move window sameerG center
endif
if wvisible("sameerG")
activate window sameerG same
else
activate window sameerG noshow
endif
use c:\reservations
index on fname to fnameX
devam="Y"
do while devam=upper("Y")
clear
@1.846,16.800 say "SEARCHING BY NAME";
font "garamond",18;
style"bit";
color rgb(0,255,0,,,,)
```

```
fname1=space(10)
```



```

@1,5 to 5,75 double
@5,6 say "Enter name(Enter exit)";
get fname1 picture"@10!"
read
if fname1=space(10)
close databases
clear
return
endif

if seek (fname1)
cevap="N"
@8,6 say "Regestration No..."get reg_no picture"@6"
@10,6 say "Name...." get fname picture "@20"
@12,6 say "Surname....." get surname picture "@20"
@14,6 say "Arrival date....." get arrv_date picture "@8"
@16,6 say "Departure date....." get dept_date picture "@8"
@18,6 say "Agency.." get agency picture "@20"
@20,6 say "Adult....." get adult picture "@2"
@22,6 say "Children....." get children picture "@2"
@24,6 say "hotel or villa....." get h_v picture "@6"
@26,6 say "Cost....." get cost picture "@10"
read
@20,5 clear to 23,77
@20,5 to 23,77 double
@30,25 say"Do you want to search anymore? (Y/N)";
get devam picture"@1!"
read
if devam="Y"
loop
else
return
endif
else
@10,7 say "There is no such information"
@20,5 clear to 23,77
@20,5 to 23,77 double
@30,25 say"Do you want to search anymore? (Y/N)";
get devam picture"@1!"

```



```
read
if devam="Y"
loop
else
```

```
    if not wvisible("sameerG")
    activate window sameerG
    endif
endif
endif
enddo
```

```
*****
```


```
read cycle
procedure ov4
    parameter m.ovreception
    do case
        case m.ovreception='back'
        do c:\searching
```

```
    endcase
    set sysm to defa
    deactivate window sameerG
    release window sameerG
    set clock off
```

```
return
```

RESERVATION SEARCH BY SURNAME

Receptionist can search reservations also by surname. If he will not found the information about that surname, then message will be there and he will have to try again.



The screenshot shows a window titled "ONARE VILLAGE HOTEL" with a search interface. The title "SEARCHING BY SURNAME" is displayed in a stylized font. Below it, there are several input fields with pre-filled or entered data:

Field	Value
Enter Surname(Enter exit) PIYA	PIYA
Registration No...	52
Name....	HAMID
Surname.....	PIYA
Arrival date.....	07/07/200
Departure date.....	07/10/200
Agency..	CRICKETERS
Adult.....	1
Children.....	0
hotel or villa.....	HQTE
Cost.....	25\$

```
clear
set sysmenu off
set safety off
set status bar off
set sysmenu on
set clock on off
CLOSE ALL
```

```
if not wexist("sameerH")
define window sameerH;
at 0.000,0.000;
size 32.077,96.000;
title "ONAR VILLAGE HOTEL";
font "MS Sans Serif",8;
float;
close;
minimize;
system;
color scheme 4
        move window sameerH center
endif
if wvisible("sameerH")
activate window sameerH same
else
activate window sameerH noshow
endif
use c:\reservations
index on surname to surnamex
devam="Y"
do while devam=upper("Y")
clear
@1.846,10.800 say "SEARCHING BY SURNAME";
font "garamond",18;
style"bit";
color rgb(0,255,0,,,,)
```



```

surname1=space(10)
@1,5 to 5,75 double
@5,6 say "Enter Surname(Enter exit)";
get surname1 picture "@20!"
read
if surname1=space(10)
close databases
clear
return
endif

if seek (surname1)
cevap="N"
@8,6 say "Registration No..."get reg_no picture "@6"
@10,6 say "Name...." get fname picture "@20"
@12,6 say "Surname....." get surname picture "@20"
@14,6 say "Arrival date....." get arrv_date picture "@8"
@16,6 say "Departure date....." get dept_date picture "@8"
@18,6 say "Agency.." get agency picture "@20"
@20,6 say "Adult....." get adult picture "@2"
@22,6 say "Children....." get children picture "@2"
@24,6 say "hotel or villa....." get h_v picture "@6"
@26,6 say "Cost....." get cost picture "@10"
read
@20,5 clear to 23,77
@20,5 to 23,77 double
@28,20 say "Do you want to search anymore? (Y/N)";
get devam picture "@1!"
read
if devam="Y"
loop
else
return
endif
else
@10,7 say "There is no such information"
@20,5 clear to 23,77
@20,5 to 23,77 double
@28,20 say "Do you want to search anymore? (Y/N)";

```



```
get devam picture"@1!"  
read  
if devam="Y"  
loop  
  
    if not wvisible("sameerH")  
        activate window sameerH  
    endif  
endif  
enddo  
return
```

RESERVATION LIST

When receptionist will have to give any room or villa, he will check his reserved room list by click reservation list.

<u>Name</u>	<u>Surname</u>	<u>Arrival Date</u>	<u>Departure Date</u>	<u>Agency</u>	<u>Adult</u>	<u>Children</u>	<u>Hotel/Villa</u>	<u>Cost</u>
SAMEE	muhammad	07/02/02	07/10/02	travel world	1	0	hotel	25\$
USMAN	sultan	07/05/02	07/10/02	travel world	1	0	hotel	25\$
HASEEB	muhammad	07/02/02	07/10/02	travel world	1	0	villa	25\$
	cricketer	07/02/02	07/10/02	10	1	0	hotel	35\$
		11	11		0	0	hotel	35
		11	11		0	0	hotel	0
SAMAD	iftidar	07/16/02	07/20/02	cricketers	1	0	hotel	25\$
8	hamid	07/10/02	07/15/02	noble	1	0	hotel	25\$
		11	11		0	0		0
OZGUN	CEGIR	07/02/02	07/07/02	TRAVEL	1	0	HOTEL	25\$
ABDUL	GAYYUM	07/07/02	07/08/02	TRAVEL	1	0	HOTEL	26\$
		11	11		0	0		0
AHMED	ABDULAZIZ	07/02/02	07/03/02	TRAVEL	1	0	HOTEL	25\$
		11	11		0	0		
		11	11		0	0		
HAMID	PIYA	07/07/02	07/10/02	CRICKETERS	1	0	HOTEL	25\$
		11	11		0	0		
SAMEE	MUHAMMAD	07/07/02	07/10/02	TRAVEL	1	0	HOTEL	25\$

Listing

End of file-press any key

number of rooms:

18

```

set scoreboard off
set talk off
close all
set sysmenu off
define window liste from 1,1 to 45,135;
title "Listing" system
define window listel from 25,5 to 28,85;
title "Listing" system
activate window liste
use c:\reservations
index on surname to surnamex
sayi=0

@1,0 say " Name"font "arial",10 style "bu"
@1,8 say " Surname"font"arial",10 style "bu"
@1,18 say " Arrival Date"font"arial",10 style "bu"
@1,29 say " Departure Date"font"arial",10 style "bu"
@1,47 say " Agency"font"arial",10 style "bu"
@1,59 say " Adult"font"arial",10 style "bu"
@1,70 say " Children"font"arial",10 style "bu"
@1,81 say " Hotel/Villa"font"arial",10 style "bu"
@1,99 say " Cost"font"arial",10 style "bu"
satir=3
do while .not.eof()
@satir,0 say fname picture "@20"font"arial",9
@satir,9 say surname picture "@20"font"arial",9
@satir,20 say arrv_date picture "@8"font"arial",9
@satir,31 say dept_date picture "@8"font"arial",9
@satir,47 say agency picture "@20"font"arial",9
@satir,61 say adult picture "@2"font"arial",9
@satir,73 say children picture "@2"font"arial",9
@satir,83 say h_v picture "@6"font"arial",9
@satir,97 say cost picture "@10"font"arial",9

satir=satir+1
sayi=sayi+1
if satir=25

```

```
activate window liste2
@1,1 say "Press any key [esc-return]"
@1,35 say "Number of contents"
@1,60 say sayi picture "999"
bekle=inkey(0)
if lastkey()=27
return
else
@1,1 clear to 4,70
satir=4
endif
endif
skip
if eof()
activate window liste1
@1,1 say "End of file-press any key"
@1,35 say "number of rooms:"
@1,60 say sayi picture "999"
bekle=inkey(0)
endif
enddo
deactivate window all
return
```


CHECK IN

When the customer come to the hotel to stay, a reception or front office department do welcome him and give him a check in form to fill. The same entry, he will do also in the program where he will put all necessary information about customer.

ONAR VILLAGE HOTEL

NEW CUSTOMER CHECK IN

Registration no.12	12
Name..... EBRU	Occupation..... SINGING
Surname..... GUNDES	Nationality..... TURKISH
Passport no..... 54789994	Adult..... 1
Date of birth..... 01/01/197	Children..... 0
Sex.. FEMALE	Hotel/Villa..... HOTEL
Address..... ISTANBUL TURKEY	Date of Arrival..... 07/07/200
Telephone No..... 2245879	Date of Departure..... 07/10/200
Room No.. 104	
Agency.. NOBLE	Are you sure you want to quit?[Y/N]... Y
	Another new entry?....[Y/N]... N

```
clear
set sysmenu off
set safety off
set status bar off
set sysmenu on
set clock on off
CLOSE ALL
```

```
if not wexist("sameerb")
define window sameerb;
at 0.000,0.000;
size 32.077,96.000;
title "ONAR VILLAGE HOTEL";
font "MS Sans Serif",8;
float;
close;
minimize;
system;
COLOR SCHEME 4
    move window sameerb center
endif
if wvisible("sameerb")
activate window sameerb same
else
activate window sameerb noshow
endif
use c:\check-in
index on room_no to room_nox
devam="Y"
do while devam=upper("Y")
scatter to dizi blank
clear
```

```
@1.846,12.800 say "NEW CUSTOMER CHECK IN ";
font "garamond",18;
style"bit";
```

color rgb(0,255,0,,,,)

```
@8,6 say "Enter Room no..." get dizi[1] picture "@10"
read
if dizi[1]=space(10)
    close databases
    clear
    return
endif
if seek (dizi[1])
    DEFINE WIND MSG1 FROM 1,1 TO 5,20 TITLE "MESSAGE"
    DEFINE WIND MSG2 FROM 1,1 TO 8,25 TITLE "ERROR
MESSAGE"
    ACTI WIND MSG1
    MOVE WIND MSG1 CENTER
    WAIT "PLEASE WAIT"
    ACTI WIND MSG2
    MOVE WIND MSG2 CENTER
    WAIT " THIS ROOM IS FULL "
    DEACTI WIND MSG1
    DEACTI WIND MSG2

ELSE
    use
    USE C:RESERVATIONS
    index on room_no to room_nox
    IF SEEK (dizi[1])

        DEFINE WIND MSG1 FROM 1,1 TO 5,20 TITLE "MESSAGE"
        DEFINE WIND MSG2 FROM 1,1 TO 8,25 TITLE "ERROR
MESSAGE"
        ACTI WIND MSG1
        MOVE WIND MSG1 CENTER
        WAIT "PLEASE WAIT"
        ACTI WIND MSG2
        MOVE WIND MSG2 CENTER
```


WAIT " THIS ROOM IS RESERVED"

DEACTI WIND MSG1

DEACTI WIND MSG2

else

@8,6 say "Room No..."

@8,21 say dizi[1] picture "@3"

@10,6 say "Name....." get dizi[2] picture "@20"

@12,6 say "Surname....." get dizi[3] picture "@20"

@14,6 say "Passport no....." get dizi[4] picture "@10"

@16,6 say "Date of birth....." get dizi[5] picture "@8"

@18,6 say "Sex.." get dizi[6] picture "@10"

@20,6 say "Address....." get dizi[7] picture "@30"

@22,6 say "Telephone No....." get dizi[8] picture "@18"

@24,6 say "Room no....." get dizi[1] picture "@3"

@26,6 say "Agency.." get dizi[17] picture "@20"

@10,50 say "Occupation....." get dizi[9] picture "@15"

@12,50 say "Nationality....." get dizi[10] picture "@15"

@14,50 say "Adult.." get dizi[11] picture "@2"

@16,50 say "Children....." get dizi[12] picture "@2"

@18,50 say "Hotel/Villa....." get dizi[13] picture "@5"

@20,50 say "Date of Arrival....." get dizi[14] picture "@8"

@22,50 say "Date of Departure....." get dizi[15] picture "@8"

read

ENDIF

endif

@24,45 SAY "YOU WANT TO QUIT?(Y/N)...";

get devam picture "@!1"

read

if devam=upper("Y")

append blank

gather from dizi

endif

@28,40 say "ANOTHER NEW ENTRY?....(Y/N)...";

get devam picture "@!1"

read

enddo

close databases

clear

return

CHECK OUT

When the customer leaves from the hotel, receptionist must have to do delete his information from the program.

The screenshot shows a graphical user interface for a program titled "ONAR VILLAGE HOTEL". The window has a title bar with the text "ONAR VILLAGE HOTEL" and standard window control buttons (minimize, maximize, close). The main area of the window has a dark, textured background. At the top, the text "ONAR VILLAGE HOTEL" is displayed in a large, stylized, italicized font. Below it, the text "CHECK OUT" is displayed in a similar font. In the center of the window, there are two rectangular buttons side-by-side. The left button is labeled "By Name" and the right button is labeled "By Room No". Below these two buttons, centered, is a third rectangular button labeled "back".

```

clear
set sysmenu off
set safety off
set status bar off
set sysmenu on
CLOSE ALL
set clock on off
set clock to 31.6,62
if not wexist("sameer8")
define window sameer8;
at 0.000,0.000;
size 32.077,96.000;
title "ONAR VILLAGE HOTEL";
font "MS Sans Serif",8;
float;
close;
minimize;
system;
color scheme 4
        move window sameer8 center
endif
if wvisible("sameer8")
activate window sameer8 same
else
activate window sameer8 noshow
endif
@1.000,17.200 say "ONAR VILLAGE HOTEL";
        font "garamond",20;
        style"bit";
        color rgb(0,255,0,,,,,)

@4.846,29.800 say "CHECK OUT";
        font "garamond",18;
        style"bit";
        color rgb(0,255,0,,,,,)

@16.615,7.200 get a;
picture "@*hn By Name";

```

```
size 1.278,30.167,0.667;  
default 1;  
font "garamond",12;  
style "b";  
valid ov4('byname')
```

```
@16.615,52.800 get a;  
picture "@*hn By Room No";  
size 1.278,30.167,0.667;  
default 1;  
font "garamond",12;  
style "b";  
valid ov4('byroomno')
```

```
@20.624,40.800 get m.ov_back;  
picture "@*hn/< back";  
size 1.278,12.167,0.667;  
default 1;  
font "garamond",12;  
style "b";  
valid ov4('back')  
if not wvisible("sameer8")  
activate window sameer8  
endif
```

```
read cycle  
procedure ov4  
parameter m.ovreception  
do case  
case m.ovreception='byname'  
do c:\co_name  
case m.ovreception='byroomno'
```

```
do c:\co_mno
case m.ovreception='back'
  do c:\reception

endcase
set sysm to defa
deactivate window sameer8
release window sameer8
set clock off

return
```


CHECK OUT BY NAME

It's receptionist choice; whether he deletes customer account by name or by room number.

Enter name(Enter exit) HAMID

N

Name HAMID

Occupation..... STUDENT

Surname..... ECGIR

Nationality..... TURKISH

Passport no.....

785452

Adult.. 1

Date of birth..... 01/09/19

Children..... 0

Sex.. MALE

Hotel/Villa..... HOTEL

Address..... ISTANBUL TURKEY

Date of Arrival..... 07/01/20

Telephone No.....

2145799

Date of Departure..... 07/08/20

Room No.. 0

Registration no..... 12

Agency.. TRAVEL

agree

Do you want to delete another one? [Y/N] Y

```
clear
set sysmenu off
set safety off
set status bar off
set sysmenu on
set clock on off
```

CLOSE ALL

```
use c:\check-in
index on fname to fnamex
devam="Y"
cevap="Y"
define window delete1 from 1,5 to 6,75;
title "Delating an information" system
```

```
define window delete2 from 8,5 to 50,120 double
define window delete3 from 30,10 to 35,60;
system title "agree"
```

```
do while devam=upper("Y")
clear
```

```
fname1=space(10)
activate window delete1
@2,6 say "Enter name(Enter exit)";
get fname1 picture "@10!"
read
if fname1=space(10)
close databases
deactivate window delete1
return
endif
seek fname1
if.not.eof()
activate window delete2
```

```

cevap="N"
@2,6 say "Name      " get fname picture "@10"
@12,6 say "Surname....." get surname picture "@20"
@14,6 say "Passport no....." get pass_no picture "@10"
@16,6 say "Date of birth....." get d_o_birth picture "@8"
@18,6 say "Sex.." get sex picture "@10"
@20,6 say "Address....." get addr picture "@30"
@22,6 say "Telephone No....." get telephone picture "@18"
@24,6 say "Room No.." get room_no picture "@3"
@26,6 say "Agency.." get agency picture "@20"
@10,50 say "Occupation....." get occupation picture "@15"
@12,50 say "Nationality....." get nationality picture "@15"
@14,50 say "Adult.." get adult picture "@2"
@16,50 say "Children....." get children picture "@2"
@18,50 say "Hotel/Villa....." get h_v_picture "@5"
@20,50 say "Date of Arrival....." get arr_date picture "@8"
@22,50 say "Date of Departure....." get dept_date picture "@8"
@24,50 say "Registration no....." get reg_no picture "@1"

```

```

clear gets
activate window delete3
@1,1 clear to 3,50
@2,1 say "Are you sure to delete? (Y/N)";
get cevap picture "@!1"
read
if cevap=upper("Y")
if.not.deleted()
delete
endif
endif
else
@1,1 clear to 3,50
@2,1 say "There is no such file.Do you want to continue? (Y/N)";
get devam picture "@!1"
read
if devam=upper("Y")
hide window delete2
hide window delete3
loop

```

```
else
    exit
endif
endif
@1,1 clear to 3,50
@2,1 say "Do you want to delete another one? [Y/N]";
    get devam picture "@1!"
read
enddo
activate window delete3
@1,1 clear to 3,50
@2,1 say "DO you want to remove that file? [Y/N]";
get cevap picture "@1!"
read
    hide window delete2
    hide window delete3
if cevap=upper("Y")
pack
endif
deactivate window all
return
```


CHECK OUT BY ROOM NUMBER

Enter Room No(Enter exit) 102

N

Name HASAN

Occupation..... student

Surname..... ali

Nationality..... turkish

Passport no.....

2245868

Adult.. 1

Date of birth..... 01/09/19

Children..... 0

Sex.. male

Hotel/Villa..... hotel

Address..... turkey

Date of Arrival..... 07/01/20

Telephone No.....

2286214

Date of Departure..... 07/09/20

Room No.. 102

Registration no.....

0

Agency.. cricketers

agree.

DO you want to remove that file? [Y/N] Y

```
clear
set sysmenu off
set safety off
set status bar off
set sysmenu on
set clock on off
```

CLOSE ALL

```
use c:\check-in
index on room_no to room_nox
devam="Y"
cevap="Y"
define window delete1 from 1,5 to 6,75;
title "Check out Room " system
define window delete2 from 8,5 to 50,120 double
define window delete3 from 30,10 to 35,60;
system title "agree"
```

```
do while devam=upper("Y")
clear
```

```
room_no1=space(10)
activate window delete1
@2,6 say "Enter Room No(Enter exit)";
get room_no1 picture "@10!"
read
if room_no1=space(10)
close databases
deactivate window delete1
return
endif
seek room_no1
if.not.eof()
```

activate window delete2

cevap="N"

@2,6 say "Name " get fname picture "@10"

@12,6 say "Surname....." get surname picture "@20"

@14,6 say "Passport no....." get pass_no picture "@10"

@16,6 say "Date of birth....." get d_o_birth picture "@8"

@18,6 say "Sex.." get sex picture "@10"

@20,6 say "Address....." get addr picture "@30"

@22,6 say "Telephone No....." get telephone picture "@18"

@24,6 say "Room No.." get room_no picture "@3"

@26,6 say "Agency.." get agency picture "@20"

@10,50 say "Occupation....." get occupation picture "@15"

@12,50 say "Nationality....." get nationality picture "@15"

@14,50 say "Adult.." get adult picture "@2"

@16,50 say "Children....." get children picture "@2"

@18,50 say "Hotel/Villa....." get h_v_picture "@5"

@20,50 say "Date of Arrival....." get arr_date picture "@8"

@22,50 say "Date of Departure....." get dept_date picture "@8"

@24,50 say "Registration no....." get reg_no picture "@1"

clear gets

activate window delete3

@1,1 clear to 3,50

@2,1 say "Are you sure to check out? (Y/N)";

get cevap picture "@!1"

read

if cevap=upper("Y")

if.not.deleted()

delete

endif

endif

else

@1,1 clear to 3,50

@2,1 say "There is no such file.Do you want to continue? (Y/N)";

get devam picture "@!1"

read

if devam=upper("Y")

hide window delete2

hide window delete3

```
loop
else
    exit
endif
endif
@1,1 clear to 3,50
@2,1 say "Do you want to do another check out? [Y/N]";
    get devam picture "@1!"
read
enddo
activate window delete3
@1,1 clear to 3,50
@2,1 say "DO you want to remove that file? [Y/N]";
get cevap picture "@1!"
read
    hide window delete2
    hide window delete3
if cevap=upper("Y")
pack
endif
deactivate window all
return
```


SEARCHING

To search an information or data of a customer, user may use searching from the main menu. It is sometimes very important, when you need information as much as quick.



```

clear
set sysmenu off
set safety off
set status bar off
set sysmenu on

set clock on off
set clock to 31.6,62
if not wexist("sameer3")
define window sameer3;
at 0.000,0.000;
size 32.077,96.000;
title "ONAR VILLAGE HOTEL";
font "MS Sans Serif",8;
float;
close;
minimize;
system;
color scheme 4
    move window sameer3 center
endif
if wvisible("sameer3")
activate window sameer3 same
else
activate window sameer3 noshow
endif
@1.000,17.200 say "ONAR VILLAGE HOTEL";
    font "garamond",20;
    style"bit";
    color rgb(0,255,0,,,,,)

@4.846,29.800 say "SEARCHING";
    font "garamond",18;
    style"bit";
    color rgb(0,255,0,,,,,)

@16.615,7.200 get a;
picture "@*hn BY NAME";

```

```
size 1.278,30.167,0.667;  
default 1;  
font "garamond",12;  
style "b";  
valid ov4('byname')
```

```
@16.615,52.800 get a;  
picture "@*hn BY ROOM NO";  
size 1.278,30.167,0.667;  
default 1;  
font "garamond",12;  
style "b";  
valid ov4('byroomno')
```

```
@20.624,40.800 get m.ov_back;  
picture "@*hn/< BACK";  
size 1.278,12.167,0.667;  
default 1;  
font "garamond",12;  
style "b";  
valid ov4('back')  
if not wvisible("sameer3")  
activate window sameer3  
endif
```

```
read cycle  
procedure ov4  
parameter m.ovreception  
do case  
case m.ovreception='byname'  
do c:\byname  
case m.ovreception='byroomno'
```

```
do c:\byroomno  
case m.ovreception='back'  
  do c:\onarvillage
```

```
endcase  
set sysm to defa  
deactivate window sameer3  
release window sameer3  
set clock off
```

```
return
```


SEARCHING BY NAME

ONAR VILLAGE HOTEL

SEARCHING BY NAME

Enter name(Enter exit) HASEEB

Name..... HASEEB Occupation..... student

Surname..... fazal Nationality..... pakistani

Passport no..... 4646887 Adult.. 1

Date of birth..... 05/05/197 Children..... 0

Sex.. male Hotel/Villa..... hotel

Address..... lefkosa Date of Arrival..... 01/07/200

Telephone No..... 2282658 Date of Departure..... 07/07/200

Room No.. 10 Registration no..... 5

Agency cricketer

```
clear
set sysmenu off
set safety off
set status bar off
set sysmenu on
set clock on off
CLOSE ALL
```

```
if not wexist("sameer5")
define window sameer5;
at 0.000,0.000;
size 32.077,96.000;
title "ONAR VILLAGE HOTEL";
font "MS Sans Serif",8;
float;
close;
minimize;
system;
color scheme 4
    move window sameer5 center
endif
if wvisible("sameer5")
activate window sameer5 same
else
activate window sameer5 noshow
endif
use c:\check-in
index on fname to fnamex
devam="Y"
do while devam=upper("Y")
clear
@1.846,16.800 say "SEARCHING BY NAME";
    font "garamond",18;
    style"bit";
    color rgb(0,255,0,,,,,)

fname1=space(10)
```

```
@1,5 to 5,75 double
@5,6 say "Enter name(Enter exit)";
get fname1 picture "@10!"
read
if fname1=space(10)
close databases
clear
return
endif
```

```
if seek (fname1)
    DEFINE WIND MSG1 FROM 1,1 TO 5,40 TITLE "MESSAGE"

    ACTI WIND MSG1
    MOVE WIND MSG1 CENTER
    WAIT "SEARCHING.....PRESS ENTER"

    DEACTI WIND MSG1
```

```
cevap="N"
@9,5 to 22,70
@10,6 say "Name....." get fname picture "@20"
@12,6 say "Surname....." get surname picture "@20"
@14,6 say "Passport no....." get pass_no picture "@10"
@16,6 say "Date of birth....." get d_o_birth picture "@8"
@18,6 say "Sex.." get sex picture "@10"
@20,6 say "Address....." get addr picture "@30"
@22,6 say "Telephone No....." get telephone picture "@18"
@24,6 say "Room No.." get room_no picture "@3"
@26,6 say "Agency.." get agency picture "@20"
@10,50 say "Occupation....." get occupation picture "@15"
@12,50 say "Nationality....." get nationality picture "@15"
@14,50 say "Adult.." get adult picture "@2"
@16,50 say "Children....." get children picture "@2"
@18,50 say "Hotel/Villa....." get h_v_picture "@5"
@20,50 say "Date of Arrival....." get arr_date picture "@8"
@22,50 say "Date of Departure....." get dept_date picture "@8"
```



```
@24,50 say "Registration no....." get reg_no picture "@10"  
read  
@20,5 clear to 23,77  
@20,5 to 23,77 double  
@28,20 say "Do you want to search anymore? (Y/N)";  
get devam picture "@1!"  
read  
if devam="Y"  
loop  
else  
return  
endif  
else
```

```
DEFINE WIND MSG2 FROM 1,1 TO 5,50 TITLE "ERROR"
```

```
ACTI WIND MSG2
```

```
MOVE WIND MSG2 CENTER
```

```
WAIT "THERE IS NO SUCH INFORMATION... PRESS ENTER"
```

```
DEACTI WIND MSG2
```

```
@20,5 clear to 23,77  
@20,5 to 23,77 double  
@28,20 say "Do you want to search anymore? (Y/N)";  
get devam picture "@1!"  
read  
if devam="Y"  
loop  
else  
@28.624,65.800 get m.ov_back;  
picture "@*hn/< back";  
size 1.278,12.167,0.667;  
default 1;  
font "garamond",12;  
style "b";  
valid ov4('back')
```



```
if not wvisible("sameer5")
  activate window sameer5
endif
endif
endif
enddo
```

```
*****
```

```
read cycle
procedure ov4
  parameter m.ovreception
  do case
    case m.ovreception='back'
      do c:\searching

  endcase
  set sysm to defa
  deactivate window sameer5
  release window sameer5
  set clock off
```

```
Return
```

SEARCHING BY ROOM NUMBER

ONAR VILLAGE HOTEL

SEARCHING BY ROOM NO

Enter Room No(Enter exit) 105

Name..... KARAN

Occupation..... business

Surname..... umut

Nationality..... turkish

Passport no..... 74683241

Adult.. 1

Date of birth..... 05/17/1977

Children..... 0

Sex.. male

Hotel/Villa..... hotel

Address..... istunbul, turkey

Date of Arrival..... 07/01/2006

Telephone No..... 5621489

Date of Departure..... 07/04/2006

Room No.. **

Registration no..... 0

Agency.. vista

```

clear
set sysmenu off
set safety off
set status bar off
set sysmenu on
set clock on off
close all

if not wexist("sameer6")
define window sameer6;
at 0.000,0.000;
size 32.077,96.000;
title "ONAR VILLAGE HOTEL";
font "MS Sans Serif",8;
float;
close;
minimize;
system;
color scheme 4
    move window sameer6 center
endif
if wvisible("sameer6")
activate window sameer6 same
else
activate window sameer6 noshow
endif
use c:\check-in
index on room_no to room_nox
devam="Y"
do while devam=upper("Y")
clear
@1.846,16.800 say "SEARCHING BY ROOM NO";
    font "garamond",18;
    style"bit";
    color rgb(0,255,0,,,,,)

room_no1=space(10)

```



```

@1,5 to 5,75 double
@5,6 say "Enter Room No(Enter exit)";
get room_no1 picture "@3!"
read
if room_no1=space(3)
close databases
clear
return
endif
if seek (room_no1)

```

```

DEFINE WIND MSG1 FROM 1,1 TO 5,40 TITLE "MESSAGE"
ACTI WIND MSG1
MOVE WIND MSG1 CENTER
WAIT "SEARCHING.....PRESS ENTER".

```

```

DEACTI WIND MSG1

```

```

cevap="N"
@9,5 to 22,70
@10,6 say "Name....." get fname picture "@20"
@12,6 say "Surname....." get surname picture "@20"
@14,6 say "Passport no....." get pass_no picture "@10"
@16,6 say "Date of birth....." get d_o_birth picture "@8"
@18,6 say "Sex.." get sex picture "@10"
@20,6 say "Address....." get addr picture "@30"
@22,6 say "Telephone No....." get telephone picture "@18"
@24,6 say "Room No.." get room_no picture "@3"
@26,6 say "Agency.." get agency picture "@20"
@10,50 say "Occupation....." get occupation picture "@15"
@12,50 say "Nationality....." get nationality picture "@15"
@14,50 say "Adult.." get adult picture "@2"
@16,50 say "Children....." get children picture "@2"
@18,50 say "Hotel/Villa....." get h_v_picture "@5"
@20,50 say "Date of Arrival....." get arr_date picture "@8"
@22,50 say "Date of Departure....." get dept_date picture "@8"
@24,50 say "Registration no....." get reg_no picture "@10"
read
@20,5 clear to 23,77
@20,5 to 23,77 double

```



```
@28,20 say"Do you want to search anymore? (Y/N)";
```

```
get devam picture"@1!"
```

```
read
```

```
if devam="Y"
```

```
loop
```

```
else
```

```
return
```

```
endif
```

```
else
```

```
    DEFINE WIND MSG2 FROM 1,1 TO 5,50 TITLE "ERROR"
```

```
    ACTI WIND MSG2
```

```
    MOVE WIND MSG2 CENTER
```

```
    WAIT "THERE IS NO SUCH INFORMATION... PRESS ENTER"
```

```
    DEACTI WIND MSG2
```

```
@20,5 clear to 23,77
```

```
@20,5 to 23,77 double
```

```
@28,20 say"Do you want to search anymore? (Y/N)";
```

```
get devam picture"@1!"
```

```
read
```

```
if devam="Y"
```

```
loop
```

```
else
```

```
@28.624,65.800 get m.ov_back;
```

```
    picture "@*hn/< back";
```

```
    size 1.278,12.167,0.667;
```

```
    default 1;
```

```
    font "garamond",12;
```

```
    style "b";
```

```
    valid ov4("back')
```

```
        if not wvisible("sameer6")
```

```
            activate window sameer6
```

```
        endif
```

```
    endif
```

```
endif
```

```
enddo
```

```
*****
```

```
read cycle
```

```
procedure ov4
```

```
    parameter m.ovreception
```


```
do case
  case m.ovreception='back'
  do c:\searching
```

```
endcase
set sysm to defa
deactivate window sameer6
release window sameer6
set clock off
```

```
return
```

INFORMATION

Here, the information menu tells you about empty rooms and full rooms.



```

clear
set sysmenu off
set safety off
set status bar off
set sysmenu on
close all
set clock on off
set clock to 31.6,62
if not wexist("sameer9")
define window sameer9;
at 0.000,0.000;
size 32.077,96.000;
title "ONAR VILLAGE HOTEL";
font "MS Sans Serif",8;
float;
close;
minimize;
system;
color scheme 4
        move window sameer9 center
endif
if wvisible("sameer9")
activate window sameer9 same
else
activate window sameer9 noshow
endif
@1.000,17.200 say "ONAR VILLAGE HOTEL";
        font "garamond",20;
        style"bit";
        color rgb(0,255,0,,,,,)

@4.846,29.800 say "INFORMATION";
        font "garamond",18;
        style"bit";
        color rgb(0,255,0,,,,,)

@12.923,7.200 get A;

```



```
picture "@*hn EMPTY ROOMS";
size 1.278,30.167,0.667;
default 1;
font "garamond",12;
style "b";
valid ov('empty')
```

```
@12.923,52.800 get a;
picture "@*hn FULL ROOMS";
size 1.278,30.167,0.667;
default 1;
font "garamond",12;
style "b";
valid ov('full')
```

```
@20.624,40.800 get m.ov_back;
picture "@*hn/< back";
size 1.278,12.167,0.667;
default 1;
font "garamond",12;
style "b";
valid ov('back')
```

```
@28.150,13.000 say "time:";
font "book antiqua",12;
style "bit";
color rgb(255,255,0,,,)

```

```
if not wvisible("sameer9")
activate window sameer9
endif
```

```
*****
```

```
read cycle
procedure ov
    parameter m.ovreception
do case
case m.ovreception='empty'
    do c:\empty
case m.ovreception='full'
    do c:\listmenu
case m.ovreception='back'
    do c:\onarvillage
```

```
endcase
set sysm to defa
.deactivate window sameer9
release window sameer9
set clock off

return
```

```
clear
set sysmenu off
set safety off
set status bar off
set sysmenu on
close all
```

```
if not wexist("sameery")
define window sameery;
at 0.000,0.000;
size 32.077,96.000;
title "ONAR VILLAGE HOTEL";
font "MS Sans Serif",8;
float;
close;
minimize;
system;
color scheme 4
        move window sameery center
endif
if wvisible("sameery")
activate window sameery same
else
activate window sameery noshow
endif
```

```
use c:\rooms
index on room_no to room_nox
devam="Y"
do while devam=upper("Y")
clear
@1.846,12.800 say "CHECK ROOMS AVAILABILITY";
font "garamond",18;
style "bit";
color rgb(255,255,255,,,) )
```

```
    if not wvisible("sameery")
activate window sameery
endif
```

```
room_no1=space(10)
```

```
@1,5 to 5,75 double
@5,6 say "Enter Room No(Enter exit)";
get room_no1 picture"@3!"
read
if room_no1=space(3)
close databases
clear
return
endif
if seek (room_no1)
```

```
cevap="N"
```

```
DEFINE WIND MSG FROM 1,1 TO 5,35 TITLE "SEARCHING"
```

```
    ACTI WIND MSG
    MOVE WIND MSG CENTER
    WAIT "SEARCHING... PLEASE PRESS ENTER"
```

```
    DEACTI WIND MSG
```

```
USE
use c:\CHECK-IN
index on room_no to room_nox
```

```
if seek (room_no1)
cevap="n"
```


DEFINE WIND MSG2 FROM 1,1 TO 5,25 TITLE "FULL"

ACTI WIND MSG2
MOVE WIND MSG2 CENTER
WAIT "THIS ROOM IS FULL"

DEACTI WIND MSG2

ENDIF

ELSE

DEFINE WIND MSG3 FROM 1,1 TO 5,25 TITLE "EMPTY"

ACTI WIND MSG3
MOVE WIND MSG3 CENTER
WAIT "THIS ROOM IS EMPTY"

DEACTI WIND MSG3

ENDIF

@20,5 clear to 23,77

@20,5 to 23,77 double

@28,20 say"Do you want to check other rooms availability? (Y/N)";
get devam picture"@1!"

read

if devam="Y"

LOOP

else

RETURN

endif

@20,5 clear to 23,77

@20,5 to 23,77 double

@28,20 say"Do you want to search anymore? (Y/N)";
get devam picture"@1!"

```
read  
if devam="Y"  
LOOP  
else  
deactivate window sameery
```

```
endif
```

```
close databases  
clear  
enddo
```

```
return
```

```
set scoreboard off
set talk off
```

```
set sysmenu off
close all
define window liste from 1,1 to 45,135;
title "Listing" system
define window listel from 25,5 to 28,85;
title "Listing" system
activate window liste
use c:\check-in
index on surname to surname_x
```

```
sayi=0
@1,0 say " Name"font "arial",7 style "bu"
@1,5 say " Surname"font "arial",7 style "bu"
@1,12 say " Passport No"font"arial",7 style "bu"
@1,20 say " Date of birth"font"arial",7 style "bu"
@1,29 say " Sex"font"arial",7 style "bu"
@1,33 say " Address"font"arial",7 style "bu"
@1,42 say " Room No"font"arial",7 style "bu"
@1,50 say " Agency"font"arial",7 style "bu"
@1,58 say " Occupation"font"arial",7 style "bu"
@1,66 say "Nationality"font"arial",7 style "bu"
@1,74 say "Adult"font"arial",7 style "bu"
@1,80 say "Children " font"arial",7 style "bu"
@1,88 say "Hotel/Villa " font"arial",7 style "bu"
@1,96 say "Arrival Date " font"arial",7 style "bu"
@1,105 say"Departure Date " font"arial",7 style "bu"
```

```
satir=3
do while .not.eof()
@satir,0 say fname picture "@20"font"arial",7
@satir,6 say surname picture "@20"font"arial",7
@satir,10 say pass_no picture "@10"font"arial",7
@satir,21 say d_o_birth picture "@8"font"arial",7
@satir,29 say sex picture "@10"font"arial",7
@satir,34 say addr picture "@30"font"arial",7
```

```
@satir,44 say room_no picture "@3"font"arial",7
@satir,51 say agency picture "@20"font"arial",7
@satir,59 say occupation picture "@15"font"arial",7
@satir,68 say nationality picture "@15"font"arial",7
@satir,75 say adult picture "@2"font"arial",7
@satir,81 say children picture "@2"font"arial",7
@satir,89 say h_v_ picture "@5"font"arial",7
@satir,97 say arr_date picture "@8"font"arial",7
@satir,106 say dept_date picture "@8"font"arial",7
```

```
satir=satir+1
sayi=sayi+1
if satir=25
define wind list3 from 25,5 to 28,85
acti wind list3
@1,1 say "Press any key [esc-return]"
@1,35 say "Number of contents"
@1,60 SAY sayi picture "999"
bekle=inkey(0)
if lastkey()=27
close all
return
else
@1,1 clear to 4,70
satir=4
endif
endif
skip
if eof()
activate window list1
@1,1 say "End of file-press any key"
@1,35 say "number of rooms:"
@1,60 say sayi picture "999"
bekle=inkey(0)
endif
enddo
deactivate window all
close all
return
```


TRANSACTIONS

Transaction part is very important for hotel. In this program, you may put bills by name or by room no. you have also list to see customers accounts balances.

The screenshot shows a graphical user interface for a program titled "ONAR VILLAGE HOTEL". The main window has a dark background with the title "ONAR VILLAGE HOTEL" and the subtitle "TRANSACTIONS" in a stylized font. Below the title, there are four buttons arranged in a 2x2 grid: "BY NAME", "BY ROOM NO", "LIST", and "back". The "BY NAME" and "BY ROOM NO" buttons are larger and have a light-colored border, while the "LIST" and "back" buttons are smaller and have a darker background. At the bottom left of the window, there is a timestamp that reads "time: 3:58:35 am". The window also has a standard Windows-style title bar with a close button (X) in the top right corner.

```

clear
set sysmenu off
set safety off
set status bar off
set sysmenu on
close all
set clock on off
set clock to 31.6,62
if not wexist("sameera")
define window sameera;
at 0.000,0.000;
size 32.077,96.000;
title "ONAR VILLAGE HOTEL";
font "MS Sans Serif",8;
float;
close;
minimize;
system;
COLOR SCHEME 4
        move window sameera center
endif
if wvisible("sameera")
activate window sameera same
else
activate window sameera noshow
endif
@1.000,17.200 say "ONAR VILLAGE HOTEL";
        font "garamond",20;
        style"bit";
        color rgb(0,255,0,,,,,)

@4.846,29.800 say "TRANSACTIONS";
        font "garamond",18;
        style"bit";
        color rgb(0,255,0,,,,,)

@12.923,7.200 get A;
picture "@*hn BY NAME";

```

size 1.278,30.167,0.667;
default 1;
font "garamond",12;
style "b";
valid ov('byname')

@12.923,52.800 get a;
picture "@*hn BY ROOM NO";
size 1.278,30.167,0.667;
default 1;
font "garamond",12;
style "b";
valid ov('byroomno')

@16.615,7.200 get a;
picture "@*hn LIST";
size 1.278,30.167,0.667;
default 1;
font "garamond",12;
style "b";
valid ov('list')

@16.615,52.800 get m.ov_back;
picture "@*hn/< back";
size 1.278,12.167,0.667;
default 1;
font "garamond",12;
style "b";
valid ov('back')

@28.150,13.000 say "time:";
font "book antiqua",12;
style "bit";
color rgb(255,255,0,,,))

```
if not wvisible("sameera")
activate window sameera
endif
```

```
*****
```

```
read cycle
procedure ov
    parameter m.ovreception
do case
case m.ovreception='byname'
    do c:\trname
case m.ovreception='byroomno'
    do c:\trroomno
case m.ovreception='list'
    do c:\trlist
case m.ovreception='back'
    do c:\onarvillage

endcase
set sysm to defa
deactivate window sameera
release window sameera
set clock off

return
```


TRANSACTIONS BY NAME

The receptionist will write the amounts in the bar, restaurant, telephone or housekeeping.

ONAR VILLAGE HOTEL

TRANSACTION BY NAME

Enter name(Enter exit) HASEEB

Name..... HASEEB Telephone..... 5\$

Surname..... fazal housekeeping..... 0

Room No.. 10

Hotel/Villa..... hotel

Registration no..... 5

Date of Arrival..... 01/07/200

Date of Departure..... 07/07/200

Bar..... 25\$

Restaurant..... 10\$

```
clear
set sysmenu off
set safety off
set status bar off
set sysmenu on
set clock on off
close all
```

```
if not wexist("sameerD")
define window sameerD;
at 0.000,0.000;
size 32.077,96.000;
title "ONAR VILLAGE HOTEL";
font "MS Sans Serif",8;
float;
close;
minimize;
system;
COLOR SCHEME 4
```

```
        move window sameerD center
endif
if wvisible("sameerD")
activate window sameerD same
else
activate window sameerD noshow
endif
use c:\check-in
index on fname to fnameX
devam="Y"
do while devam=upper("Y")
clear
@1.846,16.800 say "TRANSACTION BY NAME";
font "garamond",18;
style"bit";
color rgb(0,255,0,,,,)
```

```
fname1=space(10)
@1,5 to 5,75 double
@5,6 say "Enter name(Enter exit)";
get fname1 picture"@10!"
read
if fname1=space(10)
close databases
clear
return
endif
```

```
if seek (fname1)
```

```
DEFINE WIND MSG1 FROM 6,8 TO 10,45 TITLE "MESSAGE"
ACTI WIND MSG1
MOVE WIND MSG1 CENTER
```

```
WAIT "SEARCHING.....PLEASE PRESS ENTER"
DEACTI WIND MSG1
```

```
cevap="N"
```

```
@9,5 to 22,70
@10,6 say "Name....." get fname picture "@20"
@12,6 say "Surname....." get surname picture "@20"
@14,6 say "Room No.." get room_no picture "@3"
@16,6 say "Hotel/Villa....." get h_v_ picture "@5"
@18,6 say "Registration no....." get reg_no picture "@10"
@20,6 say "Date of Arrival....." get arr_date picture "@8"
@22,6 say "Date of Departure....." get dept_date picture "@8"
@24,6 say "Bar....." get bar picture "@10"
@26,6 say "Restaurant....." get restaurant picture "@10"
@10,50 say "Telephone....." get tel picture "@10"
@12,50 say "housekeeping....." get hkeeping picture "@10"
```

```
read
@20,5 clear to 23,77
```

```

@20,5 to 23,77 double
@28,20 say"Do you have any other transaction? (Y/N)";
get devam picture"@1!"
read
if devam="Y"
loop
else
return
endif
else
DEFINE WIND MSG2 FROM 6,8 TO 10,45 TITLE "ERROR"
ACTI WIND MSG2
MOVE WIND MSG2 CENTER

WAIT "NO INFORMATION... PLEASE PRESS ENTER"
DEACTI WIND MSG2
@20,5 clear to 23,77
@20,5 to 23,77 double
@28,20 say"Do you have any other transaction? (Y/N)";
get devam picture"@1!"
read
if devam="Y"
loop
else
@28.624,65.800 get m.ov_back;
picture"@*hn/< back";
size 1.278,12.167,0.667;
default 1;
font "garamond",12;
style "b";
valid ov4("back")
if not wvisible("sameerD")
activate window sameerD
endif
endif
endif
enddo

```

read cycle

procedure ov4

parameter m.ovreception

do case

case m.ovreception='back'

do c:\searching

endcase

set sysm to defa

deactivate window sameerD

release window sameerD

set clock off

return

TRANSACTIONS BY ROOM NO

Here, the receptionist can do transactions by room no.

ONAR VILLAGE HOTEL

TRANSACTION BY ROOM NO

Enter room no(Enter exit) 105

Name..... KARAN Telephone..... 42\$

Surname..... umut housekeeping..... 15\$

Room No.. 105

Hotel/Villa..... hotel

Registration no..... 0

Date of Arrival..... 07/01/200

Date of Departure..... 07/04/200

Bar..... 25\$

Restaurant..... 0

```
clear
set sysmenu off
set safety off
set status bar off
set sysmenu on
set clock on off
CLOSE ALL
```

```
if not wexist("sameere")
define window sameere;
at 0.000,0.000;
size 32.077,96.000;
title "ONAR VILLAGE HOTEL";
font "MS Sans Serif",8;
float;
close;
minimize;
system;
COLOR SCHEME 4
    move window sameere center
endif
if wvisible("sameere")
activate window sameere same
else
activate window sameere noshow
endif
use c:\check-in
index on room_no to room_nox
devam="Y"
do while devam=upper("Y")
clear
@1.846,12.800 say "TRANSACTION BY ROOM NO";
    font "garamond",18;
    style"bit";
    color rgb(0,255,0,,,,)

room_no1=space(10)
```

```

@1,5 to 5,75 double
@5,6 say "Enter room no(Enter exit)";
get room_no1 picture"@10!"
read
if room_no1=space(10)
close databases
clear
return
endif

if seek (room_no1)
DEFINE WIND MSG1 FROM 6,8 TO 10,45 TITLE "MESSAGE"
ACTI WIND MSG1
MOVE WIND MSG1 CENTER

WAIT "SEARCHING.....PLEASE PRESS ENTER"
DEACTI WIND MSG1
cevap="N"
@9,5 to 22,70
@10,6 say "Name....." get fname picture "@20"
@12,6 say "Surname....." get surname picture "@20"
@14,6 say "Room No.." get room_no1 picture "@3"
@16,6 say "Hotel/Villa....." get h_v_picture "@5"
@18,6 say "Registration no....." get reg_no picture "@10"
@20,6 say "Date of Arrival....." get arr_date picture "@8"
@22,6 say "Date of Departure....." get dept_date picture "@8"
@24,6 say "Bar....." get bar picture "@10"
@26,6 say "Restaurant....." get restaurant picture "@10"
@10,50 say "Telephone....." get tel picture "@10"
@12,50 say "housekeeping....." get hkeeping picture "@10"

read
@20,5 clear to 23,77
@20,5 to 23,77 double
@28,20 say"Do you have any other transaction? (Y/N)";
get devam picture"@1!"
read
if devam="Y"

```



```

loop
else
return
endif
else
DEFINE WIND MSG2 FROM 6,8 TO 10,45 TITLE "ERROR"
ACTI WIND MSG2
MOVE WIND MSG2 CENTER

WAIT "NO INFORMATION... PLEASE PRESS ENTER"
DEACTI WIND MSG2
@20,5 clear to 23,77
@20,5 to 23,77 double
@28,20 say"Do you have any other transaction? (Y/N)";
get devam picture"@!"
read
if devam="Y"
loop
else
@28.624,65.800 get m.ov_back;
picture "@*hn/< back";
size 1.278,12.167,0.667;
default 1;
font "garamond",12;
style "b";
valid ov4('back')
if not wvisible("sameere")
activate window sameere
endif
endif
endif
enddo
*****
read cycle
procedure ov4
parameter m.ovreception
do case
case m.ovreception='back'
do c:\searching

```

endcase

set sysm to defa

deactivate window sameere

release window sameere

set clock off

return_____

TRANSACTION LIST

In the transaction list, you may see all the guests transaction and what they have used during their stay in the hotel.

Name	Surname	Room No.	Arrival Date	Departure Date	Bar	Restaurant	Telephone	Housekeeping
		0	//	//	0	0	0	0
		0	//	//	0	0	0	0
18		0	//	//	0	0	0	0
		0	//	//	0	0	0	0
		0	//	//	0	0	0	0
		0	//	//	0	0	0	0
SAMEER	ALKHATIB	108	01/07/02	07/09/02	0	0	0	0
EBRU	GUNDES	104	07/07/02	07/10/02	0	0	0	0
SAMAD	MUHAMMAD	1	07/01/02	07/07/02	15	50	1245	12452
VIJAY	chohan	104	07/01/02	07/03/02	0	0	0	0
CAO	chunlie	106	07/01/02	07/04/02	0	0	0	0
HASEEB	fazal	10	01/07/02	07/07/02	25\$	10\$	5\$	0
SHERY	malone	10	07/01/02	07/03/02	0	0	0	0
KARAN	umut	105	07/01/02	07/04/02	25\$	0	42\$	15\$

Listing:

End of file-press any key number of rooms: 14


```
set scoreboard off
set talk off
```

```
set sysmenu off
define window liste from 1,1 to 45,135;
title "Listing" system
define window liste1 from 25,5 to 28,85;
title "Listing" system
activate window liste
use c:\check-in
index on surname to surnamex
sayi=0
@1,0 say " Name"font "arial",9style "bu"
@1,10 say " Surname"font "arial",9 style "bu"
@1,20 say " Room No"font"arial",9 style "bu"
@1,30 say "Arrival Date" font"arial",9 style "bu"
@1,40 say"Departure Date" font"arial",9 style "bu"
@1,57 say "Bar" font"arial",9 style "bu"
@1,65 say"Restaurant" font"arial",9 style "bu"
@1,75 say "Telephone" font"arial",9 style "bu"
@1,85 say"Housekeeping" font"arial",9 style "bu"
satir=3
do while .not.eof()
@satir,0 say fname picture "@20"font"arial",9
@satir,12 say surname picture "@20"font"arial",9
@satir,22 say room_no picture "@3"font"arial",9
@satir,32 say arr_date picture "@8"font"arial",9
@satir,42 say dept_date picture "@8"font"arial",9
@satir,55 say bar picture "@10"font"arial",9
@satir,67 say restaurant picture "@10"font"arial",9
@satir,77 say tel picture "@10"font"arial",9
@satir,87 say hkeeping picture "@10"font"arial",9
satir=satir+1
sayi=sayi+1
if satir=20
activate window liste2
```




```
@1,1 say "Press any key [esc-return]"
@1,35 say "Number of contents"
@1,60 say sayi picture "999"
bekle=inkey(0)
if lastkey()=27
return
else
@1,1 clear to 4,70
satir=4
endif
endif
skip
if eof()
activate window liste1
@1,1 say "End of file-press any key"
@1,35 say "number of rooms:"
@1,60 say sayi picture "999"
bekle=inkey(0)
endif
enddo
deactivate window all
return
```


Main Menu




RECEPTION MENU




Reservation Menu




Searching Reservation (By Name)




Searching Reservation (By Surname)




New Reservation




New Check-in




CHECK OUT(By Name)




CHECK OUT(By Room No)




SEARCHING MENU




Searching (By Name)




Searching (By Room no)




TRANSACTION MENU




Transaction (By Name)



Transaction (By Room no)



INFORMATION MENU



CONCLUSION

In this Project, I tried to make a program, which will be able to help Hotel management including all the major departments. The aim is to provide a basic program which can run in the hotel, and helpful for the staff to run it and learn it easily. This program will be helpful for the client and easy to use, which always clients want. Client will be happy for his budget which he will spend on this project.

Finally, I am thanking my supervisor, Miss Besime Erin because She helped me a lot to learn FoxPro and support me through all my studies.

On last, it is really appreciation to my family, my aunt and uncle for their encouragement and support.