


NEAR EAST UNIVERSITY



Faculty Of Engineering

Department Of Computer Engineering

Graduation Project

COM 400

**ONLINE BANK TRANSACTION
ON THE INTERNET USING ASP**

Student Name : Galib Savas İlgi

Student No : 93134

Supervisor : Mr. Ümit İlhan

NICOSIA 2002

ACKNOWLEDGMENTS

I am very great full to those who have given me the courage to finish the project that my the teacher which I have looked upon gave me to complete.

My dear teacher **Mr Umit İLHAN** I can not explain how much this project has taught me and how much useful it will be in my life. I thank you very much for assining me for the project.

I can not thank enough my family for the things they had to put up with until they bought me to the age that I am. Espesially during the time of time of my life in the faculty.

To all my freinds I don't know how much and how to say thank you for making me what I am.

Mean while I am a very forgetful person I would like to send a special thanks to everyone which has helped me with the project and in life.

ABSTRACT

I have conducted this project using ASP (Active Server Pages) technology. The web site introduced in this project is a Online Banking Transaction web site. On those pages, online banking can have membership to the online banking.

Also, a program has been developed with Microsoft Front Page in order to view all the user transactions and comments where this program will run on the server side of the system.

TABLE OF CONTENTS

	<u>Page</u>
ACKNOWLEDGMENTS	1
ABSTRACT	2
What is Active Server Pages?	6
ASP Compatibility	6
What is an ASP File?	6
How Does ASP Differ From HTML?	7
What can ASP do for you?.	7
HTML	8
IIS	9
JavaScript.	10
DATABASES	
Table1: Döviz.	11
Table2:Düşünceler	11
Table3: Kullanicilar	12
Table4: Rapor	12
//ROOT	
//root/Default3.asp	13
//root/Default5.asp	16
//root/g_succ1.asp	22
//root/Sifre1.asp	23
//root/Uyebilgi1.asp	28
//root/bilgi_degistir1.asp	35
//root/bilgi_isle1.asp	41
//root/ giris_yap1.asp	48
//root/giris_yap3.asp	49
//root/Default4.asp	51
//root/Kayit1.asp	55
//root/Kaydet1.asp	62

//root/Döviz1.asp	73
//root/Havale1.asp	79
//root/Form3.asp	86
//root/Form4.asp	90
//root/Terket1.asp	94
//root/Dahili1.asp	95
//root/Status1.asp	96
//root/Admin/admin_default1.asp	99
//root/Admin/rapor1.asp	101
//root/Admin/users1.asp	104
//root/Admin/Öneriler1.asp	108
//root/Hata/Dahili1.asp	112
//root/Hata/hataad1.asp	113
//root/Hata/hataadres1.asp	114
//root/Hata/hatababaadi1.asp	115
//root/Hata/hatacevap1.asp	116
//root/Hata/hatadogumyeri1.asp	117
//root/Hata/hataemail1.asp	118
//root/Hata/hataka1.asp	119
//root/Hata/hataks1.asp	120
//root/Hata/hatamk1.asp	121
//root/Hata/hataoa1.asp	122
//root/Hata/hatasad1.asp	122
//root/Hata/hatasoru1.asp	123
//root/Hata/hatatelefon1.asp	124
//root/Hata/hatauyeyok1.asp	125
//root/Hata/hataykas1.asp	126
//root/Hisle/ Dahili.asp	127
//root/Hisle/ hislead.asp	127
//root/Hisle/ hislecevap.asp	128
//root/Hisle/ hisleemail.asp	129

//root/Hisle/ hisleka.asp	130
//root/Hisle/ hislesifre.asp	131
//root/Hisle/ hislesoru.asp ad.asp	132
//root/Hisle/ hislesoyad.asp	133
CONCLUSION	134
REFERENCES	135

What is Active Server Pages?

Active Server Pages (ASP) is a *server-side scripting* environment that you can use to create and run dynamic, interactive, high-performance Web server applications. When your scripts run on the server rather than on the client, your Web server does all the work involved in generating the Hypertext Markup Language (HTML) pages that you send to browsers. You need not worry whether a browser can process your pages: your Web server does all the processing for it.

You need only a working knowledge of HTML to begin using ASP. Take a look at A Brief History of Hypertext to better understand ASP's place in the evolution of the Web, as well as the powerful set of features ASP provides.

ASP stands for **A**ctive **S**erver **P**ages

ASP is a program that runs inside **I**IS

IIS stands for **I**nternet **I**nformation **S**ervices

ASP Compatibility

ASP is a Microsoft Technology

To run IIS you must have Windows NT 4.0 or later

To run PWS you must have Windows 95 or later

ChiliASP is a technology that runs ASP without Windows OS

InstantASP is another technology that runs ASP without Windows

What is an ASP File?

An ASP file is just the same as an HTML file

An ASP file can contain text, HTML, XML, and scripts

Scripts in an ASP file are executed on the server

An ASP file has the file extension ".asp"

How Does ASP Differ from HTML?

- When a browser requests an HTML file, the server returns the file
- When a browser requests an ASP file, IIS passes the request to the ASP engine.
- The ASP engine reads the ASP file, line by line, and executes the scripts in the file. Finally, the ASP file is returned to the browser as plain HTML

What can ASP do for you?

- Dynamically edit, change or add any content of a Web page
 - Respond to user queries or data submitted from HTML forms
 - Access any data or databases and return the results to a browser
 - Customize a Web page to make it more useful for individual users
 - The advantages of using ASP instead of CGI and Perl, are those of simplicity and speed
 - Provides security since your ASP code can not be viewed from the browser
 - Since ASP files are returned as plain HTML, they can be viewed in any browser
 - Clever ASP programming can minimize the network traffic
- Active Server Pages is a feature of and can be used with the following Web servers:
- Microsoft Internet Information Server version 3.0 on Windows NT Server
 - Microsoft Peer Web Services Version 3.0 on Windows NT Workstation
 - Microsoft Personal Web Server on Windows 95

HTML (Hypertext Markup Language)

HTML (Hypertext Markup Language) is the set of "markup" symbols or codes inserted in a file intended for display on a World Wide Web browser. The markup tells the Web browser how to display a Web page's words and images for the user.

The individual markup codes are referred to as elements

HTML is a standard recommended by the World Wide Web Consortium (W3C) and adhered to by the major browsers, Microsoft's Internet Explorer and Netscape's Navigator, which also provide some additional non-standard codes. The current version of HTML is HTML 4. However, both Internet Explorer and Netscape implement some features differently and provide non-standard extensions. Web developers using the more advanced features of HTML 4 may have to design pages for both browsers and send out the appropriate version to a user. Significant features in HTML 4 are sometimes described in general as dynamic HTML. What is sometimes referred to as HTML 5 is an extensible form of HTML called XHTML.

HTML stands for **H**yper **T**ext **M**arkup **L**anguage

An HTML file is a text file containing small **markup tags**

The markup tags tell the Web browser **how to display** the page

An HTML file must have an **htm** or **html** file extension

An HTML file can be created using a **simple text editor**

IIS (Internet Information Server)

IIS (Internet Information Server) is a group of Internet servers (Web or HTTP, FTP, and Gopher) and other capabilities for Microsoft's Windows NT and Windows 2000 Server operating systems. IIS is Microsoft's bid to dominate the Internet server market that is also addressed by Netscape, Sun Microsystems, O'Reilly, and others. With IIS, Microsoft includes a set of programs for building and administering Web sites, a search engine, and support for writing Web-based applications that access databases. Microsoft points out that IIS is tightly integrated with the Windows NT and 2000 Servers in a number of ways, resulting in faster Web page serving.

A typical company that buys IIS can create pages for Web sites using Microsoft's Front Page product (with its WYSIWYG user interface). Web developers can use Microsoft's Active Server Page (ASP) technology, which means that applications – including ActiveX controls - can be imbedded in Web pages that modify the content sent back to users. Developers can also write programs that filter requests and get the correct Web pages for different users by using Microsoft's ISAPI interface. ASPs and ISAPI programs run more efficiently than Common Gateway Interface (CGI) and server-side include (SSI) programs, two current technologies.

Microsoft includes special capabilities for server administrators designed to appeal to Internet service providers (ISPs). It includes a single window (or "console") from which all services and users can be administered. It's designed to be easy to add components as "snap-ins" that you didn't initially install. The administrative windows can be customized for access by individual customers.

IIS includes security features and promises that it is easy to install. It works closely with the Microsoft Transaction Server to access databases and provide control at the transaction level. It also works with Microsoft's Netshow in the delivery of streaming audio and video, delayed or live.

JavaScript

JavaScript is an interpreted programming or script language from Netscape. It is somewhat similar in capability to Microsoft's Visual Basic, Sun's Tcl, the UNIX-derived Perl, and IBM's REXX. In general, script languages are easier and faster to code in than the more structured and compiled languages such as C and C++. Script languages generally take longer to process than compiled languages, but are very useful for shorter programs.

JavaScript uses some of the same ideas found in Java, the compiled object-oriented language derived from C++. JavaScript code can be imbedded in HTML pages and interpreted by the Web browser (or client). JavaScript can also be run at the server as in Microsoft's Active Server Pages (ASPs) before the page is sent to the requestor.

DATABASES

Users1.mdb

Table1 : doviz

Field Name	Type	Size
Id	AutoNumber	
AmerikanDolariAlis	Text	50
AmerikanDolariSatis	Text	50
Euro Alis	Text	50
Euro Satis	Text	50
Sterlin Alis	Text	50
Sterlin Satis	Text	50
JYen Alis	Text	50
JYen Satis	Text	50
KDinariAlis	Text	50
KDinari Satis	Text	50
KLirasiAlis	Text	50
KLirasiSatis	Text	50

Table2 : dusunceler

Field Name	Type	Size
Id	AutoNumber	
UserName	Text	50
E_mail	Text	50
Dusunceler	Text	250
Son Tarih	Date/Time	

Table3 : kullanicilar

Field Name	Type	Size
UyeId	AutoNumber	
UyeKullaniciAdi	Text	50
UyeSifre	Text	50
UyeAdi	Text	50
UyeSoyadi	Text	50
UyeE_mali	Text	20
UyeSifreSorusu	Text	50
UyeSifresorucevabi	Text	75
UyeTelefon	Text	12
UyeAdres	Text	250
UyeBabaadi	Text	20
UyeDogumTarihi	Text	10
UyeDogumYeri	Text	50
U_Tarihi	Date/Time	
Son_Tarih	Date/Time	
UyeHesapNo	Text	15
UyeHesapdurumu	Text	50
UyeEnSonGiris	Date/Time	
UyeCount	Text	50
Seviye	Text	1

Table4 : rapor

Field Name	Type	Size
Id	AutoNumber	50
HavaleYapaninAdi	Text	50
HavaleYapanHesapNo	Text	50
HavaleTarihi	Text	50
HavaleMiktari	Text	50
HavaleYapilaninAdi	Text	50
HavaleYapilaninHesapNo	Text	50

//ROOT

//root/Default3.asp

G.S. UNITED BANK

G



S

UNITED BANK

SIGN IN

```
<html><head><title>## Welcome the G.S.United Bank ##</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1"><meta
name="Microsoft Theme" content="rmnsque 100, default">
</head>
<body leftmargin="0" topmargin="0">
<center><p>&nbsp;</p>
<p><font size="7"><i><font color="#FF0000">G.S.UNITED</font>
<font color="#FF0000">BANK</font></i></font></p>
<table width="100%" style="font-size:11px;">
<tr>
```

```

    <font face="Verdana" size="2">
    <td bgcolor=blue width="100%">&nbsp;</td>
  </font>
</tr>
<tr>
  <font face="Verdana" size="2">
  <td bgcolor=blue width="100%">&nbsp;</td>
  </font>
</tr></table>
<p>
<param name=jpeg value=""><param name=quality value=High>
  <PARAM NAME=menu VALUE=0>
  <param name="_cx" value="23813">
  <param name="_cy" value="7408">
  <param name="Src" value="">
  <param name="WMode" value="Window">
  <param name="Play" value="-1">
  <param name="Loop" value="-1">
  <param name="SAlign" value>
  <param name="Base" value>
  <param name="Scale" value="ShowAll">
  <param name="DeviceFont" value="0">
  <param name="EmbedJpeg" value="0">
  <param name="BGColor" value>
  <param name="SWRemote" value>
  <param name="Stacking" value="below">
</p>
<table border="0" width="100%">
  <tr>
    <td width="33%">
      <p align="center"><i><b><font size="7"
color="#FF0000">G</font></b></i></td>
    <td width="33%"></td>

```


//root /Default5.asp

G.S. UNITED BANK

SIGN IN

User Name :

Password :

 [...:Forget Password:...:](#)

Sign In User Name:

Sign in User ID:

[...: Assign ...:](#)

[...: Change ...:](#)

[Log Off](#)

```
<%@ Language=VBScript %>
```

```
<HTML>
```

```
<HEAD>
```

```
<META NAME="GENERATOR" Content="Microsoft FrontPage 4.0">
```

```
<TITLE>...:G.S.United Bank:...:(Home Page)</TITLE>
```

```
<meta name="Microsoft Theme" content="rmnsque 100, default">
```

```
</HEAD>
```

```
<body>
```

```
<center>
```

```
<p>
```

```
&nbsp;   </p>
```

```
</center><center>
```

```

<table border="1" cellpadding="0" cellspacing="0" style="border-collapse: collapse;
border-width: 0" width="100%" height="1">
  <tr>
    <font face="Verdana" color="gray" size="2">
      <td width="32%" style="border-style: none; border-width: medium"
height="1"></td>
      <td width="3%" style="border-left-style: none; border-left-width: medium; border-
right-style: none; border-right-width: medium; border-top: medium none #111111;
border-bottom: medium none #111111" height="1"></td>
      </font>
      <td width="65%" style="border-left-style: none; border-left-width: medium;
border-right-style: none; border-right-width: medium; border-top: medium none
#111111; border-bottom: medium none #111111" height="1"><i><font
face="Verdana" size="5">G.S.</font><font face="Verdana" size="5"
color="#FF0000">UNITED
      </font><font face="Verdana" size="5" color="#FFFFFF">
      </font><font face="Verdana" size="5"
color="#FF0000">BANK</font></i></td>
    </tr>
  </table>
  <p><b><font face="Verdana" size="2">
  <br>
  </font><font color="#FF0000"><i><font face="Verdana" size="4">SIGN
  IN</font></i></font><font face="Verdana" size="2">
  <font color="#FF0000"><i>
  <br>
  </i></font>
  &nbsp;
  </font></b></p>
  </center>
  <table width="100%" style="font-size: 11px;">
    <tr>

```



```

</td>
<td>
  <div align="center">
    <input type=password name=sifre style="WIDTH: 143px; HEIGHT: 22px"
    size=17 ID=Password1>
  </div>
</td>
</tr>
<tr>
<td>
  <div align="center">
    <input type=submit value='## Send ##' ID=Submit1>
    <BR></FORM>
  </div>
</TD>
<td vAlign=top>
  <div align="center"><font face=verdana size=1><BR>
  <b><i>
  <A style="TEXT-DECORATION: none" href ="sifre.asp" >
  <font color="#000000">...:Forget Password:...</font> </A><font
color="#000000"><BR>
  </font></i></b>
  </font></div>
</td>
</TR>
</TBODY>
</TABLE>

<% else %>

<font face="verdana" >
  <div align="center"><b>
  <p>&nbsp;</p>

```

```

<font face="verdana" color="gray" size="2">
<!--#include file="tarih.inc"-->

<!--#include file="giris_yap2.asp"-->
    </font>
    <b><p>
<font face="verdana" color="#000000" size="2">
<i><font face="verdana" size="2">

Sign In User Name: </font><A style="TEXT-DECORATION: none"
href="uye_bilgi.asp" ><font size="2" face="verdana"><br>
    <%=Session("username")%></font></A> </i></font></p></div></b>

    <font size="2"><div align="center">

        <font face="verdana" color="#000000" size="2" ><i><font face="verdana"
size="2">Sign in User
        ID: </font><A style="TEXT-DECORATION: none" href="uye_bilgi.asp" ><font
size="2" face="verdana"><br>
        <%=Session("uyeID")%></font></A> </i></font></div>
        <p align="center"><i><A style="TEXT-DECORATION: none"
href="havale.asp"><FONT face=verdana color=#000000 size="2">...: Assign ...
</font></A> <font size="2" color="#000000" face="verdana"><br>
        <br><align="center">
        </font><A style="TEXT-DECORATION: none" href="bilgi_degistir.asp"><FONT
face=verdana color=#000000 size="2">...:
        Change ... </font></A> <font size="2" color="#000000" face="verdana"><br>
        <br><align="center"><A style="TEXT-DECORATION: none" href
="terket.asp" >&nbsp;<STRONG>
        </font><font size="2" face="verdana" color="#000000">Log Off
</STRONG></a> <A>
        <br>
    </A> </font> <A>

```

```

<font size="2" color="#000000" face="verdana">

    <% end if %>
        <% end if %>
</font> </A> </i></p>
<font face="verdana" color="gray" size="2">
<A>
    <p align="center">&nbsp;</p>
</A> </font></font></b></font>

</TD>
</TR>
</TBODY>
</TABLE>
<FONT face=verdana color=gray><br><font size="2"><b>
    <%
        If a = "1" Then
            Response.Write "<center><A
href=""admin/admin_default1.asp"">Administrator Page</A></center>"
        End If %>
<br>
</b>
</font></font>
<center><a href="default3.asp"><font face="verdana" size="3"
color="#FF0000">HOME
PAGE
</font></a>
<FONT face=verdana color=gray><br>
</DIV>
<CENTER>
</CENTER>
    </font>
</center>
<br><br>

```

```
<br><br>
```

```
<br>
```

```
<!--#include file="status1.asp"-->
```

```
</BODY></HTML>
```

```
//root/g_succ1.asp
```

```
<html>
```

```
<head><title>Giriþ Baparyly!</title>
```

```
<LINK HREF="css/css.css" TYPE="text/css" REL="stylesheet">
```

```
<meta http-equiv="Refresh" content="2"; URL="default4.asp">
```

```
<meta name="Microsoft Theme" content="rmnsque 100, default">
```

```
</head>
```

```
<body>
```

```
<br>
```

```
<p>
```

```
<br>
```

```
<br>
```

```
<br>
```

```
<br>
```

```
<br><strong><b><center><font color="#FF0000"><i>You have successfully logged  
in</i></font></center></b></strong></p>
```

```
<b>
```

```
<p><center><strong><font color="#FF0000"><i>PLEASE WAIT, now you are  
being redirected to the main page</i></font></center></strong></p>
```

```
<p><center><a href="default5.asp"><font color="#FF0000"><i>If you stay here  
longer please click here...</i></font></a></center></p>
```

```
</b></body>
```

```
</html>
```

//root/sifre1.asp

G.S. UNITED BANK

REMEMBER PASSWORD

To again your password please enter your username

Gönder

Username you entered could not be found! Username you entered could not be found!

The secret question of the member , is as follows

Gönder

[HOME PAGE](#)

```
<%@ Language=VBScript %>
<!-- #include file=dahili1.asp -->
<HTML>
<HEAD>
<META NAME="GENERATOR" Content="Microsoft FrontPage 4.0">
<TITLE>...:G.S.United Bank:... (Home Page)</TITLE>
<meta name="Microsoft Theme" content="rmnsque 100, default">
</HEAD>
<body bgcolor="#FFFFFF" text="#663300" link="#660000" vlink="#999900"
alink="#006600"><!--mstheme--><font face="Times New Roman, Times">
<center>
<p>
&nbsp;</p>
```

```

</center><center>
<!--mstheme--></font><table border="1" cellpadding="0" cellspacing="0"
style="border-collapse: collapse; border-width: 0" width="100%" height="1"
bordercolordark="#660000" bordercolorlight="#996600">
  <tr>
    <font face="Verdana" color="gray" size="2">
      <td width="33%" style="border-style: none; border-width: medium"
height="1"><!--mstheme--><font face="Times New Roman, Times"><!--mstheme--
></font></td>
    </font>
    <td width="33%" style="border-left-style: none; border-left-width: medium;
border-right-style: none; border-right-width: medium; border-top: medium none
#111111; border-bottom: medium none #111111" height="1"><!--mstheme--><font
face="Times New Roman, Times"><font face="Verdana" size="5"
color="#FF0000"><i>G.S.UNITED
  BANK</i></font><!--mstheme--></font></td>
    <font face="Verdana" color="gray" size="2">
    <td width="34%" style="border-left-style: none; border-left-width: medium;
border-right-style: none; border-right-width: medium; border-top: medium none
#111111; border-bottom: medium none #111111" height="1"><!--mstheme--><font
face="Times New Roman, Times"><!--mstheme--></font></td>
    </font>
  </tr>
</table><!--mstheme--><font face="Times New Roman, Times">
<p><b><font face="Verdana" size="2">
<br>
</font></b><i><font face="Verdana">REMEMBER
PASSWORD</font></i><b><i><font face="Verdana" size="3"
color="#FF0000"><br>
</font>
</i>
<font face="verdana" color="gray" size="2">
<!--#include file="tarikh.inc"-->
&nbsp;</font></b></p>

```

```

</center>
<font face="Verdana" size="2"><!--mstheme--></font><table width="100%"
style="font-size:11px;">
  <tr>
    <td bgcolor=#0000FF width="100%"><!--mstheme--><font face="Times New
Roman, Times">&nbsp;<!--mstheme--></font></td>
  </tr>
  <tr>
    <td bgcolor=#0000FF width="100%"><!--mstheme--><font face="Times New
Roman, Times">&nbsp;<!--mstheme--></font></td>
  </tr></table><!--mstheme--><font face="Times New Roman, Times">
</font>
<%
adim=Request.QueryString("adim")
if adim="" or adim="1" then
%>
<P align=center><b>
<font face="verdana" color="#FF0000" size="2">
## To again your password please enter your username ##</FONT></b></P>
<P align=center>
&nbsp;   
<form name=sifre action=sifre1.asp?adim=2 method=post>
  &nbsp;   <a href="mailto:savas_ilgi@hotmail.com"><font color="#FF0000"
size="3">Gönder</font></a><font color="#FF0000">
  </font><INPUT name=Kullaniciadi size="20"></form>

<center><br>
<br>
<p><a href="mailto:savas_ilgi@hotmail.com" style="text-decoration: none"><font
color="#FF0000">
Username you entered could not be found!
<font face="verdana" size="2"><b>
Username you entered could not be found!<br></b></font></font>
<font face="verdana" color="gray" size="2">

```



```

Session("Kullaniciadi")=Request.Form("Kullaniciadi")
elseif adim="3" then %>
<%
Set Baglanti=Server.CreateObject("Adodb.Connection")
Baglanti.Open Cumle
Set RS=Server.CreateObject("Adodb.Recordset")
Sorgu="Select * from users where uyekullaniciadi="" & Session("Kullaniciadi") & ""
and uyesifresorucevabi="" & Request.Form("Sorucevabi") & """
Rs.Open Sorgu, Baglanti, 1, 3
%>
<% if RS.eof and Rs.Bof then %>
</a></font>
<p><a href="mailto:savas_ilgi@hotmail.com" style="text-decoration:
none"><b><font face="verdana" color="#FF0000" size="2">##
Wrong answer ##
<br>
<% else %>
<br>
</font>
<p align=center>
<font face="verdana" color="#FF0000" size="2">&nbsp;## Your answer is correct
##
<br>
<br>
Here is your password</font></b></a><b><font face="verdana" color="#FF0000"
size="2"><br>
</font><font face="verdana" color="gray" size="2">
<br>
</p>
<p align="center">&nbsp;</p>
<a href="mailto:savas_ilgi@hotmail.com" style="text-decoration: none">
<% end if %>
<% end if %>

```

```
</a></font></b></center><!--mstheme--></font></BODY>
</HTML>
```

```
//root/uyebilgi1.asp
```

G.S.UNITED BANK

WELCOME

Registered member information,

Name & Surname:	
User Name:	
Password:	
Email:	
Telephone:	
Address:	
Father Name:	
Country:	
Secret Question:	
S.Question Answer:	
Birthday:	
Account Number:	
Your Balance:	

Registration date :

Last Login Date :

```
<!-- #include file=dahili1.asp -->
```

```
<HTML><HEAD>
```

```
<TITLE>G.S.United Bank Üye Bilgi</TITLE>
```

```
<META content="text/html; charset=1254" http-equiv=Content-Type>
```

```
<meta name="Microsoft Theme" content="rmnsque 100, default">
```

```
</HEAD>
```

```
<body>
```

```
<center>
```

```
<p>
```

```

&nbsp;</p>
</center><center>
<table border="1" cellpadding="0" cellspacing="0" style="border-collapse: collapse;
border-width: 0" width="100%" height="1">
<tr>
<font face="Verdana" color="gray" size="2">
<td width="32%" style="border-style: none; border-width: medium"
height="1"></td>
</font>
<td width="34%" style="border-left-style: none; border-left-width: medium;
border-right-style: none; border-right-width: medium; border-top: medium none
#111111; border-bottom: medium none #111111" height="1"><i><font
face="Verdana" size="5" color="#FF0000">&nbsp;  G.S.UNITED
BANK</font></i></td>
<font face="Verdana" color="gray" size="2">
<td width="34%" style="border-left-style: none; border-left-width: medium;
border-right-style: none; border-right-width: medium; border-top: medium none
#111111; border-bottom: medium none #111111" height="1"></td>
</font>
</tr>
</table>
<p><b><font face="Verdana" size="2">
<br>
</font></b><i><b><font face="Verdana" color="#FF0000"
size="4">WELCOME</font></b></i><b><font face="Verdana" size="2"><i><br>
</i>
&nbsp;</font></b></p>
</center>
<table width="100%" style="font-size: 11px;">
<tr>
<td bgcolor=blue width="100%">&nbsp;</td>
</tr>
<tr>
<td bgcolor=blue width="100%">&nbsp;</td>

```

```

    </tr></table>
<%
Set Baglanti=Server.CreateObject("Adodb.Connection")
Baglanti.open Cumle
Set Rs=Server.CreateObject("Adodb.Recordset")
UyeId=Session("UyeId")
Sorgu="Select * from Users where UyeId= " & UyeId
Rs.Open Sorgu, Baglanti, 1, 3
if Rs.eof then
Response.Redirect("hata/hatauyeyok1.asp")
else %>
<% Session.CodePage=1254 %>
<P align=center><STRONG><FONT face=Verdana size=2
color="#FF0000">Registered member informartion,
</FONT> </STRONG>
</P>
<DIV align=center>
<table border=1 cellpadding=0 cellspacing=0 style="FONT-SIZE: 11px; WIDTH:
462px; FONT-STYLE: normal; FONT-FAMILY: verdana; HEIGHT: 270px; FONT-
VARIANT: normal" align=center>
<tr>
<td><P align=center>
<font face="verdana" color="#000000" size="2">
&nbsp;<STRONG>Name & Surname:</STRONG></FONT></P></td>
<font face="verdana" color="gray" size="2">
<td>
<P align=center><font face="verdana" color="gray"
size="2"><%=Rs("uyead")%><FONT
size=2><STRONG>&nbsp;<%=Rs("uyeSoyadi")%></STRONG></FONT></P></fo
nt></td></tr> </FONT>
<tr>
<td><P align=center><STRONG>

```

```

    <font face="verdana" color="#000000" size="2">&nbsp;User
Name:</FONT></STRONG> </P> </td>
<font face="verdana" color="gray" size="2">
<td>
    <P align=center><font face="verdana" color="gray"
size="2"><%=Rs("uyeKullaniciAdi")%><FONT
size=2><STRONG></STRONG></FONT></P></font></td></tr> </FONT>
<tr>
<td><P align=center><STRONG>
    <font face="verdana" color="#000000"
size="2">&nbsp;Password:</FONT></STRONG> </P> </td>
<font face="verdana" color="gray" size="2">
<td>
    <P align=center><font face="verdana" color="gray"
size="2"><%=Rs("uyeSifre")%><FONT
size=2><STRONG></STRONG></FONT></P></font></td></tr>
</FONT>
<tr>
<td><P align=center><STRONG>
    <font face="verdana" color="#000000"
size="2">&nbsp;Email:</FONT></STRONG></P></td>
<font face="verdana" color="gray" size="2">
<td>
    <P align=center><font face="verdana" color="gray"
size="2"><%=Rs("uyeEmaili")%><FONT
size=2><STRONG></STRONG></FONT></P></font></td></tr>
</FONT>
<tr>
<td><P align=center><STRONG><font face="verdana" color="#000000"
size="2">&nbsp;Telephone:</FONT></STRONG></P></td>
<font face="verdana" color="gray" size="2">
<td>

```

```

    <P align=center><font face="verdana" color="gray"
size="2"><%=Rs("uyeTelefon")%><FONT
size=2><STRONG></STRONG></FONT></P></font></td></tr>
</FONT>
<tr>
<td><P align=center><STRONG><font face="verdana" color="#000000"
size="2">&nbsp;&nbsp;&nbsp;Address:</FONT></STRONG></P></td>
<font face="verdana" color="gray" size="2">
<td>
    <P align=center><font face="verdana" color="gray"
size="2"><%=Rs("uyeAdres")%><FONT
size=2><STRONG></STRONG></FONT></P></font></td></tr>
</FONT>
<tr>
<td><P align=center><STRONG>
    <font face="verdana" color="#000000" size="2">&nbsp;&nbsp;&nbsp;Father
Name:</FONT></STRONG>
    </P> </td>
<font face="verdana" color="gray" size="2">
<td>
    <P align=center><font face="verdana" color="gray"
size="2"><%=Rs("uyeBabaAdi")%><FONT
size=2><STRONG></STRONG></FONT></P></font></td></tr>
</FONT>
<tr>
<td><P align=center><STRONG>
    <font face="verdana" color="#000000"
size="2">&nbsp;&nbsp;&nbsp;Country:</FONT></STRONG> </P> </td>
<font face="verdana" color="gray" size="2">
<td>
    <P align=center><font face="verdana" color="gray"
size="2"><%=Rs("uyeDogumYeri")%><FONT
size=2><STRONG></STRONG></FONT></P></font></td></tr>
</FONT>

```

```

<tr>
<td><P align=center><STRONG>
    <font face="verdana" color="#000000" size="2">&nbsp;Secret
Question:</FONT></STRONG> </P> </td>
<font face="verdana" color="gray" size="2">
<td>
    <P align=center><font face="verdana" color="gray"
size="2"><%=Rs("uyeSifreSorusu")%><FONT
size=2><STRONG></STRONG></FONT></P></font></td></tr>
</FONT>
<tr>
<td><P align=center><STRONG>
    <font face="verdana" color="#000000" size="2">&nbsp;S.Question
Answer:</FONT></STRONG> </P> </td>
<font face="verdana" color="gray" size="2">
<td>
    <P align=center><font face="verdana" color="gray"
size="2"><%=Rs("uyeSifreSoruCevabi")%><FONT
size=2><STRONG></STRONG></FONT></P></font></td></tr>
</FONT>
<tr>
<td><P align=center><STRONG>
    <font face="verdana" color="#000000"
size="2">&nbsp;Birthday:</FONT></STRONG> </P> </td>
<font face="verdana" color="gray" size="2">
<td>
    <P align=center><font face="verdana" color="gray"
size="2"><%=Rs("uyeYas")%><FONT
size=2><STRONG></STRONG></FONT></P></font></td></tr>
</FONT>
<tr>
<td><P align=center><STRONG>
    <font face="verdana" color="#000000" size="2">&nbsp;Account
Number:</FONT></STRONG> </P> </td>

```

```

<font face="verdana" color="gray" size="2">
<td>
  <P align=center><font face="verdana" color="gray"
size="2"><%=Rs("uyeHesapNo")%><FONT
size=2><STRONG></STRONG></FONT></P></font></td></tr>
  </FONT>
<tr>
<td><P align=center><STRONG>
  <font face="verdana" color="#000000" size="2">&nbsp;Your
Balance:</FONT></STRONG> </P> </td>
<font face="verdana" color="gray" size="2">
<td>
<P align=center><%=Rs("uyeHesapDurumu")%><FONT
size=2><STRONG>&nbsp;</STRONG></FONT></td></tr></table></DIV>
  </FONT>
<P align=center>
<font face="verdana" color="#FF0000" size="2">Registration date :
<STRONG>&nbsp;</STRONG></FONT> </P>
<center>
<font face="verdana" color="#FF0000" size="2">&nbsp;Last Login Date
:<STRONG> &nbsp;</STRONG></FONT>
<p align=center>
<font face="verdana" color="#FF0000" size="2">You have entered our site
&nbsp;<%=Rs("uyeGirisCount")%> time(s)..<STRONG> &nbsp;</STRONG>
</FONT></P>
<a href="default5.asp"><font color="#FF0000">HOME PAGE</font></a><font
color="#FF0000"><br>
</font>
</center></BODY></HTML>
<% end if %>
<!--#include file="status1.asp"-->

```

//root/bilgi_degistir1.asp

G.S. UNITED BANK

WELCOME

Following is your profile, you may change it as you wish.

Name##	<%=Rs(
Surname##	<%=Rs(
User Name##	<%=Rs(
User Password##	●●●●●●
User Email##	<%=Rs(
Secret Question##	<%=Rs(
S.Question Answer	<%=RS(
Address ##	<%=RS(

<%@ Language=VBScript %>

<!-- #include file=dahili1.asp -->

<HTML>

<HEAD>

<META NAME="GENERATOR" Content="Microsoft FrontPage 4.0">

<TITLE>Bilgi Deđiptir > Üye No: <%=Session("uyeID") %></TITLE>

<meta name="Microsoft Theme" content="rmnsque 100, default">

</HEAD>


```

<p><b><font color="#FF0000"><i><font face="Verdana"
size="4">WELCOME</font></i></font><font face="Verdana" size="2"><br>
<font face="verdana" color="gray" size="2">
<!--#include file="tarih.inc"-->
&nbsp;</font>

</font>
</b></p>
</center>
<font face="Verdana" size="2"><table width="100%" style="font-size: 11px;">
  <tr>
    <td bgcolor=blue width="100%">&nbsp;</td>
  </tr>
  <tr>
    <td bgcolor=blue width="100%">&nbsp;</td>
  </tr></table>

</font>
<%
Set Bag=Server.CreateObject("Adodb.Connection")
Bag.Open Cumle

Set Rs=Server.CreateObject("Adodb.Recordset")
Sorgu="Select * from users where UyeId="& Session("UyeId")
Rs.Open Sorgu, Bag, 1, 3
if not rs.EOF then %>
<center>
<P><b><FONT size=2 face="verdana"><i>Following is your profile, you may
change it as you
wish.</i></font></P></b><FONT face=verdana color=gray>
<p>&nbsp;<form name=bilgi action="bilgi_isle1.asp" method="post">
<TABLE border=1 cellPadding=0 cellSpacing=0
style="FONT-FAMILY: verdana; FONT-SIZE: 11px" width="40%"></font>

```

```

<TR>
  <TD align="center"><b><font face="verdana"
size="2"><i>Name##</i></font></b></TD>
  <FONT size=2><FONT face=verdana color=gray>
  <TD><INPUT type=text name="isim" value="<%=Rs("UyeAdi")%>"></TD></TR>
  </font>
<TR>
  <TD align="center"><b><font face="verdana"
size="2"><i>Surname</i></font><font
face="verdana"><i>##</i></font></b></TD>
  <FONT face=verdana color=gray>
  <TD><INPUT type=text name=soyadi
  value="<%=Rs("UyeSoyAdi")%>"></TD></TR>
  </font>
<TR>
  <TD align="center"><b><font face="verdana" size="2"><i>User
Name</i></font><font face="verdana"><i>##</i></font></b></TD>
  <FONT face=verdana color=gray>
  <TD><INPUT type=text name=k_a
  value="<%=Rs("UyeKullaniciAdi")%>"></TD></TR>
  </font>
<TR>
  <TD align="center"><b><font face="verdana" size="2"><i>User
Password##</b></i></font></b></TD>
  <FONT face=verdana color=gray>
  <TD><INPUT type=password name=sifre type=password
  value="<%=Rs("UyeSifre")%>"></TD></TR>
  </font>
<TR>
  <TD align="center"><b><font face="verdana" size="2"><i>User
Email</i></font><font face="verdana"><i>##</i></font></b></TD>
  <FONT face=verdana color=gray>
  <TD><INPUT type=text name=email
  value="<%=Rs("UyeEmaili")%>"></TD></TR>

```

```

</font>
<TR>
  <TD align="center"><b><font face="verdana" size="2"><i>Secret
Question</i></font><font face="verdana"><i>##</i></font></b></TD>
  <FONT face=verdana color=gray>
  <TD><INPUT type=text name=soru
value='<%=Rs("UyeSifreSorusu")%>'></TD></TR>
</font>
<TR>
  <TD align="center"><b><font face="verdana" size="2"><i>S.Question
Answer</i></font></b></TD>
  <FONT face=verdana color=gray>
  <TD><INPUT type=text name=cevap
value='<%=RS("uyeSifreSoruCevabi")%>'></TD></TR>
</font>
<TR>
  <TD align="center"><b><font face="verdana" size="2"><i>Address
##</i></font></b></TD>
  <FONT face=verdana color=gray>
  <TD><INPUT type=text name=adres
value='<%=RS("uyeAdres")%>'><a href="default5.asp">...G.S.United
Bank:...</a></TD></TR>
</font>
<TR>
  <TD align="center"><b><font face="verdana"
size="2"><i>Telephone</i></font><font
face="verdana"><i>##</i></font></b></TD>
  <FONT face=verdana color=gray>
  <TD><INPUT type=text name=telefon
value='<%=RS("uyetelefon")%>'></TD></TR>
</font>
<TR>
  <TD align="center"><b><font face="verdana" size="2"><i>Father
Name</i></font><font face="verdana"><i>##</i></font></b></TD>

```

```

<FONT face=verdana color=gray>
<TD><INPUT type=text name=babaadi
value='<%=RS("uyebabaadi")%>'></TD></TR>
</font>
<TR>
<TD align="center"><b><font face="verdana"
size="2"><i>Country</i></font><font face="verdana"><i>##</i></font></b></TD>
<FONT face=verdana color=gray>
<TD><INPUT type=text name=dogumyeri
value='<%=RS("uyedogumyeri")%>'></TD></TR>
</font>
<TR>

<TD align="center"><FONT face=verdana>
<i><b><INPUT type=submit
value=Update</b></i></font></TD></TR></TABLE></FORM>
<a href="default5.asp">
<FONT face=verdana color=#FF0000>
<i>
HOME PAGE</i>
</font></a>
<FONT face=verdana color=gray>
<br>
</font><FONT face=verdana>
<i><b>
Uye Bilgisi Yok
<%
else %>
<% end if %></b></i></font></font></center>
<p>
<br>
</BODY>
</HTML>

```

//root/bilgi_isle_1.asp

G.S. UNITED BANK

WELCOME

The update procedure is completed with the following information

Name :

Surname :

Username :

Password :

Secret Question :

S.Question Answer :

Email :

Users No :

PLEASE WAIT, now you are being redirected to the main page!

If you stay here longer please click here ...

```
<!-- #include file=dahili1.asp -->
```

```
<html>
```

```
<head>
```

```
<meta http-equiv=Refresh content="10"; URL="default5.asp">
```

```
<link href=css/css.css rel=stylesheet type=text/css>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=windows-1254">
```

```
<title>Recorded Finish</title>
```

```
<meta name="Microsoft Theme" content="rmnsque 100, default">
```

```
</head>
```

```

<body bgcolor="#FFFFFF" text="#663300" link="#660000" vlink="#999900"
alink="#006600"><!--mstheme--><font face="Times New Roman">
<center>
<p>
&nbsp;</p>
</center><center>
<!--mstheme--></font><table border="1" cellpadding="0" cellspacing="0"
style="border-collapse: collapse; border-width: 0" width="100%" height="1"
bordercolordark="#660000" bordercolorlight="#996600">
<tr>
<font face="Verdana" color="gray" size="2">
<td width="33%" style="border-style: none; border-width: medium"
height="1"><!--mstheme--><font face="Times New Roman"><!--mstheme--
></font></td>
</font>
<td width="33%" style="border-left-style: none; border-left-width: medium;
border-right-style: none; border-right-width: medium; border-top: medium none
#111111; border-bottom: medium none #111111" height="1"><!--mstheme--><font
face="Times New Roman"><font face="Verdana" size="5"
color="#FF0000"><i>G.S.UNITED
BANK</i></font><!--mstheme--></font></td>
<font face="Verdana" color="gray" size="2">
<td width="34%" style="border-left-style: none; border-left-width: medium;
border-right-style: none; border-right-width: medium; border-top: medium none
#111111; border-bottom: medium none #111111" height="1"><!--mstheme--><font
face="Times New Roman"><!--mstheme--></font></td>
</font>
</tr>
</table><!--mstheme--><font face="Times New Roman">
<p><font color="#FF0000"><i><b><font face="Verdana" size="4">
<br>
</font></b><font face="Verdana" size="4"><b>WELCOME<br>
</b></font><b>
<font face="verdana" size="2">

```

```

<!--#include file="tarih.inc"-->
&nbsp;</font></b></i></font></p>
</center>
<font face="Verdana" size="2">
<!--mstheme--></font><table width="100%" style="font-size: 11px;">
  <tr>
    <td bgcolor=blue width="100%"><!--mstheme--><font face="Times New
Roman">&nbsp;<!--mstheme--></font></td>
  </tr>
  <tr>
    <td bgcolor=blue width="100%"><!--mstheme--><font face="Times New
Roman">&nbsp;<!--mstheme--></font></td>
  </tr></table><!--mstheme--><font face="Times New Roman">
<%
Dim uyeadi
Dim uyesoyadi
Dim username
Dim userpwd
Dim userpwd2
Dim sifresorusu
Dim sifresorucevabi
Dim email
uyeadi=Request.Form("isim")
uyesoyadi=Request.Form("soyadi")
username=Request.Form("k_a")
userpwd=Request.Form("sifre")
sifresorusu=Request.Form("soru")
sifresorucevabi=Request.Form("cevap")
email=Request.Form("email")
' Verileride ald&yacute;k
%>
<% ' Kontroller ba&thorn;l&yacute;yor
if uyeadi="" then
Response.Redirect("hisle/hislead.asp")

```

```
Response.End
End if
If uyesoyadi="" then
Response.Redirect("hisle/hislesoyad.asp")
Response.End
End if
If username="" then
Response.Redirect("hisle/hisleka.asp")
Response.End
End if
If userpwd="" then
Response.Redirect("hisle/hislesifre.asp")
Response.End
End if
If sifresorusu="" then
Response.Redirect("hisle/hislesoru.asp")
Response.End
End if
If sifresorucevabi="" then
Response.Redirect("hisle/hislecevap.asp")
Response.End
End if
If email="" then
Response.Redirect("hisle/hisleemail.asp")
Response.End
End if
%>
<%
Dim Baglanti
Dim Rs
Dim Sorgu
Dim Veritabani_Yol

Set Baglanti=Server.CreateObject("Adodb.Connection")
```

```

Baglanti.Open Cumle
Set Rs=Server.CreateObject("Adodb.Recordset")
Sorgu="Select * from users where uyeId=" & Session("UyeId")
Rs.Open Sorgu, Baglanti, 1, 3
if not Rs.EOF then
Rs("uyeAdi")=UyeAdi
Rs("UyeSoyadi")=UyeSoyadi
Rs("UyeKullaniciAdi")=username
Rs("UyeSifre")=userpwd
Rs("UyeSifreSorusu")=sifresorusu
Rs("UyeSifreSoruCevabi")=sifresorucevabi
Rs("UyeEmaili")=email
Rs.Update
UyeId=Rs("UyeId")
else
if Rs("uyeKullaniciAdi")=username then
Response.Write "<li>Seçti&eth;iniz kullan&yacute;c&yacute; ad&yacute;
kullan&yacute;l&yacute;yor<br>"
Response.End
end if
if Rs("uyeEmaili")=email then
Response.Write "<li>Seçti&eth;iniz email adresi kullan&yacute;l&yacute;yor<br>"
Response.End
end if
if Rs("uyeKullaniciAdi")=username and Rs("uyeEmaili")=email then
Response.Write "<li>Seçti&eth;ini kullan&yacute;c&yacute; ad&yacute; ve
&thorn;ifre kullan&yacute;l&yacute;yor<br>"
end if
end if %>
<%
Rs.Close
Set Rs=Nothing
Baglanti.Close
Set Baglanti=Nothing

```

```

%>
</font>
<p align="center"><b><font face="verdana" size="2"><i>## The update procedure is
completed with the
following informmation ##</i></font></b></p>
<center><!--mstheme--></font><table border="0" width="100%" cellspacing="0"
cellpadding="0" height="179">
  <tr>
    <td width="50%" height="19" align="right"><!--mstheme--><font face="Times
New Roman"><b><small><i>Name :</i></small></b><!--mstheme--></font></td>
    <td width="50%" height="19"><!--mstheme--><font face="Times New
Roman"><b><font
color="#FF0000"><small><%=UyeAdi%></small></font></b><!--mstheme--
></font></td>
  </tr>
  <tr>
    <td width="50%" height="20" align="right"><!--mstheme--><font face="Times
New Roman"><b><small><i>Surname :</i></small></b><!--mstheme--
></font></td>
    <td width="50%" height="20"><!--mstheme--><font face="Times New
Roman"><b><font
color="#FF0000"><small><%=UyeSoyadi%></small></font></b><!--mstheme--
></font></td>
  </tr>
  <tr>
    <td width="50%" height="20" align="right"><!--mstheme--><font face="Times
New Roman"><b><small><i>Username :</i></small></b><!--mstheme--
></font></td>
    <td width="50%" height="20"><!--mstheme--><font face="Times New
Roman"><b><font
color="#FF0000"><small><%=username%></small></font></b><!--mstheme--
></font></td>
  </tr>
</tr>

```

```

<td width="50%" height="20" align="right"><!--mstheme--><font face="Times
New Roman"><b><small><i>Password :</i></small></b><!--mstheme--
></font></td>

```

```

<td width="50%" height="20"><!--mstheme--><font face="Times New
Roman"><b><font
color="#FF0000"><small><%=userpwd%></small></font></b><!--mstheme--
></font></td>

```

```
</tr>
```

```
<tr>
```

```

<td width="50%" height="20" align="right"><!--mstheme--><font face="Times
New Roman"><b><small><i>Secret Question :</i></small></b><!--mstheme--
></font></td>

```

```

<td width="50%" height="20"><!--mstheme--><font face="Times New
Roman"><b><font
color="#FF0000"><small><%=sifresorusu%></small></font></b><!--mstheme--
></font></td>

```

```
</tr>
```

```
<tr>
```

```

<td width="50%" height="20" align="right"><!--mstheme--><font face="Times
New Roman"><b><small><i>S.Question Answer :</i></small></b><!--mstheme--
></font></td>

```

```

<td width="50%" height="20"><!--mstheme--><font face="Times New
Roman"><b><font
color="#FF0000"><small><%=sifresorucevabi%></small></font></b><!--mstheme--
></font></td>

```

```
</tr>
```

```
<tr>
```

```

<td width="50%" height="20" align="right"><!--mstheme--><font face="Times
New Roman"><b><small><i>Email :</i></small></b><!--mstheme--></font></td>

```

```

<td width="50%" height="20"><!--mstheme--><font face="Times New
Roman"><b><font color="#FF0000"><small><%=email%></small></font></b><!--
mstheme--></font></td>

```

```
</tr>
```

```
<tr>
```

```

    <td width="50%" height="20" align="right"><!--mstheme--><font face="Times
New Roman"><b><small><i>Users No :</i></small></b><!--mstheme--
></font></td>
    <td width="50%" height="20"><!--mstheme--><font face="Times New
Roman"><b><font color="#FF0000"><small><%=UyeId%></small></font></b><!--
-mstheme--></font></td>
</tr>
</table><!--mstheme--><font face="Times New Roman"></center>
<p><center><strong><font color="#FF0000"><i>PLEASE WAIT, now you are
being redirected to the main page!</i></font></center></strong></p>
<p><center><a href="default5.asp" style="text-decoration: none"><font
color="#FF0000"><i>If you stay here longer please click here
...</i></font></a></center></p>
<br>
<br>
<!--mstheme--></font></body>
</html>
<!--#include file="status1.asp"-->

```

//root/giris_yap1.asp

```

<% Response.Buffer=True
Response.Expires = -100
tarih=date
%>
<!-- #include file=dahili1.asp -->
<%
Set Baglanti=Server.CreateObject("Adodb.Connection")
Baglanti.Open Cumle
Set Rs=Server.CreateObject("Adodb.Recordset")
Sorgu="select * from Users where UyeKullaniciAdi = " & request.form("k_a") & "
and UyeSifre = " & Request.form("sifre") & ""

```

```

Rs.Open Sorgu, Baglanti, 1, 3
If RS.BOF And RS.EOF Then
Response.Redirect("hata/hataykas.asp")
Else
Session("UserLoggedIn") = "true"
Rs("UyeEnSonGiris")=now()
Rs("UyeGirisCount")=Rs("UyeGirisCount")+1
Rs.Update
Session("UyeId")=Rs("UyeId")
Session("username")=Rs("UyeKullaniciAdi")
Response.Redirect "g_succ1.asp"
End if
%>

```

//root/giris_yap3.asp

```

<% Response.Buffer=True
Response.Expires = -100
tarih=date
%>
<!-- #include file=dahili1.asp -->
<%
Set Baglanti=Server.CreateObject("Adodb.Connection")
Baglanti.open Cumle
Set kb=Server.CreateObject("Adodb.Recordset")
UyeId=Session("UyeId")
Sorgu="Select * from users where UyeId= " & UyeId
kb.Open Sorgu, Baglanti, 1, 3
if kb.eof then
Response.Write "<center>Üye bilgisi Yok!</center>"
else %>
<br>
<%

```

```
a=kb("Seviye")
if a= 0 then
Session("Uye_Seviye")="0"
Else
If Session("Seviye") = 1 then
Session("Uye_Seviye") = "1"
End If
End if
%>
```

//root/Default4.asp

G.S. UNITED BANK

WELCOME

WELCOME TO G.S. UNITED BANK WEB PAGE

[HOME PAGE](#)

[SIGN UP](#)

[SIGN IN](#)

[EXCHANGE RULES](#)

[ASSIGN](#)

[COMMENTS](#)

Exit

```
<html>
```

```
<head>
```

```
<meta http-equiv="Content-Language" content="tr">
```

```
<meta name="GENERATOR" content="Microsoft FrontPage 4.0">
```

```
<meta name="ProgId" content="FrontPage.Editor.Document">
```

```
<meta http-equiv="Content-Type" content="text/html; charset=windows-1254">
```

```
<title>## G.S. United Bank ##</title>
```

```
<meta name="Microsoft Theme" content="rmnsque 100, default">
```

```
</head>
```

```
<body>
```

```
<center>
```

```
<p>
```

```
&nbsp;  </p>
```

```
</center><center>
```

```
<table border="1" cellpadding="0" cellspacing="0" style="border-collapse: collapse;
border-width: 0" width="100%" height="1">
```




//root/Kayit1.asp

G.S. UNITED BANK

SIGN UP

For a membership, please fill in the all field in the following form

Name :	<input type="text"/>
Surname :	<input type="text"/>
User Name :	<input type="text"/>
Secret Question :	<input type="text"/>
Secret Question Answer :	<input type="text"/>
Email :	<input type="text"/>
Telephone :	<input type="text"/>
Address :	<input type="text"/>
Father Name :	<input type="text"/>
Country :	<input type="text"/>
Birthyear :	<input type="text" value="1940"/>

<html>

<head>

<meta http-equiv="Content-Language" content="tr">

<meta name="GENERATOR" content="Microsoft FrontPage 4.0">

<meta name="ProgId" content="FrontPage.Editor.Document">

<meta http-equiv="Content-Type" content="text/html; charset=windows-1254">

<title>...:G.S.United Bank:...</title>

<meta name="Microsoft Theme" content="rmnsque 100, default">

</head>

<body>

<center>

<p>

```

&nbsp;</p>
</center><center>
<table border="1" cellpadding="0" cellspacing="0" style="border-collapse: collapse;
border-width: 0" width="100%" height="1">
  <tr>
    <font face="Verdana" color="gray" size="2">
      <td width="33%" style="border-style: none; border-width: medium"
height="1"></td>
      </font>
      <td width="33%" style="border-left-style: none; border-left-width: medium;
border-right-style: none; border-right-width: medium; border-top: medium none
#111111; border-bottom: medium none #111111" height="1"><font face="Verdana"
size="5" color="#FF0000"><i>G.S.UNITED
  BANK</i></font></td>
      <font face="Verdana" color="gray" size="2">
      <td width="34%" style="border-left-style: none; border-left-width: medium;
border-right-style: none; border-right-width: medium; border-top: medium none
#111111; border-bottom: medium none #111111" height="1"></td>
      </font>
    </tr>
  </table>
<p><b><font face="Verdana" size="2">
<br>
</font></b><i><font face="Verdana" color="#FF0000" size="4"><b>SIGN
UP</b></font></i><b><font face="Verdana" size="2"><i><br>
</i>
<font face="verdana" color="gray" size="2">
<!--#include file="tarikh.inc"-->
&nbsp;</font>
</font>
</b></p>
</center>
<font face="Verdana" size="2"><table width="100%" style="font-size: 11px;">
  <tr>

```

```

<td bgcolor=blue width="100%">&nbsp;</td>
</tr>
<tr>
<td bgcolor=blue width="100%">&nbsp;</td>
</tr></table>
</font>
<font face="verdana" color="gray" size="2">
<br><b>&nbsp;</b></font><center><b><font face="verdana" color="#FF0000"
size="2"><i>For a membership, please fill in the all field in the following
form</i></font></b></center><b>
<center>
<form method="POST" action="kaydet.asp" style="font-family: Verdana; font-size:
10pt">
<table border="0" width="40%" cellpadding="0" cellspacing="0" height="293">
<tr>
<td width="97%" height="21"><small><font face="Verdana">&nbsp;</font></small></td>
<td width="46%" height="21"><small><font face="Verdana">
<input type="text" name="uyeadi" size="29"></font></small></td>
</tr>
<tr>
<td width="97%" height="21"><small><font face="Verdana">&nbsp;</small></td>
<td width="46%" height="21"><small><font face="Verdana">
<input type="text" name="uyesoyadi" size="29"></font></small></td>
</tr>
<tr>
<td width="97%" height="21"><small><font face="Verdana">&nbsp;</small></td>
<td width="46%" height="21"><small><font face="Verdana">
<input type="text" name="username" size="29"></font></small></td>
</tr>
<tr>

```

```
<td width="97%" height="21"><small><font face="Verdana">&nbsp;Secret
```

```
Question :</font></small></td>
```

```
<td width="46%" height="21"><small><font face="Verdana">
```

```
<input type="text" name="sifresorusu"
```

```
size="29"></font></small></td>
```

```
</tr>
```

```
<tr>
```

```
<td width="97%" height="21"><small><font face="Verdana">&nbsp;Secret
```

```
Question Answer :</font></small></td>
```

```
<td width="46%" height="21"><small><font face="Verdana">
```

```
<input type="text" name="sifresorucevabi"
```

```
size="29"></font></small></td>
```

```
</tr>
```

```
<tr>
```

```
<td width="97%" height="21"><small><font face="Verdana">&nbsp;Email
```

```
:</font></small></td>
```

```
<td width="46%" height="21"><small><font face="Verdana">
```

```
<input type="text" name="email" size="29"></font></small></td>
```

```
</tr>
```

```
<tr>
```

```
<td width="97%" height="21"><font face="Verdana" style="font-size:
smaller">&nbsp;Telephone :</font></td>
```

```
<td width="46%" height="21"><small><font face="Verdana">
```

```
<input type="text" name="telefon" size="29"></font></small></td>
```

```
</tr>
```

```
<tr>
```

```
<td width="97%" height="21"><font face="Verdana" style="font-size:
smaller">&nbsp;Address :</font></td>
```

```
<td width="46%" height="21"><small><font face="Verdana">
```

```
<input type="text" name="adres" size="29"></font></small></td>
```

```
</tr>
```

```
<tr>
```

```
<td width="97%" height="21"><font face="Verdana" size="2">&nbsp;Father
```

```
Name :</font></td>
```

```
<td width="46%" height="21"><small><font face="Verdana">
<input type="text" name="babaadi" size="29"></font></small></td>
</tr>
<tr>
<td width="97%" height="27"><small><font face="Verdana">&nbsp;&nbsp;&nbsp;Country
&nbsp;&nbsp;&nbsp;</font></small></td>
<td width="46%" height="29"><small><font face="Verdana">
<input type="text" name="dogumyeri" size="29"></font></small></td>
</tr>
<tr>
<td width="97%" height="28">
<font face="Verdana" style="font-size: smaller">&nbsp;&nbsp;&nbsp;Birthyear :</font></td>
<td width="46%" height="28">
<select style="font-size: 10pt; width: 150px; font-family: Verdana; height: 150px;
border-left: 2px groove silver; border-right: 2px groove silver; border-top: 2px
dashed; border-bottom: 2px dashed; background-color: #efefef" name="yas">
<option selected>1940</option>
<option>1941</option>
<option>1942</option>
<option>1943</option>
<option>1944</option>
<option>1945</option>
<option>1946</option>
<option>1947</option>
<option>1948</option>
<option>1949</option>
<option>1950</option>
<option>1951</option>
<option>1952</option>
<option>1953</option>
<option>1954</option>
<option>1955</option>
<option>1956</option>
<option>1957</option>
```

```
<option>1958</option>
<option>1959</option>
<option>1960</option>
<option>1961</option>
<option>1962</option>
<option>1963</option>
<option>1964</option>
<option>1965</option>
<option>1966</option>
<option>1967</option>
<option>1968</option>
<option>1969</option>
<option>1970</option>
<option>1971</option>
<option>1972</option>
<option>1973</option>
<option>1974</option>
<option>1975</option>
<option>1976</option>
<option>1977</option>
<option>1978</option>
<option>1979</option>
<option>1980</option>
<option>1981</option>
<option>1982</option>
<option>1983</option>
<option>1984</option>
<option>1985</option>
</select></td>
</tr>
<tr>
  <td width="97%" height="25"><font face="Verdana"
size="1">&nbsp;</font></td>
  <td width="46%" height="25">
```

```
<br><font face="Verdana"><i><small><input type="submit" value="...: Send  
... " name="B1"></small></i></font></td>  
</tr>  
</table>  
</form>  
<a href="default5.asp"><font color="#FF0000">HOME PAGE</font><br>  
</a>  
<p align="center">&nbsp;</p>  
</center></b></body>  
</html>  
<!--#include file="status1.asp"-->
```

//root/kaydet1.asp

G.S.UNITED BANK

WELCOME

Adınız:.....

Soyadınız:.....

Kullanıcı Adınız:.....

Şifreniz:.....

Gizli Sorunuz:.....

Cevabı:.....

Email Adresiniz:.....

Uye Numaranız:.....

Telefon Numaranız:.....

Adresiniz:.....

Baba Adınız:.....

Doğum Yeriniz:.....

Doğum Tarihiniz:.....

Thank you for registering yourself to our site #
Your password and account number will be sent to your e-mail in 24 hours..

Now you are being redirected to the main page.

[If you are not redirected shortly, please click here](#)

<!-- #include file=dahili1.asp -->

<html>

<head>

<LINK HREF="css/css.css" REL="stylesheet" TYPE="text/css">

<meta http-equiv="Content-Type" content="text/html; charset=windows-1254">

<meta http-equiv="Refresh" content="5; URL=default1.asp">

<title>Kayıt İşlemi Bitti</title>

<meta name="Microsoft Theme" content="rmnsque 100, default">

</head>

<body>

<center>

<p>

 </p>


```
<font face="Verdana" size="2"><table width="100%" style="font-size:11px;">
  <tr>
    <td bgcolor=blue width="100%">&nbsp;</td>
  </tr>
  <tr>
    <td bgcolor=blue width="100%">&nbsp;</td>
  </tr></table>
<%
Dim uyeadi
Dim uyesoyadi
Dim username
Dim sifresorusu
Dim sifresorucevabi
Dim email
Dim telefon
Dim adres
Dim babaadi
Dim dogumyeri
Dim yas
Dim hesapdurumu

uyeadi=Request.Form("uyeadi")
uyesoyadi=Request.Form("uyesoyadi")
username=Request.Form("username")
sifresorusu=Request.Form("sifresorusu")
sifresorucevabi=Request.Form("sifresorucevabi")
email=Request.Form("email")
telefon=Request.Form("telefon")
adres=Request.Form("adres")
babaadi=Request.Form("babaadi")
dogumyeri=Request.Form("dogumyeri")
yas=Request.Form("yas")
hesapdurumu=0
%>
```

```
<%  
if uyeadi="" then  
Response.Redirect("hata/hataad1.asp")  
Response.End  
End if  
If uyesoyadi="" then  
Response.Redirect("hata/hatasad1.asp")  
Response.End  
End if  
If username="" then  
Response.Redirect("hata/hataka1.asp")  
Response.End  
End if  
If sifresorusu="" then  
Response.Redirect("hata/hatasoru1.asp")  
Response.End  
End if  
If sifresorucevabi="" then  
Response.Redirect("hata/hatacevap1.asp")  
Response.End  
End if  
If email="" then  
Response.Redirect("hata/hataemail1.asp")  
Response.End  
End if  
If telefon="" then  
Response.Redirect("hata/hatatelefon1.asp")  
Response.End  
End if  
If adres="" then  
Response.Redirect("hata/hataadres1.asp")  
Response.End  
End if  
If babaadi="" then
```

```
Response.Redirect("hata/hatababaadi1.asp")
Response.End
End if
If dogumyeri="" then
Response.Redirect("hata/hatadogumyeri1.asp")
Response.End
End if
If Len(email) < 5 Then
bIsValid = "False"
Else
If Instr(1, email, " ") < 0 Then
bIsValid = "False"
Else
If InStr(1, email, "@", 1) < 2 Then
bIsValid = "False"
Else
If InStrRev(email, ".") < InStr(1, email, "@", 1) + 2 Then
bIsValid = "False"
End If
End If
End If
End If
IF bIsValid = "False" THEN
hata = "ERROR : Lütfen geçerli bir mail adresi girin."
TEKRAR
Response.End
end if
%>
<%
Dim Baglanti
Dim Rs
Dim Sorgu
Dim Veritabani_Yol
```

```

Set Baglanti=Server.CreateObject("Adodb.Connection")
Baglanti.Open Cumle
Set Rs=Server.CreateObject("Adodb.Recordset")
Sorgu="Select * from users where uyeKullaniciAdi=""& username &"" and
uyeEmaili=""& email &""
Rs.Open Sorgu, Baglanti, 1, 3
if Rs.EOF then
Rs.AddNew
Rs("uyeAdi")=UyeAdi
Rs("UyeSoyadi")=UyeSoyadi
Rs("UyeKullaniciAdi")=username
Rs("UyeSifre")=userpwd
Rs("UyeSifreSorusu")=sifresorusu
Rs("UyeSifreSoruCevabi")=sifresorucevabi
Rs("UyeEmaili")=email
Rs("UyeTelefon")=telefon
Rs("UyeAdres")=adres
Rs("UyeBabaAdi")=babaadi
Rs("UyeDogumYeri")=dogumYeri
Rs("Uyeyas")=yas
Rs("UyeHesapDurumu")=Hesapdurumu
Rs("U_TARIHI") = Date()
Rs("SON_TARIH") = Now()
Rs.Update
UyeId=Rs("UyeId")
else
if Rs("uyeKullaniciAdi")=username then
Response.Redirect("hata/hataoa1.asp")
Response.End
end if
if Rs("uyeEmaili")=email then
Response.Redirect("hata/hatamk1.asp")
Response.End
end if

```

```

if Rs("uyeKullaniciAdi")=username and Rs("uyeEmaili")=email then
Response.Redirect("hata/hataks1.asp")
end if
end if %>
<%
Rs.Close
Set Rs=Nothing
Baglanti.Close
Set Baglanti=Nothing
%>
</font>
<CENTER>
<TABLE style="WIDTH: 448px; HEIGHT: 259px" height=259 cellSpacing=0
cellPadding=0 width=448 border=0>
<TR>
<TD width="50%" height=19>
<font face="verdana" color="#000000" size="2">
<b><i>Adınız:.....</i></b></FONT></TD>
<font face="verdana" color="gray" size="2">
<TD width="50%" height=19><B><FONT
color=#ff0000><%=UyeAdi%></FONT></B></TD></TR>
</FONT>
<TR>
<TD width="50%" height=20>
<font face="verdana" color="#000000" size="2">
<b><i>Soyadımız:.....</i></b></FONT></TD>
<font face="verdana" color="gray" size="2">
<TD width="50%" height=20><B><FONT
color=#ff0000><%=UyeSoyadi%></FONT></B></TD></TR>
</FONT>
<TR>
<TD width="50%" height=20>
<font face="verdana" color="#000000" size="2">
<b><i>Kullanıcı Adımız:.....</i></b></FONT></TD>

```

```

<font face="verdana" color="gray" size="2">
  <TD width="50%" height=20><B><FONT
color=#ff0000><%=username%></FONT></B></TD></TR>
</FONT>
<TR>
  <TD width="50%" height=20>
<font face="verdana" color="#000000" size="2">
<b><i>Şifreniz:.....</i></b></FONT></TD>
<font face="verdana" color="gray" size="2">
  <TD width="50%" height=20><B><FONT
color=#ff0000><%=userpwd%></FONT></B></TD></TR>
</FONT>
<TR>
  <TD width="50%" height=20>
<font face="verdana" color="#000000" size="2">
<b><i>Gizli Sorunuz:.....</i></b></FONT></TD>
<font face="verdana" color="gray" size="2">
  <TD width="50%" height=20><B><FONT
color=#ff0000><%=sifresorusu%></FONT></B></TD></TR>
</FONT>
<TR>
  <TD width="50%" height=20>
<font face="verdana" color="#000000" size="2">
<b><i>Cevabı:.....</i></b></FONT></TD>
<font face="verdana" color="gray" size="2">
  <TD width="50%" height=20><B><FONT
color=#ff0000><%=sifresorucevabi%></FONT></B></TD></TR>
</FONT>
<TR>
  <TD width="50%" height=20>
<font face="verdana" color="#000000" size="2">
<b><i>Email Adresiniz:.....</i></b></FONT></TD>
<font face="verdana" color="gray" size="2">

```

```

<TD width="50%" height=20><B><FONT
color=#ff0000><%=email%></FONT></B></TD></TR>
</FONT>
<TR>
<TD width="50%" height=20>
<font face="verdana" color="#000000" size="2">
<b><i>Uye Numaranız:.....</i></b></FONT></TD>
<font face="verdana" color="gray" size="2">
<TD width="50%" height=20><B><FONT
color=#ff0000><%=UyeId%></FONT></B></TD></TR>
</FONT>
<TR>
<TD width="50%" height=20>
<font face="verdana" color="#000000" size="2">
<b><i>Telefon Numaranız:.....</i></b></FONT></TD>
<font face="verdana" color="gray" size="2">
<TD width="50%" height=20><B><FONT
color=#ff0000><%=telefon%></FONT></B></TD></TR>
</FONT>
<TR>
<TD width="50%" height=20>
<font face="verdana" color="#000000" size="2">
<b><i>Adresiniz:.....</i></b></FONT></TD>
<font face="verdana" color="gray" size="2">
<TD width="50%" height=20><B><FONT
color=#ff0000><%=adres%></FONT></B></TD></TR>
</FONT>
<TR>
<TD width="50%" height=20>
<font face="verdana" color="#000000" size="2">
<b><i>Baba Adınız:.....</i></b></FONT></TD>
<font face="verdana" color="gray" size="2">
<TD width="50%" height=20><B><FONT
color=#ff0000><%=babaAdi%></FONT></B></TD></TR>

```

```

</FONT>
<TR>
  <TD width="50%" height=20>
    <font face="verdana" color="#000000" size="2">
    <b><i>Doğum Yeriniz:.....</i></b></FONT></TD>
    <font face="verdana" color="gray" size="2">
    <TD width="50%" height=20><B><FONT
color=#ff0000><SMALL><%=dogumYeri%></FONT></B></small></TD></TR>
</FONT>
<TR>
  <TD width="50%" height=20>
    <font face="verdana" color="#000000" size="2">
    <b><i>Doğum Tarihiniz:.....</i></b></FONT></TD>
    <font face="verdana" color="gray" size="2">
    <TD width="50%" height=20><B><FONT
color=#ff0000><SMALL><%=yas%></FONT></B></small></TD></TR></TABL
E></CENTER>
<CENTER>&nbsp;</CENTER>
</FONT>
<CENTER>
  <font face="verdana" color="#000000" size="2">
  # Thank you for registering yourself to our site #<STRONG>
  <br>
  <b>Your password and account number will be sent to your e-mail in 24
hours.</b></strong></FONT><STRONG>
  <p><font color="steelblue">&nbsp;</font><font color="#FF0000">Now you are
being redirected to the main page.</font></p>
  <p><a href="default3.asp"><font color="#FF0000">If you are not redirected
shortly,please click here</font>
  </a></p>
  <br>
  <p align="center">&nbsp;</p>
  <a href="mailto:savas_ilgi@hotmail.com" style="text-decoration: none">

```


//root/doviz1.asp

G.S.UNITED BANK

EXCHANGE RULES

Amerikan Doları Alış::...
Amerikan Doları Satış::...
Euro Alış::...
Euro Satış::...
İngiliz Sterlin Alış::...
İngiliz Sterlin Satış::...
Japon Yen'i Alış::...
Japon Yen'i Satış::...
Kuveyt Dinari Alış::...
Kuveyt Dinari Satış::...
Kıbrıs Lirası Alış::...
Kıbrıs Lirası Satış::...
HOME PAGE

```
<!-- #include file=dahili1.asp -->
```

```
<html>
```

```
<head>
```

```
<meta http-equiv="Content-Language" content="tr">
```

```
<meta name="GENERATOR" content="Microsoft FrontPage 4.0">
```

```
<meta name="ProgId" content="FrontPage.Editor.Document">
```

```
<meta http-equiv="Content-Type" content="text/html; charset=windows-1254">
```

```
<title>...:G.S.United Bank:...</title>
```

```
<TITLE>G.S.United Bank Üye Bilgi</TITLE>
```

```
<META content="text/html; charset=1254" http-equiv=Content-Type>
```

```
<meta name="Microsoft Theme" content="rmnsque 100, default">
```

```
</head>
```

```
<body>
```

```
<center>
```

```
<p>
```

```
&nbsp;  </p>
```



```

<tr>
<td bgcolor=blue width="100%">&nbsp;</td>
</tr></table>
<%
Set Baglanti=Server.CreateObject("Adodb.Connection")
Baglanti.open Cumle
Set Rs=Server.CreateObject("Adodb.Recordset")
Id=Session("Id")
Sorgu="Select * from Doviz"
Rs.Open Sorgu, Baglanti, 1, 3
%>
</font>
<% Session.CodePage=1254 %>

<DIV align=center>
<table border=1 cellpadding=0 cellspacing=0 style="FONT-SIZE: 11px; WIDTH:
462px; FONT-STYLE: normal; FONT-FAMILY: verdana; HEIGHT: 270px; FONT-
VARIANT: normal" align=center>
<tr>
<td>
<P align=center><FONT size=2 color="#000000"
face="verdana"><i>&nbsp;<STRONG>Amerikan Doları
Alış:...</STRONG></i></FONT></P></td><td>
<font face="verdana" color="gray" size="2">
<P align=center><%=Rs("ADolarAlis")%><FONT
size=2><STRONG></STRONG></FONT></P></font></td></tr>
<tr>
<td>
<P align=center><STRONG><FONT size=2 color="#000000"
face="verdana"><i>&nbsp;<STRONG>Amerikan Doları Satış:...</i></FONT> </STRONG>
</P> </td><td>
<font face="verdana" color="gray" size="2">
<P align=center><%=Rs("ADolarSatis")%><FONT
size=2><STRONG></STRONG></FONT></P></font></td></tr>

```

<tr>

<td>

<FONT size=2 color="#000000"
face="verdana"><i> Euro Alış:... </P> </td><td>

<P align="center"><%=Rs("EuroAlis")%><FONT
size=2></P></td></tr>

<tr>

<td>

<FONT size=2 color="#000000"
face="verdana"><i> Euro Satış:...</P></td><td>

<P align="center"><%=Rs("EuroSatis")%><FONT
size=2></P></td></tr>

<tr>

<td>

<FONT size=2 color="#000000"
face="verdana"><i> İngiliz Sterlin
Alış:...</P></td><td>

<P align="center"><%=Rs("SterlinAlis")%><FONT
size=2></P></td></tr>

<tr>

<td>

<FONT size=2 color="#000000"
face="verdana"><i> İngiliz Sterlin
Satış:...</P></td><td>

<P align="center"><%=Rs("SterlinSatis")%><FONT
size=2></P></td></tr>

<tr>

<td>

<FONT size=2 color="#000000"
face="verdana"><i> Japon Yen'i Alış:...

```

</P> </td><td>
<font face="verdana" color="gray" size="2">
<P align=center><%=Rs("JYenAlis")%><FONT
size=2><STRONG></STRONG></FONT></P></font></td></tr>
<tr>
<td>
<P align=center><STRONG><FONT size=2 color="#000000"
face="verdana"><i>&nbsp;Japon Yen'i Satış:...</i></FONT> </STRONG> </P>
</td><td>
<font face="verdana" color="gray" size="2">
<P align=center><%=Rs("JYenSatis")%><FONT
size=2><STRONG></STRONG></FONT></P></font></td></tr>
<tr>
<td>
<P align=center><STRONG><FONT size=2 color="#000000"
face="verdana"><i>&nbsp;Kuveyt Dinari Alış:...</i></FONT> </STRONG> </P>
</td><td>
<font face="verdana" color="gray" size="2">
<P align=center><%=Rs("KDinariAlis")%><FONT
size=2><STRONG></STRONG></FONT></P></font></td></tr>
<tr>
<td>
<P align=center><STRONG><FONT size=2 color="#000000"
face="verdana"><i>&nbsp;Kuveyt Dinari Satış:...</i></FONT> </STRONG> </P>
</td><td>
<font face="verdana" color="gray" size="2">
<P align=center><%=Rs("KDinariSatis")%><FONT
size=2><STRONG></STRONG></FONT></P></font></td></tr>
<tr>
<td>
<P align=center><STRONG><FONT size=2 color="#000000"
face="verdana"><i>&nbsp;Kuveyt Dinari Satış:...</i></FONT> </STRONG> </P>
</td><td>
<font face="verdana" color="gray" size="2">
<P align=center><%=Rs("KDinariSatis")%><FONT
size=2><STRONG></STRONG></FONT></P></font></td></tr>
<tr>
<td>
<P align=center><STRONG><FONT size=2 color="#000000"
face="verdana"><i>&nbsp;Kıbrıs Lirası Alış:...</i></FONT> </STRONG> </P>
</td><td>
<font face="verdana" color="gray" size="2">

```

```

<P align=center><%=Rs("KLirasiAlis")%><FONT
size=2><STRONG></STRONG></FONT></P></font></td></tr>
<tr>
<td>
<P align=center><STRONG><FONT size=2 color="#000000"
face="verdana"><i>&nbsp;Kıbrıs Lirası Satış:...</i></FONT> </STRONG> </P>
</td><td>
<font face="verdana" color="gray" size="2">
<P align=center><%=Rs("KLirasiSatis")%><FONT
size=2><STRONG></STRONG></FONT></P></font></td></tr>
<tr>
<i>
<font color="#000000">
<td>
<br>
<br>
</font>
<center><a href="default4.asp"><font size="3" color="#FF0000">HO</font><font
color="#FF0000"><font size="3">ME</font><font size="3" color="#000000">
</font></font><font size="3" color="#FF0000">
PAGE
</font></a>
<font color="#000000"><br>
<!--#include file="status1.asp"-->
</font>
</i></center>
</table>
</div>

```

//root/havale1.asp

G.S. UNITED BANK

ASSIGN

Your Balance : \$

Please enter the amount to transfer:...

Please enter the person that the money will be transferred:...

Send

Username you entered could not be found!

[HOME PAGE](#)

```
<%@Language=VBScript%>
```

```
<%Response.Buffer = True%>
```

```
<!-- #include file=dahili1.asp -->
```

```
<HTML>
```

```
<HEAD>
```

```
<TITLE>## G.S.United Bank ##&nbsp;(Assign)</TITLE>
```

```
<META NAME="GENERATOR" Content="Microsoft FrontPage 4.0">
```

```
<META content="text/html; charset=1254" http-equiv=Content-Type>
```

```
<meta name="Microsoft Theme" content="rmnsque 100, default">
```

```
</HEAD>
```

```
<body>
```

```
<center>
```

```
<p>
```

```

&nbsp;</p>
</center><center>
<table border="1" cellpadding="0" cellspacing="0" style="border-collapse: collapse;
border-width: 0" width="100%" height="1">
  <tr>
    <font face="Verdana" color="gray" size="2">
      <td width="33%" style="border-style: none; border-width: medium"
height="1"></td>
      </font>
      <td width="33%" style="border-left-style: none; border-left-width: medium;
border-right-style: none; border-right-width: medium; border-top: medium none
#111111; border-bottom: medium none #111111" height="1"><font face="Verdana"
size="5" color="#FF0000"><i>G.S.UNITED
      BANK</i></font></td>
      <font face="Verdana" color="gray" size="2">
      <td width="34%" style="border-left-style: none; border-left-width: medium;
border-right-style: none; border-right-width: medium; border-top: medium none
#111111; border-bottom: medium none #111111" height="1"></td>
      </font>
    </tr>
  </table>
<p><b><font face="Verdana" size="2">
<br>
</font></b><i><b><font face="Verdana" size="4"
color="#FF0000">ASSIGN</font></b></i><b><font face="Verdana"
size="2"><i><br>
</i>
&nbsp;</font></b></p>
</center>
<table width="100%" style="font-size: 11px;">
  <tr>
    <td bgcolor=blue width="100%">&nbsp;</td>
  </tr>
  <tr>

```



```

</font>
  <b></p><p align="center"><i><FONT face=verdana size=2
color="#FF0000">Please enter the person that the money will be
transferred:...</FONT></i></p></b>
  <center>
<font face="verdana" color="#FF0000" size="2">
  <INPUT name=Kullaniciadi size="20">&nbsp;</font>
  <p align="center">
<font face="verdana" color="#FF0000" size="2">
  &nbsp;<button type=submit> <i><b> Send&nbsp;</b></i></font>
<font face="verdana" color="gray" size="2">
  <i><b>
  <br>
&nbsp;</b></i></button></p>
  <a href="mailto:savas_ilgi@hotmail.com" style="text-decoration: none">
<table width="698">
  <tr>
  <td align="center" width="105">
  <P align=right><FONT face=verdana size=2>&nbsp;</P> </font> </td>
  <td align="center" width="441">
  </a></font>
  <a href="mailto:savas_ilgi@hotmail.com" style="text-decoration: none">
<b><i>
<font face="verdana" color="#FF0000" size="3">
Username you entered could not be found!
</font>
<font face="verdana" color="#000000" size="3">
<br>
<br>
</font>
</i></b>
<font face="verdana" color="#FF0000" size="3">
<br>
</font>

```



```

<% else %>
<br>
<%
kb("UyeHesapDurumu")=kb("UyeHesapDurumu")-cint(b)
kb.update
a=kb("UyeHesapDurumu")
db("UyeHesapDurumu")=db("UyeHesapDurumu")+cint(b)
db.update
%>

<%
Dim Baglanti
Dim Rs
Dim Sorgu2
Dim Veritabani_Yol
Set Baglanti=Server.CreateObject("Adodb.Connection")
Baglanti.Open Cumle
Set Rs=Server.CreateObject("Adodb.Recordset")
Sorgu2="Select * from rapor where HavaleYapaninAdi='k' and
HavaleYapilaninAdi='c'"
Rs.Open Sorgu2, Baglanti, 1, 3
if Rs.EOF then
Rs.AddNew
Rs("HavaleYapaninAdi")=z
Rs("HavaleYapaninHesapNo")=w
Rs("HavaleTarihi")= Now()
Rs("HavaleMiktari")=b
Rs("HavaleYapilaninAdi")=d
Rs("HavaleYapilaninHesapNo")=g
Rs.Update
end if %>
<%
Rs.Close
Set Rs=Nothing

```



```
&nbsp;</center>
```

```
<p align="center">&nbsp;</p>
```

```
<a href="mailto:savas_ilgi@hotmail.com" style="text-decoration: none">
```

```
<font face="verdana" color="gray" size="2">
```

```
</a></font>
```

```
<% end if %><% end if %><% end if %>
```

```
<% end if %><!--#include file="status1.asp"-->
```

```
</font></body>
```

```
//root/form3.asp
```

G.S. UNITED BANK

COMMENTS

Please let us know your feedback about our site

##UserName	<input type="text"/>
##Email	<input type="text"/>
##Ideas	<input type="text"/>
	<input type="text"/>

HOME PAGE

```
<html>
```

```
<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=windows-1254">
```



```

</tr>
</table>
<p><b><font face="Verdana" size="4" color="#FF0000"><i>COMMENTS<br>
</i>
<!--#include file="tarih.inc"-->
</font></b></p>
</center>
<font face="Verdana" size="2">
  <table width="100%" style="font-size: 11px;">
    <tr>
      <td bgcolor=blue width="100%">&nbsp;</td>
    </tr>
    <tr>
      <td bgcolor=blue width="100%">&nbsp;</td>
    </tr>
  </table>
</font>
<font face="verdana" color="gray" size="2">
<br></font>
<center><b>
<i>
<font face="verdana" color="#FF0000" size="2">
Plase let us know your feedback about our site</font>
</i>
<form method="POST" action="form4.asp" style="font-family: Verdana; font-size:
10pt">
  <table border="1" width="38%" cellpadding="0" cellspacing="0" height="293">
<tr>
  <td width="91%" height="21">
<i>
<font face="Verdana" color="#FF0000"
size="2">&nbsp;&##UserName&nbsp;</font></i></td>
  <td width="46%" height="21"><font face="Verdana">
  <input type="text" name="username" size="29"></font></td></center>
</tr>

```



```
&nbsp;</font></b></p>
```

```
</center>
```

```
<table width="100%" style="font-size: 11px;">
```

```
<tr>
```

```
<td bgcolor=blue width="100%">&nbsp;</td>
```

```
</tr>
```

```
<tr>
```

```
<td bgcolor=blue width="100%">&nbsp;</td>
```

```
</tr></table>
```

```
<%
```

```
Dim username
```

```
Dim email
```

```
Dim ideas
```

```
username=Request.Form("username")
```

```
email=Request.Form("email")
```

```
ideas=Request.Form("ideas")
```

```
%>
```

```
<%
```

```
Dim Baglanti
```

```
Dim Rs
```

```
Dim Sorgu
```

```
Dim Veritabani_Yol
```

```
Set Baglanti=Server.CreateObject("Adodb.Connection")
```

```
Baglanti.Open Cumle
```

```
Set Rs=Server.CreateObject("Adodb.Recordset")
```

```
Sorgu="Select * from ideas where username='"& username &" and email='"& email  
&"'"
```

```
Rs.Open Sorgu, Baglanti, 1, 3
```

```
Rs.AddNew
```

```
Rs("username")=username
```

```
Rs("email")=email
```

```
Rs("dusunceler")=ideas
```


//root/terket1.asp

```
<%@ Language=VBScript %>
<% Response.Buffer=true %>
<!-- #include file=dahili1.asp -->
<HTML>
<HEAD>
<LINK HREF="css/css.css" REL="stylesheet" TYPE="text/css">
<meta http-equiv='Refresh' content='2; URL=default4.asp'>
<meta name="Microsoft Theme" content="rmnsque 100, default">
</HEAD>
<BODY>
<%
Session("UserLoggedIn")=""
Session("usersNo")=""
%>
<br>
<br>
<br>
<br>
<br>
<P><center><STRONG><font color="#FF0000">You have successfully logged
out.</font></strong></center></P>
<p><center><strong><font color="#FF0000">Now you are being redirected to the
main page!</font></center></strong></p>
<p><center><b><a href="default4.asp"><font color="#FF0000">If you are not
redirected shortly,please click here...</font></a></center></p>

</b></BODY>
</HTML>
```

//root/dahili1.asp

<%

Vt_Yolu=Server.MapPath("db/users1.mdb")

Cumle= "DBQ=" & Vt_Yolu & ";Driver={Microsoft Access Driver (*.mdb)}"

%>

<%

If Session("Oturum") = "Acik" Then

Session.LCID = 1033

Set UpdDate = objConn.Execute("UPDATE USERS SET

SON_TARİH=#"&NOW()&"# WHERE U_ID="&Session("Uye_Id")&"")

Session.LCID = lcid

Set objLevel = objConn.Execute("SELECT * FROM USERS WHERE U_ID = "&

Session("Uye_Id"))

If Not objLevel.EOF Then

If objLevel("SEVIYE") = 0 Then

Session("Uye_Seviye") = "0"

ElseIf objLevel("SEVIYE") = 1 Then

Session("Uye_Seviye") = "1"

Else

Session("Uye_Seviye") = "0"

End If

End If

End If

%>

//root/status1.asp

```
<SCRIPT LANGUAGE="JavaScript">
<!--
var speed = 10
var pause = 1500
var timerID = null
var bannerRunning = false
var ar = new Array()
ar[0] = "...: WELCOME :..."
ar[1] = "...: the :..."
ar[2] = "...: G.S.United Bank :..."
ar[3] = "...: WELCOME the G.S.United Bank :..."

var message = 0
var state = ""
clearState()
function stopBanner() {
    if (bannerRunning)
        clearTimeout(timerID)
    bannerRunning = false
}
function startBanner() {
    stopBanner()
    showBanner()
}
function clearState() {
    state = ""
    for (var i = 0; i < ar[message].length; ++i) {
        state += "0"
    }
}
function showBanner() {
```

```

if (getString()) {
    message++

    if (ar.length <= message)
        message = 0

    clearState()
    timerID = setTimeout("showBanner()", pause)
    bannerRunning = true
} else {
    var str = ""
    for (var j = 0; j < state.length; ++j) {
        str += (state.charAt(j) == "1") ? ar[message].charAt(j) : " "
    }
    window.status = str
    timerID = setTimeout("showBanner()", speed)
    bannerRunning = true
}
}

function getString() {
    var full = true
    for (var j = 0; j < state.length; ++j) {
        if (state.charAt(j) == 0)
            full = false
    }
    if (full)
        return true
    while (1) {
        var num = getRandom(ar[message].length)
        if (state.charAt(num) == "0")
            break
    }
    state = state.substring(0, num) + "1" + state.substring(num + 1, state.length)
    return false
}

```

```
}  
  
function getRandom(max) {  
    return Math.round((max - 1) * Math.random())  
}  
</SCRIPT>
```

```
<head>  
<meta name="Microsoft Theme" content="rmnsque 100, default">  
</head>  
  
<BODY onLoad="startBanner()"></BODY>  
<!-- END OF SCRIPT -->
```

//root/admin/admin_default1.asp



Administrator Page

...: Assigns ...

...: Users ...

...: Comments ...

<html>

<head>

<meta http-equiv="Content-Language" content="tr">

<meta name="GENERATOR" content="Microsoft FrontPage 4.0">

<meta name="ProgId" content="FrontPage.Editor.Document">

<meta http-equiv="Content-Type" content="text/html; charset=windows-1254">

<title>...: Administrator Page: ...</title>

<meta name="Microsoft Theme" content="rmnsque 100, default">

</head>

<body>

<p align="center"></p>

<p align="center"> </p>

```

<p align="center"><b><font face="Verdana" size="5" color="#FF0000">##
Administrator Page
##</font></b></p>
<p align="center">&nbsp;</p>
<p align="center">
<b><font face="Verdana" size="2" color="#FF0000">...: </font>
<a href="Rapor1.asp" style="text-decoration: none; "><font face="Verdana" size="2"
color="#FF0000">Assigns</font></a><font face="Verdana" size="2"
color="#FF0000">
...</font></b></p>
<p align="center">
<b><font face="Verdana" size="2" color="#FF0000">...: </font>
<a href="Users1.asp" style="text-decoration: none; "><font face="Verdana" size="2"
color="#FF0000">Users</font></a><font face="Verdana" size="2"
color="#FF0000">
...</font></b></p>
<p align="center">
<b><font face="Verdana" size="2" color="#FF0000">...: </font>
<a href="Oneriler1.asp" style="text-decoration: none;"><font face="Verdana"
size="2" color="#FF0000">Comments</font></a><font face="Verdana" size="2"
color="#FF0000">
...</font></b></p>
<p align="center">
<b><font face="Verdana" size="2" color="#FF0000">...: </font>
<a href=" ../default5.asp" style="text-decoration: none; "><font face="Verdana"
size="2" color="#FF0000">Home Page :...</font></a></b></p>
&nbsp;</body>
</html>

```

//root/admin/rapor1.asp

ID	HavaleYapanınAdı	HavaleMiktarı	HavaleYapanınHesapNo	HavaleYapılanınAdı	HavaleTarihi	HavaleYapılanınHesapNo
# Toplam Havale İşlemi sayısı : #						

MAIN PAGE

<%

VTdosyasi = "db"

anasayfa = "deneme.asp"

%>

<% uye = Request.QueryString("uye")

sayfa = Request.QueryString("sayfa") %>

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD><TITLE>Havale Rapor</TITLE>

<META http-equiv=Content-Type content="text/html; charset=windows-1254">

<STYLE>A:hover {

COLOR: #cccccc

}

A {

TEXT-DECORATION: none

}

</STYLE>

<STYLE type=text/css>.form {

BORDER-TOP-WIDTH: 1px; BORDER-LEFT-WIDTH: 1px; FONT-SIZE:
10px; BORDER-LEFT-COLOR: #000000; BORDER-BOTTOM-WIDTH: 1px;

BORDER-BOTTOM-COLOR: #000000; COLOR: #000000; BORDER-TOP-

COLOR: #000000; FONT-FAMILY: Verdana, Arial, Helvetica, sans-serif,

BACKGROUND-COLOR: #777777; BORDER-RIGHT-WIDTH: 1px; BORDER-

RIGHT-COLOR: #000000

}

</STYLE>

```
<META content="Microsoft FrontPage 4.0" name=GENERATOR><meta
name="Microsoft Theme" content="rmnsque 100, default">
```

</HEAD>

<BODY>

<p align="center">

</p>

<table width="881">

<tr>

```
<td width="6" bgColor="#c0c0c0" height="19"><font face="Times New
Roman">&nbsp;</font></td>
```

```
<td width="16" bgColor="#c0c0c0" height="19"><font face="verdana"
color="#ff0000" size="2">ID</font></td>
```

```
<td width="118" bgColor="#c0c0c0" height="19"><font face="verdana"
color="#ff0000" size="2">HavaleYapaninAdi</font></td>
```

```
<td width="6" bgColor="#c0c0c0" height="19">&nbsp;</td>
```

```
<td width="95" bgColor="#c0c0c0" height="19">
```

```
<p align="left"><font face="verdana" color="#ff0000"
size="2">&nbsp;<HavaleMiktari</font></p>
```

</td>

```
<td width="155" bgColor="#c0c0c0" height="19"><font face="verdana"
color="#ff0000" size="2">HavaleYapaninHesapNo</font></td>
```

```
<td width="123" bgColor="#c0c0c0" height="19"><font face="verdana"
color="#ff0000" size="2">HavaleYapilaninAdi</font></td>
```

```
<td width="81" bgColor="#c0c0c0" height="19"><font face="verdana"
color="#ff0000" size="2">HavaleTarihi</font></td>
```

```
<td width="226" bgColor="#c0c0c0" height="19"><font face="verdana"
color="#ff0000" size="2">HavaleYapilaninHesapNo</font></td>
```

```

</table>
<table border="1" width="95%">
<tr>
<td width="5%">&nbsp;</td>
<td width="14%">&nbsp;</td>
<td width="14%">&nbsp;</td>
<td width="18%">&nbsp;</td>
<td width="15%">&nbsp;</td>
<td width="12%">&nbsp;</td>
<td width="22%">&nbsp;</td>
</tr>
</table>
<table border="0" width="100%" cellspacing="1" cellpadding="2" height="17">
<tr>
<td width="100%" bgcolor="#999999" align="center" height="9"><b><font
face="Verdana, Arial, Helvetica, sans-serif" size="2">#
<font color="#FF0000">Toplam Havale İşlemi Sayısı :</font> <font
color="#ffffff"><%=n%></font color>&nbsp;<
#</font></b>
</td>
</tr>
<table border="0" width="100%" cellspacing="1" cellpadding="2"
height="17">
<tr>
<td width="100%" bgcolor="#cccccc" align="center" height="1"><font
size="1">
<% FOR j = 1 TO sayfasa
NEXT %>
</font></td>
</tr>
</table>
<p><font face="Verdana"><b><font
color="#FF0000">&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;</font></b></font></p>

```



```
}
</STYLE>
```

```
<STYLE type=text/css>.form {
  BORDER-TOP-WIDTH: 1px; BORDER-LEFT-WIDTH: 1px; FONT-SIZE:
  10px; BORDER-LEFT-COLOR: #000000; BORDER-BOTTOM-WIDTH: 1px;
  BORDER-BOTTOM-COLOR: #000000; COLOR: #000000; BORDER-TOP-
  COLOR: #000000; FONT-FAMILY: Verdana, Arial, Helvetica, sans-serif;
  BACKGROUND-COLOR: #777777; BORDER-RIGHT-WIDTH: 1px; BORDER-
  RIGHT-COLOR: #000000
}
</STYLE>
```

```
<META content="Microsoft FrontPage 4.0" name=GENERATOR><meta
name="Microsoft Theme" content="rmnsque 100, default">
```

```
</HEAD>
```

```
<BODY>
```

```
<p align="center">
```

```
<BR><BR>
```

```
</p>
```

```
<table border="0" width="928" cellspacing="0" style="border-collapse: collapse">
```

```
<tr>
```

```
<td bgcolor="#cccccc" nowrap align="center" width="16"><font size="2"
face="verdana" color="#FF0000">ID</font></td>
```

```
<td bgcolor="#cccccc" nowrap align="center" width="30"><font size="2"
face="verdana" color="#FF0000">User
Name</font></td>
```

```
<td bgcolor="#cccccc" nowrap align="center" width="38"><font size="2"
face="verdana" color="#FF0000">Adı</font></td>
```

```
<td bgcolor="#cccccc" nowrap align="center" width="10"><font size="2"
face="verdana" color="#FF0000">Soyadı</font></td>
```

```

<td bgcolor="#cccccc" nowrap align="center" width="22"><font size="2"
face="verdana" color="#FF0000">Şifresi</font></td>
<td bgcolor="#cccccc" nowrap align="center" width="34">
<font face="red" size="2" color="#FF0000">Email</font></td>
<td bgcolor="#cccccc" nowrap align="center" width="21"><font size="2"
face="verdana" color="#FF0000">Telefon</font></td>
<td bgcolor="#cccccc" nowrap align="center" width="1"><font size="2"
face="verdana" color="#FF0000">Adres</font></td>
<td bgcolor="#cccccc" nowrap align="center" width="1"><font size="2"
face="verdana" color="#FF0000">Uyelik Tarihi</font></td>
<td bgcolor="#cccccc" nowrap align="center" width="16"><font size="2"
face="verdana" color="#FF0000">Hesap No</font></td>
<td bgcolor="#cccccc" nowrap align="center" width="37">
<font face="Verdana" style="font-size: 9pt" color="#FF0000">Hesap
Durum</font></td>
<td bgcolor="#cccccc" nowrap align="center" width="27">
<font size="1" face="verdana" color="#FF0000">Login #</font></td>
<td bgcolor="#cccccc" nowrap align="center" width="19"><font size="2"
face="verdana" color="#FF0000">S.Login</font></td>

```

```
</tr>
```

```
</table>
```

```
<table border="1" width="102%">
```

```
<tr>
```

```
<td width="3%">&nbsp;</td>
```

```
<td width="7%">&nbsp;</td>
```

```
<td width="9%">&nbsp;</td>
```

```
<td width="10%">&nbsp;</td>
```

```
<td width="8%">&nbsp;</td>
```

```
<td width="8%">&nbsp;</td>
```

```
<td width="9%">&nbsp;</td>
```

```
<td width="8%">&nbsp;</td>
```

```
<td width="8%">&nbsp;</td>
```

```
<td width="8%">&nbsp;</td>
```


//root/admin/oneriler1.asp

ID	Username	Email	ideas	LastDate
<%=Rs(<%=Rs(<%=Rs(<%=Rs(<%=Rs(
size="1">	size="15">	size="18">	size="30">	size="17">
# Proposal Number : #				

MAIN PAGE

<%

VTdosyasi = "db"

anasayfa = "deneme.asp"

%>

<% uye = Request.QueryString("uye")

sayfa = Request.QueryString("sayfa") %>

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD><TITLE>Öneriler Rapor</TITLE>

<META http-equiv=Content-Type content="text/html; charset=windows-1254">

<STYLE>A:hover {

 COLOR: #cccccc

}

A {

 TEXT-DECORATION: none

}

</STYLE>

<STYLE type=text/css>.form {

 BORDER-TOP-WIDTH: 1px; BORDER-LEFT-WIDTH: 1px; FONT-SIZE:

10px; BORDER-LEFT-COLOR: #000000; BORDER-BOTTOM-WIDTH: 1px;

BORDER-BOTTOM-COLOR: #000000; COLOR: #000000; BORDER-TOP-

COLOR: #000000; FONT-FAMILY: Verdana, Arial, Helvetica, sans-serif;

```
BACKGROUND-COLOR: #777777; BORDER-RIGHT-WIDTH: 1px; BORDER-
RIGHT-COLOR: #000000
```

```
}
```

```
</STYLE>
```

```
<META content="Microsoft FrontPage 4.0" name=GENERATOR><meta
name="Microsoft Theme" content="rmnsque 100, default">
```

```
</HEAD>
```

```
<BODY>
```

```
<p align="center">
```

```
<BR><BR>
```

```
</p>
```

```
<CENTER>
```

```
<TABLE cellSpacing=1 cellPadding=0 width=730 align=center border=0>
```

```
<TBODY>
```

```
<TR>
```

```
<TD><table border="0" width="719" cellspacing="0" style="border-collapse:
collapse">
```

```
<tr>
```

```
<td bgcolor="#cccccc" nowrap align="center" width="1"><font size="2"
face="verdana">
```

```
<b><font color="#FF0000">ID</font></b></font></td>
```

```
<td bgcolor="#cccccc" nowrap align="center" width="1"><font size="2"
face="verdana">
```

```
<b><font color="#FF0000">Username</font></b></font></td>
```

```
<td bgcolor="#cccccc" nowrap align="center" width="1"><font size="2"
face="verdana">
```

```
<b><font color="#FF0000">EMail</font></b></font></td>
```

```
<td bgcolor="#cccccc" nowrap align="center" width="1"><font color="#FF0000"
size="2" face="verdana"><b>Ideas</b></font></td>
```

```
<td bgcolor="#cccccc" nowrap align="center" width="1"><font color="#FF0000"
size="2" face="verdana"><b>LastDate</b></font></td>
```

```

</tr>
<%
Dim Baglanti
Dim Rs
Dim Sorgu
Dim Veritabani_Yol
Veritabani_Yol=SERVER.MAPPATH("../"& VTdosyasi &"\users1.mdb")
Set Baglanti=Server.CreateObject("Adodb.Connection")
Baglanti.Open "DBQ=" & Veritabani_Yol &" ;Driver={Microsoft Access Driver
(*.mdb)}"
Set Rs=Server.CreateObject("Adodb.Recordset")
Sorgu="Select * from ideas ORDER BY sonTarih DESC"
Rs.Open Sorgu,Baglanti,1,3
%>
<% n = RS.RecordCount
IF NOT RS.eof THEN
IF sayfa = "" THEN sayfa = 1 END IF
RS.PageSize = 1000
RS.AbsolutePage = sayfa
sayfasa = RS.PageCount
FOR i = 1 TO RS.PageSize
IF RS.eof THEN EXIT FOR
%>

<tr>

<td bgcolor="#999999" nowrap align="center" width="1"><font size="2"
face="verdana">
<INPUT name="ID" value="<%=Rs("ID")%>" size="1"></font></td>

<td bgcolor="#999999" nowrap align="center" width="1"><font size="2"
face="verdana">

```

```
<INPUT type=text name="username" value="<%=Rs("username")%">"
size="15"></font></td>
```

```
<td bgcolor="#999999" nowrap align="center" width="1"><font size="2"
face="verdana">
```

```
<INPUT type=text name="ad" value="<%=Rs("email")%">" size="18"></font></td>
```

```
<td bgcolor="#999999" nowrap align="center" width="1"><font size="2"
face="verdana">
```

```
<INPUT type=text name="soyad" value="<%=Rs("ideas")%">"
size="30"></font></td>
```

```
<td bgcolor="#999999" nowrap align="center" width="1"><font size="2"
face="verdana">
```

```
<INPUT type=text name="sifre" value="<%=Rs("lastDate")%">"
size="17"></font></td>
```

```
<% RS.movenext
```

```
Next
```

```
END IF
```

```
RS.Close
```

```
Set RS = Nothing %></table><table border="0" width="100%" cellspacing="5"
cellpadding="0">
```

```
<tr>
```

```
<td width="100%">
```

```
<p align="center"></td>
```

```
</tr>
```

```
</table><table border="0" width="100%" cellspacing="1" cellpadding="2"
```

```
height="3">
```

```
<tr>
```

```
<td width="100%" bgcolor="#999999" align="center" height="1"><b>
```

```
<font face="Verdana, Arial, Helvetica, sans-serif" size="2">#Proposal
```


//root/hata/hataad1.asp

Hata : AD Bölümünü Eksik Bırakmışsınız! Adınızı Doldurmadan Üye Olamazsınız...

Şimdi Geldiğiniz Sayfaya Yönlendiriliyorsunuz!

[Eğer Uzun Bi Süre Burada Kalırsanız Tıklayın...](#)

```
<!-- #include file=dahili1.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
<meta name="Microsoft Theme" content="rmnsque 100, default">
</HEAD>
<BODY>
<br>
<P ALIGN=center><font color="#FF0000">Hata : AD Bölümünü Eksik
Bırakmışsınız! Adınızı Doldurmadan Üye Olamazsınız...</font></P>
<p><center><strong><font color="#FF0000">Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</font></center></strong></p>
<p><center><a href="javascript:history.go(-1)"><font color="#FF0000">Eğer Uzun
Bi Süre Burada Kalırsanız Tıklayın...</font></a></center></p>
</body>
</html>
```

//root/hata/hataadres1.asp

Hata : Adres Bölümünü Eksik Bırakmışsınız! Adresiniz Bölümünü Doldurmadan Üye Olamazsınız...

Simdi Geldiğiniz Sayfaya Yönlendiriliyorsunuz!

[Eğer Uzun Bi Süre Burada Kalırsanız Tıklayın...](#)

```
<!-- #include file=dahili1.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
<meta name="Microsoft Theme" content="rmnsque 100, default">
</HEAD>
<BODY>
<br>
<P ALIGN=center><font color="#FF0000">Hata : Adres Bölümünü Eksik
Bırakmışsınız! Adresiniz Bölümünü Doldurmadan Üye Olamazsınız...</font></P>
<p><center><strong><font color="#FF0000">Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</font></center></strong></p>
<p><center><a href="javascript:history.go(-1)"><font color="#FF0000">Eğer Uzun
Bi Süre Burada Kalırsanız Tıklayın...</font></a></center></p>
</body>
</html>
```

//root/hata/hatababaadi1.asp

Hata : Baba Adı Bölümünü Eksik Bırakmışsınız! Baba Adınız Kısmını Doldurmadan Üye Olamazsınız...

Şimdi Geldiğiniz Sayfaya Yönlendiriliyorsunuz!

[Eğer Uzun Bi Süre Burada Kalırsanız Tıklayın...](#)

```

<!-- #include file=dahili1.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
<meta name="Microsoft Theme" content="rmnsque 100, default">
</HEAD>
<BODY>
<br>
<P ALIGN=center><font color="#FF0000">Hata : Baba Adı Bölümünü Eksik
Bırakmışsınız! Baba Adınız Kısmını Doldurmadan Üye
Olamazsınız...</font></P>
<p><center><strong><font color="#FF0000">Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</font></center></strong></p>
<p><center><a href="javascript:history.go(-1)"><font color="#FF0000">Eğer Uzun
Bi Süre Burada Kalırsanız Tıklayın...</font></a></center></p>
</body>
</html>

```

//root/hata/hatacevap1.asp

Hata : Cevap Bölümünü Eksik Bırakmışsınız! Gizli Sorunuzun Cevabını Doldurmadan Üye Olamazsınız..

Şimdi Geldiğiniz Sayfaya Yönlendiriliyorsunuz!

[Eğer Uzun Bi Süre Burada Kalırsanız Tıklayın...](#)

```
<!-- #include file=dahili1.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
<meta name="Microsoft Theme" content="rmnsque 100, default">
</HEAD>
<BODY>
<br>
<P ALIGN=center><font color="#FF0000">Hata : Cevap Bölümünü Eksik
Bırakmışsınız! Gizli Sorunuzun Cevabını Doldurmadan Üye
Olamazsınız...</font></P>
<p><center><strong><font color="#FF0000">Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</font></center></strong></p>
<p><center><a href="javascript:history.go(-1)"><font color="#FF0000">Eğer Uzun
Bi Süre Burada Kalırsanız Tıklayın...</font></a></center></p></body>
</html>
```

//root/hata/hatadogumyeri1.asp

Hata : Doğum Yeri Bölümünü Eksik Bırakmışsınız! Doğum Yerinizi Yazmadan Üye Olamazsınız...

Şimdi Geldiğiniz Sayfaya Yönlendiriliyorsunuz!

[Eğer Uzun Bi Süre Burada Kalırsanız Tıklayın...](#)

NOT: Zaten Bu Teknik Olarak İmkansız!

```
<!-- #include file=dahili1.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
<meta name="Microsoft Theme" content="rmnsque 100, default">
</HEAD>
<BODY>
<br>
<P ALIGN=center><font color="#FF0000">Hata : Doğum Yeri Bölümünü Eksik
Bırakmışsınız! Doğum Yerinizi Yazmadan Üye Olamazsınız...</font></P>
<p><center><strong><font color="#FF0000">Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</font></center></strong></p>
<p><center><a href="javascript:history.go(-1)"><font color="#FF0000">Eğer Uzun
Bi Süre Burada Kalırsanız Tıklayın...</font></a></center></p><font
color="#FF0000"><br>
</font>
<p align=center><small><strong><font color="#FF0000">NOT: Zaten Bu Teknik
Olarak İmkansız!</font></strong></small></p>
</body>
</html>
```

//root/hata/hataemail1.asp

Hata : E-Mail Bölümünü Eksik Bırakmışsınız! E-Mail Adresinizi Doldurmadan Üye Olamazsınız...

Şimdi Geldiğiniz Sayfaya Yönlendiriliyorsunuz!

[Eğer Uzun Bi Süre Burada Kalırsanız Tıklayın...](#)

```
<!-- #include file=dahili1.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
<meta name="Microsoft Theme" content="rmnsque 100, default">
</HEAD>
<BODY>
<br>
<P ALIGN=center><font color="#FF0000">Hata : E-Mail Bölümünü Eksik
Bırakmışsınız! E-Mail Adresinizi Doldurmadan Üye Olamazsınız...</font></P>
<p><center><strong><font color="#FF0000">Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</font></center></strong></p>
<p><center><a href="javascript:history.go(-1)"><font color="#FF0000">Eğer Uzun
Bi Süre Burada Kalırsanız Tıklayın...</font></a></center></p>
</body>
</html>
```

//root/hata/hataka1.asp

Hata : Kullanıcı Adı Bölümünü Eksik Bırakmışsınız! Kullanıcı Adınızı Doldurmadan Üye Olamazsınız ..

Şimdi Geldiğiniz Sayfaya Yönlendiriliyorsunuz!

[Eğer Uzun Bi Süre Burada Kalırsanız Tıklayın...](#)

```

<!-- #include file=dahili1.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
<meta name="Microsoft Theme" content="rmnsque 100, default">
</HEAD>
<BODY>
<br>
<P ALIGN=center><font color="#FF0000">Hata : Kullanıcı Adı Bölümünü Eksik
Bırakmışsınız! Kullanıcı Adınızı Doldurmadan Üye
Olamazsınız...</font></P>
<p><center><strong><font color="#FF0000">Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</font></center></strong></p>
<p><center><a href="javascript:history.go(-1).asp"><font color="#FF0000">Eğer
Uzun Bi Süre Burada Kalırsanız
Tıklayın...</font></a></center></p>
</body>
</html>

```

//root/hata/hataks1.asp

Hata : Bu Kullanıcı Adı Ve Şifre Kullanılıyor! Lütfen Başka Bir Kullanıcı Adı Seçin

Şimdi Geldiğiniz Sayfaya Yönlendiriliyorsunuz!

[Eğer Uzun Bi Süre Burada Kalırsanız Tıklayın...](#)

```
<!-- #include file=dahili1.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
<meta name="Microsoft Theme" content="rmnsque 100, default">
</HEAD>
<BODY>
<br>
<P ALIGN=center><font color="#FF0000">Hata : Bu Kullanıcı Adı Ve Şifre
Kullanılıyor! Lütfen Başka Bir Kullanıcı Adı Seçin</font></P>
<p><center><strong><font color="#FF0000">Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</font></center></strong></p>
<p><center><a href="javascript:history.go(-1)"><font color="#FF0000">Eğer Uzun
Bi Süre Burada Kalırsanız Tıklayın...</font></a></center></p>
</body>
</html>
```

//root/hata/hatamkl.asp

Hata : Bu E-Mail Adresi Kullanılıyor! Lütfen Başka Bir E-Mail Adresi Girin

Şimdi Geldiğiniz Sayfaya Yönlendiriliyorsunuz!

Eğer Uzun Bi Süre Burada Kalırsanız Tıklayın...

```
<!-- #include file=dahili1.asp -->
```

```
<HTML>
```

```
<HEAD>
```

```
<TITLE>Hata!</TITLE>
```

```
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
```

```
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
```

```
<meta name="Microsoft Theme" content="rmnsque 100, default">
```

```
</HEAD>
```

```
<BODY>
```

```
<br>
```

```
<P ALIGN=center><font color="#FF0000">Hata : Bu E-Mail Adresi Kullanılıyor!  
Lütfen Başka Bir E-Mail Adresi Girin</font></P>
```

```
<p><center><strong><font color="#FF0000">Şimdi Geldiğiniz Sayfaya  
Yönlendiriliyorsunuz!</font></center></strong></p>
```

```
<p><center><a href="javascript:history.go(-1)"><font color="#FF0000">Eğer Uzun  
Bi Süre Burada Kalırsanız Tıklayın...</font></a></center></p>
```

```
</body>
```

```
</html>
```

//root/hata/hataoa1.asp

Hata : Bu Kullanıcı Adı Daha Önce Başkası Tarafından Alınmıştır!

Şimdi Geldiğiniz Sayfaya Yönlendiriliyorsunuz!

Eğer Uzun Bi Süre Burada Kalırsanız Tıklayın...

```
<!-- #include file=dahili1.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
<meta name="Microsoft Theme" content="rmnsque 100, default">
</HEAD>
<BODY>
<br>
<P ALIGN=center><font color="#FF0000">Hata : Bu Kullanıcı Adı Daha Önce
Başkası Tarafından Alınmıştır!</font></P>
<p><center><strong><font color="#FF0000">Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</font></center></strong></p>
<p><center><a href="javascript:history.go(-1)"><font color="#FF0000">Eğer Uzun
Bi Süre Burada Kalırsanız Tıklayın...</font></a></center></p>
</body>
</html>
```

//root/hata/hatasad1.asp

Hata : Soyad Bölümünü Eksik Bırakmışsınız! Soyadınızı Doldurmadan Üye Olamazsınız ..

Şimdi Geldiğiniz Sayfaya Yönlendiriliyorsunuz!

Eğer Uzun Bi Süre Burada Kalırsanız Tıklayın...

```
<!-- #include file=dahili1.asp -->
```

```

<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
<meta name="Microsoft Theme" content="rmnsque 100, default">
</HEAD>
<BODY>
<br>
<P ALIGN=center><font color="#FF0000">Hata : Soyad Bölümünü Eksik
Bırakmışsınız! Soyadınızı Doldurmadan Üye Olamazsınız...</font></P>
<p><center><strong><font color="#FF0000">İmdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</font></center></strong></p>
<p><center><a href="javascript:history.go(-1).asp"><font color="#FF0000">Eğer
Uzun Bi Süre Burada Kalırsanız Tıklayın...</font></a></center></p>
</body>
</html>

```

//root/hata/hatasoru1.asp

Hata : Gizli Soru Bölümünü Eksik Bırakmışsınız! Gizli Sorunuzu Doldurmadan Üye Olamazsınız...

Şimdi Geldiğiniz Sayfaya Yönlendiriliyorsunuz!

Eğer Uzun Bi Süre Burada Kalırsanız Tıklayın...

```

<!-- #include file=dahili1.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
<meta name="Microsoft Theme" content="rmnsque 100, default">
</HEAD>

```

```

<BODY>
<br>
<P ALIGN=center><font color="#FF0000">Hata : Gizli Soru Bölümünü Eksik
Bırakmıþsınız! Gizli Sorunuzu Doldurmadan Üye Olamazsınız...</font></P>
<p><center><strong><font color="#FF0000">Þimdi Geldiðiniz Sayfaya
Yönlendiriliyorsunuz!</font></center></strong></p>
<p><center><a href="javascript:history.go(-1)"><font color="#FF0000">Eðer Uzun
Bi Süre Burada Kalırsanız Tıklayın...</font></a></center></p>
</body>
</html>

```

//root/hata/hatatelefon1.asp

Hata : Telefon Bölümünü Eksik Bırakmışsınız! Telefon Numaranızı Doldurmadan Üye Olamazsınız.

Þimdi Geldiðiniz Sayfaya Yönlendiriliyorsunuz!

Eðer Uzun Bi Süre Burada Kalırsanız Tıklayın...

```

<!-- #include file=dahili1.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
<meta name="Microsoft Theme" content="rmnsque 100, default">
</HEAD>
<BODY>
<br>
<P ALIGN=center><font color="#FF0000">Hata : Gizli Soru Bölümünü Eksik
Bırakmıþsınız! Gizli Sorunuzu Doldurmadan Üye Olamazsınız...</font></P>
<p><center><strong><font color="#FF0000">Þimdi Geldiðiniz Sayfaya
Yönlendiriliyorsunuz!</font></center></strong></p>

```

```

<p><center><a href="javascript:history.go(-1)"><font color="#FF0000">Eđer Uzun
Bi Süre Burada Kalýrsanız Týklayýn...</font></a></center></p>
</body>
</html>

```

```
//root/hata/hatauyeyok1.asp
```

Hata : Üye Bilgisi Bulunamadý! Böyle Bir Üye Kayıtlı Değil
Şimdi Geldiđiniz Sayfaya Yönlendiriliyorsunuz!
Eđer Uzun Bi Süre Burada Kalýrsanız Tıklayın...

```

<!-- #include file=dahili1.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
<meta name="Microsoft Theme" content="rmnsque 100, default">
</HEAD>
<BODY>
<br>
<P ALIGN=center><font color="#FF0000">Hata : Üye Bilgisi Bulunamadý! Böyle
Bir Üye Kayıtlý Deđil</font></P>
<p><center><strong><font color="#FF0000">Şimdi Geldiđiniz Sayfaya
Yönlendiriliyorsunuz!</font></center></strong></p>
<p><center><a href="javascript:history.go(-1)"><font color="#FF0000">Eđer Uzun
Bi Süre Burada Kalýrsanız Týklayýn...</font></a></center></p>
</body>
</html>

```

//root/hata/hataykas1.asp

ERROR : You have entered invalid username or password please try again.

Now you are being redirected to the page you came from!

[If you are not redirected shortly, please click here...](#)

```
<!-- #include file=dahili1.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
<meta name="Microsoft Theme" content="rmnsque 100, default">

</HEAD>
<BODY>
<br><br><br><br><br><br><br><br><br>
<b>
<P ALIGN=center><font color="#FF0000">ERROR : You have entered invalid
username or password please try again.</font></P>
<p><center><strong><font color="#FF0000">Now you are being redirected to the
page you came from!</font></center></strong></p>
<p><center><a href="javascript:history.go(-1)"><font color="#FF0000">If you are
not redirected shortly, please click here...</font></a></center></p>
</b></body>
</html>
```

//root/hisle/dahili1.asp

```

<%
Vt_Yolu=Server.MapPath("db/users1.mdb")
Cumle= "DBQ="& Vt_Yolu &" ;Driver={Microsoft Access Driver (*.mdb)}"
%>

```

//root/hisle/hislead.asp

Hata : Adınızı Yazmamışsınız!
Şimdi Geldiğiniz Sayfaya Yönlendiriliyorsunuz!
Eğer Uzun Bi Süre Burada Kalırsanız Tıklayın...

```

<!-- #include file=dahili.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
<meta name="Microsoft Theme" content="rmnsque 100, default">
</HEAD>
<BODY>
<br>
<P ALIGN=center><font color="#FF0000">Hata : Adınızı
Yazmamışsınız!</font></P>
<p><center><strong><font color="#FF0000">Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</font></center></strong></p>
<p><center><a href="javascript:history.go(-1)"><font color="#FF0000">Eğer Uzun
Bi Süre Burada Kalırsanız Tıklayın...</font></a></center></p>
</body>
</html>

```

//root/hisle/hislecevap.asp

Hata : Cevabı Yazmamışsınız!

Şimdi Geldiğiniz Sayfaya Yönlendiriliyorsunuz!

Eğer Uzun Bi Süre Burada Kalırsanız Tıklayın...

```
<!-- #include file=dahili.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
<meta name="Microsoft Theme" content="rmnsque 100, default">
</HEAD>
<BODY>
<br>
<P ALIGN=center><font color="#FF0000">Hata : Cevabı
Yazmamışsınız!</font></P>
<p><center><strong><font color="#FF0000">Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</font></center></strong></p>
<p><center><a href="javascript:history.go(-1)"><font color="#FF0000">Eğer Uzun
Bi Süre Burada Kalırsanız Tıklayın...</font></a></center></p>
</body>
</html>
```

//root/hisle/hisleemail.asp

Hata : E-Mail Adresinizi Yazmamışsınız!

Şimdi Geldiğiniz Sayfaya Yönlendiriliyorsunuz!

Eğer Uzun Bi Süre Burada Kalırsanız Tıklayın...

```
<!-- #include file=dahili.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
<meta name="Microsoft Theme" content="rmnsque 100, default">
</HEAD>
<BODY>
<br>
<P ALIGN=center><font color="#FF0000">Hata : E-Mail Adresinizi
Yazmamışsınız!</font></P>
<p><center><strong><font color="#FF0000">Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</font></center></strong></p>
<p><center><a href="javascript:history.go(-1)"><font color="#FF0000">Eğer Uzun
Bi Süre Burada Kalırsanız Tıklayın...</font></a></center></p>
</body>
</html>
```

//root/hisle/hisleka.asp

Hata : Kullanıcı Adınızı Yazmamışsınız!

Şimdi Geldiğiniz Sayfaya Yönlendiriliyorsunuz!

Eğer Uzun Bi Süre Burada Kalırsanız Tıklayın...

```

<!-- #include file=dahili.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
<meta name="Microsoft Theme" content="rmnsque 100, default">
</HEAD>
<BODY>
<br>
<P ALIGN=center><font color="#FF0000">Hata : Kullanıcı Adınızı
Yazmamışsınız!</font></P>
<p><center><strong><font color="#FF0000">Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</font></center></strong></p>
<p><center><a href="javascript:history.go(-1)"><font color="#FF0000">Eğer Uzun
Bi Süre Burada Kalırsanız Tıklayın...</font></a></center></p>
</body>
</html>

```

//root/hisle/hislesifre.asp

Hata : Şifrenizi Yazmamışsınız!

Şimdi Geldiğiniz Sayfaya Yönlendiriliyorsunuz!

Eğer Uzun Bi Süre Burada Kalırsanız Tıklayın...

```
<!-- #include file=dahili.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
<meta name="Microsoft Theme" content="rmnsque 100, default">
</HEAD>
<BODY>

<br>
<P ALIGN=center><font color="#FF0000">Hata : Şifrenizi
Yazmamışsınız!</font></P>
<p><center><strong><font color="#FF0000">Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</font></center></strong></p>
<p><center><a href="javascript:history.go(-1)"><font color="#FF0000">Eğer Uzun
Bi Süre Burada Kalırsanız Tıklayın...</font></a></center></p>
</body>
</html>
```

//root/hisle/hislesoru.asp

```
<!-- #include file=dahili.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
<meta name="Microsoft Theme" content="rmnsque 100, default">
</HEAD>
<BODY>
<br>
<P ALIGN=center><font color="#FF0000">Hata : Gizli Sorunuzu
Yazmamayıpsınyız!</font></P>
<p><center><strong><font color="#FF0000">Đimdi Geldiđiniz Sayfaya
Yönlendiriliyorsunuz!</font></center></strong></p>
<p><center><a href="javascript:history.go(-1)"><font color="#FF0000">Eđer Uzun
Bi Süre Burada Kalırsanız Týklayın...</font></a></center></p>
</body>
</html>
```

//root/hisle/hislesoyad.asp

Hata ! Soyadınızı Yazmamışsınız!

Şimdi Geldiğiniz Sayfaya Yönlendiriliyorsunuz!

Eğer Uzun Bi Süre Burada Kalırsanız Tıklayın...

```
<!-- #include file=dahili.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
<meta name="Microsoft Theme" content="rmnsque 100, default">
</HEAD>
<BODY>
<br>
<P ALIGN=center><font color="#FF0000">Hata : Soyadınızı
Yazmamışsınız!</font></P>
<p><center><strong><font color="#FF0000">Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</font></center></strong></p>
<p><center><a href="javascript:history.go(-1)"><font color="#FF0000">Eğer Uzun
Bi Süre Burada Kalırsanız Tıklayın...</font></a></center></p>
</body>
</html>
```

CONCLUSION

I want to explain online banking transaction on this project. For this project networking to communicate between banks and customers. The ASP shade the banks database projects to web design.

The Active Sever Page's (ASP) is the biggest specially useful programming technologies for generate the dynamic web design. On this project bases introduce to ASP and online banking.

Finally this project Active Server Page (ASP) show to advantage for online banking.

REFERENCES

- www.w3schools.com
- www.asp.com
- Yapi Kredi Bank online banking services
- ASP 3.0 ille veritabani Yönetimi – Faruk Cubukcu