

NEAR EAST UNIVERSITY

Faculty of Engineering

Department of Computer Engineering

REAL TIME BANK TRANSACTION ON THE WEB

**Graduation Project
COM – 400**

Student : Kaya TAŞKAYA

Supervisor : Mr. Ümit İLHAN

Nicosia - 2002

ACKNOWLEDGMENTS

All our thanks to those who endlessly encouraged us through out our undergraduate studies and provided us with all kind of support financially or moralling. Who stands beside us at every moments of our life, Our Parent? Felling proud to decicate this Project for them together with our respectful brother Can ARSLAN and Nail ER.

We would like to Express our faithful thanks to our University with all its education staff and our instructors who have been a good guide for us, specially our supervisor Mr. Ümit İLHAN who provided us with valuable advises and help to achieve our graduation Project besides being an example of the responsible teacher.

Thanks to all our friends and school mates who joined us and shared our work sportingly.

ABSTRACT

I have conducted this project using ASP (Active Server Pages) technology. The web site introduced in this project is a web site of a small bank. On those pages, normal banking customers can have membership to the online banking and transfer money to the other customers in the bank. Also it contains a section where users will be informed about the latest exchange rates.

This web site is administrated and maintained by an authorized administrator where they have been granted with a password access to the admibnistration page. Those administrators have rights to see the all transactions and the comments sent by the customers.

Also, a program has been developped with Microsoft Visual Basic in order to view all the user transactions and comments where this program will run on the server side of the system.

- WHAT IS AN ASP?	- 3 -
ASP provides typically encompass the following application services:	- 4 -
There are several types of applications are available through ASPs:	- 4 -
- WHAT ARE THE STRENGTH AND WEAKNESS?	- 5 -
The Weakness:	- 5 -
What does the future look like?	- 7 -
- HOW DOES ASP WORK?	- 7 -
The ASP Value Chain	- 8 -
POTENTIAL BOTTLENECKS OF THE CURRENT TECHNOLOGIES	- 8 -
Security Issues	- 9 -
Conclusion	- 11 -
DATABASES	- 13 -
Table 1: Users.....	- 13 -
Table 3: Ideas.....	- 14 -
Table 4: Doviz.....	- 14 -
WEB PAGES	- 15 -
//ROOT.....	- 15 -
default.asp.....	- 15 -
default1.asp.....	- 17 -
default2.asp.....	- 21 -
Kayit.asp.....	- 26 -
status.asp.....	- 32 -
Kaydet.asp.....	- 35 -
sifre.asp.....	- 44 -
Giris_yap.asp.....	- 49 -
g_succ.asp.....	- 50 -
uye_bilgi.asp.....	- 51 -
havale.asp.....	- 55 -
bilgi_degistir.asp.....	- 62 -
bilgi_isle.asp.....	- 66 -
terket.asp.....	- 71 -
doviz.asp.....	- 72 -
Form.asp.....	- 76 -
Form2.asp.....	- 79 -
dahili.asp.....	- 81 -
tarih.inc.....	- 82 -
//ROOT/HATA.....	- 83 -
hataad.asp.....	- 83 -
hataadres.asp.....	- 83 -
hatababaadi.asp.....	- 84 -
hatacevap.asp.....	- 85 -
hatadogumyeri.asp.....	- 85 -
hataemail.asp.....	- 86 -
hataka.asp.....	- 87 -
hataks.asp.....	- 87 -
hatamk.asp.....	- 88 -
hataoa.asp.....	- 89 -
hatasad.asp.....	- 89 -
hatasoru.asp.....	- 90 -
hatatelefon.asp.....	- 91 -
hatauyeyok.asp.....	- 91 -
hatayas.asp.....	- 92 -
hataykas.asp.....	- 93 -
//ROOT/HISLE.....	- 94 -
hislead.asp.....	- 94 -
hislecevap.asp.....	- 94 -
hisleemail.asp.....	- 95 -

<i>hisleka.asp</i>	- 95 -
<i>hislesifre.asp</i>	- 96 -
<i>hislesoru.asp</i>	- 97 -
<i>hislead.asp</i>	- 97 -
//ROOT/ADMIN.....	- 98 -
<i>Admin_default.asp</i>	- 98 -
<i>Oneriler.asp</i>	- 99 -
<i>Rapor.asp</i>	- 103 -
<i>Users.asp</i>	- 108 -
VİSUAL BAsİC SERVER PROGRAM	- 114 -
<i>Fmusers(form1.frm)</i>	- 114 -
<i>frmRapor(form2.frm)</i>	- 117 -
<i>frmOneri(formOneri.frm)</i>	- 120 -
<i>frmDoviz(Form3.frm)</i>	- 122 -
<i>frmMain(formMain.frm)</i>	- 123 -

- What is an ASP?

Application Service Providers (ASPs) are third-party entities that manage and distribute software-based services and solutions to customers across a wide area network from a central data center.

In essence, ASPs are a way for companies to outsource some or almost all aspects of their information technology needs.

According to ASPnews.com, ASPs are broken down into fine subcategories:

- Enterprise ASPs – deliver high-end business applications.
- Local/Regional ASPs -- supply wide variety of application services for smaller businesses in a local area.
- Specialist ASPs – provide applications for a specific need, such as website services or human resources.
- Vertical Market ASPs – provide support to a specific industry such as healthcare.
- Volume Business ASPs – supply general small/medium-sized business with prepackaged application services in volume.

In detail, ASPs represent a new global industry devoted to reliable, predictable and efficient delivery of advanced application services to a broad range of businesses and individual consumers. An Application Service Provider (ASP) offers access to applications, as well as the associated IT infrastructure and support services, to customers on a subscription basis. ASPs host applications at a remote data center and deliver them to customers over private networks or the Internet. There are many types of application service providers. Some focus on augmenting in-house enterprise IT professionals with best practices, such as document management; while others provide enterprise-class software services to small- and medium-sized organizations; still other ASPs offer specialist software packages to vertical markets, such as education, manufacturing, or healthcare. Typically, the ASP charges the end-user organization a fixed, monthly fee based on application usage and services rendered, such as additional requirements in hardware, service and support, maintenance and upgrades. ASPs share several characteristics:

ASP provides typically encompass the following application services:

- Access - Analogous to "pay-per-view" television, ASPs deliver application access to users on demand for a fee, allowing the customer to use the application without having to license, maintain or support it.
- Infrastructure operations - ASPs operate the data centers where applications are hosted, providing software management, security, and disaster recovery, and business functions such as billing and usage monitoring.
- Network connectivity - These services, often delivered in partnership through local telecommunications firms or Internet Service Providers, may include connections to the Internet, operation of a Virtual Private Network, and reliability, performance and security management.
- Support services - The ASP provides end-user helpdesk support and training services surrounding the application's use.
- Management service - Applications are hosted and managed at a central site, rather than each customer's site, and delivered to users in remote locations. This includes daily administrative tasks associated with running applications as well as managing upgrades and updates.

There are several types of applications available through ASPs:

Virtually any application can be delivered through the ASP computing model.

Application services range from the most complex enterprise resource planning (ERP) systems, customer relationship management solutions and vertical applications, to basic groupware, personal productivity suites, and full desktop and printing services.

Applications enable organizations to generate revenue, offer new and better services, increase levels of user knowledge, and enhance overall productivity. Organizations can extend the reach of business applications whenever and wherever they're needed.

- Generate revenue through new sales vehicles such as e-commerce and customer resource management (CRM), to customer billing and sales force automation applications.

- Provide better customer service through online ordering/tracking and customer self-service, to call centers, order entry and help desk applications.
- Enhance organizational knowledge through intranets, email and groupware that streamline communications and collaboration, to data warehousing, data mining and decision support solutions.
- Increase user productivity through personal productivity suites and contact management, to enterprise-class ERP and supply chain optimization applications.

- What are the strength and weakness?

The Strength:

- **Simplicity** – ASP provides application rental which can solve any kind of need. With customized application, user can focus on his own business without spending time on IT.
- **Speed** – Whenever there's a problem occurs, the ASP can fix the problem immediately. Unlike the traditional way which companies buy software and install locally and if anything goes wrong, they have to call the software provider to send out technicians for service.
- **Up-to-date** – With ASP, the implementation of application is fast and performance is always optimized because ASP maintains clients whole database.
- **Customization** – ASP can provide the application only for client's need.
- **Scalability** – With the customize application, ASP can low down the cost of a new application without buying a whole package of software like before.

The Weakness:

- **Lack of popularity** – With the popular use of Window based software, companies from small to middle size have not idea of existence of ASP technology.
- **Bandwidth of network** – With the subscription of ASP service, users need to have network connection in order to use all the applications. But since there are some bottlenecks with internet infrastructure, to fully use the ASP service is not possible.
- **Data security and privacy** – How to prevent the ASP server been access unauthorized and privacy between customers will become a very important issue

when ASP service becomes more and more popular. There still has no complete regulation of this kind of issue since this is a new area of business service.

- What is the future of ASP?

Although the information technology revolution has created a profound impact on business and a certain segment of consumers, a persistent issue remains $\frac{3}{4}$ its unavailability to the vast majority of the world. Information "have-nots," estimated at 95 percent of the world's population, are barred from participation through cost, complexity and lack of access. The rise of "rental" applications and the development of simple, inexpensive information appliances promise to break down the walls between the information "haves" and "have nots."

These two trends go hand-in-hand to deliver ease-of-use, low-cost and reliable information access to consumers, small businesses and other groups that lack the resources to implement personal or business computing solutions. Application service providers have the potential to make applications as easy, inexpensive and fast to obtain as "pay-per-view" television programs, cable packages or phone services, such as call waiting or voice mail. Users are spared the cost and difficulties of licensing, installing, upgrading and maintaining their own software, or paying for PCs to run it on.

The other half of the solution, information appliances, will be instrumental in delivering on the promise of the "information revolution." Simple, reliable fixed-function devices - which may include cellular phones, information kiosks, set-top boxes and terminals - contain no moving parts to modify, replace or upgrade because all application functionality is based on a central server and delivered via server-based computing technology over cable, phone lines, etc. Accessing an application will be as simple as turning the device on and pushing a button or two.

Application Service Providers provide a bridge to the future of computing by transforming the network into the heart of the system and the client into a simple device that is as interchangeable and maintenance-free as a telephone. The result is a new paradigm of ubiquitous computing that breaks the cycle of upgrades, provides high-performance access to thousands of new and existing applications, and reduces cost and

complexity so that more people and organizations can reap the benefits of information technology. What does the future look like?

What does the future look like?

- At home, you'll use simple screenphones to access home banking and ATMs from a central server farm residing in the ASP data center. You'll be able to download electronic cash to your credit card, access your financial information, pay bills, and make stock transactions. In addition, home network terminals and television sets will be connected to extensive information services. Communication, education, shopping, and entertainment will be available, at your fingertips, 24-hours a day. The home will be "appliance-enabled," with single-purpose information appliances to serve the needs of anyone, anywhere.
- Mobile service workers will use multi-functional, wireless information appliances to communicate with other service personnel. They will be able to access repair manuals, review service records, and check parts inventories using applications delivered via the ASP data center. Customers will get better, faster service, and their service providers will get a competitive edge.
- Educators will be able to focus on teaching again, instead of managing computing environments. Students, teachers and administrators will all be connected to application service centers that offer the latest software programs, education information and learning resources, whether at school, on a field trip or right at home. The power of computing will at last be available to everyone - regardless of socio-economic status or school location.
- Information appliances in your automobile will update you on traffic conditions, help you navigate, allow you to review entertainment options, restaurants, shopping, hotels and more - all while you are on the road. Every new function will be delivered, managed, monitored and billed from the server.

- How does ASP work?

The Application Hosting Ecosystem

The application hosting ecosystem is made up of application service providers (ASPs), network service providers (NSPs) and application specialists. Each member is integral in providing the complete customer solution.

The ASP Value Chain

Delivering a Better Business Solution Through Partnering and Core Competencies

Application service providers are emerging as an active, on-line applications channel that is altering the technology industry's commercial practices for selling software products and services. The application hosting model combines an ASP data center, the bandwidth of a Network Service Provider (NSP), the application-specific expertise of consultants, value-added resellers, system integrators and independent software vendors (ISVs) with enabling infrastructure technologies, such as Citrix MetaFrame application server software, to extend best-of-breed solutions to the end-customer.

Because there are many starting points from which to enter this market, a wide range of companies are building full application hosting solutions by enlisting partners to complement their core competencies. An organization may choose to play one, two or all three roles, depending upon its core competencies, business objectives and capital resources. Some ASPs have the internal resources to provide all application delivery services, while others work with complementary partners such as network service providers and application specialists to deliver a complete solution. In some cases, an Independent Software Vendor may act as an ASP to target new markets for its software by partnering with providers of delivery, network management and support services. Behind the seamless and transparent delivery of application services to customers, lies a complex weave of back-end partnerships and infrastructure.

Potential Bottlenecks of the Current Technologies

Network Bandwidth

The Internet has been growing tremendously since 1995, when the WWW starts to penetrate the general public. However, the global and national network infrastructures

still have a long way to go, before the current bandwidth issues are resolved. Even though more and more high-speed connections (such as DSL and Cable Modem) start to appear in households, most home users still use 56K dial-up connections to get on the Internet. Moreover, Wide Area Network (WAN) connections can often be the bottlenecks to fast connection from two distant points on the Internet. Even if the connections are fast for both the ASP's and their clients, if the links between them are slow, the applications would still suffer. Therefore, ASP's try to get around the bandwidth problems by making the web applications as slim and fast as possible, while requiring the least bandwidth. Companies like Citrix and SCO both have their own thin-client solutions that leverage the web. Citrix's product Metaframe allows running of windows applications from remote, using thin-clients such as hand-held devices, Unix, and Java-enabled browsers. SCO's Tarantella has similar technologies, but it is available for both Windows NT and Unix platforms. Both of them web-enable existing applications and provide universal access to a variety of clients. However, both companies are still striving to make their technologies as light as possible, in order to be less affected by network bandwidth issues we are still facing today.

Security Issues

Data security. Housing your applications remotely at a vendor's data center and accessing them over the Internet raises justifiable concerns about the security and privacy of sensitive corporate data. To address these concerns, leading ASP's use a number of security measures to safeguard their customers' data, including:

- o Encryption of data over the network . If data is not encrypted, passwords and sensitive data (such as credit card numbers and financial information) can be captured (through a network sniffer, for example) by malicious attackers, who can then engage in criminal activities based on the captured information.
- o Authentication of users. This is to ensure that access of the application is only available to intended users.
- o Access control to ensure users can only get specified information. Based on the roles of the users, each person gets different access level to the application and the data.

- o Use of Virtual Private Networks, firewalls, intrusion-detection software. This is to further safe-guard the application and the data. Intrusion-detection software can detect potential threats of intrusion, by recognizing port-scans and probe patterns.
- o Dedicated servers and hardware for each customer or special software to protect access in a shared-server environment. In a shared-server environment, different customers might accidentally come upon each other's data, due to mis-configurations on the server and bugs of the application.
- o Written policies and procedures. Strict policies should be set so that both the ASP's and their customers understand that there are rules to be followed and enforced, in order to achieve the highest security of the software and data.
- o Security audits. Auditing and analyzing of security and system logs can reveal potential threats and attackers. Unknown and foreign connections to any service should be watched closely to sort out real threats from malicious attackers from random probes by harmless kids or students.
- o Data backups. Backups should occur regularly and frequently. In addition, off-site backup is a must for mission critical applications, in order to protect from natural disasters such as earthquakes, fires, etc.
- o Disaster recovery plans. In order to appropriately handle natural disasters mentioned above, precise steps for damage control and recoveries need to be firmly established long before it happens. Even though the chance of it happening might be slim, if recovery plans are not in place, disasters can lead to further destructions of the ASP's and their customers.
- o Background checks on employees. Employees need to be hired with caution, because unethical ones can always do great damage to both the ASP's and their clients, if they have easy access to their application and data.

Loss of control: Turning applications, service and support over to an outside provider can make companies anxious about losing control of vital business solutions and IT quality. According to a recent Zona Enterprise Usage Study, a highly rated issue was concern about whether the ASP has the proper skills to implement and deliver applications. And because the ASP industry is a young one,

there may be questions about the long-term viability of the provider. Following are safeguards customers and ASPs can implement to ensure confidence in the solution:

- o Guaranteed response times spelled out in SLAs. This way, both the ASP's and their clients have a clear understanding of the turnaround time for response and leave no room for dispute, in case of any problem.
- o Escalation procedures for problem resolution. Escalation ensures that appropriate parties are involved in the right sequence to resolve the issue quickly.
- o Written transfer plan to provide continuous service in the case of ASP business failure. This gives the clients confidence that their services will not be disrupted in the case of a bankruptcy of their ASP's.

Conclusion

As the Internet Infrastructure improves nationally and globally, bandwidth should be less and less of an issue. High bandwidth connections are not just available to the government, ISP's, corporations, schools, etc, but also to home users, who can now enjoy high-speed web surfing via DSL and Cable connections. In addition, with more and more network infrastructure in place and more and more people adopting DSL and Cable lines, the price of a high-speed connection will drop to a very reasonable and affordable range. Even the current price range of about \$40 to \$50 for a DSL or Cable line is relatively inexpensive and it will only get better.

Security, which TCP/IP was not originally designed for, but rather for functionality and efficiency, is now one of the most discussed and researched topics in the computer industry. The next version of Internet Protocol (IPv6) will have security features built into the protocols and applications will definitely benefit tremendously from this improvement. At present, if confidentiality and data integrity need to be guaranteed in a network application, encryption schemes (both symmetric, which has the same key for encrypting and decrypting, and asymmetric, which has different keys for encrypting and decryption) and hash algorithms are used, as seen in HTTPS, SSH, and SSL.

DATABASES

Table 1: Users

Field Name	Type	Size
	Users.mdf	
uyeId	AutoNumber	Long Integer
uyekullaniciadi	Text	50
uyesifre	Text	50
uyeadı	Text	50
uyeSoyadi	Text	50
uyeEmaili	Text	20
uyesifresorusu	Text	50
uyesifresorucevabi	Text	50
uyeTelefon	Text	12
uyeAdres	Text	250
uyeBabaAdi	Text	20
uyeYas	Text	10
UyeDogumYeri	Text	50
U_TARIHI	Date/Time	-
SON_TARIH	Date/Time	-
UyeHesapNo	Text	15
UyeHesapDurumu	Text	50
UyeEnSonGiris	Date/Time	-
UyeGirisCount	Text	50
Seviye	Text	1

Table 2: Rapor

Field Name	Type	Size
Id	AutoNumber	Long Integer
HavaleYapanName	Text	50
HavaleYapanHesapNo	Text	50
HavaleTarihi	Text	50
HavaleMiktari	Text	50
HavaleYapilanName	Text	20
HavaleYapilaninHesapNo	Text	50

Table 3: Ideas

Field Name	Type	Size
Id	AutoNumber	Long Integer
Username	Text	50
Email	Text	50
Dusunceler	Text	250
sonTarih	Date/Time	50

Table 4: Doviz

Field Name	Type	Size
Id	AutoNumber	Long Integer
AdolarAlis	Text	50
AdolarSatis	Text	50
AmarkAlis	Text	50
AMArkSatis	Text	50
IsterlinAlis	Text	20
IsterlinSatis	Text	50
JyenAlis	Text	20
JyenSatis	Text	50

Web Pages

//root

default.asp

eXPerience Bank

welcome

Sign In

...:Design:Kayacan@:...

CODE :

```
<html>
```

```
<head>
```

```
<title>...: Welcome the eXPerience Bank ...:</title>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1"></head>
```

```
<body bgcolor="#FFFFFF" leftmargin="0" topmargin="0"
```

```
background="image/fon_1.gif">
```

```
<center><p>&nbsp;</p>
```

```
<p></p>
```

```

        <table width="100%" style="font-size:11px;">
        <tr>
        <font face="Verdana" size="2">
        <td bgcolor=silver width="100%"></td>
        </font>
        </tr>
        <tr>
        <font face="Verdana" size="2">
        <td bgcolor=silver width="100%"></td>
        </font>
        </tr>
</table>
<p>
<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000"
width="955" Height ="243">
<param name=movie value="Movie1.swf"><param name=quality
value=high><PARAM NAME=menu VALUE=false>
    <embed src="Movie1.swf" quality=high
type="application/x-shockwave-flash" width="800" Height ="280">
</embed></object>
</p>
</center>
        <table width="100%" style="font-size:11px;">
        <tr>
        <font face="Verdana" size="2">
        <td bgcolor=silver width="100%"></td>
        </font>
        </tr>
        <tr>
        <font face="Verdana" size="2">
        <td bgcolor=silver width="100%"></td>
        </font>
        </tr>
</table>

```

```
<p>&nbsp;</p>
<p align="center"><a href="default1.asp">
</a></p>
<p align="center">&nbsp;</p>
<font face="Verdana" color="gray" size="2">
<p align="center"><font color="gray" face="Verdana" size="1">
<a href="mailto:kayacan23@hotmail.com" style="text-decoration: none">
<font color="#808080">.....Design.KayacaN@:...</font></a></font></p>
</font></body></html>
<!--#include file="status.asp"-->
```

default1.asp

eXPerience Bank

Welcome

13 January 2002

[Home Page](#)

[Sign Up](#)

[Sign In](#)

[Exchange Rates](#)

[Admin](#)

[Comments](#)

Exit

.....Design.KayacaN@:11...

CODE :

```
<html><head>
<meta http-equiv="Content-Language" content="tr">
<meta name="GENERATOR" content="Microsoft FrontPage 5.0">
<meta name="ProgId" content="FrontPage.Editor.Document">
<meta http-equiv="Content-Type" content="text/html; charset=windows-1254">
<title>...eXPerience Bank:...</title>
</head>
<body background="image/fon_1.gif">
<center>
<p>
&nbsp;   </p>
</center><center>
<table border="1" cellpadding="0" cellspacing="0" style="border-collapse: collapse;
border-width: 0" bordercolor="#111111" width="100%" height="1">
<tr>
<font face="Verdana" color="gray" size="2">
<td width="33%" style="border-style: none; border-width: medium" height="1">
</td>
<td width="33%" style="border-left-style: none; border-left-width: medium; border-
right-style: none; border-right-width: medium; border-top: medium none #111111;
border-bottom: medium none #111111" height="1">
</td>
<td width="34%" style="border-left-style: none; border-left-width: medium; border-
right-style: none; border-right-width: medium; border-top: medium none #111111;
border-bottom: medium none #111111" height="1">
</td>
</font>
</tr>
</table>
<p><b><font face="Verdana" size="2">
<br>
</font></b><font face="Verdana" color="gray" size="2">
```


default2.asp

eXPerience Bank

Sign In

13 January 2002
Sign In User Name: Kara
Sign In User ID: 28
...: Assign ...
...: Change ...
...: Log Off ...

[Home Page](#)

CODE :

```
<%@ Language=VBScript %>
<HTML>
<HEAD>
<META NAME="GENERATOR" Content="Microsoft Visual Studio 6.0">
<TITLE>...:eXPerience Bank:...: (Home Page)</TITLE>
</HEAD>
<body background="image/fon_1.gif">
<center>
<p>
&nbsp;   </p>
</center><center>
<table border="1" cellpadding="0" cellspacing="0" style="border-collapse: collapse;
border-width: 0" bordercolor="#111111" width="100%" height="1">
<tr>
```

```

<font face="Verdana" color="gray" size="2">
<td width="33%" style="border-style: none; border-width: medium" height="1">
</td>
<td width="33%" style="border-left-style: none; border-left-width: medium; border-
right-style: none; border-right-width: medium; border-top: medium none #111111;
border-bottom: medium none #111111" height="1">
</td>
<td width="34%" style="border-left-style: none; border-left-width: medium; border-
right-style: none; border-right-width: medium; border-top: medium none #111111;
border-bottom: medium none #111111" height="1">
</td>
</font>
</tr>
</table>
<p><b><font face="Verdana" size="2">
<br>
</font></b><font face="Verdana" color="gray" size="2">
</font><b><font face="Verdana"
size="2"><br>
&nbsp;</font></b></p>
</center>
<table width="100%" style="font-size: 11px;">
<tr>
<td bgcolor=silver width="100%"></td>
</tr>
<tr>
<td bgcolor=silver width="100%"></td>
</tr></table>
<BODY>
<DIV align=center>&nbsp;</DIV>
<DIV align=center>

```

```

<table border=1 bordercolor=#B4B7CA borderstyle=groove cellpadding=0
cellspacing=0 style="WIDTH: 350px; HEIGHT: 151px" width="524" height="415">
  <TBODY>
    <tr>
      <td>
        <% if Session("UserLoggedIn") <> "true" then %><FORM name=login
action=goris_yap.asp method=post ID=Form1>
          <br>
          <table border=0 cellpadding=0
cellspacing=0 style ="WIDTH: 288px; HEIGHT: 110px">
            <TBODY>
              <tr>
                <td>
                  <font face="verdana" color="gray" size="2">
                    <div align="center"><FONT face=verdana size=2>&nbsp;&nbsp;  User Name
: </FONT> </div>
                  </td>
                <td>
                  <div align="center">
                    <input name=k_a ID=Text1>
                  </div>
                </td>
              </tr>
              <tr>
                <td>
                  <font face="verdana" color="gray" size="2">
                    <P align=center><FONT face=verdana size=2> Password :</FONT></P>
                  </td>
                <td>
                  <div align="center">
                    <input type=password name=sifre style="WIDTH: 143px; HEIGHT: 22px"
size=17 ID=Password1>
                  </div>
                </td>
              </tr>
            </tbody>
          </table>
        </td>
      </tr>
    </tbody>
  </table>

```

```

</tr>
<tr>
<td>
<div align="center">
<input type="submit" value="...:Send:... ID=Submit1">
<BR></FORM>
</div>
</TD>
<td vAlign=top>
<div align="center"><font face=verdana size=1><BR>
<A style="TEXT-DECORATION: none" href ="sifre.asp" >
<FONT color=#808080>...:Forget Password:... </FONT> </A></b><BR>
</font></div>
</td>
</TR>
</TBODY>
</TABLE>

<% else %>

<font face="verdana" >
<div align="center"><b>

<p>&nbsp;</p>
<font face="verdana" color="gray" size="2">
<!--#include file="tarih.inc"-->

<b><p><font face="verdana" color="gray" size="2">
Sign In User Name: </font><font size="2"><A style="TEXT-DECORATION: none"
href="uye_bilgi.asp" ><FONT face=verdana color=gray><br>
<%=Session("username")%></A> </font></p></div></b>

```

```

        <font face="verdana" ><div align="center"><b><font face="verdana" color="gray"
size="2">Sign in User ID: </font><font size="2"><A style="TEXT-DECORATION:
none" href="uye_bilgi.asp" ><FONT face=verdana color=gray><br>
        <%=Session("uyeID")%></A> </font></div>
        <p align="center"><font size="2"><A style="TEXT-DECORATION:
none"href="havale.asp"><FONT face=verdana color=gray>...: Assign ...</A>
</font><br>
        <br><align="center">
        <font size="2"><A style="TEXT-DECORATION:
none"href="bilgi_degistir.asp"><FONT face=verdana color=gray>...:
        Change ...</A> </font><br>
        <br><align="center"><font size="2"><A style="TEXT-DECORATION: none"
href ="terket.asp" >
        <FONT size=2><STRONG></font><font size="2">...: Log Off
...</STRONG></font> <A>
        <FONT size=2><STRONG>&nbsp;
        <% end if %>
        </STRONG></FONT></p>
        <p align="center">&nbsp;</p>
        </font> </A> </p>

    </TD>
</TR>
</TBODY>
</TABLE>
<% If Session("Seviye") = "1" Then Response.Write "<center><a
href=""admin/default.asp"">Admin Mahali</a></center>"
%>
<br>
<center><a href="default.asp"></a><br>
</DIV>
<CENTER>
</CENTER>

```

```

</BODY></HTML>
<% If Session("Seviye") = "1" Then Response.Write "<center><a
href=""admin/default.asp"">Admin Mahali</a></center>"
%> /
<br><br>
<br><br>
<br>
<a href="mailto:kayacan23@hotmail.com" style="text-decoration: none"><small>
<font color=gray face="Verdana"
size="1">...:Design.KayacanN@:...</font></a></font></p></small>
<!--#include file="status.asp"-->

```

Kayit.asp

CODE :

```

<html><head>
<meta http-equiv="Content-Language" content="tr">
<meta name="GENERATOR" content="Microsoft FrontPage 5.0">

```

```

<meta name="ProgId" content="FrontPage.Editor.Document">
<meta http-equiv="Content-Type" content="text/html; charset=windows-1254">
<title>...:eXPerience Bank:...</title>
</head>
<body background="image/fon_1.gif">
<center>
<p>
&nbsp;</p>
</center><center>
<table border="1" cellpadding="0" cellspacing="0" style="border-collapse: collapse;
border-width: 0" bordercolor="#111111" width="100%" height="1">
<tr>
<font face="Verdana" color="gray" size="2">
<td width="33%" style="border-style: none; border-width: medium" height="1">
</td>
<td width="33%" style="border-left-style: none; border-left-width: medium; border-
right-style: none; border-right-width: medium; border-top: medium none #111111;
border-bottom: medium none #111111" height="1">
</td>
<td width="34%" style="border-left-style: none; border-left-width: medium; border-
right-style: none; border-right-width: medium; border-top: medium none #111111;
border-bottom: medium none #111111" height="1">
</td>
</font>
</tr>
</table>
<p><b><font face="Verdana" size="2">
<br>
</font></b><font face="Verdana" color="gray" size="2">
</font><b><font face="Verdana"
size="2"><br>
<font face="verdana" color="gray" size="2">
<!--#include file="tarikh.inc"-->
&nbsp;</font></b></p>

```

```

</center>
<table width="100%" style="font-size: 11px;">
<tr>
<td bgcolor=silver width="100%"></td>
</tr>
<tr>
<td bgcolor=silver width="100%"></td>
</tr></table>
<body>
<font face="verdana" color="gray" size="2">
<br><center><b>Sitemize üye olmak için aşağıdaki formu eksiksiz olarak
doldurunuz</center><b></small></font></p>
<center>
<form method="POST" action="kaydet.asp" style="font-family: Verdana; font-size:
10pt">
<table border="0" width="40%" cellpadding="0" cellspacing="0" height="293">
<tr>
<td width="97%" height="21"><small><font face="Verdana">&nbsp;Name
:</font></small></td>
<td width="46%" height="21"><small><font face="Verdana">
<input type="text" name="uyeadı" size="29"></font></small></td>
</tr>
<tr>
<td width="97%" height="21"><small><font face="Verdana">&nbsp;Surname
:</font></small></td>
<td width="46%" height="21"><small><font face="Verdana">
<input type="text" name="uyesoyadı" size="29"></font></small></td>
</tr>
<tr>
<td width="97%" height="21"><small><font face="Verdana">&nbsp;User Name
:</font></small></td>
<td width="46%" height="21"><small><font face="Verdana">
<input type="text" name="username" size="29"></font></small></td>
</tr>

```

```

<tr>
  <td width="97%" height="21"><small><font face="Verdana">&nbsp;Secret
Question :</font></small></td>
  <td width="46%" height="21"><small><font face="Verdana">
  <input type="text" name="sifresorusu"
  size="29"></font></small></td>
</tr>
<tr>
  <td width="97%" height="21"><small><font face="Verdana">&nbsp;Secret
Question Answer :</font></small></td>
  <td width="46%" height="21"><small><font face="Verdana">
  <input type="text" name="sifresorucevabi"
  size="29"></font></small></td>
</tr>
<tr>
  <td width="97%" height="21"><small><font face="Verdana">&nbsp;Email
:</font></small></td>
  <td width="46%" height="21"><small><font face="Verdana">
  <input type="text" name="email" size="29"></font></small></td>
</tr>
<tr>
  <td width="97%" height="21"><font face="Verdana" style="font-size:
smaller">&nbsp;Telephone :</font></td>
  <td width="46%" height="21"><small><font face="Verdana">
  <input type="text" name="telefon" size="29"></font></small></td>
</tr>
<tr>
  <td width="97%" height="21"><font face="Verdana" style="font-size:
smaller">&nbsp;Address :</font></td>
  <td width="46%" height="21"><small><font face="Verdana">
  <input type="text" name="adres" size="29"></font></small></td>
</tr>
<tr>

```



```
<option>1956</option>
<option>1957</option>
<option>1958</option>
<option>1959</option>
<option>1960</option>
<option>1961</option>
<option>1962</option>
<option>1963</option>
<option>1964</option>
<option>1965</option>
<option>1966</option>
<option>1967</option>
<option>1968</option>
<option>1969</option>
<option>1970</option>
<option>1971</option>
<option>1972</option>
<option>1973</option>
<option>1974</option>
<option>1975</option>
<option>1976</option>
<option>1977</option>
<option>1978</option>
<option>1979</option>
<option>1980</option>
<option>1981</option>
<option>1982</option>
<option>1983</option>
</select></td>
</tr>
<tr>
  <td width="97%" height="25"><font face="Verdana"
size="1">&nbsp;</font></td>
  <td width="46%" height="25">
```

```

        <br><p align="center"><small><font face="Verdana"><input type="submit"
value="...: Send :..." name="B1"></font></small></td>
    </tr>
</table>
</form>
<center><a href="default2.asp"></a><br>
<p align="center">&nbsp;</p>
<a href="mailto:kayacan23@hotmail.com" style="text-decoration: none">
<p align="center"><font color=gray face="Verdana"
size="1">...:Design:KayacaN®:...</font></p>
</body>
</html>
<!--#include file="status.asp"-->

```

status.asp

CODE :

```

<SCRIPT LANGUAGE="JavaScript">
<!--
var speed = 10
var pause = 1500
var timerID = null
var bannerRunning = false
var ar = new Array()
ar[0] = "...: WELCOME :..."
ar[1] = "...: the :..."
ar[2] = "...: eXPerience Bank :..."
ar[3] = "...: WELCOME the eXPerience Bank :..."

var message = 0
var state = ""

```

```

clearState()
function stopBanner() {
    if (bannerRunning)
        clearTimeout(timerID)
    bannerRunning = false
}
function startBanner() {
    stopBanner()
    showBanner()
}
function clearState() {
    state = ""
    for (var i = 0; i < ar[message].length; ++i) {
        state += "0"
    }
}
function showBanner() {
    if (getString()) {
        message++

        if (ar.length <= message)
            message = 0

        clearState()
        timerID = setTimeout("showBanner()", pause)
        bannerRunning = true
    } else {
        var str = ""
        for (var j = 0; j < state.length; ++j) {
            str += (state.charAt(j) == "1") ? ar[message].charAt(j) : " "
        }
        window.status = str
        timerID = setTimeout("showBanner()", speed)
        bannerRunning = true
    }
}

```

```

    }
}
function getString() {
    var full = true
    for (var j = 0; j < state.length; ++j) {
        --
        if (state.charAt(j) == 0)
            full = false
    }
    if (full)
        return true
    while (1) {
        var num = getRandom(ar[message].length)
        if (state.charAt(num) == "0")
            break
    }
    state = state.substring(0, num) + "1" + state.substring(num + 1, state.length)
    return false
}

function getRandom(max) {
    return Math.round((max - 1) * Math.random())
}
</SCRIPT>
</HEAD>
<BODY onLoad="startBanner()">
</BODY>
</HTML>
<!-- END OF SCRIPT -->
<!--#include file="status.asp"-->

```

Kaydet.asp

eXPerience Bank

Welcome

13 January 2002

Adınız:....	Kaya Can
Soyadınız:....	Yağkaya
Kullanıcı Adınız:....	Stone
Şifreniz:....	
Gizli Sorunuz:....	Dünya Kaç Köşe
Cevabı:....	Bilmem
Email Adresiniz:....	kayacan23@hotmail.com
Üye Numaranız:....	53
Telefon Numaranız:....	05357117307
Adresiniz:....	Ankara
Baba Adınız:....	Orhan
Doğum Yeriniz:....	Elazığ
Doğum Tarihiniz:....	1975

....: Thank you for registering yourself to our site :....

Your password and account number will be sent to your e-mail in 24 hours..

...: Now you are being redirected to the main page :...:

[If you are not redirected shortly, please click here](#)

CODE :

```
<!-- #include file=dahili.asp -->
<body background="image/fon_1.gif">
<center>
<p>
&nbsp;  </p>
</center><center>
<table border="1" cellpadding="0" cellspacing="0" style="border-collapse: collapse;
border-width: 0" bordercolor="#111111" width="100%" height="1">
<tr>
<font face="Verdana" color="gray" size="2">
<td width="33%" style="border-style: none; border-width: medium" height="1">
</td>
<td width="33%" style="border-left-style: none; border-left-width: medium; border-
right-style: none; border-right-width: medium; border-top: medium none #111111;
border-bottom: medium none #111111" height="1">
```

```

</td>
<td width="34%" style="border-left-style: none; border-left-width: medium; border-
right-style: none; border-right-width: medium; border-top: medium none #111111;
border-bottom: medium none #111111" height="1">
</td>
</font>
</tr>
</table>
<p><b><font face="Verdana" size="2">
<br>
</font></b><font face="Verdana" color="gray" size="2">
</font><b><font face="Verdana"
size="2"><br>
<font face="verdana" color="gray" size="2">
<!--#include file="tarih.inc"-->
&nbsp;</font></b></p>
</center>
<%
<table width="100%" style="font-size: 11px;">
<tr>
<td bgcolor=silver width="100%"></td>
</tr>
<tr>
<td bgcolor=silver width="100%"></td>
</tr></table>
<%
Dim uyeadi
Dim uyesoyadi
Dim username
Dim sifresorusu
Dim sifresorucevabi
Dim email
Dim telefon
Dim adres
Dim babaadi

```

Dim dogumyeri

Dim yas

Dim hesapdurumu

uyeadı=Request.Form("uyeadı")

uyesoyadı=Request.Form("uyesoyadı")

username=Request.Form("username")

sifresorusu=Request.Form("sifresorusu")

sifresorucevabi=Request.Form("sifresorucevabi")

email=Request.Form("email")

telefon=Request.Form("telefon")

adres=Request.Form("adres")

babaadı=Request.Form("babaadı")

dogumyeri=Request.Form("dogumyeri")

yas=Request.Form("yas")

hesapdurumu=0

%>

<%

if uyeadı="" then

Response.Redirect("hata/hataad.asp")

Response.End

End if

If uyesoyadı="" then

Response.Redirect("hata/hataad.asp")

Response.End

End if

If username="" then

Response.Redirect("hata/hataka.asp")

Response.End

End if

If sifresorusu="" then

Response.Redirect("hata/hatasoru.asp")

Response.End

End if

```
If sifresorucevabi="" then
Response.Redirect("hata/hatacevap.asp")
Response.End
End if
If email="" then
Response.Redirect("hata/hataemail.asp")
Response.End
End if
If telefon="" then
Response.Redirect("hata/hatatelefon.asp")
Response.End
End if
If adres="" then
Response.Redirect("hata/hataadres.asp")
Response.End
End if
If babaadi="" then
Response.Redirect("hata/hatababaadi.asp")
Response.End
End if
If dogumyeri="" then
Response.Redirect("hata/hatadogumyeri.asp")
Response.End
End if
If yas="0" then
Response.Redirect("hata/hatay0.asp")
Response.End
End If
If yas="" then
Response.Redirect("hata/hatayas.asp")
Response.End
End if
If Len(email) < 5 Then
bIsValid = "False"
```

```

Else
If Instr(1, email, " ") <> 0 Then
bIsValid = "False"
Else
If InStr(1, email, "@", 1) < 2 Then
bIsValid = "False"
Else
If InStrRev(email, ".") < InStr(1, email, "@", 1) + 2 Then
bIsValid = "False"
End If
End If
End If
End If
IF bIsValid = "False" THEN
hata = "ERROR : Lütfen geçerli bir mail adresi girin."
TEKRAR
Response.End
end if
%>
<%
Dim Baglanti
Dim Rs
Dim Sorgu
Dim Veritabani_Yol

Set Baglanti=Server.CreateObject("Adodb.Connection")
Baglanti.Open Cumle
Set Rs=Server.CreateObject("Adodb.Recordset")
Sorgu="Select * from users where uyeKullaniciAdi='"& username &"' and
uyeEmaili='"& email &"'"
Rs.Open Sorgu, Baglanti, 1, 3
if Rs.EOF then
Rs.AddNew
Rs("uyeAdi")=UyeAdi

```

```

Rs("UyeSoyadi")=UyeSoyadi
Rs("UyeKullaniciAdi")=username
Rs("UyeSifre")=userpwd
Rs("UyeSifreSorusu")=sifresorusu
Rs("UyeSifreSoruCevabi")=sifresorucevabi
Rs("UyeEmaili")=email
Rs("UyeTelefon")=telefon
Rs("UyeAdres")=adres
Rs("UyeBabaAdi")=babaadi
Rs("UyeDogumYeri")=dogumYeri
Rs("Uyeyas")=yas
Rs("UyeHesapDurumu")=Hesapdurumu
Rs("U_TARIHI") = Date()
Rs("SON_TARİH") = Now()
Rs.Update
UyeId=Rs("UyeId")

else
if Rs("uyeKullaniciAdi")=username then
Response.Redirect("hata/hataoa.asp")
Response.End
end if
if Rs("uyeEmaili")=email then
Response.Redirect("hata/hatamk.asp")
Response.End
end if
if Rs("uyeKullaniciAdi")=username and Rs("uyeEmaili")=email then
Response.Redirect("hata/hataks.asp")
end if
end if %>
<%
Rs.Close
Set Rs=Nothing

```

Baglanti.Close

Set Baglanti=Nothing

%>

<html>

<head>

<LINK HREF="css/css.css" REL="stylesheet" TYPE="text/css">

<meta http-equiv="Content-Type" content="text/html; charset=windows-1254">

<meta http-equiv="Refresh" content="5; URL=default.asp">

<title>Kayıt İşlemi Bitti</title>

</head>

<CENTER>

<TABLE style="WIDTH: 448px; HEIGHT: 259px" height=259 cellSpacing=0
cellPadding=0 width=448 border=0>

<TR>

<TD width="50%" height=19>Adınız:.....</TD>

<TD width="50%" height=19><FONT

color=#ff0000><%=UyeAdi%></TD></TR>

<TR>

<TD width="50%" height=20>Soyadınız:.....</TD>

<TD width="50%" height=20><FONT

color=#ff0000><%=UyeSoyadi%></TD></TR>

<TR>

<TD width="50%" height=20>Kullanıcı Adınız:.....</TD>

<TD width="50%" height=20><FONT

color=#ff0000><%=username%></TD></TR>

<TR>

<TD width="50%" height=20>Şifreniz:.....</TD>

<TD width="50%" height=20><FONT

color=#ff0000><%=userpwd%></TD></TR>

<TR>

<TD width="50%" height=20>Gizli Sorunuz:.....</TD>

```
<TD width="50%" height=20><B><FONT
color=#ff0000><%=sifresorusu%></FONT></B></TD></TR>
<TR>
<TD width="50%" height=20>Cevabı:.....</TD>
<TD width="50%" height=20><B><FONT
color=#ff0000><%=sifresorucevabi%></FONT></B></TD></TR>
<TR>
<TD width="50%" height=20>Email Adresiniz:.....</TD>
<TD width="50%" height=20><B><FONT
color=#ff0000><%=email%></FONT></B></TD></TR>
<TR>
<TD width="50%" height=20>Uye Numaranız:.....</TD>
<TD width="50%" height=20><B><FONT
color=#ff0000><%=UyeId%></FONT></B></TD></TR>
<TR>
<TD width="50%" height=20>Telefon Numaranız:.....</TD>
<TD width="50%" height=20><B><FONT
color=#ff0000><%=telefon%></FONT></B></TD></TR>
<TR>
<TD width="50%" height=20>Adresiniz:.....</TD>
<TD width="50%" height=20><B><FONT
color=#ff0000><%=adres%></FONT></B></TD></TR>
<TR>
<TD width="50%" height=20>Baba Adınız:.....</TD>
<TD width="50%" height=20><B><FONT
color=#ff0000><%=babaAdi%></FONT></B></TD></TR>
<TR>
<TD width="50%" height=20>Doğum Yeriniz:.....</TD>
<TD width="50%" height=20><B><FONT
color=#ff0000><SMALL><%=dogumYeri%></FONT></B></TD></TR>
<TR>
<TD width="50%" height=20>Doğum Tarihiniz:.....</SMALL></TD>
```

```
<TD width="50%" height=20><B><FONT
color=#ff0000><SMALL><%=yas%></FONT></B></TD></TR></TABLE></CENT
ER>
```

```
<CENTER>&nbsp;</CENTER>
```

```
<CENTER>..... Sitemize üye olduğunuz için teşekkür ederiz :.....</CENTER>
```

```
<CENTER><STRONG>
```

```
<br>
```

```
<CENTER><b>Şifreniz ve Hesap Numaranız 24 saat içinde emailinize
Yollanacaktır..</FONT></b></CENTER>
```

```
<p><center><font color="steelblue"><strong>Şimdi Ana Sayfaya
Yönlendiriliyorsunuz!</center></strong></font></p>
```

```
<p><center><a href="default.asp">Eğer Uzun Bi Süre Burada Kalırsanız
Tıklayın...</a></center></p>
```

```
<br>
```

```
<p align="center">&nbsp;</p>
```

```
<a href="mailto:kayacan23@hotmail.com" style="text-decoration: none">
```

```
<p align="center"><font color=gray face="Verdana"
size="1">.....Design:KayacaN@:.....</font></p>
```

```
<% SUB TEKRAR %>
```

```
<br><br><br><table width="350" border="0" cellspacing="0" cellpadding="0"
bgcolor="#FFFFFF" align="center">
```

```
<tr>
```

```
<td>
```

```
<table width="350" border="0" cellspacing="1" cellpadding="2">
```

```
<tr>
```

```
<font face="Verdana, Arial, Helvetica, sans-serif>
```

```
<td width="100%" bgcolor="#888888" align="left" height="100%"
valign="top"><font size="2"><b><center><%=hata%><br><a
```

```
href="javascript:history.back()"><br><center><<< BACK <<<</a></font></td></center>
```

```
</tr></table>
```

```
<% END SUB %>
```

```
</body></html>
```

```
<!--#include file="status.asp"-->
```

sifre.asp

eXPerience Bank

Remember Password

13 January 2002

...: To gain your password please enter your username :...

Gönder

Home Page

...: Design | Kayacal | ...

CODE:

```
<%@ Language=VBScript %>
<!-- #include file=dahili.asp -->
<body background="image/fon_1.gif">
<HTML>
<HEAD>
<META NAME="GENERATOR" Content="Microsoft Visual Studio 6.0">
<TITLE>...:eXPerience Bank:... (Home Page)</TITLE>
</HEAD>
<body background="image/fon_1.gif">
<center>
<p>
&nbsp;</p>
</center><center>
<table border="1" cellpadding="0" cellspacing="0" style="border-collapse: collapse;
border-width: 0" bordercolor="#111111" width="100%" height="1">
```

```

<tr>
  <font face="Verdana" color="gray" size="2">
  <td width="33%" style="border-style: none; border-width: medium" height="1">
  </td>
  <td width="33%" style="border-left-style: none; border-left-width: medium; border-
right-style: none; border-right-width: medium; border-top: medium none #111111;
border-bottom: medium none #111111" height="1">
  </td>
  <td width="34%" style="border-left-style: none; border-left-width: medium; border-
right-style: none; border-right-width: medium; border-top: medium none #111111;
border-bottom: medium none #111111" height="1">
  </td>
</font>
</tr>
</table>
<p><b><font face="Verdana" size="2">
<br>
</font></b><font face="Verdana" color="gray" size="2">
</font><b><font face="Verdana"
size="2"><br>
<font face="verdana" color="gray" size="2">
<!--#include file="tarikh.inc"-->
&nbsp;</font></b></p>
</center>
  <table width="100%" style="font-size:11px;">
  <tr>
  <td bgcolor=silver width="100%"></td>
  </tr>
  <tr>
  <td bgcolor=silver width="100%"></td>
  </tr></table>
<BODY>
<%
adim=Request.QueryString("adim")

```


Hatalı cevap.

<% else %>

<p align=center>

...:Vermiş Olduğunuz Cevap Doğru:...

Şifreniz: <%=Rs("uyesifre")%></p></P>

<center>

<p align="center"> </p>

<p align="center"><font color=gray face="Verdana"

size="1">...:Design:KayacaN@:...</p>

<% end if %><% end if %></BODY></HTML>

Giris_yap.asp

eXPerience Bank

Sign In

User Name :	<input type="text"/>
Password :	<input type="password"/>
<input type="button" value="Send"/>	...! Forget Password! ...

Home Page

...! Design:Kayat@N@11...

CODE :

```
<% Response.Buffer=True
Response.Expires = -100
tarih=date
%>
<!-- #include file=dahili.asp -->
<% Set Baglanti=Server.CreateObject("Adodb.Connection")
Baglanti.Open Cumle
Set Rs=Server.CreateObject("Adodb.Recordset")
Sorgu="select * from Users where UyeKullaniciAdi = "" & request.form("k_a") & ""
and UyeSifre = "" & Request.form("sifre") & ""
Rs.Open Sorgu, Baglanti, 1, 3
If RS.BOF And RS.EOF Then
Response.Redirect("hata/hataykas.asp")
Else Session("UserLoggedIn") = "true"
Rs("UyeEnSonGiris")=now()
Rs("UyeGirisCount")=Rs("UyeGirisCount")+1
```

```
Rs.Update
Session("UyeId")=Rs("UyeId")
Session("username")=Rs("UyeKullaniciAdi")
Response.Redirect "g_succ.asp"
End If
%>
```

g_succ.asp

CODE :

```
<html>
<head><title>Giriş Başarılı!</title>
<LINK HREF="css/css.css" TYPE="text/css" REL="stylesheet">
</head>
<body>
<meta http-equiv="Refresh" content="2; URL=default2.asp">
<br><p><br><br><br>
<br><strong><b><center>Başarılı Bir Şekilde Giriş Yaptınız.</center></strong></p>
<p><center><b><font color="steelblue"><strong>Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</center></strong></font></p>
<p><center><b><a href="default.asp">Eğer Uzun Bir Süre Burada Kalırsanız
Tıklayınız...</a></center></p>
</body>
</html>
```

uye_bilgi.asp

eXPerience Bank

Welcome

Registered member information,

Name & Surname:..	Kaya Can Taşkaya
User Name:..	Stone
Password:..	0147
Email:..	kayacan23@hotmail.com
Telephone:..	05357117307
Address:..	Ankara
Father Name:..	Orhan
Country:..	Elazığ
Secret Question:..	Dünya Kaç Köşe
S.Question Answer:..	Bilmem
Birthday:..	1975
Account Number:..	123456798
Your Balance:..	1500

Registration date : 13.01.2002 18:55:39 .

Last Login Date : 13.01.2002 18:57:20 .

You have entered our site 535 time(s)..

CODE :

```
<!-- #include file=dahili.asp -->
```

```
<body background="image/fon_1.gif">
```

```
<center><p>
```

```
&nbsp;</p>
```

```
</center><center>
```

```
<table border="1" cellpadding="0" cellspacing="0" style="border-collapse: collapse; border-width: 0" bordercolor="#111111" width="100%" height="1">
```

```
<tr> <font face="Verdana" color="gray" size="2">
```

```
<td width="33%" style="border-style: none; border-width: medium" height="1">
```

```
</td> <td width="33%" style="border-left-style: none; border-left-width: medium;
```

```
border-right-style: none; border-right-width: medium; border-top: medium none
```

```
#111111; border-bottom: medium none #111111" height="1">
```

```
</td>
```

```
  |
```

```
<table border=1 cellpadding=0 cellspacing=0 style="FONT-SIZE: 11px; WIDTH: 462px; FONT-STYLE: normal; FONT-FAMILY: verdana; HEIGHT: 270px; FONT-VARIANT: normal" bordercolor=silver align=center>
```

```
<tr><td>
```

```
<P align=center><FONT size=2>&nbsp;<STRONG>Name & Surname:...</STRONG></FONT></P></td><td>
```

```
<P align=center><%=Rs("uyeadı")%><FONT size=2><STRONG>&nbsp;<%=Rs("uyeSoyadı")%></STRONG></FONT></P></td>
```

```
</tr></B><tr><td>
```

```
<P align=center><STRONG><FONT size=2>&nbsp;User Name:...</FONT></STRONG> </P> </td><td>
```

```
<P align=center><%=Rs("uyeKullanıcıAdı")%><FONT size=2><STRONG></STRONG></FONT></P></td></tr></B>
```

```
<tr><td>
```

```
<P align=center><STRONG><FONT size=2>&nbsp;Password:...</FONT></STRONG> </P> </td><td>
```

```
<P align=center><%=Rs("uyeSifre")%><FONT size=2><STRONG></STRONG></FONT></P></td></tr>
```

```
<tr><td> <P align=center><FONT size=2><STRONG>&nbsp;Email:...</STRONG></FONT></P></td><td>
```

```
<P align=center><%=Rs("uyeEmaili")%><FONT size=2><STRONG></STRONG></FONT></P></td></tr>
```

```
<tr><td>
```

```
<P align=center><FONT size=2><STRONG>&nbsp;Telephone:...</STRONG></FONT></P></td><td>
```

```
<P align=center><%=Rs("uyeTelefon")%><FONT size=2><STRONG></STRONG></FONT></P></td></tr>
```

```
<tr><td>
```

```
<P align=center><FONT size=2><STRONG>&nbsp;Address:...</STRONG></FONT></P></td><td>
```

```
<P align=center><%=Rs("uyeAdres")%><FONT size=2><STRONG></STRONG></FONT></P></td></tr>
```

```
<tr><td>
```

```
<P align=center><STRONG><FONT size=2>&nbsp;Father Name:...</FONT>
</STRONG>
</P> </td><td>
<P align=center><%=Rs("uyeBabaAdi")%><FONT
size=2><STRONG></STRONG></FONT></P></td></tr>
<tr><td>
<P align=center><STRONG><FONT size=2>&nbsp;Country:...</FONT>
</STRONG> </P> </td><td>
<P align=center><%=Rs("uyeDogumYeri")%><FONT
size=2><STRONG></STRONG></FONT></P></td></tr>
<tr><td>
<P align=center><STRONG><FONT size=2>&nbsp;Secret Question:...</FONT>
</STRONG> </P> </td><td>
<P align=center><%=Rs("uyeSifreSorusu")%><FONT
size=2><STRONG></STRONG></FONT></P></td></tr>
<tr><td>
<P align=center><STRONG><FONT size=2>&nbsp;S.Question
Answer:...</FONT> </STRONG> </P> </td><td>
<P align=center><%=Rs("uyeSifreSoruCevabi")%><FONT
size=2><STRONG></STRONG></FONT></P></td></tr><tr><td>
<P align=center><STRONG><FONT size=2>&nbsp;Doğum Tarihiniz:...</FONT>
</STRONG> </P> </td><td>
<P align=center><%=Rs("uyeYas")%><FONT
size=2><STRONG></STRONG></FONT></P></td></tr><tr><td>
<P align=center><STRONG><FONT size=2>&nbsp;Acount Number:...</FONT>
</STRONG> </P> </td><td>
<P align=center><%=Rs("uyeHesapNo")%><FONT
size=2><STRONG></STRONG></FONT></P></td></tr><tr><td>
<P align=center><STRONG><FONT size=2>&nbsp;Hesap
Durumunuz:...</FONT> </STRONG> </P> </td><td><P
align=center><%=Rs("uyeHesapDurumu")%><FONT
size=2><STRONG>&nbsp;</STRONG></FONT></td></tr></TR></table></DIV>
<P align=center>
```

```
<font face=verdana ><FONT ><FONT size=2>Kayıt olduğunuz Tarih :
&nbsp;<%=Rs("SON_TARIH")%> .<STRONG> &nbsp;</STRONG></FONT>
</FONT></P><center>
<font face=verdana ><FONT ><FONT size=2>En son giriş yapma tarihiniz :
&nbsp;<%=Rs("uyeEnsonGiris")%> .<STRONG> &nbsp;</STRONG></FONT>
</FONT></P>
<p align=center>
<font face=verdana ><FONT size=2>Sitemize
&nbsp;<%=Rs("uyeGirisCount")%>.defa girdiniz..<STRONG> &nbsp;</STRONG>
</FONT></P>
<center><a href="default2.asp"></a><br>
<P align=center><FONT size=1><FONT face=Verdana color=gray
>...:Design:KayacaN@:...</FONT></P></FONT></FONT></BODY></HTML>
<% end if %><!--#include file="status.asp"-->
```

havale.asp

eXPerience Bank

Assign

Your Balance : 1500 \$

Please enter the amount to transfer:..

Please enter the person that the money will be transferred:..

[Home Page](#)

eXPerience Bank

Assign

Your Balance : 1500 \$

Transferred amount:... 100,00

New account amount:... 1.400,00

Home Page

...:Design:Kayaca:8:1:...

CODE :

```
<%@Language=VBScript%>
<%Response.Buffer = True%>
<!-- #include file=dahili.asp -->
<HTML>
<HEAD>
<TITLE>...:eXPerience Bank:... (Havale)</TITLE>
<META NAME="GENERATOR" Content="Microsoft FrontPage 5.0">
</HEAD>
<body background="image/fon_1.gif">
<center>
<p>&nbsp;</p>
</center><center>
<table border="1" cellpadding="0" cellspacing="0" style="border-collapse: collapse;
border-width: 0" bordercolor="#111111" width="100%" height="1">
<tr> <font face="Verdana" color="gray" size="2">
<td width="33%" style="border-style: none; border-width: medium" height="1">
```

```

</td> <td width="33%" style="border-left-style: none; border-left-width: medium;
border-right-style: none; border-right-width: medium; border-top: medium none
#111111; border-bottom: medium none #111111" height="1">
</td>
<td width="34%" style="border-left-style: none; border-left-width: medium; border-
right-style: none; border-right-width: medium; border-top: medium none #111111;
border-bottom: medium none #111111" height="1">
</td> </font> </tr>
</table>
<p><b><font face="Verdana" size="2">
<br>
</font></b><font face="Verdana" color="gray" size="2">
</font><b><font face="Verdana"
size="2"><br>
&nbsp;</font></b></p>
</center>
<table width="100%" style="font-size: 11px;">
<tr>
<td bgcolor=silver width="100%"></td>
</tr> <tr>
<td bgcolor=silver width="100%"></td>
</tr></table>
<BODY>
<%
Set Baglanti=Server.CreateObject("Adodb.Connection")
Baglanti.open Cumle
Set kb=Server.CreateObject("Adodb.Recordset")
UyeId=Session("UyeId")
Sorgu="Select * from users where UyeId= " & UyeId
kb.Open Sorgu, Baglanti, 1, 3
if kb.eof then
Response.Write "<center>Üye bilgisi Yok!</center>"
else %>
<HTML><HEAD>

```



```
<META content="text/html; charset=1254" http-equiv=Content-Type>
<BODY>
<% Session.CodePage=1254 %>
<font face="verdana" color="gray" size="2">
<><P align=center>Hesap Durumunuz : <%=kb("uyeHesapdurumu")%> $</b>
<font size=2><strong></strong></font>
</FONT> </P>
<P align=center>&nbsp;</P>
<DIV align=center> </DIV>
<%
adim=Request.QueryString("adim")
if adim="" or adim="1" then
%>
<P align=center>
<form name=sifre action=havale.asp?adim=2 method=post>
<font face="verdana" color="gray" size="2">
<b><p align="center"><FONT face=verdana size=2>Havale Yapılacak Meblayı
Giriniz:...</FONT></p></b>
<center><input name="mebla" size=30></FONT></p></center>
<p align="center">
<br>
<font face="verdana" color="gray" size="2">
<b><p align="center"><FONT face=verdana size=2>Havale Yapılacak Kişiyi
Giriniz:...</FONT></p></b>
<center><INPUT name=Kullaniciadi size="20">&nbsp;&nbsp;&nbsp;<button
type=submit>Gönder</button>
<br>
&nbsp;</p>
<center><a href="default2.asp"></a><br>
<p align="center">&nbsp;</p>
<a href="mailto:kayacan23@hotmail.com" style="text-decoration: none">
<p align="center"><font color=gray face="Verdana"
size="1">...:Design:KayacaN@:...</font></p>
```

```

<td align="center" width="415">
  <P align=right><FONT face=verdana size=2>&nbsp;&nbsp;&nbsp;</P> </td>
  <td align="center" width="476">
</td>&nbsp;&nbsp;&nbsp;</form>
<% elseif adim="2" then %>
<%
Set db=Server.CreateObject("Adodb.Recordset")
UyeId=Session("UyeId")
Sorgu1="select * from users where uyekullaniciadi=""& Request.Form("Kullaniciadi")
&""
db.Open Sorgu1, Baglanti, 1, 3
%>
<% if db.EOF then %>
<br>
<center>
Girdiğiniz Kullanıcı Adı Bulunamadı!<br></center>
<% else %></P><br>
<%
a=cint(kb("UyeHesapDurumu"))
z=kb("UyeKullaniciAdi")
w=kb("UyeHesapNo")
b=cint(request.form("mebla"))
c=db("uyehesapdurumu")
d=db("uyeKullaniciAdi")
g=db("uyeHesapNo")
%>
<%if b>a or b<0 then%>
<center><b> HATA!! O Kadar Paranız Yok </b></center>
<br><center><a href="havale.asp"></a><br>
&nbsp;&nbsp;&nbsp;</center>
<% else %><br>
<%
kb("UyeHesapDurumu")=kb("UyeHesapDurumu")-cint(b)

```

```

kb.update
a=kb("UyeHesapDurumu")
db("UyeHesapDurumu")=db("UyeHesapDurumu")+cint(b)
db.update
%>
<%
Dim Baglanti
Dim Rs
Dim Sorgu2
Dim Veritabani_Yol
Set Baglanti=Server.CreateObject("Adodb.Connection")
Baglanti.Open Cumle
Set Rs=Server.CreateObject("Adodb.Recordset")
Sorgu2="Select * from rapor where HavaleYapanName='k' and
HavaleYapilanName='c'"
Rs.Open Sorgu2, Baglanti, 1, 3
if Rs.EOF then
Rs.AddNew
Rs("HavaleYapanName")=z
Rs("HavaleYapanHesapNo")=w
Rs("HavaleTarihi")= Now()
Rs("HavaleMiktari")=b
Rs("HavaleYapilanName")=d
Rs("HavaleYapilaninHesapNo")=g
Rs.Update
end if %>
<%
Rs.Close
Set Rs=Nothing
Baglanti.Close
Set Baglanti=Nothing
%>
<html><tr>
<font face="verdana" color="gray" size="2">

```

```
<P align=center><b>Havale Edilen Mebla:... <%= formatnumber(b)
%></td></center></b>
<p></p>
<font face="verdana" color="gray" size="2">
<P align=center><b>Yeni Hesap Durumunuz:... <%= formatnumber(a)
%></td></p></b>
</tr></table>
</body></html>
<br><br><center><a href="default2.asp"></a><br>
&nbsp;</center> </P> </A></P>
</FONT></FONT></b></b></BODY></HTML>
<p align="center">&nbsp;</p>
<a href="mailto:kayacan23@hotmail.com" style="text-decoration: none">
<p align="center"><font color=gray face="Verdana"
size="1">...:Design:KayacaN@:...</font></p>
</font></font></font>
<% end if %><% end if %><% end if %>
<% end if %>
<!--#include file="status.asp"-->
```



CODE :

```
<%@ Language=VBScript %>
<!-- #include file=dahili.asp -->
<HTML>
<body background="image/fon_1.gif">
<center>
<p>
&nbsp;</p>
</center><center>
<table border="1" cellpadding="0" cellspacing="0" style="border-collapse: collapse;
border-width: 0" bordercolor="#111111" width="100%" height="1">
<tr>
<font face="Verdana" color="gray" size="2">
<td width="33%" style="border-style: none; border-width: medium" height="1">
</td>
```

```
<td width="33%" style="border-left-style: none; border-left-width: medium; border-right-style: none; border-right-width: medium; border-top: medium none #111111; border-bottom: medium none #111111" height="1">
```

```
</td>
```

```
<td width="34%" style="border-left-style: none; border-left-width: medium; border-right-style: none; border-right-width: medium; border-top: medium none #111111; border-bottom: medium none #111111" height="1">
```

```
</td> </font> </tr></table>
```

```
<p><b><font face="Verdana" size="2">
```

```
<br>
```

```
</font></b><font face="Verdana" color="gray" size="2">
```

```
</font><b><font face="Verdana" size="2"><br>
```

```
<font face="verdana" color="gray" size="2">
```

```
<!--#include file="tarih.inc"-->
```

```
&nbsp;</font></b></p>
```

```
</center>
```

```
<table width="100%" style="font-size:11px;">
```

```
<tr>
```

```
<td bgcolor=silver width="100%"></td>
```

```
</tr> <tr>
```

```
<td bgcolor=silver width="100%"></td>
```

```
</tr></table>
```

```
<HEAD>
```

```
<META NAME="GENERATOR" Content="Microsoft Visual Studio 6.0">
```

```
<TITLE>Bilgi Değiştir > Üye No: <%=Session("uyeID") %></TITLE>
```

```
</HEAD>
```

```
<BODY>
```

```
<%
```

```
Set Bag=Server.CreateObject("Adodb.Connection")
```

```
Bag.Open Cumle
```

```
Set Rs=Server.CreateObject("Adodb.Recordset")
```

```
Sorgu="Select * from users where UyeId=" & Session("UyeId")
```

Rs.Open Sorgu, Bag, 1, 3

if not rs.EOF then %>

<p><center>

<P><center>Aşağıda bilgileriniz bulunmaktadır bunları istediğiniz gibi değiştirebilirsiniz.</P></center></p>

<center><p><form name=bilgi action="bilgi_isle.asp" method="post">

<TABLE border=1 borderColor=silver cellPadding=0 cellSpacing=0 style="FONT-FAMILY: verdana; FONT-SIZE: 11px" width="40%"></center>

<TR> <TD><center>Name:...</center></TD>

<TD><INPUT type=text name="isim" value=<%=Rs("UyeAdi")%>></TD></TR>

<TR>

<TD><center>Surname:...</center></TD>

<TD><INPUT type=text name=soyadi value='<%=Rs("UyeSoyAdi")%>'></TD></TR>

<TR> <TD><center>User Name:...</center></TD>

<TD><INPUT type=text name=k_a value='<%=Rs("UyeKullaniciAdi")%>'></TD></TR>

<TR> <TD><center>User Password:...</center></TD>

<TD><INPUT type=password name=sifre type=password value='<%=Rs("UyeSifre")%>'></TD></TR>

<TR> <TD><center>User Email:...</center></TD>

<TD><INPUT type=text name=email value='<%=Rs("UyeEmaili")%>'></TD></TR>

<TR> <TD><center>Secret Question:...</center></TD>

<TD><INPUT type=text name=soru value='<%=Rs("UyeSifreSorusu")%>'></TD></TR>

<TR> <TD><center>S.Question Answer:</center></TD>

```

<TD><INPUT type=text name=cevap
value='<%=RS("uyeSifreSoruCevabi")%>'></TD></TR>
<TR> <TD><center><b><font face="verdana" color="gray"
size="2">Address:</center></b></TD>
<TD><INPUT type=text name=adres
value='<%=RS("uyeAdres")%>'></TD></TR>
<TR> <TD><center><b><font face="verdana" color="gray"
size="2">Telephone:...</center></b></TD>
<TD><INPUT type=text name=telefon
value='<%=RS("uyetelefon")%>'></TD></TR>
<TR> <TD><center><b><font face="verdana" color="gray" size="2">Father
Name:...</center></b></TD>
<TD><INPUT type=text name=babaadi
value='<%=RS("uyebabaadi")%>'></TD></TR>
<TR> <TD><center><b><font face="verdana" color="gray"
size="2">Country:...</center></b></TD>
<TD><INPUT type=text name=dogumyeri
value='<%=RS("uyedogumyeri")%>'></TD></TR>
<TR> <TD><center><INPUT type=submit
value=Update></center></TD></TR></TABLE></P></FORM>
<center><a href="default2.asp"></a><br>
<% else %>
Uye Bilgisi Yok <% end if %></BODY></HTML>
<br>
<a href="mailto:kayacan23@hotmail.com" style="text-decoration: none"><small>
<font color="#808080">.....Design:KayacaN@:....</font></a></font></p></small>
<!--#include file="status.asp"-->

```

bilgi_isle.asp

eXPerience Bank

Welcome

13 January 2002

...: The update procedure is completed with the following information :...

Name :Kaya

Surname :Taşkaya

Username :Stone

Password :0147

Secret Question :Dünya Kaç Küge

S.Question Answer :Bilmem

Email :kayacan23@hotmail.com

Users No :53

PLEASE WAIT, now you are being redirected to the main page!

If you stay here longer please click here ...

...: Design:Kayacan@:...

CODE :

```
<!-- #include file=dahili.asp -->
```

```
<body background="image/fon_1.gif">
```

```
<center><p>
```

```
&nbsp;</p>
```

```
</center><center>
```

```
<table border="1" cellpadding="0" cellspacing="0" style="border-collapse: collapse; border-width: 0" bordercolor="#111111" width="100%" height="1">
```

```
<tr> <font face="Verdana" color="gray" size="2">
```

```
<td width="33%" style="border-style: none; border-width: medium" height="1">
```

```
</td>
```

```
<td width="33%" style="border-left-style: none; border-left-width: medium; border-right-style: none; border-right-width: medium; border-top: medium none #111111; border-bottom: medium none #111111" height="1">
```

```

</td>
<td width="34%" style="border-left-style: none; border-left-width: medium; border-
right-style: none; border-right-width: medium; border-top: medium none #111111;
border-bottom: medium none #111111" height="1">
</td> </font> </tr></table>
<p><b><font face="Verdana" size="2">
<br></font></b><font face="Verdana" color="gray" size="2">
</font><b><font face="Verdana"
size="2"><br>
<font face="verdana" color="gray" size="2">
<!--#include file="tarih.inc"-->
&nbsp;</font></b></p>
</center>
<table width="100%" style="font-size:11px;">
<tr> <td bgcolor=silver width="100%"></td>
</tr> <tr>
<td bgcolor=silver width="100%"></td>
</tr></table>
<%
Dim uyeadi
Dim uyesoyadi
Dim username
Dim userpwd
Dim userpwd2
Dim sifresorusu
Dim sifresorucevabi
Dim email
uyeadi=Request.Form("isim")
uyesoyadi=Request.Form("soyadi")
username=Request.Form("k_a")
userpwd=Request.Form("sifre")
sifresorusu=Request.Form("soru")
sifresorucevabi=Request.Form("cevap")
email=Request.Form("email")

```

```
'kayacan.cjb.net
%>
<%
if uyeadi="" then
Response.Redirect("hisle/hislead.asp")
Response.End
End if
If uyesoyadi="" then
Response.Redirect("hisle/hislesoyad.asp")
Response.End
End if
If username="" then
Response.Redirect("hisle/hisleka.asp")
Response.End
End if
If userpwd="" then
Response.Redirect("hisle/hislesifre.asp")
Response.End
End if
If sifresorusu="" then
Response.Redirect("hisle/hislesoru.asp")
Response.End
End if
If sifresorucevabi="" then
Response.Redirect("hisle/hislecevap.asp")
Response.End
End if
If email="" then
Response.Redirect("hisle/hisleemail.asp")
Response.End
End if
%>
<%
Dim Baglanti
```

```

Dim Rs
Dim Sorgu
Dim Veritabani_Yol
Set Baglanti=Server.CreateObject("Adodb.Connection")
Baglanti.Open Cumle
Set Rs=Server.CreateObject("Adodb.Recordset")
Sorgu="Select * from users where uyeId=" & Session("UyeId")
Rs.Open Sorgu, Baglanti, 1, 3
if not Rs.EOF then
Rs("uyeAdi")=UyeAdi
Rs("UyeSoyadi")=UyeSoyadi
Rs("UyeKullaniciAdi")=username
Rs("UyeSifre")=userpwd
Rs("UyeSifreSorusu")=sifresorusu
Rs("UyeSifreSoruCevabi")=sifresorucevabi
Rs("UyeEmaili")=email
Rs.Update
UyeId=Rs("UyeId")
else
if Rs("uyeKullaniciAdi")=username then
Response.Write "<li>Seçtiğiniz kullanıcı adı kullanılıyor<br>"
Response.End
end if
if Rs("uyeEmaili")=email then
Response.Write "<li>Seçtiğiniz email adresi kullanılıyor<br>"
Response.End
end if
if Rs("uyeKullaniciAdi")=username and Rs("uyeEmaili")=email then
Response.Write "<li>Seçtiğini kullanıcı adı ve şifre kullanılıyor<br>"
end if
end if %>
<%
Rs.Close
Set Rs=Nothing

```

Baglanti.Close

Set Baglanti=Nothing

%>

<html>

<head>

<meta http-equiv=Refresh content="10; URL='default.asp'"

<link href=css/css.css rel=stylesheet type=text/css>

<meta http-equiv="Content-Type" content="text/html; charset=windows-1254">

<title>Kayıt İşlemi Bitti</title>

</head>

<body style="font-family: Verdana">

<p align="center">...: Aşağıdaki bilgilerle güncelleme işleminiz bitti ...</p>

<center><table border="0" width="100%" cellpadding="0" cellspacing="0" height="179">

<tr> <td width="50%" height="19" align="right"><small>Adınız :

<td width="50%" height="19"><small><%=UyeAdi%></small></td>

</tr> <tr>

<td width="50%" height="20" align="right"><small>Soyadınız :</small></td>

<td width="50%" height="20"><small><%=UyeSoyadi%></small></td>

</tr> <tr>

<td width="50%" height="20" align="right"><small>Kullanıcı Adınız :</small></td>

<td width="50%" height="20"><small><%=username%></small></td>

</tr> <tr>

<td width="50%" height="20" align="right"><small>Şifreniz :</small></td>

<td width="50%" height="20"><small><%=userpwd%></small></td>

</tr> <tr>

```

<td width="50%" height="20" align="right"><b><small>Gizli Sorunuz
:</small></td>
<td width="50%" height="20"><b><font
color="#FF0000"><small><%=sifresorusu%></small></font></b></td>
</tr> <tr>
<td width="50%" height="20" align="right"><b><small>Cevabı :</small></td>
<td width="50%" height="20"><b><font
color="#FF0000"><small><%=sifresorucevabi%></small></font></b></td>
</tr> <tr>
<td width="50%" height="20" align="right"><b><small>Email Adresiniz
:</small></td>
<td width="50%" height="20"><b><font
color="#FF0000"><small><%=email%></small></font></b></td>
</tr> <tr>
<td width="50%" height="20" align="right"><b><small>Uye Numaranız
:</small></td>
<td width="50%" height="20"><b><font
color="#FF0000"><small><%=UyeId%></small></font></b></td>
</tr></table></center>
<p><center><font color="steelblue"><strong>Lütfen Bekleyin..Şimdi Ana Sayfaya
Yönlendiriliyorsunuz!</center></strong></font></p>
<p><center><a href="default.asp" style="text-decoration: none">Eğer Uzun Bi Süre
Burada Kalırsanız Tıklayın...</a></center></p>
<br><br><small><a href="mailto:kayacan23@hotmail.com" style="text-decoration:
none"><small><font folor="#808080">.....Design:KayacaN®:....
</font></a></font></p></small></body></html><!--#include file="status.asp"-->

```

terket.asp

CODE :

```

<%@ Language=VBScript %>
<% Response.Buffer=true %>
<!-- #include file=dahili.asp -->
<HTML>
<HEAD>

```

```
<LINK HREF="css/css.css" REL="stylesheet" TYPE="text/css">
</HEAD>
<BODY>
<%
Session("UserLoggedIn")=""
Session("usersNo")=""
%>
<br><br><br><br>
<br><meta http-equiv='Refresh' content='2; URL=default.asp'>
<P><center><STRONG>Başarılı Bir Şekilde Çıkış Yaptınız.</strong></center></P>
<p><center><font color="steelblue"><strong>Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</center></strong></font></p>
<p><center><b><a href="default.asp">Eğer Uzun Bi Süre Burada Kalırsanız
Tıklayın...</a></center></p>
</BODY>
</HTML>
```

doviz.asp

eXPerience Bank

Exchange Rules

13 January 2002

Home Page

Amerikan Doları Alış:..	1416000
Amerikan Doları Satış:..	1420000
Euro Alış:..	1320000
Euro Satış:..	1325000
İngiliz Sterlin Alış:..	2140000
İngiliz Sterlin Satış:..	2140000
Japon Yen'i Alış:..	65000
Japon Yen'i Satış:..	65200

CODE :

```
<!-- #include file=dahili.asp -->
<html><head>
<meta http-equiv="Content-Language" content="tr">
<meta name="GENERATOR" content="Microsoft FrontPage 5.0">
<meta name="ProgId" content="FrontPage.Editor.Document">
<meta http-equiv="Content-Type" content="text/html; charset=windows-1254">
<title>...eXPerience Bank:...</title>
</head>
<body background="image/fon_1.gif">
<center><p>
&nbsp;</p>
</center><center>
<table border="1" cellpadding="0" cellspacing="0" style="border-collapse: collapse;
border-width: 0" bordercolor="#111111" width="100%" height="1">
<tr> <font face="Verdana" color="gray" size="2">
<td width="33%" style="border-style: none; border-width: medium" height="1">
</td> <td width="33%" style="border-left-style: none; border-left-width: medium;
border-right-style: none; border-right-width: medium; border-top: medium none
#111111; border-bottom: medium none #111111" height="1">
</td>
<td width="34%" style="border-left-style: none; border-left-width: medium; border-
right-style: none; border-right-width: medium; border-top: medium none #111111;
border-bottom: medium none #111111" height="1">
</td> </font> </tr></table>
<p><b><font face="Verdana" size="2">
<br></font></b><font face="Verdana" color="gray" size="2">
</font><b><font face="Verdana"
size="2"><br>
<font face="verdana" color="gray" size="2">
<!--#include file="tarikh.inc"-->
&nbsp;</font></b></p>
</center> <table width="100%" style="font-size: 11px;">
```

```

        <tr> <td bgcolor=silver width="100%"></td>
    </tr> <tr>
        <td bgcolor=silver width="100%"></td>
    </tr></table>
<%
Set Baglanti=Server.CreateObject("Adodb.Connection")
Baglanti.open Cumle
Set Rs=Server.CreateObject("Adodb.Recordset")
Id=Session("Id")
Sorgu="Select * from Doviz"
Rs.Open Sorgu, Baglanti, 1, 3
%>
<HTML><HEAD>
<TITLE>eXPerience Bank Üye Bilgi</TITLE>
<META content="text/html; charset=1254" http-equiv=Content-Type>
</HEAD>
<BODY>
<% Session.CodePage=1254 %>
<DIV align=center>
<table border=1 cellpadding=0 cellspacing=0 style="FONT-SIZE: 11px; WIDTH:
462px; FONT-STYLE: normal; FONT-FAMILY: verdana; HEIGHT: 270px; FONT-
VARIANT: normal" bordercolor=silver align=center>
<tr><td>
    <font face="verdana" color="gray" size="2">
    <P align=center><FONT size=2>&nbsp;<STRONG>Amerikan Doları
Alış:...</STRONG></FONT></P></td><td>
    <font face="verdana" color="gray" size="2">
    <P align=center><%=Rs("ADolarAlis")%><FONT
size=2><STRONG></STRONG></FONT></P></td></tr></B>
<tr><td>
    <font face="verdana" color="gray" size="2">
    <P align=center><STRONG><FONT size=2>&nbsp;<STRONG>Amerikan Doları
Satış:...</FONT> </STRONG> </P> </td><td>
    <font face="verdana" color="gray" size="2">

```

```
<P align=center><%=Rs("ADolarSatis")%><FONT
size=2><STRONG></STRONG></FONT></P></td></tr></B>
<tr><td>
  <font face="verdana" color="gray" size="2">
    <P align=center><STRONG><FONT size=2>&nbsp;Euro Alış:..</FONT>
</STRONG> </P> </td><td>
  <font face="verdana" color="gray" size="2">
    <P align=center><%=Rs("AMarkAlis")%><FONT
size=2><STRONG></STRONG></FONT></P></td></tr>
<tr><td>
  <font face="verdana" color="gray" size="2">
    <P align=center><FONT size=2><STRONG>&nbsp;Euro Satış:..
</STRONG></FONT></P></td><td>
  <font face="verdana" color="gray" size="2">
    <P align=center><%=Rs("AMarkSatis")%><FONT
size=2><STRONG></STRONG></FONT></P></td></tr>
<tr><td>
  <font face="verdana" color="gray" size="2">
    <P align=center><FONT size=2><STRONG>&nbsp;İngiliz Sterlin Alış:..
</STRONG></FONT></P></td><td>
  <font face="verdana" color="gray" size="2">
    <P align=center><%=Rs("ISterlinAlis")%><FONT size=2>
<STRONG></STRONG></FONT></P></td></tr>
<tr><td>
  <font face="verdana" color="gray" size="2">
    <P align=center><FONT size=2><STRONG>&nbsp;İngiliz Sterlin Satış:..
</STRONG></FONT></P></td><td>
  <font face="verdana" color="gray" size="2">
    <P align=center><%=Rs("ISterlinSatis")%><FONT size=2>
<STRONG></STRONG></FONT></P></td></tr>
<tr><td>
  <font face="verdana" color="gray" size="2">
    <P align=center><STRONG><FONT size=2>&nbsp;Japon Yen'i Alış:..</FONT>
</STRONG>
```

```

</P> </td><td>
<font face="verdana" color="gray" size="2">
<P align=center><%=Rs("JYenAlis")%><FONT size=2>
<STRONG></STRONG></FONT></P></td></tr>
<tr><td>
<font face="verdana" color="gray" size="2">
<P align=center><STRONG><FONT size=2>&nbsp;Japon Yen'i Satış:...</FONT>
</STRONG> </P> </td><td>
<font face="verdana" color="gray" size="2">
<P align=center><%=Rs("JYenSatis")%><FONT
size=2><STRONG></STRONG></FONT></P></td></tr>
<tr><br><br>
<center><a href="default2.asp"></a><br>
<!--#include file="status.asp"-->

```

Form.asp

eXPerience Bank

Comments

13 January 2002

Please let us know your feedback about our site

...:UserName :

...:Email :

...:Ideas :

[Home Page](#)

CODE :

```
<html><head>
<meta http-equiv="Content-Type" content="text/html; charset=windows-1254">
<title>Kayıt Formu</title>
</head><html>
<head><meta http-equiv="Content-Language" content="tr">
<meta name="GENERATOR" content="Microsoft FrontPage 5.0">
<meta name="ProgId" content="FrontPage.Editor.Document">
<meta http-equiv="Content-Type" content="text/html; charset=windows-1254">
<title>...:eXPerience Bank:...</title>
</head>
<body background="image/fon_1.gif">
<center>
<p>
&nbsp;</p>
</center><center>
<table border="1" cellpadding="0" cellspacing="0" style="border-collapse: collapse;
border-width: 0" bordercolor="#111111" width="100%" height="1">
<tr> <font face="Verdana" color="gray" size="2">
<td width="33%" style="border-style: none; border-width: medium" height="1">
</td>
<td width="33%" style="border-left-style: none; border-left-width: medium; border-
right-style: none; border-right-width: medium; border-top: medium none #111111;
border-bottom: medium none #111111" height="1">
</td>
<td width="34%" style="border-left-style: none; border-left-width: medium; border-
right-style: none; border-right-width: medium; border-top: medium none #111111;
border-bottom: medium none #111111" height="1">
</td> </font> </tr></table>
<p><b><font face="Verdana" size="2">
<br></font></b><font face="Verdana" color="gray" size="2">
</font><b><font face="Verdana"
size="2"><br>
```

```

<font face="verdana" color="gray" size="2">
<!--#include file="tarih.inc"-->
&nbsp;</font></b></p>
</center>
<table width="100%" style="font-size:11px;">
<tr> <td bgcolor=silver width="100%"></td>
</tr> <tr>
<td bgcolor=silver width="100%"></td>
</tr></table>
<body>
<font face="verdana" color="gray" size="2">
<br><center><b>Sitemiz Hakkında Her Türlü Düşüncelerinizi Bize
Bildiriniz</center><b></small></font></p>
<center>
<form method="POST" action="form2.asp" style="font-family: Verdana; font-size:
10pt">
<table border="1" width="38%" bordercolor="#FFFFFF" cellspacing="0"
cellpadding="0" height="293">
<tr> <td width="91%" height="21">
<font face="verdana" color="gray" size="2">
<font face="Verdana">&nbsp;&nbsp;&nbsp;:::UserName :</font></td>
<td width="46%" height="21"><font face="Verdana">
<input type="text" name="username" size="29"></font></td></center>
</tr> <tr>
<td width="91%" height="21">
<font face="verdana" color="gray" size="2">
<div align="right"><font face="Verdana">&nbsp;&nbsp;&nbsp;:::Email :</font></div>
</td>
<td width="96%" height="21"><small><font face="Verdana">
<input type="text" name="email" size="29"></font></td></center>
</tr> <tr>
<td width="91%" height="27">
<font face="verdana" color="gray" size="2">
<div align="right"><font face="Verdana">&nbsp;&nbsp;&nbsp;:::Ideas :&nbsp;&nbsp;&nbsp;</font></div>

```

```

</td> <td width="46%" height="49"><small><font face="Verdana">
<textarea name=ideas style="background-color: #FFFFFF; color: #000000; border: 2;
border-style: groove; border-color: #FFFFFF; width: 363; font-size: 12px; height: 150;
font-face: verdana"></textarea>
</tr> <tr>
<td width="91%" height="25"><font face="Verdana"
size="1">&nbsp;</font></td>
<td width="46%" height="25">
<p align="center"><small><font face="Verdana"><input type="submit" value="...:
Send ..." name="B1"></font></small></td>
</tr> </table> </form> <center><a href="default2.asp"></a><br>
<p align="center">&nbsp;</p>
<a href="mailto:kayacan23@hotmail.com" style="text-decoration: none">
<p align="center"><font color=gray face="Verdana"
size="1">...:Design:KayacaN@:...</font></p>
</body></html><!--#include file="status.asp"-->

```

Form2.asp

CODE :

```

<!-- #include file=dahili.asp -->
<body background="image/fon_1.gif">
<center><p>
&nbsp;</p>
</center><center>
<table border="1" cellpadding="0" cellspacing="0" style="border-collapse: collapse;
border-width: 0" bordercolor="#111111" width="100%" height="1">
<tr> <font face="Verdana" color="gray" size="2">
<td width="33%" style="border-style: none; border-width: medium" height="1">
</td> <td width="33%" style="border-left-style: none; border-left-width: medium;
border-right-style: none; border-right-width: medium; border-top: medium none
#111111; border-bottom: medium none #111111" height="1">
</td>

```

```
<td width="34%" style="border-left-style: none; border-left-width: medium; border-
right-style: none; border-right-width: medium; border-top: medium none #111111;
border-bottom: medium none #111111" height="1">
```

```
</td> </font> </tr></table>
```

```
<p><b><font face="Verdana" size="2">
```

```
<br></font></b><font face="Verdana" color="gray" size="2">
```

```
</font><b><font face="Verdana"
size="2"><br>
```

```
&nbsp;</font></b></p>
```

```
</center> <table width="100%" style="font-size: 11px;">
```

```
<tr> <td bgcolor=silver width="100%"></td>
```

```
</tr> <tr>
```

```
<td bgcolor=silver width="100%"></td>
```

```
</tr></table>
```

```
<%
```

```
Dim username
```

```
Dim email
```

```
Dim ideas
```

```
username=Request.Form("username")
```

```
email=Request.Form("email")
```

```
ideas=Request.Form("ideas")
```

```
%>
```

```
<%
```

```
Dim Baglanti
```

```
Dim Rs
```

```
Dim Sorgu
```

```
Dim Veritabani_Yol
```

```
Set Baglanti=Server.CreateObject("Adodb.Connection")
```

```
Baglanti.Open Cumle
```

```
Set Rs=Server.CreateObject("Adodb.Recordset")
```

```
Sorgu="Select * from ideas where username='"& username &" and email='"& email
&"
```

```
Rs.Open Sorgu, Baglanti, 1, 3
```

```
Rs.AddNew
```

```

Rs("username")=username
Rs("email")=email
Rs("dusunceler")=ideas
Rs("sonTarih") = Now()
Rs.Update
Rs.Close
Set Rs=Nothing
Baglanti.Close
Set Baglanti=Nothing
%>
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=windows-1254">
<meta http-equiv="Refresh" content="5; URL=default.asp">
<title>Kayıt İşlemi Bitti</title>
</head>
<br><font face="verdana" color="gray" size="2">
<CENTER><STRONG>...: Düşüncelerinizi bizimle Paylaştığınız için
TEŞEKKÜRLER :... </STRONG></CENTER>
<CENTER><SMALL><STRONG>
  <BR>&nbsp;</CENTER></STRONG></SMALL>
<p><center><font color="steelblue"><strong>Şimdi Ana Sayfaya
Yönlendiriliyorsunuz!</center></strong></font></p>
</body>
</html>
<!--#include file="status.asp"-->

```

dahili.asp

CODE :

```

<%
Vt_Yolu=Server.MapPath("db/users.mdb")
Cumle= "DBQ="& Vt_Yolu &";Driver={Microsoft Access Driver (*.mdb)}"
%>

```

```

<%
If Session("Oturum") = "Acik" Then
Session.LCID = 1033
Set UpdDate = objConn.Execute("UPDATE USERS SET
SON_TARIH=#"&NOW()&"# WHERE U_ID="&Session("Uye_Id")&"")
Session.LCID = lcid
Set objLevel = objConn.Execute("SELECT * FROM USERS WHERE U_ID = "&
Session("Uye_Id"))
If Not objLevel.EOF Then
If objLevel("SEVIYE") = 0 Then
Session("Uye_Seviye") = "0"
ElseIf objLevel("SEVIYE") = 1 Then
Session("Uye_Seviye") = "1"
Else
Session("Uye_Seviye") = "0"
End If End If End If
%>

```

tarih.inc

CODE :

```

<%
dim gunn, ayy, yill, ayisim
gunn= day(date)
ayy=month(date)
yill=year(date)
if ayy=1 then ayisim="January"
if ayy=2 then ayisim="February"
if ayy=3 then ayisim="March"
if ayy=4 then ayisim="April"
if ayy=5 then ayisim="May"
if ayy=6 then ayisim="June"
if ayy=7 then ayisim="July"
if ayy=8 then ayisim="August"

```

```
if ayy=9 then ayisim="September"
if ayy=10 then ayisim="October"
if ayy=11 then ayisim="November"
if ayy=12 then ayisim="December"
response.write "<center>"& gunn& " "& ayisim& " "& yill& "</b>"
%>
```

//root/hata

hataad.asp

CODE :

```
<!-- #include file=dahili.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
</HEAD>
<BODY>
<br>
<P ALIGN=center>Hata : AD Bölümünü Eksik Bırakmışsınız! Adınızı Doldurmadan
Üye Olamazsınız...</P>
<p><center><font color="steelblue"><strong>Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</center></strong></font></p>
<p><center><a href="javascript:history.go(-1)">Eğer Uzun Bi Süre Burada Kalırsanız
Tıklayın...</a></center></p>
</body>
</html>
```

hataadres.asp

CODE :

```
<!-- #include file=dahili.asp -->
```

```
<HTML>
```

```
<HEAD>
```

```
<TITLE>Hata!</TITLE>
```

```
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
```

```
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
```

```
</HEAD>
```

```
<BODY>
```

```
<br>
```

```
<P ALIGN=center>Hata : ADRES Bölümünü Eksik Bırakmışsınız! Adresinizi  
Doldurmadan Üye Olamazsınız...</P>
```

```
<p><center><font color="steelblue"><strong>Şimdi Geldiğiniz Sayfaya  
Yönlendiriliyorsunuz!</center></strong></font></p>
```

```
<p><center><a href="javascript:history.go(-1)">Eğer Uzun Bi Süre Burada Kalırsanız  
Tıklayın...</a></center></p>
```

```
</body>
```

```
</html>
```

hatababaadi.asp

CODE :

```
<!-- #include file=dahili.asp -->
```

```
<HTML><HEAD>
```

```
<TITLE>Hata!</TITLE>
```

```
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
```

```
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
```

```
</HEAD>
```

```
<BODY>
```

```
<br>
```

```
<P ALIGN=center>Hata : BABAADI Bölümünü Eksik Bırakmışsınız! Baba Adınızı  
Doldurmadan Üye Olamazsınız...</P>
```

```
<p><center><font color="steelblue"><strong>Şimdi Geldiğiniz Sayfaya  
Yönlendiriliyorsunuz!</center></strong></font></p>  
<p><center><a href="javascript:history.go(-1)">Eğer Uzun Bi Süre Burada Kalırsanız  
Tıklayın...</a></center></p>  
</body>  
</html>
```

hatacevap.asp

CODE :

```
<!-- #include file=dahili.asp -->  
<HTML>  
<HEAD>  
<TITLE>Hata!</TITLE>  
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>  
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">  
</HEAD>  
<BODY>  
<br>  
<P ALIGN=center>Hata : Cevap Bölümünü Eksik Bırakmışsınız! Gizli Sorunuzun  
Cevabı Doldurmadan Üye Olamazsınız...</P>  
<p><center><font color="steelblue"><strong>Şimdi Geldiğiniz Sayfaya  
Yönlendiriliyorsunuz!</center></strong></font></p>  
<p><center><a href="javascript:history.go(-1)">Eğer Uzun Bi Süre Burada Kalırsanız  
Tıklayın...</a></center></p>  
</body>  
</html>
```

hatadogumyeri.asp

CODE :

```
<!-- #include file=dahili.asp -->  
<HTML><HEAD>
```

```
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
</HEAD>
<BODY>
<br>
<P ALIGN=center>Hata : Doğum Yeri Bölümünü Eksik Bırakmışsınız! Doğum
Yerinizi Doldurmadan Üye Olamazsınız...</P>
<p><center><font color="steelblue"><strong>Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</center></strong></font></p>
<p><center><a href="javascript:history.go(-1)">Eğer Uzun Bi Süre Burada Kalırsanız
Tıklayın...</a></center></p>
</body></html>
```

hataemail.asp

CODE :

```
<!-- #include file=dahili.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
</HEAD>
<BODY>
<br>
<P ALIGN=center>Hata : Email Bölümünü Eksik Bırakmışsınız! Email Adresinizi
Doldurmadan Üye Olamazsınız...</P>
<p><center><font color="steelblue"><strong>Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</center></strong></font></p>
<p><center><a href="javascript:history.go(-1)">Eğer Uzun Bi Süre Burada Kalırsanız
Tıklayın...</a></center></p>
</body></html>
```

hataka.asp

CODE :

```
<!-- #include file=dahili.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
</HEAD>
<BODY>
<br>
<P ALIGN=center>Hata : Kullanıcı Adı Bölümünü Eksik Bırakmışsınız! Kullanıcı Adı
Bölümünü Doldurmadan Üye Olamazsınız...</P>
<p><center><font color="steelblue"><strong>Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</center></strong></font></p>
<p><center><a href="javascript:history.go(-1)">Eğer Uzun Bi Süre Burada Kalırsanız
Tıklayın...</a></center></p>
</body>
</html>
```

hataks.asp

CODE :

```
<!-- #include file=dahili.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
```

```
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
</HEAD>
<BODY>
<br>
<P ALIGN=center>Hata : Bu Kullanıcı Adı Ve Şifre Kullanılıyor! Lütfen Başka Bir
Kullanıcı Adı Seçin..</P>
<p><center><font color="steelblue"><strong>Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</center></strong></font></p>
<p><center><a href="javascript:history.go(-1)">Eğer Uzun Bi Süre Burada Kalırsanız
Tıklayın...</a></center></p>
</body></html>
```

hatamk.asp

CODE :

```
<!-- #include file=dahili.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
</HEAD>
<BODY>
<br>
<P ALIGN=center>Hata : Bu E-Mail Adresi Kullanılıyor! Lütfen Başka Bir E-Mail
Adresi Girin...</P>
<p><center><font color="steelblue"><strong>Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</center></strong></font></p>
<p><center><a href="javascript:history.go(-1)">Eğer Uzun Bi Süre Burada Kalırsanız
Tıklayın...</a></center></p>
</body></html>
```

hataoa.asp

CODE :

```
<!-- #include file=dahili.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
</HEAD>
<BODY>
<br>
<P ALIGN=center>Hata : Bu Kullanıcı Adı Daha Önce Başkası Tarafından
Alınmıştır!...</P>
<p><center><font color="steelblue"><strong>Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</center></strong></font></p>
<p><center><a href="javascript:history.go(-1)">Eğer Uzun Bi Süre Burada Kalırsanız
Tıklayın...</a></center></p>
</body>
</html>
```

hatasad.asp

CODE :

```
<!-- #include file=dahili.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
```

```
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
</HEAD>
<BODY>
<br>
<P ALIGN=center>Hata : Soyad Bölümünü Eksik Bırakmışsınız! Soyadınızı
Doldurmadan Üye Olamazsınız.....</P>
<p><center><font color="steelblue"><strong>Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</center></strong></font></p>
<p><center><a href="javascript:history.go(-1)">Eğer Uzun Bi Süre Burada Kalırsanız
Tıklayın...</a></center></p>
</body>
</html>
```

hatasoru.asp

CODE :

```
<!-- #include file=dahili.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
</HEAD>
<BODY>
<br>
<P ALIGN=center>Hata : Gizli Soru Bölümünü Eksik Bırakmışsınız! Gizli Sorunuzu
Doldurmadan Üye Olamazsınız...</P>
<p><center><font color="steelblue"><strong>Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</center></strong></font></p>
```

```
<p><center><a href="javascript:history.go(-1)">Eğer Uzun Bi Süre Burada Kalırsanız  
Tıklayın...</a></center></p>  
</body>  
</html>
```

hatatelefon.asp

CODE :

```
<!-- #include file=dahili.asp -->  
<HTML>  
<HEAD>  
<TITLE>Hata!</TITLE>  
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>  
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">  
</HEAD>  
<BODY>  
<br>  
<P ALIGN=center>Hata : TELEFON Bölümünü Eksik Bırakmışsınız! Telefonunuzu  
Doldurmadan Üye Olamazsınız...</P>  
<p><center><font color="steelblue"><strong>Şimdi Geldiğiniz Sayfaya  
Yönlendiriliyorsunuz!</center></strong></font></p>  
<p><center><a href="javascript:history.go(-1)">Eğer Uzun Bi Süre Burada Kalırsanız  
Tıklayın...</a></center></p>  
</body>  
</html>
```

hatauyeyok.asp

CODE :

```
<!-- #include file=dahili.asp -->  
<HTML>  
<HEAD>
```

```
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
</HEAD>
<BODY>
<br><P ALIGN=center>Hata : Üye Bilgisi Bulunamadı! Böyle Bir Üye Kayıtlı
Değil...</P>
<p><center><font color="steelblue"><strong>Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</center></strong></font></p>
<p><center><a href="javascript:history.go(-1)">Eğer Uzun Bi Süre Burada Kalırsanız
Tıklayın...</a></center></p>
</body>
</html>
```

hatayas.asp

CODE :

```
<!-- #include file=dahili.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
</HEAD>
<BODY>
<br>
<P ALIGN=center>Hata : AD Bölümünü Eksik Bırakmışsınız! Adınızı Doldurmadan
Üye Olamazsınız...</P>
<p><center><font color="steelblue"><strong>Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</center></strong></font></p>
```

```
<p><center><a href="javascript:history.go(-1)">Eğer Uzun Bi Süre Burada Kalırsanız  
Tıklayın...</a></center></p>  
</body>  
</html>
```

hataykas.asp

CODE :

```
<!-- #include file=dahili.asp -->  
<HTML>  
<HEAD>  
<TITLE>Hata!</TITLE>  
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>  
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">  
</HEAD>  
<BODY>  
<br>  
<P ALIGN=center>Hata : Yanlış Kullanıcı Adı Ve/Veya Şifre Girdiniz! Lütfen Doğru  
Şekilde Giriş Yapın...</P>  
<p><center><font color="steelblue"><strong>Şimdi Geldiğiniz Sayfaya  
Yönlendiriliyorsunuz!</center></strong></font></p>  
<p><center><a href="javascript:history.go(-1)">Eğer Uzun Bi Süre Burada Kalırsanız  
Tıklayın...</a></center></p>  
</body>  
</html>
```

//root/hisle

hislead.asp

CODE:

```
<!-- #include file=dahili.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
</HEAD>
<BODY>
<br><P ALIGN=center>Hata : Adınızı Yazmamışsınız!</P>
<p><center><font color="steelblue"><strong>Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</center></strong></font></p>
<p><center><a href="javascript:history.go(-1)">Eğer Uzun Bi Süre Burada Kalırsanız
Tıklayın...</a></center></p>
</body></html>
```

hislecevap.asp

CODE:

```
<!-- #include file=dahili.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
</HEAD>
<BODY>
```

```
<br>
<P ALIGN=center>Hata : Cevabınızı Yazmamışsınız!</P>
<p><center><font color="steelblue"><strong>Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</center></strong></font></p>
<p><center><a href="javascript:history.go(-1)">Eğer Uzun Bi Süre Burada Kalırsanız
Tıklayın...</a></center></p>
</body></html>
```

hisleemail.asp

CODE:

```
<!-- #include file=dahili.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
</HEAD>
<BODY>
<br>
<P ALIGN=center>Hata : Email Adresinizi Yazmamışsınız!</P>
<p><center><font color="steelblue"><strong>Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</center></strong></font></p>
<p><center><a href="javascript:history.go(-1)">Eğer Uzun Bi Süre Burada Kalırsanız
Tıklayın...</a></center></p>
</body>
</html>
```

hisleka.asp

CODE:

```
<!-- #include file=dahili.asp -->
<HTML>
```

```
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
</HEAD>
<BODY>
<br>
<P ALIGN=center>Hata : Kullanıcı Adınızı Yazmamışsınız!</P>
<p><center><font color="steelblue"><strong>Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</center></strong></font></p>
<p><center><a href="javascript:history.go(-1)">Eğer Uzun Bi Süre Burada Kalırsanız
Tıklayın...</a></center></p>
</body></html>
```

hislesifre.asp

CODE:

```
<!-- #include file=dahili.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
</HEAD>
<BODY>
<br><P ALIGN=center>Hata : Şifrenizi Yazmamışsınız!</P>
<p><center><font color="steelblue"><strong>Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</center></strong></font></p>
<p><center><a href="javascript:history.go(-1)">Eğer Uzun Bi Süre Burada Kalırsanız
Tıklayın...</a></center></p>
</body></html>
```

hislesoru.asp

CODE:

```
<!-- #include file=dahili.asp -->
<HTML><HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
</HEAD>
<BODY>
<br><P ALIGN=center>Hata : Gizli Sorunuzu Yazmamışsınız!</P>
<p><center><font color="steelblue"><strong>Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</center></strong></font></p>
<p><center><a href="javascript:history.go(-1)">Eğer Uzun Bi Süre Burada Kalırsanız
Tıklayın...</a></center></p>
</body></html>
```

hislead.asp

CODE:

```
<!-- #include file=dahili.asp -->
<HTML>
<HEAD>
<TITLE>Hata!</TITLE>
<LINK HREF=css/css.css REL=stylesheet TYPE=text/css>
<meta http-equiv=refresh content="2; URL=javascript:history.go(-1)">
</HEAD>
<BODY>
<br><P ALIGN=center>Hata : Soyadınızı Yazmamışsınız!</P>
<p><center><font color="steelblue"><strong>Şimdi Geldiğiniz Sayfaya
Yönlendiriliyorsunuz!</center></strong></font></p>
```

```
<p><center><a href="javascript:history.go(-1)">Eğer Uzun Bi Süre Burada Kalırsanız  
Tıklayın...</a></center></p>  
</body>  
</html>
```

//root/Admin

Admin_default.asp



CODE:

```
<html><head>  
<meta http-equiv="Content-Language" content="tr">  
<meta name="GENERATOR" content="Microsoft FrontPage 5.0">  
<meta name="ProgId" content="FrontPage.Editor.Document">  
<meta http-equiv="Content-Type" content="text/html; charset=windows-1254">  
<title>...: Administrator Page :...</title></head><body link="#999999" vlink="#999999"  
alink="#999999" background=" ../image/fon_1.gif">  
<p align="center">&nbsp;</p>
```

```

<p align="center">&nbsp;</p>
<p align="center"><font face="Verdana" size="5" color="#666666"><b>...:
Administrator Page :...</b></font></p>
<p align="center">&nbsp;</p>
<p align="center">
<a href="Rapor.asp" style="text-decoration: none; font-weight: 700">Havale
İşlemleri</a></p>
<p align="center">
<a href="Users.asp" style="text-decoration: none; font-weight: 700">Uyeler</a></p>
<p align="center">
<span style="font-weight: 700">
<a href="Oneriler.asp" style="text-decoration: none">Öneriler</a></span></p>
<p align="center">
<a href=" ../default2.asp" style="text-decoration: none; font-weight: 700">Ana
Sayfa</a></p><p>&nbsp;</p>
</body></html>

```

Oneriler.asp

ID	Username	E Mail	Düşünceler	Son Tarih
26	Stone	kaya23@gmx.net	Lütfen yardımcı olun..	13.01.2002 19:02:49
25				10.01.2002 03:34:46
24	kara	can_arslan@hotmail.com	helal olsun beee	10.01.2002 03:10:48
23	Can	can_arslan@hotmail.com	Tebrik Ederim Sitaniz Çok Güzel..	10.01.2002 03:08:13
22	Kaya	kaya23@gmx.net		09.01.2002 13:57:38
21	korhan	korhan@hotmail.com	helal olsun	09.01.2002 02:40:11
14	saygin	saygin@hotmail.com	alooo hadi yaaaaa ceva p verin	30.12.2001 15:35:59
13	saygin	saygin@hotmail.com	oooooooooooooooooooooooooooo	30.12.2001 15:35:24
12	saygin	saygin@hotmail.com	hala cevap vermedinizi Ayp yaaaaa	30.12.2001 15:31:26
9	can	can_arslan@hotmail.com	kayacim guzle olmus	30.12.2001 15:02:08

! Öneri Sayısı : 10 !

Ana Sayfa

CODE :

```
<%
VTdosyasi = "db"
anasayfa = "deneme.asp"
%>
<% uye = Request.QueryString("uye")
sayfa = Request.QueryString("sayfa") %>
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD><TITLE>Öneriler Rapor</TITLE>
<META http-equiv=Content-Type content="text/html; charset=windows-1254">
<STYLE>A:hover {
    COLOR: #cccccc
}
A {
    TEXT-DECORATION: none
}
</STYLE>
<STYLE type=text/css>.form {
    BORDER-TOP-WIDTH: 1px; BORDER-LEFT-WIDTH: 1px; FONT-SIZE:
10px; BORDER-LEFT-COLOR: #000000; BORDER-BOTTOM-WIDTH: 1px;
BORDER-BOTTOM-COLOR: #000000; COLOR: #000000; BORDER-TOP-COLOR:
#000000; FONT-FAMILY: Verdana, Arial, Helvetica, sans-serif; BACKGROUND-
COLOR: #777777; BORDER-RIGHT-WIDTH: 1px; BORDER-RIGHT-COLOR:
#000000
}
</STYLE>
<META content="Microsoft FrontPage 5.0" name=GENERATOR></HEAD>
<BODY text=#000000 vLink=#777777 link=#777777 alink="#777777"
background=" ../image/fon_1.gif">
<p align="center">
<BR><BR>
</p><CENTER>
<TABLE cellSpacing=1 cellPadding=0 width=730 align=center border=0>
```

```

<TBODY>
<TR> <TD>
<table border="0" width="719" bordercolor="#000000" cellspacing="0" style="border-
collapse: collapse">
<tr>
<td bgcolor="#cccccc" nowrap align="center" width="1"><font size="2"
face="verdana">
<b>ID</b></td>
<td bgcolor="#cccccc" nowrap align="center" width="1"><font size="2"
face="verdana">
<b>Username</b></td>
<td bgcolor="#cccccc" nowrap align="center" width="1"><font size="2"
face="verdana">
<b>EMail</b></td>
<td bgcolor="#cccccc" nowrap align="center" width="336"><font size="2"
face="verdana">
<b>Düşünceler</b></td>
<td bgcolor="#cccccc" nowrap align="center" width="12"><font size="2"
face="verdana">
<b>SonTarih</b></td></tr>
<%

```

Dim Baglanti

Dim Rs

Dim Sorgu

Dim Veritabani_Yol

Veritabani_Yol=SERVER.MAPPATH("../"& VTdosyasi &"\users.mdb")

Set Baglanti=Server.CreateObject("Adodb.Connection")

Baglanti.Open "DBQ=" & Veritabani_Yol &" ;Driver={Microsoft Access Driver
(* .mdb)}"

Set Rs=Server.CreateObject("Adodb.Recordset")

Sorgu="Select * from ideas ORDER BY sonTarih DESC"

Rs.Open Sorgu,Baglanti,1,3

%>

<% n = RS.RecordCount

```

IF NOT RS.eof THEN
IF sayfa = "" THEN sayfa = 1 END IF
RS.PageSize = 1000
RS.AbsolutePage = sayfa
sayfasa = RS.PageCount
FOR i = 1 TO RS.PageSize
IF RS.eof THEN EXIT FOR
%>
<td bgcolor="#999999" nowrap align="center" width="1"><font size="2"
face="verdana">
<INPUT name="ID" value="<%=Rs("ID")%>" size="1" style="float:
left"></font></td>
<td bgcolor="#999999" nowrap align="center" width="1"><font size="2"
face="verdana">
<INPUT type=text name="username" value="<%=Rs("username")%>"
size="15"></font></td>
<td bgcolor="#999999" nowrap align="center" width="1"><font size="2"
face="verdana">
<INPUT type=text name="ad" value="<%=Rs("email")%>" size="23"></font></td>
<td bgcolor="#999999" nowrap align="center" width="336"><font size="2"
face="verdana">
<INPUT type=text name="soyad" value="<%=Rs("dusuncler")%>"
size="69"></font></td>
<td bgcolor="#999999" nowrap align="center" width="12"><font size="2"
face="verdana">
<INPUT type=text name="sifre" value="<%=Rs("sonTarih")%>"
size="17"></font></td>
</tr> <% RS.movenext
Next END IF
RS.Close
Set RS = Nothing %></table>
<table border="0" width="100%" cellspacing="5" cellpadding="0">
<tr><td width="100%"><p align="center"></td></tr></table><table border="0"
width="100%" bordercolor="#000000" cellspacing="1" cellpadding="2" height="3">

```

```

<tr>
  <td width="100%" bgcolor="#999999" align="center"
height="1"><b>
  <font face="Verdana, Arial, Helvetica, sans-serif" size="2">
|Öneri Sayısı : <font color="#ffffff"><%=n%></font color> |
</font></b></td></tr><tr>
  <td width="100%" bgcolor="#cccccc" align="center" height="1"><font
size="1">
<% FOR j = 1 TO sayfasa
Response.Write "| <a href=admin.asp?uye=" & uye & "&sayfa=" & j & ">" & j & "</a> | "
NEXT %></font></td>
</tr>
</table><p>&nbsp;</p>
<p align="center"><font face="Verdana"><b><a href="Admin_default.asp">Ana
Sayfa</a></b></font></p>

```

Rapor.asp

ID	HavaleYapanName	HavaleYapanHesapNo	HavaleTarihi	HavaleMiktari	HavaleYapilanName	HavaleYapilaninHesapNo
54	Stone	123456798	13.01.2002 19:00:45	100	Korhan	987654321
53	Korhan	987654321	11.01.2002 00:14:55	0	Kara	123456789
52	Korhan	987654321	10.01.2002 18:47:57	100	Kara	123456789
51	Korhan	987654321	10.01.2002 18:48:26	1000	Kara	123456789
50	Korhan	987654321	10.01.2002 03:37:17	66	Kara	123456789
49	Kara	123456789	09.01.2002 23:05:33	1000	Korhan	987654321
48	Korhan	987654321	09.01.2002 13:41:09	10	Kara	123456789
47	Korhan	987654321	09.01.2002 13:21:52	10	Kara	123456789
46	Korhan	987654321	09.01.2002 02:34:29	10	Kara	123456789
45	Korhan	987654321	07.01.2002 21:51:57	100	Kara	123456789

! Toplam Havale İşlemi Sayısı : 11 !

Ana Sayfa

CODE :

```
<%
VTdosyasi = "db"
anasayfa = "deneme.asp"
%>
<% uye = Request.QueryString("uye")
sayfa = Request.QueryString("sayfa") %>
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD><TITLE>Havale Rapor</TITLE>
<META http-equiv=Content-Type content="text/html; charset=windows-1254">
<STYLE>A:hover {
    COLOR: #cccccc
}
A {
    TEXT-DECORATION: none
}
</STYLE>

<STYLE type=text/css>.form {
    BORDER-TOP-WIDTH: 1px; BORDER-LEFT-WIDTH: 1px; FONT-SIZE:
10px; BORDER-LEFT-COLOR: #000000; BORDER-BOTTOM-WIDTH: 1px;
BORDER-BOTTOM-COLOR: #000000; COLOR: #000000; BORDER-TOP-COLOR:
#000000; FONT-FAMILY: Verdana, Arial, Helvetica, sans-serif; BACKGROUND-
COLOR: #777777; BORDER-RIGHT-WIDTH: 1px; BORDER-RIGHT-COLOR:
#000000
}
</STYLE>

<META content="Microsoft FrontPage 5.0" name=GENERATOR></HEAD>
<BODY text=#000000 vLink=#777777 link=#777777 alink="#777777"
background=" ../image/fon_1.gif">

<p align="center">
```

```
<BR><BR>
```

```
</p>
```

```
<CENTER>
```

```
<TABLE cellspacing=1 cellpadding=0 width=730 align=center border=0>
```

```
<TBODY>
```

```
<TR>
```

```
<TD>
```

```
<table border="0" width="685" bordercolor="#000000" cellspacing="0" style="border-collapse: collapse">
```

```
<tr>
```

```
<td bgcolor="#cccccc" nowrap align="center" width="1"><font size="2" face="verdana">ID</td>
```

```
<td bgcolor="#cccccc" nowrap align="center" width="15"><font size="2" face="verdana">HavaleYapanName</td>
```

```
<td bgcolor="#cccccc" nowrap align="center" width="40"><font size="2" face="verdana">HavaleYapanHesapNo</td>
```

```
<td bgcolor="#cccccc" nowrap align="center" width="40"><font size="2" face="verdana">HavaleTarihi</td>
```

```
<td bgcolor="#cccccc" nowrap align="center" width="20"><font size="2" face="verdana">HavaleMiktari</td>
```

```
<td bgcolor="#cccccc" nowrap align="center" width="30"><font face="Verdana" size="2">HavaleYapilanName</font></td>
```

```
<td bgcolor="#cccccc" nowrap align="center" width="70"><font size="2" face="verdana">HavaleYapilaninHesapNo</td>
```

```
</tr>
```

```
<%
```

```
Dim Baglanti
```

```
Dim Rs
```

```
Dim Sorgu
```

```
Dim Veritabani_Yol
```

```
Veritabani_Yol=SERVER.MAPPATH("../"& VTdosyasi &"\users.mdb")
```

```
Set Baglanti=Server.CreateObject("Adodb.Connection")
```

```
Baglanti.Open "DBQ=" & Veritabani_Yol &";Driver={Microsoft Access Driver (*.mdb)}"
```

```
Set Rs=Server.CreateObject("Adodb.Recordset")
```

```
Sorgu="Select * from Rapor ORDER BY HavaleTarihi DESC"
```

```
Rs.Open Sorgu,Baglanti,1,3
```

```
%>
```

```
<% n = RS.RecordCount
```

```
IF NOT RS.eof THEN
```

```
IF sayfa = "" THEN sayfa = 1 END IF
```

```
RS.PageSize = 10
```

```
RS.AbsolutePage = sayfa
```

```
sayfasa = RS.PageCount
```

```
FOR i = 1 TO RS.PageSize
```

```
IF RS.eof THEN EXIT FOR
```

```
%>
```

```
<center><p><form name=bilgi action="User_update.asp" method="post">
```

```
<td bgcolor="#999999" nowrap align="center" width="1"><font size="2"
```

```
face="verdana">
```

```
<INPUT name="ID" value="<%=Rs("ID")%" size="1" style="float:left"></font></td>
```

```
<td bgcolor="#999999" nowrap align="center" width="15"><font size="2" face="verdana">
```

```
<INPUT type=text name="username" value="<%=Rs("HavaleYapanName")%" size="22"></font></td>
```

```
<td bgcolor="#999999" nowrap align="center" width="40"><font size="2" face="verdana">
```

```
<INPUT type=text name="ad" value="<%=Rs("HavaleYapanHesapNo")%" size="23"></font></td>
```

```
<td bgcolor="#999999" nowrap align="center" width="40"><font size="2" face="verdana">
```

```
<INPUT type=text name="soyad" value="<%=Rs("HavaleTarihi")%" size="20"></font></td>
```

```
<td bgcolor="#999999" nowrap align="center" width="20"><font size="2" face="verdana">
```

```

<INPUT type=text name="sifre" value="<%=Rs("HavaleMiktari")%>"
size="17"></font></td>
<td bgcolor="#999999" nowrap align="center" width="20"><font size="2"
face="verdana">
<INPUT type=text name="sifre" value="<%=Rs("HavaleYapilanName")%>"
size="18"></font></td>
<td bgcolor="#999999" nowrap align="center" width="20"><font size="2"
face="verdana">
<INPUT type=text name="sifre" value="<%=Rs("HavaleYapilaninHesapNo")%>"
size="27"></font></td></tr>
<% RS.movenext
Next
END IF
RS.Close
Set RS = Nothing %></table>
<table border="0" width="100%" cellpadding="5" cellspacing="0">
<tr>
<td width="100%">
<p align="center"></td>
</tr>
</table>
<table border="0" width="100%" bordercolor="#000000" cellpadding="1"
cellpadding="2" height="17">
<tr>
<td width="100%" bgcolor="#999999" align="center" height="9"><b>
<font face="Verdana, Arial, Helvetica, sans-serif" size="2">
| Toplam Havale İşlemi Sayısı : <font color="#ffffff"><%=n%></font color> |
</font>
</b>
<form method="POST" action="--WEBBOT-SELF--">
<!--webbot bot="SaveResults" u-file="fpweb:/// _private/form_results.csv" s-
format="TEXT/CSV" s-label-fields="TRUE" --><p>
&nbsp;</p>

```

```

</form>      </td>      </tr>      </tr>
<td width="100%" bgcolor="#cccccc" align="center" height="1"><font
size="1">
<% FOR j = 1 TO sayfasa
Response.Write "| <a href=admin.asp?uye=" & uye & "& sayfa=" & j & ">" & j & "</a> | "
NEXT %>
</font></td>
      </tr>      </table>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p align="center"><font face="Verdana"><b><a href="Admin_default.asp">Ana
Sayfa</a></b></font></p>

```

Users.asp

ID	User Name	Adı	Soyadı	Şifresi	Email	Telefon	Adres	Uyelik Tarihi	Hesap No	Hesap Durum	Login #	S.Login
53	Stone	Kaya	Teşkaya	0147	kayacan23@hr	05357117307	Ankara	13.01.2002	123456798	1400	535	13.01.2002 18:57
51	Saykurt	Saygın	Kurt	1234	saygin_kurt@h	05338663435	Daça	09.01.2002	0	0	0	
50	Admin	kaya Can	Teşkaya	Admin	kajje@hotmail.com	0123232323	sdsıd	07.01.2002	0	0	0	
29	Korhan	Korhan	Teşkaya	0147	korhan@hotmail.com	09009101020	Ankara	27.12.2001	987654321	1000	156	12.01.2002 23:39
28	Kara	Can	Arslan	1234	can_arslan@tv	8663455	Kibris	27.12.2001	123456789	1645	12	13.01.2002 18:53

! Toplam Uye Sayımız : 5 !

Ana Sayfa

CODE :

```
<%
VTdosyasi = "db"
anasayfa = "deneme.asp"
%>
<% uye = Request.QueryString("uye")
sayfa = Request.QueryString("sayfa") %>
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD><TITLE>Users List</TITLE>
<META http-equiv=Content-Type content="text/html; charset=windows-1254">
<STYLE>A:hover {
    COLOR: #cccccc
}
A {
    TEXT-DECORATION: none
}
</STYLE>

<STYLE type=text/css>.form {
    BORDER-TOP-WIDTH: 1px; BORDER-LEFT-WIDTH: 1px; FONT-SIZE:
10px; BORDER-LEFT-COLOR: #000000; BORDER-BOTTOM-WIDTH: 1px;
BORDER-BOTTOM-COLOR: #000000; COLOR: #000000; BORDER-TOP-COLOR:
#000000; FONT-FAMILY: Verdana, Arial, Helvetica, sans-serif; BACKGROUND-
COLOR: #777777; BORDER-RIGHT-WIDTH: 1px; BORDER-RIGHT-COLOR:
#000000
}
</STYLE>
<META content="Microsoft FrontPage 5.0" name=GENERATOR></HEAD>
<BODY text=#000000 vLink=#777777 link=#777777 alink="#777777"
background=" ../image/fon_1.gif">
<p align="center">
<BR><BR>
</p>
```

```

<CENTER>
<TABLE cellSpacing=1 cellPadding=0 width=730 align=center border=0>
  <TBODY>
    <TR>
      <TD>
        <table border="0" width="685" bordercolor="#000000" cellspacing="0" style="border-collapse: collapse">
          <tr>
            <td bgcolor="#cccccc" nowrap align="center" width="1"><font size="2"
              face="verdana">ID</td>
            <td bgcolor="#cccccc" nowrap align="center" width="15"><font size="2"
              face="verdana">User
              Name</td>
            <td bgcolor="#cccccc" nowrap align="center" width="40"><font size="2"
              face="verdana">Adı</td>
            <td bgcolor="#cccccc" nowrap align="center" width="40"><font size="2"
              face="verdana">Soyadı</td>
            <td bgcolor="#cccccc" nowrap align="center" width="20"><font size="2"
              face="verdana">Şifresi</td>
            <td bgcolor="#cccccc" nowrap align="center" width="30">
              <font face="Verdana" size="2">Email</font></td>
            <td bgcolor="#cccccc" nowrap align="center" width="70"><font size="2"
              face="verdana">Telefon</td>
            <td bgcolor="#cccccc" nowrap align="center" width="70"><font size="2"
              face="verdana">Adres</td>
            <td bgcolor="#cccccc" nowrap align="center" width="30"><font size="2"
              face="verdana">Uyelik Tarihi</td>
            <td bgcolor="#cccccc" nowrap align="center" width="5"><font size="2"
              face="verdana">Hesap No</td>
            <td bgcolor="#cccccc" nowrap align="center" width="15">
              <font face="verdana" style="font-size: 9pt">Hesap Durum</td>
            <td bgcolor="#cccccc" nowrap align="center" width="30">
              <font size="1" face="verdana">Login #</td>

```

```
<td bgcolor="#cccccc" nowrap align="center" width="60"><font size="2"
face="verdana">S.Login</td>
```

```
</tr>
```

```
<%
```

```
Dim Baglanti
```

```
Dim Rs
```

```
Dim Sorgu
```

```
Dim Veritabani_Yol
```

```
Veritabani_Yol=SERVER.MAPPATH("../"& VTdosyasi &"\users.mdb")
```

```
Set Baglanti=Server.CreateObject("Adodb.Connection")
```

```
Baglanti.Open "DBQ=" & Veritabani_Yol &" ;Driver={Microsoft Access Driver
(*.mdb)}"
```

```
Set Rs=Server.CreateObject("Adodb.Recordset")
```

```
Sorgu="Select * from users ORDER BY UyeId DESC"
```

```
Rs.Open Sorgu,Baglanti,1,3
```

```
%>
```

```
<% n = RS.RecordCount
```

```
IF NOT RS.eof THEN
```

```
IF sayfa = "" THEN sayfa = 1 END IF
```

```
RS.PageSize = 10
```

```
RS.AbsolutePage = sayfa
```

```
sayfasa = RS.PageCount
```

```
FOR i = 1 TO RS.PageSize
```

```
IF RS.eof THEN EXIT FOR
```

```
%>
```

```
<center><p><form name=bilgi action="User_update.asp" method="post">
```

```
<td bgcolor="#999999" nowrap align="center" width="1"><font size="2"
```

```
face="verdana">
```

```
<INPUT name="ID" value="<%=Rs("uyeId")%>" size="1" style="float:
left"></font></td>
```

```
<td bgcolor="#999999" nowrap align="center" width="15"><font size="2"
```

```
face="verdana">
```

```
<INPUT type=text name="username" value="<%=Rs("uyeKullaniciAdi")%>"
size="6"></font></td>
<td bgcolor="#999999" nowrap align="center" width="40"><font size="2"
face="verdana">
<INPUT type=text name="ad" value="<%=Rs("uyeAdi")%>" size="7"></font></td>
<td bgcolor="#999999" nowrap align="center" width="40"><font size="2"
face="verdana">
<INPUT type=text name="soyad" value="<%=Rs("uyesoyadi")%>"
size="9"></font></td>
<td bgcolor="#999999" nowrap align="center" width="20"><font size="2"
face="verdana">
<INPUT type=text name="sifre" value="<%=Rs("uyeSifre")%>"
size="8"></font></td>

<td bgcolor="#999999" nowrap align="center" width="20"><font size="2"
face="verdana">
<INPUT type=text name="sifre" value="<%=Rs("uyeEmaili")%>"
size="12"></font></td>
<td bgcolor="#999999" nowrap align="center" width="20"><font size="2"
face="verdana">
<INPUT type=text name="sifre" value="<%=Rs("uyeTelefon")%>"
size="12"></font></td>
<td bgcolor="#999999" nowrap align="center" width="20"><font size="2"
face="verdana">
<INPUT type=text name="sifre" value="<%=Rs("uyeAdres")%>"
size="12"></font></td>
<td bgcolor="#999999" nowrap align="center" width="30"><font size="2"
face="verdana">
<INPUT type=text name="sifre" value="<%=Rs("U_TARIHI")%>"
size="9"></font></td>
<td bgcolor="#999999" nowrap align="center" width="5"><font size="2"
face="verdana">
<INPUT type=text name="sifre" value="<%=Rs("UyeHesapNo")%>"
size="9"></font></td>
```

```

<td bgcolor="#999999" nowrap align="center" width="15"><font size="2"
face="verdana">
<INPUT type=text name="sifre" value="<%=Rs("UyeHesapDurumu")%>"
size="7"></font></td>
<td bgcolor="#999999" nowrap align="center" width="30"><font size="2"
face="verdana">
<INPUT type=text name="sifre" value="<%=Rs("UyeGirisCount")%>"
size="4"></font></td>
<td bgcolor="#999999" nowrap align="center" width="30"><font size="2"
face="verdana">
<INPUT type=text name="SonGiris" value="<%=Rs("UyeEnSonGiris")%>"
size="13"></font></td> </tr>

```

```
<%= RS.movenext
```

```
Next
```

```
END IF
```

```
RS.Close
```

```
Set RS = Nothing %></table>
```

```
<table border="0" width="100%" cellpadding="5" cellspacing="0">
```

```
<tr>
```

```
<td width="100%">
```

```
<p align="center"></td>
```

```
</tr> </table>
```

```
<table border="0" width="100%" bordercolor="#000000" cellpadding="1"
cellpadding="2" height="17">
```

```
<tr>
```

```
<td width="100%" bgcolor="#999999" align="center" height="9"><b>
```

```
<font face="Verdana, Arial, Helvetica, sans-serif" size="2">
```

```
! Toplam Uye Sayimiz : <font color="#ffff"><%=n%></font color> !
```

```
</font>
```

```
</b>
```

```
<form method="POST" action="--WEBBOT-SELF--">
```

```
<!--webbot bot="SaveResults" u-file="fpweb:/// _private/form_results.csv" s-
format="TEXT/CSV" s-label-fields="TRUE" --><p>
```

```

        &nbsp;</p>
    </form>      </td>
</tr>      <tr>
    <td width="100%" bgcolor="#cccccc" align="center" height="1"><font
size="1">
<% FOR j = 1 TO sayfasa
Response.Write "| <a href=admin.asp?uye=" & uye & "& sayfa=" & j & ">" & j & "</a> | "
NEXT %>
</font></td>
    </tr>
</table>
<p>&nbsp;</p>
<p align="center"><font face="Verdana"><b><a href="Admin_default.asp">Ana
Sayfa</a></b></font></p>

```

Visual Basic Server Program

Fmusers(form1.frm)

User Name Search:

Username	Name	Surname	Email	Question	Answer	Sifre	Address	Father Name	DogumTarihi	DogumYeri
Admin	Kaya Can	Tagkaya	kaya@hotmail.com	Admin	Admin	Admin	edejgd	gskogk	1946	gskd
Kara	Can	Anslan	can_arslan@hotmail.com	boşver	yok	1234	Kibris	Mustafa	1978	Samsun
Korhan	Korhan	Tagkaya	korhan@hotmail.com	Mesleğim	Doktor	0147	Ankara	Orhan	1980	Manisa
Saygırt	Saygın	Kurt	saygin_kurt@hotmail.com	Yok	yok	1234	Datca	İsmet	1979	Silifke
Stone	Kaya	Tagkaya	kayacan23@hotmail.com	Dunya Kaç Koge	Bilmem	0147	Ankara	Orhan	1975	Elazığ

CODE:

```
Option Explicit
Private WithEvents Cn As ADODB.Connection
Private WithEvents Rs As ADODB.Recordset
Private Sub cmdClose_Click()
On Error Resume Next
    Unload Me
End Sub
Private Sub CmdDelete_Click()
Dim SqlString As String
Dim Rs As New ADODB.Recordset
    If MsgBox("Confirm deletion of this record. Delete record now?", vbQuestion +
vbYesNo + vbDefaultButton2, "Confirm Delete") = vbYes Then
        SqlString = "Delete from users where uyeKullanicIadi =" &
adcUser.Recordset("uyeKullanicIadi") & ""
        Cn.Execute SqlString
        Call RefreshGrid
    End If
End Sub

Private Sub cmdRefresh_Click()
    Call RefreshGrid
    txtSearch = ""
End Sub
Private Sub CmdSearch_Click()
Dim Wherestring As String, Sstring As String
'On Error Resume Next
    Sstring = Trim(txtSearch)
    Wherestring = " WHERE uyeKullanicIadi LIKE " & Trim(Sstring) & "%' "
    Call RefreshGrid(Wherestring)
End Sub
Private Sub Form_KeyPress(KeyAscii As Integer)
Select Case KeyAscii
```

```

Case vbKeyEscape
    Unload Me
End Select
End Sub
Private Sub Form_Load()
    Set Cn = New ADODB.Connection
    Cn.CursorLocation = adUseClient
    Cn.Open "Provider=Microsoft.Jet.OLEDB.4.0;Persist Security Info=False;Data
Source= " & App.Path & "\Users.mdb"
    Set Rs = New ADODB.Recordset
    Rs.Open "SELECT * From users ORDER BY uyeKullanicidi", Cn, adOpenStatic,
adLockOptimistic
If Rs.EOF = True And Rs.BOF = True Then
    Exit Sub
End If
    Call RefreshGrid
End Sub
Private Sub RefreshGrid(Optional ByVal WhereStr As String)
    Dim strSQL As String
    Dim Rs As New ADODB.Recordset
    On Error Resume Next
        strSQL = "SELECT
uyekullanicidi,uyesifre,uyeadi,uyeSoyadi,uyeEmaili,uyesifresorusu,uyesifresorucevabi
,uyeTelefon,uyeAdres,uyeBabaAdi,uyeYas,UyeDogumYeri,U_TARIHI,SON_TARIH,
UyeHesapNo,UyeHesapDurumu,UyeEnSonGiris,UyeGirisCount "
        strSQL = strSQL + " FROM users"
        If WhereStr <> "" Then
            strSQL = strSQL + WhereStr
        End If
        strSQL = strSQL + " ORDER BY uyeKullanicidi ASC"
    Rs.Open strSQL, Cn, adOpenKeyset, adLockOptimistic
    Set adcUser.Recordset = Rs
    adcUser.Refresh
End Sub

```

Private Sub txtSearchValue_DblClick()

txtSearch = ""

End Sub

Private Sub txtSearchValue_KeyPress(KeyAscii As Integer)

CmdSearch_Click

End Sub

frmRapor(form2.frm)

ID	HavaleYapanName	HavaleYapanHesapNo	HavaleTarihi	HavaleYapilanName	HavaleYapilaninHesapNo
44	Korhan	987654321	06.01.2002 02:4	Kara	123456789
45	Korhan	987654321	07.01.2002 21:4	Kara	123456789
46	Korhan	987654321	09.01.2002 02:4	Kara	123456789
47	Korhan	987654321	09.01.2002 13:4	Kara	123456789
48	Korhan	987654321	09.01.2002 13:4	Kara	123456789
49	Kara	123456789	09.01.2002 23:0	Korhan	987654321
50	Korhan	987654321	10.01.2002 03:4	Kara	123456789
51	Korhan	987654321	10.01.2002 18:4	Kara	123456789
52	Korhan	987654321	10.01.2002 18:4	Kara	123456789
53	Korhan	987654321	11.01.2002 00:4	Kara	123456789
54	Stone	123456798	13.01.2002 19:0	Korhan	987654321

CODE:

Option Explicit

Private WithEvents Cn As ADODB.Connection

Private WithEvents Rs As ADODB.Recordset

Private Sub cmdClose_Click()

On Error Resume Next

```

Unload Me
End Sub
Private Sub CmdDelete_Click()
Dim SqlString As String
Dim Rs As New ADODB.Recordset
    If MsgBox("Confirm deletion of this record. Delete record now?", vbQuestion +
vbYesNo + vbDefaultButton2, "Confirm Delete") = vbYes Then
        SqlString = "Delete from Rapor where ID =" & adcReports.Recordset("ID") &
""
        Cn.Execute SqlString
        Call RefreshGrid
    End If
End Sub
Private Sub cmdRefresh_Click()
    Call RefreshGrid
    txtSearch = ""
End Sub
Private Sub CmdSearch_Click()
Dim Wherestring As String, Sstring As String
'On Error Resume Next
    Sstring = Trim(txtSearch)
    Wherestring = " WHERE ID LIKE " & Trim(Sstring) & "%' "
    Call RefreshGrid(Wherestring)
End Sub
Private Sub dbgReports_Click(Index As Integer)
End Sub
Private Sub Form_KeyPress(KeyAscii As Integer)
Select Case KeyAscii
    Case vbKeyEscape
        Unload Me
End Select
End Sub
Private Sub Form_Load()
    Set Cn = New ADODB.Connection

```

```

Cn.CursorLocation = adUseClient
Cn.Open "Provider=Microsoft.Jet.OLEDB.4.0;Persist Security Info=False;Data
Source= " & App.Path & "\Users.mdb"
Set Rs = New ADODB.Recordset
Rs.Open "SELECT * From Rapor ORDER BY ID", Cn, adOpenStatic,
adLockOptimistic
If Rs.EOF = True And Rs.BOF = True Then
Exit Sub
End If
Call RefreshGrid
End Sub
Private Sub RefreshGrid(Optional ByVal WhereStr As String)
Dim strSQL As String
Dim Rs As New ADODB.Recordset
On Error Resume Next
strSQL = "SELECT
ID,HavaleYapanName,HavaleYapanHesapNo,HavaleTarihi,HavaleMiktari,HavaleYapi
lanName,HavaleYapilaninHesapNo"
strSQL = strSQL + " FROM Rapor"
If WhereStr <> "" Then
strSQL = strSQL + WhereStr
End If
strSQL = strSQL + " ORDER BY ID ASC"
Rs.Open strSQL, Cn, adOpenKeyset, adLockOptimistic
Set adcReports.Recordset = Rs
adcReports.Refresh
End Sub
Private Sub txtSearchValue_DblClick()
txtSearch = ""
End Sub
Private Sub txtSearchValue_KeyPress(KeyAscii As Integer)
CmdSearch_Click
End Sub

```

frmOneri(frmOneri.frm)

Öneriler..

User ID Search:

ID	username	email	dusunceler	Oneri Tarihi
9	can	can_arslan@hotmail.com	kayacom guzle olmus	30.12.2001 15:02:08
12	saygn	saygn@hotmail.com	hala devap vermedimz Ayp yabaaa	30.12.2001 15:31:26
13	saygn	saygn@hotmail.com	oooooooooooooooooooooooooooo	30.12.2001 15:35:24
14	saygn	saygn@hotmail.com	alooo hadi yaaaa deva p verin	30.12.2001 15:35:59
21	korhan	korhan@hotmail.com	helal olsun	09.01.2002 02:40:11
22	Kaya	kaya23@gmx.net		09.01.2002 13:57:38
23	Can	can_arslan@hotmail.com	Tebrik Ederim Siteniz Çok Güzel...	10.01.2002 03:08:13
24	kara	can_arslan@hotmail.com	helal olsun beee	10.01.2002 03:10:48
25				10.01.2002 03:34:46
26	Stone	kaya23@gmx.net	Lutfen yardimc olun..	13.01.2002 19:02:49

Navigation: Havale Reports

Buttons:

CODE :

Option Explicit

Private WithEvents Cn As ADODB.Connection

Private WithEvents Rs As ADODB.Recordset

Private Sub cmdClose_Click()

On Error Resume Next

Unload Me

End Sub

Private Sub CmdDelete_Click()

Dim SqlString As String

Dim Rs As New ADODB.Recordset

If MsgBox("Confirm deletion of this record. Delete record now?", vbQuestion + vbYesNo + vbDefaultButton2, "Confirm Delete") = vbYes Then

SqlString = "Delete from ideas where sonTarih =" & adcideas.Recordset("ID") & ""

Cn.Execute SqlString

```

        Call RefreshGrid
    End If
End Sub
Private Sub cmdRefresh_Click()
    Call RefreshGrid
    txtSearch = ""
End Sub
Private Sub CmdSearch_Click()
    Dim Wherestring As String, Sstring As String
    'On Error Resume Next
    Sstring = Trim(txtSearch)
    Wherestring = " WHERE sonTarih LIKE " + Trim(Sstring) + "%' "
    Call RefreshGrid(Wherestring)
End Sub
Private Sub dbgideas_Click(Index As Integer)
End Sub
Private Sub Form_KeyPress(KeyAscii As Integer)
Select Case KeyAscii
    Case vbKeyEscape
        Unload Me
End Select
End Sub
Private Sub Form_Load()
    Set Cn = New ADODB.Connection
    Cn.CursorLocation = adUseClient
    Cn.Open "Provider=Microsoft.Jet.OLEDB.4.0;Persist Security Info=False;Data
Source= " & App.Path & "\Users.mdb"
    Set Rs = New ADODB.Recordset
    Rs.Open "SELECT * From ideas ORDER BY sonTarih", Cn, adOpenStatic,
adLockOptimistic
    If Rs.EOF = True And Rs.BOF = True Then
        Exit Sub
    End If
    Call RefreshGrid End Sub

```

```

Private Sub RefreshGrid(Optional ByVal WhereStr As String)
Dim strSQL As String
Dim Rs As New ADODB.Recordset
On Error Resume Next
    strSQL = "SELECT ID,username,email,dusunceler,sonTarih"
    strSQL = strSQL + " FROM ideas"
    If WhereStr <> "" Then
        strSQL = strSQL + WhereStr
    End If
    strSQL = strSQL + " ORDER BY sonTarih ASC"
    Rs.Open strSQL, Cn, adOpenKeyset, adLockOptimistic
    Set adcideas.Recordset = Rs
    adcideas.Refresh
End Sub

Private Sub txtSearchValue_DblClick()
    txtSearch = "" End Sub

Private Sub txtSearchValue_KeyPress(KeyAscii As Integer)
    CmdSearch_Click End Sub

```

frmDoviz(Form3.frm)

The screenshot shows a Windows form window titled 'frmDoviz'. Inside the window, there is a data grid with the following columns: ID, ADolarAlis, ADolarSatis, AMarkAlis, AMarkSatis, ISterlinSatis, JYenAlis, and JYenSatis. The first row contains the values: 1, 1416000, 1420000, 1320000, 1325000, 2140000, 65000, and 65200. Below the grid, there is a navigation bar with a 'Doviz Change' label and several navigation buttons (Home, Previous, Next, End). A 'Close' button is located in the bottom right corner of the form.

ID	ADolarAlis	ADolarSatis	AMarkAlis	AMarkSatis	ISterlinSatis	JYenAlis	JYenSatis
1	1416000	1420000	1320000	1325000	2140000	65000	65200


CODE :

```

Private Sub cmdClose_Click()
Unload Me
End Sub Private Sub Form_Load() End Sub

```

frmMain(frmMain.frm)



CODE:

```
Private Sub Command1_Click()  
frmUsers.Show End Sub  
Private Sub Command2_Click()  
frmRapor.Show End Sub  
Private Sub Command3_Click()  
frmDoviz.Show End Sub  
Private Sub Command4_Click()  
frmOneri.Show End Sub  
Private Sub Command5_Click()  
End End Sub  
Private Sub Form_Load()  
End Sub
```

CONCLUSION

I have used ASP technology in order to accomplish this project. The most important aspect of ASP is database management.. All the information and transactions of the member customers have been saved to a database for later processes and references. Also this project guided me to improved my scripting and HTML knowledge.

While designing web interfaces with third party programs such as FrontPage and Dreamweaver that necessarily do not need programming background, but integrating ASP to the HTML codes requires a scripting and background knowledge that leded me to improve my scripting knowledge in web programming.

The most important reason that ASP apealed me is that it is a key to the future while Internet is spreading in every segment of life and millions of people are getting online every day.

In this project, I have established the the fundamentals of ASP and I will be happy to use it in my professional life.

REFERENCES

- [1] Zafer Demirkol, ASP ile Web Programcılığı ve elektronik Ticaret , Pusula Yayıncılık ev İletişim Ltd.
- [2] Faruk Çubukcu, ASP 3.0 ile Veritabanı Yönetimi, Alfa Yayınları
- [3] Stephan Walther, ASP ile E-Ticaret Programcılığı, Sistem Yayıncılık
- [4] Dr. Hakkı Öcal, ASP