



NEAR EAST UNIVERSITY

**FACULTY OF ECONOMICS AND
ADMINISTRIVE SCIENCE**

**DEPARTMENT OF
COMPUTER INFORMATION SYSTEM**


**2002/2003 SPRING TERM
CIS 400
(GRADUATION PROJECT)**

PATIENT FOLLOW-UP

**Submitted To : Dr. Yalçın Akçalı
Miss. Nadire Çavuş**

Submitted By : Khaled Jarrar (980628)

*Nicosia
2003*





CONTENTS

PAGE

i. ACKNOWLEDGMENTS.....	7
ii. ABSTRACT.....	1
iii. INTRODUCTION.....	
iv. EXPLANATION OF THE SYSTEM	
• Data Flow Diagram.....	
• System Block Diagram.....	
• Database Design.....	
v. USER MANUAL	
vi. LIST OF SUBPROGRAMS	
• User Flow Chart.....	
• Source Programs.....	
• Screen Outputs.....	
vii. REFERENCES	

Acknowledgements

Over the time taken to finish this project numerous people have contributed and helped in its development, some have helped indirectly, some encouraged me and some just stood by my side in every possible situation that I faced.

I'd like to start by thanking GOD, for without him nothing is and would have been possible.

Mr. Yalçın AKÇALI, for treating me as a son and giving me advice on various matters.

Mr. Mustafa MENEKAY, for supplying me with the necessary things to finish my project.

And specially Miss. Nadire ÇAVUŞ, for whom I cannot find enough words to describe her, except that I can only say that I am very proud and lucky to have her as my teacher and guide in this university, and I am sure that every student who met her or will meet her will agree with me.

I would also like to thank teachers of the BUSS department for their effort to give us as much as possible of information to aid us in our way in life.

Also my parents, for always being there and encouraging me on every step of my life.

My brothers and specially my big sister, for supporting me in more than one-way in getting my diploma.

Thanks to Tahir BALL and Irfan QURESHI for their help in getting this project completed with their various efforts.

A lot of thanks to Mr. A. Akın Önder for being near me in every problem I faced in this university.

And another special thanks to Alper ÇAVUŞ for trying always to be near me in every way possible, and some time acting to me as a friend and some times as a big brother, a one that its hard for me to pay him back.

And I'd like to thank all those who have helped me knowingly or unknowingly during the time I was working on this project.

Abstract

The objective of this project is to develop a program to aid doctors in their profession and help them in organizing things that are important to them .

This program keeps a database of the patients general and medical information , medicines perscribed, appoitments track , searching and finding information about patients , medicines and appointments depending on predefined criteria.

The program has been made by keeping in mind those doctors who have limited information about computer usage.

Introduction

This program has designed keeping in mind user familiarity, in its terms, consistency as much as possible in every stage, thus making it quite user friendly, which in turn allows it to be easy for advanced users of computers and newbie computer using doctors alike.

There are 8 menus in this programs main menu, each one dealing individually with a specific category. Other than there, there are also the help and exit buttons.

Most of the menus in the main menu have common commands such as add, edit, find, list, delete and report .

The patient record section deals only with the addition of new patients and their general / contact information. Listing of all patients, and other functions such as finding a specific patient using predefined criteria. It also allows the user to update the information about any patient if and when necessary, we also have the possibility to have a quick report of the patients.

The doctor using it also capable of record new appointments and keep track of them.

For medicine, there is a whole section dealing with them. With options of adding details of a new medicine, to finding a medicine according to its name or producer.


If the doctor wants to write a prescription for the patient the doctor will just have to go and fill in the prescription from the main menu.


In case, information is needed on billing it can be found in the accounting section of the program, where the program automatically calculates the amount of money a patient has already paid and how much is due.

In the general search section, the doctor can find everything, from accounting details to patient medical information and appointment schedule all in a more elaborate form, to anything that is in the program. The user can also use the user search options to help the doctor in finding more specific information about the other areas in the program with more combined details about them.

As standard, the program also has a help section that provides the user with information about the developer of the program along with a brief description of the program. It also has the user help manual that provides more detailed information of the program and its usage.

CONTEXT DIAGRAM





PATIENT

PATIENT INFO

1.1
**PATIENT RECORD
PROCESS**

ID INFO

PATIENT ID.DB

ID KONTROL INFO

APPOINTMENT NOTIFY INFO


1.2
**APPOINTMENT
PROCESS**


APPOINTMENT INFO


APPOINTMENT.DB

PERIODIC APP. INFO

PATIENT INFO









Detailed Diagram for Process 3

HASTA TAKIP PROGRAMI



Relationships for hastakip

03 Şubat 2003 Pazartesi



Properties

Date Created:	13.12.2002 07:19:23	Description:	HASTANIN GENEL BÝLGÝLERÝNÝ ÝÇEREN DOSYA
GUID:	Long binary data	Last Updated:	30.01.2003 12:49:44
NameMap:	Long binary data	OrderByOn:	False
Orientation:	0	RecordCount:	30
Updatable:	True		

Columns

Name	Type	Size
HasNo	Long Integer	4
AllowZeroLength: False Attributes: Fixed Size, Auto-Increment Caption: Hstanýn Sýra Numarasý Collating Order: Turkish ColumnHidden: False ColumnOrder: Default ColumnWidth: 2265 Data Updatable: False Description: Hastanýn Numarasý GUID: Long binary data Ordinal Position: 1 Required: False Source Field: HasNo Source Table: hasta bilgileri		
HasKod	Text	50
AllowZeroLength: False Attributes: Variable Length Caption: Hasta Kodu Collating Order: Turkish ColumnHidden: False ColumnOrder: Default ColumnWidth: 1350 Data Updatable: False Description: Hasta Kodu DisplayControl: Text Box Format: > GUID: Long binary data Ordinal Position: 2 Required: True Source Field: HasKod Source Table: hasta bilgileri UnicodeCompression: True		
HasAd	Text	10
AllowZeroLength: False Attributes: Variable Length Caption: Hastanýn Adý Collating Order: Turkish ColumnHidden: False ColumnOrder: Default ColumnWidth: 1350 Data Updatable: False Description: Hastanýn Adý DisplayControl: Text Box Format: >		

	GUID:	Long binary data		
	Ordinal Position:	3		
	Required:	True		
	Source Field:	HasAd		
	Source Table:	hasta bilgileri		
	UnicodeCompression:	True		
HasSoyad			Text	10
	AllowZeroLength:	False		
	Attributes:	Variable Length		
	Caption:	Hastanýn Soyadý		
	Collating Order:	Turkish		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	1695		
	Data Updatable:	False		
	Description:	Hastanýn Soyadý		
	DisplayControl:	Text Box		
	Format:	>		
	GUID:	Long binary data		
	Ordinal Position:	4		
	Required:	True		
	Source Field:	HasSoyad		
	Source Table:	hasta bilgileri		
	UnicodeCompression:	True		
HasBabAd			Text	10
	AllowZeroLength:	True		
	Attributes:	Variable Length		
	Caption:	Hastanýn Baba Adý		
	Collating Order:	Turkish		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	1905		
	Data Updatable:	False		
	Description:	Hastanýn Baba Adý		
	DisplayControl:	Text Box		
	Format:	>		
	GUID:	Long binary data		
	Ordinal Position:	5		
	Required:	False		
	Source Field:	HasBabAd		
	Source Table:	hasta bilgileri		
	UnicodeCompression:	True		
HasAnaAd			Text	10
	AllowZeroLength:	True		
	Attributes:	Variable Length		
	Caption:	Hastanýn Ana Adý		
	Collating Order:	Turkish		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	1785		
	Data Updatable:	False		
	Description:	Hastanýn Ana Adý		
	DisplayControl:	Text Box		
	Format:	>		
	GUID:	Long binary data		
	Ordinal Position:	6		
	Required:	False		
	Source Field:	HasAnaAd		

Source Table:		hasta bilgileri	
UnicodeCompression:		True	
HasCins		Text	10
AllowZeroLength:	False		
Attributes:	Variable Length		
BoundColumn:	1		
Caption:	Hastanýn Cinsiyeti		
Collating Order:	Turkish		
ColumnCount:	1		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1845		
Data Updatable:	False		
Description:	Hastanýn Cinsiyeti		
DisplayControl:	Combo Box		
GUID:	Long binary data		
LimitToList:	True		
ListRows:	8		
ListWidth:	0twip		
Ordinal Position:	7		
Required:	True		
RowSource:	"Erkek";"Kadýn"		
RowSourceType:	Value List		
Source Field:	HasCins		
Source Table:	hasta bilgileri		
UnicodeCompression:	True		
HasMedHal		Text	10
AllowZeroLength:	False		
Attributes:	Variable Length		
BoundColumn:	1		
Caption:	Hastanýn Medeni Hali		
Collating Order:	Turkish		
ColumnCount:	1		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2175		
Data Updatable:	False		
Description:	Hastanýn Medeni Hali		
DisplayControl:	Combo Box		
GUID:	Long binary data		
LimitToList:	True		
ListRows:	8		
ListWidth:	0twip		
Ordinal Position:	8		
Required:	True		
RowSource:	"Evli";"Bekar";"Dul";"Bopanmýp"		
RowSourceType:	Value List		
Source Field:	HasMedHal		
Source Table:	hasta bilgileri		
UnicodeCompression:	True		
HasMes		Text	20
AllowZeroLength:	False		
Attributes:	Variable Length		
Caption:	Hastanýn Mesleði		
Collating Order:	Turkish		
ColumnHidden:	False		

Table: hasta bilgileri

ColumnOrder: Default
ColumnWidth: 1770
Data Updatable: False
Description: Hastanýn Mesleði
DisplayControl: Text Box
Format: >
GUID: Long binary data
Ordinal Position: 9
Required: True
Source Field: HasMes
Source Table: hasta bilgileri
UnicodeCompression: True

HasDomTar Date/Time 8

AllowZeroLength: False
Attributes: Fixed Size
Caption: Hastanýn Doğum Tarihi
Collating Order: Turkish
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2325
Data Updatable: False
Description: Hastanýn Doğum Tarihi
Format: Short Date
GUID: Long binary data
InputMask: 00/00/0000;0;_
Ordinal Position: 10
Required: False
Source Field: HasDomTar
Source Table: hasta bilgileri
ValidationRule: ="«Expr»"<Date()

HasDomYer Text 20

AllowZeroLength: False
Attributes: Variable Length
Caption: Hastanýn Doğum Yeri
Collating Order: Turkish
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2145
Data Updatable: False
Description: Hastanýn Doğum Yeri
DisplayControl: Text Box
Format: >
GUID: Long binary data
Ordinal Position: 11
Required: False
Source Field: HasDomYer
Source Table: hasta bilgileri
UnicodeCompression: True
ValidationRule: Between DateSerial(1900,1,1) And Date()

Adres Memo -

AllowZeroLength: False
Attributes: Variable Length
Caption: Hastanýn Adresi
Collating Order: Turkish
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1920
Data Updatable: False

Description: Hastanýn Adresi
 Format: >
 GUID: Long binary data
 Ordinal Position: 12
 Required: True
 Source Field: Adres
 Source Table: hasta bilgileri
 UnicodeCompression: True

II

Text

20

AllowZeroLength: False
 Attributes: Variable Length
 Caption: Hastanýn Kaldýðý Ýl
 Collating Order: Turkish
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1935
 Data Updatable: False
 Description: Hastanýn Kaldýðý Ýl
 DisplayControl: Text Box
 Format: >
 GUID: Long binary data
 Ordinal Position: 13
 Required: True
 Source Field: II
 Source Table: hasta bilgileri
 UnicodeCompression: True

Ilce

Text

20

AllowZeroLength: False
 Attributes: Variable Length
 Caption: Hastanýn Kaldýðý Ýlçe
 Collating Order: Turkish
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2115
 Data Updatable: False
 Description: Hastanýn Kaldýðý Ýlçe
 DisplayControl: Text Box
 Format: >
 GUID: Long binary data
 Ordinal Position: 14
 Required: True
 Source Field: Ilce
 Source Table: hasta bilgileri
 UnicodeCompression: True

PosKod

Integer

2

AllowZeroLength: False
 Attributes: Fixed Size
 Caption: Hastanýn Posta Kodu
 Collating Order: Turkish
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2115
 Data Updatable: False
 DecimalPlaces: Auto
 Description: Hastanýn Posta Kodu
 DisplayControl: Text Box
 Format: 00000
 GUID: Long binary data

InputMask: 00000
Ordinal Position: 15
Required: True
Source Field: PosKod
Source Table: hasta bilgileri

TelEv Text 20

AllowZeroLength: False
Attributes: Variable Length
Caption: Hastanýn Ev Telefonu
Collating Order: Turkish
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2160
Data Updatable: False
Description: Hastanýn Ev Telefonu
DisplayControl: Text Box
Format: (@@@@)-@@@ @@ @@
GUID: Long binary data
InputMask: \ (0000)"-"000\ 00\ 00
Ordinal Position: 16
Required: True
Source Field: TelEv
Source Table: hasta bilgileri
UnicodeCompression: True

TelIs Text 20

AllowZeroLength: False
Attributes: Variable Length
Caption: Hastanýn Ýp Telefonu
Collating Order: Turkish
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2085
Data Updatable: False
Description: Hastanýn Ýp Telefonu
DisplayControl: Text Box
Format: (@@@@)-@@@ @@ @@
GUID: Long binary data
InputMask: \ (0000)"-"000\ 00\ 00
Ordinal Position: 17
Required: False
Source Field: TelIs
Source Table: hasta bilgileri
UnicodeCompression: True

TelCep Text 50

AllowZeroLength: False
Attributes: Variable Length
Caption: Hastanýn Cep Telefonu
Collating Order: Turkish
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2310
Data Updatable: False
Description: Hastanýn Cep Telefonu
DisplayControl: Text Box
Format: (@@@@)-@@@ @@ @@
GUID: Long binary data
InputMask: \ (0000)"-"000\ 00\ 00
Ordinal Position: 18

	Required:	False		
	Source Field:	TelCep		
	Source Table:	hasta bilgileri		
	UnicodeCompression:	True		
Fax			Text	20
	AllowZeroLength:	False		
	Attributes:	Variable Length		
	Caption:	Hastanýn Fax Numarasý		
	Collating Order:	Turkish		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	2355		
	Data Updatable:	False		
	Description:	Hastanýn Fax Numarasý		
	DisplayControl:	Text Box		
	Format:	(@ @ @ @)-@ @ @ @ @ @ @ @		
	GUID:	Long binary data		
	InputMask:	\(0000")-"000\ 00\ 00		
	Ordinal Position:	19		
	Required:	False		
	Source Field:	Fax		
	Source Table:	hasta bilgileri		
	UnicodeCompression:	True		
Email			Text	50
	AllowZeroLength:	False		
	Attributes:	Variable Length		
	Caption:	Hastanýn E-mail Adresi		
	Collating Order:	Turkish		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	2295		
	Data Updatable:	False		
	Description:	Hastanýn E-mail Adresi		
	DisplayControl:	Text Box		
	GUID:	Long binary data		
	Ordinal Position:	20		
	Required:	False		
	Source Field:	Email		
	Source Table:	hasta bilgileri		
	UnicodeCompression:	True		

Relationships

hasta bilgierihasta muayene bilgileri

hasta bilgileri		hasta muayene bilgileri
HasKod	1	HasKod
Attributes:		Enforced, Cascade Updates, Cascade Deletes
RelationshipType:		One-To-Many

hasta bilgileriilaclar

hasta bilgileri	ilaclar
HasNo	IlacNo
Attributes:	Not Enforced
RelationshipType:	Indeterminate

hasta bilgileriirandevular

hasta bilgileri	randevular
HasKod	1HasKod
Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
hasad	1
Clustered:	False
DistinctCount:	30
Foreign:	False
Ignore Nulls:	False
Name:	hasad
Primary:	False
Required:	False
Unique:	False
Fields:	Ascending
hassoyad	1
Clustered:	False
DistinctCount:	26
Foreign:	False
Ignore Nulls:	False
Name:	hassoyad
Primary:	False
Required:	False
Unique:	False
Fields:	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	30
Foreign:	False
Ignore Nulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	Ascending

User Permissions

admin

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,
Write Definition, Read Data, Insert Data, Update Data, Delete Data**Group Permissions**

Admins

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,
Write Definition, Read Data, Insert Data, Update Data, Delete Data

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,
Write Definition, Read Data, Insert Data, Update Data, Delete Data

Properties

Date Created: 13.12.2002 07:38:03
 GUID: Long binary data
 NameMap: Long binary data
 Orientation: 0
 Updatable: True

Description:

HASTANIN SAĞLIK BİLGİLERİNİN
 İÇEREN DOSYA

Last Updated:
 OrderByOn:
 RecordCount:

26.01.2001 01:40:51
 False
 4

Columns

Name	Type	Size
NO	Long Integer	4
AllowZeroLength:	False	
Attributes:	Fixed Size, Auto-Increment	
Collating Order:	Turkish	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
Data Updatable:	False	
GUID:	Long binary data	
Ordinal Position:	1	
Required:	False	
Source Field:	NO	
Source Table:	hasta muayene bilgileri	
HasKod	Text	50
AllowZeroLength:	False	
Attributes:	Variable Length	
BoundColumn:	1	
Collating Order:	Turkish	
ColumnCount:	1	
ColumnHeads:	True	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	915	
Data Updatable:	False	
Description:	Hastanın Kodu	
DisplayControl:	Combo Box	
Format:	>	
GUID:	Long binary data	
LimitToList:	True	
ListRows:	10	
ListWidth:	0twip	
Ordinal Position:	2	
Required:	True	
RowSource:	hasta kod	
RowSourceType:	Table/Query	
Source Field:	HasKod	
Source Table:	hasta muayene bilgileri	
UnicodeCompression:	True	
HasGrpKod	Text	8
AllowZeroLength:	False	
Attributes:	Variable Length	
Caption:	Hastanın Grup Kodu	
Collating Order:	Turkish	
ColumnHidden:	False	
ColumnOrder:	Default	

Table: hasta muayene bilgileri

ColumnWidth: 2055
 Data Updatable: False
 Description: Hastanýn Grup Kodu
 DisplayControl: Text Box
 Format: >
 GUID: Long binary data
 Ordinal Position: 3
 Required: True
 Source Field: HasGrpKod
 Source Table: hasta muayene bilgileri
 UnicodeCompression: True

HasKanGrp

Text

8

AllowZeroLength: False
 Attributes: Variable Length
 BoundColumn: 1
 Caption: Hastanýn Kan Grupu
 Collating Order: Turkish
 ColumnCount: 1
 ColumnHeads: False
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2055
 ColumnWidths: 1440
 Data Updatable: False
 Description: Hastanýn Kan Grupu
 DisplayControl: Combo Box
 GUID: Long binary data
 LimitToList: True
 ListRows: 8
 ListWidth: 1440twip
 Ordinal Position: 4
 Required: True
 RowSource: "O RH +";"O RH -";"A RH +";"A RH -";"B RH +";"B RH -";"AB RH +";"AB RH -"
 RowSourceType: Value List
 Source Field: HasKanGrp
 Source Table: hasta muayene bilgileri
 UnicodeCompression: True

HasKilo

Byte

1

AllowZeroLength: False
 Attributes: Fixed Size
 Caption: Hastanýn Kilosu
 Collating Order: Turkish
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1620
 Data Updatable: False
 DecimalPlaces: Auto
 Description: Hastanýn Kilosu
 DisplayControl: Text Box
 GUID: Long binary data
 Ordinal Position: 5
 Required: True
 Source Field: HasKilo
 Source Table: hasta muayene bilgileri

HasBoy

Byte

1

AllowZeroLength: False
 Attributes: Fixed Size

Table: hasta muayene bilgileri

Caption:	Hastanýn Boyu
Collating Order:	Turkish
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1515
Data Updatable:	False
DecimalPlaces:	Auto
Description:	Hastanýn Boyu
DisplayControl:	Text Box
GUID:	Long binary data
Ordinal Position:	6
Required:	True
Source Field:	HasBoy
Source Table:	hasta muayene bilgileri

Byte

1

HasYas

AllowZeroLength:	False
Attributes:	Fixed Size
Caption:	Hastanýn Yapý
Collating Order:	Turkish
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1425
Data Updatable:	False
DecimalPlaces:	Auto
Description:	Hastanýn Yapý
DisplayControl:	Text Box
GUID:	Long binary data
Ordinal Position:	7
Required:	True
Source Field:	HasYas
Source Table:	hasta muayene bilgileri

Memo

HasOzsoy

AllowZeroLength:	False
Attributes:	Variable Length
Caption:	Hastanýn Özsoy Geçmişi
Collating Order:	Turkish
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	2430
Data Updatable:	False
Description:	Hastanýn Özsoy Geçmişi
GUID:	Long binary data
Ordinal Position:	8
Required:	False
Source Field:	HasOzsoy
Source Table:	hasta muayene bilgileri
UnicodeCompression:	True

Memo

HasHik

AllowZeroLength:	False
Attributes:	Variable Length
Caption:	Hastanýn Hikayesi
Collating Order:	Turkish
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
Data Updatable:	False
Description:	Hastanýn Hikayesi
GUID:	Long binary data

Table: hasta muayene bilgileri

Ordinal Position: 9
 Required: False
 Source Field: HasHik
 Source Table: hasta muayene bilgileri
 UnicodeCompression: True

HasOntan

Memo

AllowZeroLength: False
 Attributes: Variable Length
 Caption: Hastanýn Öntanýsý
 Collating Order: Turkish
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1815
 Data Updatable: False
 Description: Hastanýn Öntanýsý
 GUID: Long binary data
 Ordinal Position: 10
 Required: False
 Source Field: HasOntan
 Source Table: hasta muayene bilgileri
 UnicodeCompression: True

HasTes

Memo

AllowZeroLength: False
 Attributes: Variable Length
 Caption: Hastanýn Tephisý
 Collating Order: Turkish
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1815
 Data Updatable: False
 Description: Hastanýn Tephisý
 GUID: Long binary data
 Ordinal Position: 11
 Required: False
 Source Field: HasTes
 Source Table: hasta muayene bilgileri
 UnicodeCompression: True

HasTed

Memo

AllowZeroLength: False
 Attributes: Variable Length
 Caption: Hastanýn Tedavisi
 Collating Order: Turkish
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1830
 Data Updatable: False
 Description: Hastanýn Tedavisi
 GUID: Long binary data
 Ordinal Position: 12
 Required: False
 Source Field: HasTed
 Source Table: hasta muayene bilgileri
 UnicodeCompression: True

HasVeIlac

Memo

AllowZeroLength: False
 Attributes: Variable Length
 Caption: Hastaya Verilen Ýlaçlar

Collating Order: Turkish
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2310
 Data Updatable: False
 Description: Hastaya Verilen Ylaçlar
 GUID: Long binary data
 Ordinal Position: 13
 Required: False
 Source Field: HasVeIlac
 Source Table: hasta muayene bilgileri
 UnicodeCompression: True

HasTah

Memo

AllowZeroLength: False
 Attributes: Variable Length
 Caption: Hastanın Tahlilleri
 Collating Order: Turkish
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 1890
 Data Updatable: False
 Description: Hastanın Tahlilleri
 GUID: Long binary data
 Ordinal Position: 14
 Required: False
 Source Field: HasTah
 Source Table: hasta muayene bilgileri
 UnicodeCompression: True

Relationships**hasta bilgierihasta muayene bilgileri**

hasta bilgieri	hasta muayene bilgieri
HasKod	HasKod
Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
HasGrpKod	1
Clustered:	False
DistinctCount:	2
Foreign:	False
Ignore Nulls:	False
Name:	HasGrpKod
Primary:	False
Required:	False
Unique:	False
Fields:	Ascending
HasKod	1
Clustered:	False
DistinctCount:	4
Foreign:	False

Table: hasta muayene bilgileri

Ignore Nulls:	False
Name:	HasKod
Primary:	False
Required:	False
Unique:	False
Fields:	Ascending
hasta bilgileri	1
hasta muayene bilgileri	1
Clustered:	False
DistinctCount:	4
Foreign:	True
Ignore Nulls:	False
Name:	hasta bilgileri
Primary:	False
Required:	False
Unique:	False
Fields:	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	4
Foreign:	False
Ignore Nulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	Ascending

User Permissions

admin

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

Group Permissions

Admins

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

Properties

Date Created:	13.12.2002 07:48:22	Description:	ILAÇLAR HAKINDAKÝ BÝLGÝLERÝ ÝÇEREN DOSYA
GUID:	Long binary data	Last Updated:	25.01.2001 18:14:21
NameMap:	Long binary data	OrderByOn:	False
Orientation:	0	RecordCount:	11
Updatable:	True		

Columns

Name	Type	Size
IlacNo AllowZeroLength: False Attributes: Fixed Size, Auto-Increment Collating Order: Turkish ColumnHidden: False ColumnOrder: Default ColumnWidth: Default Data Updatable: False Description: Ýlaçýn Numarasý GUID: Long binary data Ordinal Position: 1 Required: False Source Field: IlacNo Source Table: ilaclar	Long Integer	4
IlacKod AllowZeroLength: False Attributes: Variable Length Caption: Ýlaçýn Kodu Collating Order: Turkish ColumnHidden: False ColumnOrder: Default ColumnWidth: Default Data Updatable: False Description: Ýlaçýn Kodu DisplayControl: Text Box Format: > GUID: Long binary data Ordinal Position: 2 Required: True Source Field: IlacKod Source Table: ilaclar UnicodeCompression: True	Text	10
IlacAd AllowZeroLength: False Attributes: Variable Length Caption: Ýlaçýn Adý Collating Order: Turkish ColumnHidden: False ColumnOrder: Default ColumnWidth: Default Data Updatable: False Description: Ýlaçýn Adý DisplayControl: Text Box Format: > GUID: Long binary data	Text	20

```
Ordinal Position:      3
Required:              True
Source Field:          IlacAd
Source Table:          ilaclar
UnicodeCompression:    True
```

IlacUrtFrm	Text	20
AllowZeroLength:	False	
Attributes:	Variable Length	
Caption:	Ýlaçý Üreten Fýrma	
Collating Order:	Turkish	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
Data Updatable:	False	
Description:	Ýlaçý Üreten Fýrma	
DisplayControl:	Text Box	
Format:	>	
GUID:	Long binary data	
Ordinal Position:	4	
Required:	True	
Source Field:	IlacUrtFrm	
Source Table:	ilaclar	
UnicodeCompression:	True	
IlacOzlk	Memo	
AllowZeroLength:	False	
Attributes:	Variable Length	
Caption:	Ýlaçýn Özelliikleri	
Collating Order:	Turkish	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
Data Updatable:	False	
Description:	Ýlaçýn Özelliikleri	
GUID:	Long binary data	
Ordinal Position:	5	
Required:	False	
Source Field:	IlacOzlk	
Source Table:	ilaclar	
UnicodeCompression:	True	
IlacKlnm	Memo	
AllowZeroLength:	False	
Attributes:	Variable Length	
Caption:	Ýlaçýn Kulaným Bekli	
Collating Order:	Turkish	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
Data Updatable:	False	
Description:	Ýlaçýn Kulaným Bekli	
GUID:	Long binary data	
Ordinal Position:	6	
Required:	False	
Source Field:	IlacKlnm	
Source Table:	ilaclar	
UnicodeCompression:	True	

Relationships

hasta bilgileriilaclar

hasta bilgileri	ilaclar
HasNo	IlacNo
Attributes:	Not Enforced
RelationshipType:	Indeterminate

Table Indexes

Name	Number of Fields
IlacAd	1
Clustered:	False
DistinctCount:	11
Foreign:	False
Ignore Nulls:	False
Name:	IlacAd
Primary:	False
Required:	False
Unique:	False
Fields:	Ascending
IlacUrtFrm	1
Clustered:	False
DistinctCount:	11
Foreign:	False
Ignore Nulls:	False
Name:	IlacUrtFrm
Primary:	False
Required:	False
Unique:	False
Fields:	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	11
Foreign:	False
Ignore Nulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	Ascending

User Permissions

admin	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
-------	--

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Users	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

Properties

Date Created:	14.01.2003 08:01:05	Description:	HASTALARIN MUHASEBE BÝLGÝLERÝNÝ ÝÇEREN DOSYA
GUID:	Long binary data	Last Updated:	28.01.2003 19:59:11
NameMap:	Long binary data	OrderByOn:	False
Orientation:	0	RecordCount:	2
Updatable:	True		

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength:	False	
Attributes:	Fixed Size, Auto-Increment	
Collating Order:	Turkish	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
Data Updatable:	False	
GUID:	Long binary data	
Ordinal Position:	1	
Required:	False	
Source Field:	ID	
Source Table:	muhasebe	
MuhKod	Text	10
AllowZeroLength:	False	
Attributes:	Variable Length	
Collating Order:	Turkish	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
Data Updatable:	False	
Description:	Hastanýn Muhasebe Kodu	
DisplayControl:	Text Box	
GUID:	Long binary data	
Ordinal Position:	2	
Required:	True	
Source Field:	MuhKod	
Source Table:	muhasebe	
UnicodeCompression:	True	
HasKod	Text	10
AllowZeroLength:	False	
Attributes:	Variable Length	
BoundColumn:	1	
Collating Order:	Turkish	
ColumnCount:	1	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
Data Updatable:	False	
Description:	Hastanýn Kodu	
DisplayControl:	Combo Box	
GUID:	Long binary data	
LimitToList:	False	
ListRows:	10	

	ListWidth:	0twip		
	Ordinal Position:	3		
	Required:	True		
	RowSource:	hasta kod		
	RowSourceType:	Table/Query		
	Source Field:	Haskod		
	Source Table:	muhasebe		
	UnicodeCompression:	True		
Borc			Currency	8
	AllowZeroLength:	False		
	Attributes:	Fixed Size		
	Collating Order:	Turkish		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	Data Updatable:	False		
	DecimalPlaces:	Auto		
	Description:	Hastanýn Borç Mýktarý		
	Format:	###0.00" TL";-###0.00" TL"		
	GUID:	Long binary data		
	Ordinal Position:	4		
	Required:	False		
	Source Field:	Borc		
	Source Table:	muhasebe		
Odeme			Currency	8
	AllowZeroLength:	False		
	Attributes:	Fixed Size		
	Collating Order:	Turkish		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	Data Updatable:	False		
	DecimalPlaces:	Auto		
	Description:	Hastanýn Odeme Mýktarý		
	Format:	###0.00" TL";-###0.00" TL"		
	GUID:	Long binary data		
	Ordinal Position:	5		
	Required:	False		
	Source Field:	Odeme		
	Source Table:	muhasebe		
Alacak			Currency	8
	AllowZeroLength:	False		
	Attributes:	Fixed Size		
	Collating Order:	Turkish		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	Data Updatable:	False		
	DecimalPlaces:	Auto		
	Description:	Hastanýn Alacak Mýktarý		
	Format:	###0.00" TL";-###0.00" TL"		
	GUID:	Long binary data		
	Ordinal Position:	6		
	Required:	False		
	Source Field:	Alacak		
	Source Table:	muhasebe		
Bakiye			Currency	8

AllowZeroLength:	False
Attributes:	Fixed Size
Collating Order:	Turkish
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
Data Updatable:	False
DecimalPlaces:	Auto
Description:	Hastanýn Bakiye Mýktarý
Format:	#,##0.00" TL";-#,##0.00" TL"
GUID:	Long binary data
Ordinal Position:	7
Required:	False
Source Field:	Bakiye
Source Table:	muhasebe

Table Indexes

Name	Number of Fields
HasKod	1
Clustered:	False
DistinctCount:	1
Foreign:	False
Ignore Nulls:	False
Name:	HasKod
Primary:	False
Required:	False
Unique:	False
Fields:	Ascending
MuhKod	1
Clustered:	False
DistinctCount:	2
Foreign:	False
Ignore Nulls:	False
Name:	MuhKod
Primary:	False
Required:	False
Unique:	False
Fields:	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	2
Foreign:	False
Ignore Nulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	Ascending

User Permissions

admin	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
-------	--

Group Permissions

Admins	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Users	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

Properties

Date Created: 13.12.2002 07:40:59

GUID: Long binary data

NameMap: Long binary data

Orientation: 0

Updatable: True

Description:

HASTALARIN RANDEVU
BÝLGÝLERÝNÝ ÝÇEREN DOSYA

Last Updated:

26.01.2003 02:31:15

OrderByOn:

False

RecordCount:

11

Columns

Name

Type

Size

RndvNO

Long Integer

4

AllowZeroLength:

False

Attributes:

Fixed Size, Auto-Increment

Collating Order:

Turkish

ColumnHidden:

False

ColumnOrder:

Default

ColumnWidth:

Default

Data Updatable:

False

Description:

Randevu Numarasý

GUID:

Long binary data

Ordinal Position:

1

Required:

False

Source Field:

RndvNO

Source Table:

randevular

HasKod

Text

50

AllowZeroLength:

False

Attributes:

Variable Length

BoundColumn:

1

Caption:

Hasta Kodu

Collating Order:

Turkish

ColumnCount:

1

ColumnHeads:

False

ColumnHidden:

False

ColumnOrder:

Default

ColumnWidth:

Default

Data Updatable:

False

Description:

Hastanýn Kodu

DisplayControl:

Combo Box

Format:

>

GUID:

Long binary data

LimitToList:

False

ListRows:

8

ListWidth:

0twip

Ordinal Position:

2

Required:

True

RowSource:

hasta kod

RowSourceType:

Table/Query

Source Field:

HasKod

Source Table:

randevular

UnicodeCompression:

True

KayKod

Text

10

AllowZeroLength:

False

Attributes:

Variable Length

Caption:

Hastanýn Randevu Kodu

Collating Order:

Turkish

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2430
 Data Updatable: False
 Description: Hastanýn Randevu Kodu
 DisplayControl: Text Box
 GUID: Long binary data
 Ordinal Position: 3
 Required: True
 Source Field: KayKod
 Source Table: randevular
 UnicodeCompression: True

RndvTar

Date/Time

8

AllowZeroLength: False
 Attributes: Fixed Size
 Caption: Hastanýn Randevu Tarihi
 Collating Order: Turkish
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2490
 Data Updatable: False
 Description: Hastanýn Randevu Tarihi
 Format: Short Date
 GUID: Long binary data
 InputMask: 00,00,0000;0;_
 Ordinal Position: 4
 Required: True
 Source Field: RndvTar
 Source Table: randevular

RndvSaat

Date/Time

8

AllowZeroLength: False
 Attributes: Fixed Size
 Caption: Hastanýn Randevu Saati
 Collating Order: Turkish
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2430
 Data Updatable: False
 Description: Hastanýn Randevu Saati
 Format: Short Time
 GUID: Long binary data
 InputMask: 00:00;0;_
 Ordinal Position: 5
 Required: True
 Source Field: RndvSaat
 Source Table: randevular
 ValidationRule: Between TimeSerial(8,0,0) And TimeSerial(18,0,0)

RndvKon

Memo

-

AllowZeroLength: False
 Attributes: Variable Length
 Caption: Hastanýn Randevu Konusu
 Collating Order: Turkish
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2640
 Data Updatable: False
 Description: Hastanýn Randevu Konusu
 GUID: Long binary data

Ordinal Position: 6
 Required: False
 Source Field: RndvKon
 Source Table: randevular
 UnicodeCompression: True

Relationships**hasta bilgilerirandevular**

hasta bilgileri		randevular
HasKod	1	HasKod

Attributes: Enforced, Cascade Updates, Cascade Deletes
 RelationshipType: One-To-Many

Table Indexes

Name	Number of Fields
HasKod	1
Clustered:	False
DistinctCount:	8
Foreign:	False
Ignore Nulls:	False
Name:	HasKod
Primary:	False
Required:	False
Unique:	False
Fields:	Ascending
hasta bilgilerirandevular	1
Clustered:	False
DistinctCount:	8
Foreign:	True
Ignore Nulls:	False
Name:	hasta bilgilerirandevular
Primary:	False
Required:	False
Unique:	False
Fields:	Ascending
kaykod	1
Clustered:	False
DistinctCount:	11
Foreign:	False
Ignore Nulls:	False
Name:	kaykod
Primary:	False
Required:	False
Unique:	True
Fields:	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	11
Foreign:	False
Ignore Nulls:	False
Name:	PrimaryKey

	Primary:	True
	Required:	True
	Unique:	True
	Fields:	Ascending
rndvsaat		1
	Clustered:	False
	DistinctCount:	11
	Foreign:	False
	Ignore Nulls:	False
	Name:	rndvsaat
	Primary:	False
	Required:	False
	Unique:	True
	Fields:	Ascending
rndvtar		1
	Clustered:	False
	DistinctCount:	3
	Foreign:	False
	Ignore Nulls:	False
	Name:	rndvtar
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	Ascending

User Permissions

admin

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

Group Permissions

Admins

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

	Primary:	True
	Required:	True
	Unique:	True
	Fields:	Ascending
rndvsaat		1
	Clustered:	False
	DistinctCount:	11
	Foreign:	False
	Ignore Nulls:	False
	Name:	rndvsaat
	Primary:	False
	Required:	False
	Unique:	True
	Fields:	Ascending
rndvtar		1
	Clustered:	False
	DistinctCount:	3
	Foreign:	False
	Ignore Nulls:	False
	Name:	rndvtar
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	Ascending

User Permissions

admin

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

Group Permissions

Admins

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

Users

Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

Properties

AccessVersion:	08.50	Auto Compact:	1
Build:	2719	Collating Order:	Turkish
Four-Digit Year	0	Log Name AutoCorrect	1
Perform Name	1	QueryTimeout:	60
RecordsAffected:	0	Row Limit:	10000
Show Values in Indexed:	1	Show Values in	1
Show Values in Remote:	1	Show Values in Server:	0
Show Values in	1	Show Values Limit:	1000
Track Name AutoCorrect	1	Transactions:	True
Updatable:	True	Version :	4.0

User Permissions

admin

Group PermissionsAdmins
Users

Relationships

hasta bilgierihasta muayene bilgieri

hasta bilgieri		hasta muayene bilgieri
HasKod	1	HasKod
Attributes:		Enforced, Cascade Updates, Cascade Deletes
RelationshipType:		One-To-Many

hasta bilgieriilaclar

hasta bilgieri		ilaclar
HasNo		IlacNo
Attributes:		Not Enforced
RelationshipType:		Indeterminate

hasta bilgierirandevular

hasta bilgieri		randevular
HasKod	1	HasKod
Attributes:		Enforced, Cascade Updates, Cascade Deletes
RelationshipType:		One-To-Many

Table of Content

Part I - Basic Introduction & Main Interface

[Chapter 1 - Basic Information](#)

[Chapter 2 - Main Interface Information](#)

Part II - Detailed Help For All Features

[Chapter 1 - Hasta Kayit](#)

[Chapter 2 - Hasta Muayene](#)

[Chapter 3 - Randevular](#)

[Chapter 4 - Ilacilar](#)

[Chapter 5 - Recetler](#)

[Chapter 6 - Muhasebe](#)

[Chapter 7 - Arama](#)

Part III - Reference

[Appendix](#)

[Index](#)

Khalid

Near East Univeristy

Revised: January 13, 2003.

[Go Back To Table Of Contents](#)

Part II - Detailed Help For All Features

Chapter 7 - Arama

Over here you can search or find anything that you want to from any of the databases of Hasta Takip.




Image Paragraph

İL AÇ ARAMA

İlaçın Kodu:	1001	İL AÇ ADI	
İlaçın Adı:	Imodium	ÜRETİCİ FIRMA	
İlaç Üreten Firma:	Janssen Pharmaceutic		
İlaçın Özellikleri:	Take twice a day, two capsules each time.		
İlaçın Kullanım Şekli:	Take twice a day, two capsules each time.		

KAPAT

Record: 1

This is the Medicine Search

MUHASEBE

HASTA

Hasta Kodu: 12231

Hastanın Adı: ADEEB

Hastanın Soyadı: RASOULNA

Hastanın Adresi: GIZA, EYGPT,
EARTH
MILKY WAY,
SOLAR SYSTEM

Hastanın Kaldığı İl: ISTANBUL

Hastanın Kaldığı İlçe: ANKARA

Hastanın Posta Kodu: 1333

Hastanın Ev Telefonu: (0533)-945 27 58

Hastanın İş Telefonu:

Hastanın Cep Telefonu:

Hastanın Faks Numarası:

Hastanın E-mail Adresi: adeeb_alive@hotmail.c

HASTA

HESAB

MuhKod: 1211

HesKod: 12231

Borc: 200.000,00 TL

KAPAT

Accounting Search

Hasta Kodu	Hastanın Randevu No	Hastanın Randevu Tarihi	Hastanın Randevu Saati	Hastanın Randevu Konusu
12345	15784	1/26/2003	2:11	lojistik gkiygh

Hasta Kodu	Hastanın Adı	Hastanın Soyadı	Hastanın Cinsiyeti	Hastanın Medeni Hali
12345	VICTORIA	DANTE	Kadın	Bekar

KAPAT

Record: 1 of 11

Appointment Search

HASTA

ARAMA

KAPAT

HASTA GENEL BİLGİLERİ

Hastanın Sıra Numarası: 12231

Hasta Kodu: ADEEB

Hastanın Adı: RASOLINA

Hastanın Soyadı: AHMAD

Hastanın Baba Adı: BURCU

Hastanın Cinsiyeti: Erkek

Hastanın Medeni Hali: Bekar

Hastanın Mesleği: student

Hastanın Doğum Tarihi: 11/25/1975

Hastanın Doğum Yeri: GIZA

Hastanın Adresi: GIZA, EYGPT,
EARTH
MILKY WAY,
SCAR SYSTEM

Hastanın Kaldığı İl: ISTANBUL

Hastanın Kaldığı İlçe: ANKARA

Hastanın Posta Kodu: 1333

Hastanın Ev Telefonu: (0533)-845 27 53

Hastanın İş Telefonu:

Hastanın Cep Telefonu:

Hastanın Fax Numarası:

Hastanın E-mail Adresi: adeeb_alive@hotmail.c

HASTA MUAYENE BİLGİLERİ

HastKod: 12231

Hastanın Özsoy Geçmiş: blah blah :) :P :d
)6)... yada yada
yada yok mu?
Gııııııııı? Nasıl

Hastanın Teşhisi: 2 y :
p o
e d

Patient Search


Also See:

[Arama Button Details](#)

Arama Button Details

As you must already know from the previous help file pages that the Arama section of Hasta Takip deals with all the finds and searches within it, with more detail and more elegantly.

The buttons on the Arama Menu take you to specific places within Hasta Takip. The Detailed Explanation of each button is as follows:



The Buttons, as can be seen have been labelled as 1,2,3... now on to their individual details:

1. Hasta Arama: This is where you perform a search on the Patient database within Hasta Takip. It gives all the details about any patient selected at that moment, ranging from muayene details to randevular.
2. Hesap Arama: This is where you can find all the details about any hesap that was ever recorded in the program. the details shown here are far more than the ones that can be seen from the Muhasebe bul.
3. Randevu Arama: This is where you can see the details about a patient (patient code, name, surname, place and date of birth at cetera). the details shown here are specifically shown as not all teh details are needed, since showing all the details will effect memory.
4. Ilac Arama: here after choosing the right medicine, you can once again, see a rather large amount of information in one space.
5. Ana Menü: you can use this to go back to teh Main Menu.

Part I - Basic Introduction & Main Interface

Basic Information

General Usage

'Hasta Takip Programı' is designed to make any doctor's work effortless. It helps in keeping track of almost all the data that is needed.

All the features in Hasta Takip are similar to each other so that user-friendliness is maintained and not much effort and time is needed to be spent while learning how to use Hasta Takip.

Usability

Using Hasta Takip as a replacement for your paper files will

- Eliminate the use of a lot of paper for making Patient Files
- Significantly decrease the amount of time and effort that are put into organizing files, appointments, medicine details and perscritopn details.
- Provide you with a way to highly concentrate your energy on your work and at the same time provide you with all the details that you need at your finger tips.

Versatility

Hasta Takip program when compared to others like it in the market, is far more user-friendly, streamlined for almost all types of computer users, is fast and quite efficient.

you don't need much of a computer using background to be able to work with it. It has been developed while at the same time keeping in mind professional and novice users.

Hasta Takip can do a lot of things ranging from:

- Register New Patients
- Patient Examination Records
- Appointment setting
- Medicine Detail Recording
- Patient Prescriptions
- Accounting Calculations
- Searches and Finds
- Ordered Reports


How Do I use 'Hasta Takip Programı' ?

How To Install Hasta Takip?

To Install Hasta Takip Program, First of all, you have to copy it to your computer, after you have copied it, click on the installation file on the desktop



This is the Installation Package. You have to double-click (using teh Left-Mouse-Button) it. When you do so, you will get an installation screen.



Here you choose the Directory (Place in your computer) where you want to install teh files necessary.

After you have chosen the directory, press Install.



After the Installation is complete. Once again double-click on the newly formed Shortcut. This will lead you to the Main Menu of the Program.

'Hasta Takip Programi' s interface is designed to get you up and running quickly without a substantial learning curve. Its interface has been streamlined to make it simple for the novice, yet intuitive and uncluttered for the professional.

'Hasta Takip' arranges the interface and menus in a logic, conservative manner.

The main menu of 'Hasta Takip' is divided into a few keys sub menus which give you access to the other things are related to each menu.

HASTA TAKIP PROGRAMI



HASTA KAYIT

MUHASEBE

HASTA MUAYENE

ARAMA

RANDEVULAR

RAPORLAR

İLAÇLAR

YARDIM

REÇETELER

ÇIKIŞ


[Go Back To Table Of Contents](#)

Part II - Detailed Help For All Features

Chapter 1 - Hasta Kayit

This menu strictly deals only with things related to patients. You Have a choice of doing many things

1. Entering a new Patient
2. Viewing a Patient List
3. Updating a Patient's details
4. Find a Patient
5. Delete a Patient's Details
6. See Reports



HASTA BİLGİLERİ

Hastanın Sıra Numarası	31	Hastanın Adresi	
Hasta Kodu			
Hastanın Adı	Khalid	Hastanın Kaldığı İl	
Hastanın Soyadı		Hastanın Kaldığı İlçe	
Hastanın Baba Adı		Hastanın Posta Kodu	0000
Hastanın Ana Adı		Hastanın Ev Telefonu	
Hastanın Cinsiyeti		Hastanın İş Telefonu	
Hastanın Medeni Hali		Hastanın Cep Telefonu	
Hastanın Mesleği		Hastanın Fax Numarası	
Hastanın Doğum Tarihi		Hastanın E-mail Adresi	
Hastanın Doğum Yeri			

KAYDET **KAPAT**

Record: 1 of 1

Register a new patient by entering her/his Details.

HASTA LİSTESİ						
Hasta Kodu	Hastanın Adı	Hastanın Soyadı	Hastanın Cinsiyeti	Hastanın Medeni Hali	Hastanın Doğum Tarihi	Hastanın Doğum Yeri
12301	ADEEB	RASOUNA	Erkek	Bekar	11/25/1975	GIZA
12310	ATIYA	HAIDER	Erkek	Bekar	10/9/1977	ISLAMABAD
12342	CUNEYT	SEKER	Erkek	Bekar	11/23/1979	ISTANBUL
12343	YASMINE	YILMAZ	Kadin	Bekar	10/11/1983	ANKARA
12344	WAQAS	AHMED	Erkek	Bekar	12/15/1983	JEDDAH
12345	MAIRIAM	HANIM	Kadin	Bekar	1/25/1983	DALLAS
12346	VICTORIA	DANTE	Kadin	Bekar	1/25/1982	OHIO
12347	MEHMOOD	KHALID	Erkek	Bekar	1/25/1975	SUDAN
12348	IRFAN	QURESHI	Erkek	Bekar	6/9/1983	JEDDAH
						KAPAT
Record: 1 of 30						

See a patient list, to be able to see details
Of individual patients simultaneously.

hasta bilgileri Oğru

Hastanın Sıra Numarası	2	Hastanın Adresi	EARTH.MILKY WAY, STAR 1902
Hasta Kodu	12346		
Hastanın Adı	VICTORIA		
Hastanın Soyadı	DANTE	Hastanın Kaldığı İl	ISTANBUL
Hastanın Baba Adı	Alexander	Hastanın Kaldığı İlçe	ANKARA
Hastanın Ana Adı	ALEXIS	Hastanın Posta Kodu	1432
Hastanın Cinsiyeti	Kadın	Hastanın Ev Telefonu	(0966)-673 16 76
Hastanın Medeni Hali	Bekar	Hastanın İş Telefonu	
Hastanın Mesleği	Student	Hastanın Cep Telefonu	
Hastanın Doğum Tarihi	1/25/1982	Hastanın Faks Numarası	
Hastanın Doğum Yeri	OHIO	Hastanın E-mail Adresi	vicad_one@hotmail.com
KAPAT			

Update any Patient's details that were Entered by finding her/him using a simple Find... either by putting in the patient's

1. Code
2. Name
3. Surname

You can also enter all three to get the Details about that specific patient.

Hasta Bilgileri Query

Hastanın Sıra Numarası	13	Hastanın Adresi	GIZA, EYGPT, EARTH MILKY WAY, SOLAR SYSTEM
Hasta Kodu	12231		
Hastanın Adı	ADEEB		
Hastanın Soyadı	RASOUNI	Hastanın Kaldığı İl	ISTANDUL
Hastanın Baba Adı	ahmad	Hastanın Kaldığı İlçe	ANKARA
Hastanın Ana Adı	BURCU	Hastanın Posta Kodu	1333
Hastanın Cinsiyeti	Erkek	Hastanın Ev Telefonu	(0533)-845 27 58
Hastanın Medeni Hali	Bekar	Hastanın İş Telefonu	
Hastanın Mesleği	student	Hastanın Cep Telefonu	
Hastanın Doğum Tarihi	11/25/1975	Hastanın Fax Numarası	
Hastanın Doğum Yeri	GIZA	Hastanın E-mail Adresi	adeeb_alive@hotmail.com

KAPAT

While you are viewing the patient's details
You can edit any entry about the patient.

hasta bilgileri

Hastanın Sıra Numası 13
Hasta Kodu 12231
Hastanın Adı ADEEB
Hastanın Soyadı RASOUNA
Hastanın Baba Adı AHMAD
Hastanın Ana Adı BURCU
Hastanın Cinsiyeti Erkek
Hastanın Medeni H Bekar
Hastanın Mesleği STUDENT
Hastanın Doğum T 11/25/1975
Hastanın Doğum Y GIZA
Hastanın Adresi GIZA, EYGPT, EARTH
MILKY WAY, SOLAR SYSTEM
Hastanın Kaldığı İl İSTANDUL
Hastanın Kaldığı İl ANKARA


Page:

1

Ready

NUM

When a report is needed to be printed,
Just click on the report button to get a
Printable Report ready with all the details.




Also See:

[Hasta Kayit Button Details](#)

The Hasta Kayit button is used to register the details of the Hasta Kayit system. It is a button that is used to register the details of the Hasta Kayit system.

The Hasta Kayit button is used to register the details of the Hasta Kayit system. It is a button that is used to register the details of the Hasta Kayit system.



For more information, please contact the system administrator.

For more information, please contact the system administrator.


For more information, please contact the system administrator.

For more information, please contact the system administrator.

Hasta Kayit Button Details

As you must already know from the previous help file pages that the Hasta Kayit section of Hasta Takip deals with all the patients within it, with more detail and more elegantly.

The buttons on the Hasta Kayit Menu take you to specific places within Hasta Takip. The Detailed Explanation of each button is as follows:



The Buttons, as can be seen have been labelled as 1,2,3... now on to their individual details:


1. **Yeni Hasta:** When a new patient arrives, you can register her/him by making a file for them, for that, you need to use this option.
2. **Hasta Listele:** this is a good way to see a list of all the patients that you have seen before.
3. **Hasta Guncelle:** If some corrections or modifications are needed to be made in a patient's details, use this option.
4. **Ana Menu:** This option exits you from the current menu.
5. **Hasta Bul:** if you need to find more about a certain patient, easily and quickly, then using this option within Hasta Takip, you can easily do that.
6. **Hasta Sil:** This is the delete feature within Hasta Kayit.
7. **Rapor:** in order to get a printable version of reports, you can use this option to see, print and read any report related to patients only, if you want.

[Go Back To Table Of Contents](#)

Part II - Detailed Help For All Features

Chapter 2 - Hasta Muayene

This section deals with patient examinations. Once again, like mentioned before, all the features within this Menu are similar to the others in other menus.



Hasta Muayene Biletleri

HASTA MUAYENE BİLGİLERİ

NO:	AutoNumber	Hastanın Özsoy Geçmişi		Hastanın Teşhisi	
Hasta Kodu:					
Hastanın Grup Kodu		Hastanın Hikayesi		Hastanın Tedavisi	
Hastanın Kan Grubu					
Hastanın Kilosu	0	Hastanın Öntanısı		Hastaya Verilen İlaçlar	
Hastanın Boyu	0				
Hastanın Yaşı	0	Hastanın Tahlilleri			

KAYDET

KAFAT

Record: 1 of 1

To record a new examination of a patient, just click on Yeni Muayene.

HasKod	Hastanın Grup Kodu	Hastanın Kan Grubu	Hastanın Kilosu	Hastanın Boyu	Hastanın Yaşı
12231	DM	B RH +	55	181	21
12310	DM	A RH +	45	173	19
12343	VM	AB RH +	65	171	19
12347	DM	A RH +	56	181	19
KAPAT					

There is also a list available if you want to see the list of examination.

hasta muayene bilgileri Query

HASTA MUAYENE

HastKod		Hastanın Özsoy Geçmişi		Hastanın Teşhisi	
Hastanın Grup Kodu				Hastanın Tedavisi	
Hastanın Kan Grubu		Hastanın Hikayesi		Hastaya Verilen İlaçlar	
Hastanın Kilosu					
Hastanın Boyu		Hastanın Öntanısı			
Hastanın Yaşı		Hastanın Tahilleri			

KAPAT

The update feature allows you to correct or change any things about a patient examination that you thought about later on.

Hasta Muayene Bilgileri Query

HASTA MUAYENE

HastKod	12231	Hastanın Özsoy Geçmişi	blah blah :) P : d)6)l yada yada yada yok mu? Gunaidin? Nasil sin?	Hastanın Teşhisi	zyxwvutsrqpo nmikjihgfedc ba
Hastanın Grup Kodu	DM	Hastanın Hikayesi	biyyormusun? Bugun chuk sojak!	Hastanın Tedavisi	abcdefghijkl mnopqrstuvw xyz
Hastanın Kan Grubu	B RH +	Hastanın Ontanisi	abcdefghijkl mnopqrstuvw xyz	Hastaya Verilen İlaçlar	Il ben en guzell Ama kuzu kuzu
Hastanın Kilosu	55	Hastanın Tahitileri	abcdefghijkl mnopqrstuvw xyz		
Hastanın Boyu	181				
Hastanın Yaşı	21				

KAPAT

In the Find part of the Hasta Muayene menu, you can find details about any examination of any patient that you forgot about.

Microsoft Access - [hasta muayene bilgileri]

File Edit View Tools Window Help

100% Close Setup

hasta muayene bilgileri

NO	1
HasKod	12231
Hastanın Grup Ko	DM
Hastanın Kan Gru	B RH+
Hastanın Kilosu	55
Hastanın Boyu	181
Hastanın Yaşı	21
Hastanın Özsoy G	blah blah :) :P :d)6)... yada yada yada yok mu? Gunaid Nasil sin?
Hastanın Hikayesi	biliyormusun? Bugun chuk sojak!
Hastanın Öntanısı	abcdefghijklmnopqrstuvwxyz
Hastanın Teşhisi	zyxwvutsrqponmlkjihgfedcba
Hastanın Tedavisi	abcdefghijklmnopqrstuvwxyz

Page: 1 Ready NUM

A report is also available here, just like in other menus and functions within our program. You cannot change anything while pre viewing a report but you can print it.


Also See:

[Hasta Muayene Button Details](#)

Hasta Muayene Button Details

As you must already know from the previous help file pages that the Muayene section of Hasta Takip deals with all the patient examinations within it, with more detail and more elegantly.

The buttons on the Muayene Menu take you to specific places within Hasta Takip. The Detailed Explanation of each button is as follows:



The Buttons, as can be seen have been labelled as 1,2,3... now on to their individual details:

1. **Yeni Muayene:** if you want to examine a patient and record the details, then you can use this option.
2. **Muayene listele:** gives you a list for your viewing purposes
3. **Muayene Guncelle:** in case you have to edit an examination, than this is the place for you, over here you can edit any thing you entered using the Yeni Muayene option.
4. **Ana Menu:** This closes your current menu and takes you to the previous one
5. **Muayene Bul:** this is the find option, quite useful in case you want some information about any patient examination
6. **Muayene Sil:** to delete an examination then you can press this one and quite simply delete an examination
7. **Rapor:** this allows you to print, see and read a raport of appointments made to be printer-friendly

[Go Back To Table Of Contents](#)

Part II - Detailed Help For All Features

Chapter 4 - İlaclar

Paragraph

İlaclar

İLAÇLAR

İlaçNo

İlaçın Kodu

İlaçın Adı

İlaç Üreten Firma

İlaçın Özellikleri

İlaçın Kullanım Şekli

KAYDET

KAPAT

Record: 1 of 1

Yeni İlaç (New Medicine) is where you store the names of any new medicine that are planning on using or are starting to use for your patients.



Ilac Liste, This is where you can see the list of all the medicines

ilaçlar Query

ILAÇLAR

İlaçın Kodu	1001
İlaçın Adı	Imodium
İlaç Üreten Firma	Janssen Pharmaceut
İlaçın Özellikleri	Take twice a day, two capsules each time. Imodium contains Loperamide, which binds to the opiate receptor in the gut wall. Consequently, it inhibits the release
İlaçın Kullanım Şekli	Take twice a day, two capsules each time. Imodium contains Loperamide, which binds to the opiate receptor in the gut wall. Consequently, it inhibits the release

KAPAT

Record: 1 of 1

İlaç Guncelle, is where you can update details about any medicine.

İlaçlar Query

İLAÇLAR

İlaçın Kodu	1015
İlaçın Adı	Viagara
İlaç Üreten Firma	Carrar Co.
İlaçın Özellikleri	this is an extremely useful medicine for people who suffer dysfunctions use as much as you want at your own risk
İlaçın Kullanım Şekli	when you use too much remember to keep beside you some ice. To cool the fire of. :D Anadin? Tamam

KAPAT

Record: 1 of 1

İlaçlar Bul (Find Medicine)

Microsoft Access - [ilaclar]

File Edit View Tools Window Help

100% Close Setup

ilaclar

İlaçNo	1
İlaçın Kodu	1001
İlaçın Adı	IMODIUM
İlaç Üreten Firma	JANSSEN PHARM
İlaçın Özellikleri	Take twice a day, two capsules each time. Imodium contains Loperamide, which binds to the opiate receptor in the gut wall. Consequently, it inhibits the release of acetylcholine and prostaglandins, thereby reducing propulsive peristalsis, increasing intestinal transit time.
İlaçın Kullanım Şek	Take twice a day, two capsules each time. Imodium contains Loperamide, which binds to the opiate receptor in the gut wall. Consequently, it inhibits the release of acetylcholine and prostaglandins, thereby reducing propulsive peristalsis, increasing intestinal transit time.

Page: 1

Ready

NUM

If printing the details about a medicine is needed then this is the ideal place for you.

Also See:

[ilaclar Button Details](#)

Ilaclar Button Details

As you must already know from the previous help file pages that the Ilaclar section of Hasta Takip deals with all the medicines within it, with more detail and more elegantly.

The buttons on the Ilaclar Menu take you to specific places within Hasta Takip. The Detailed Explanation of each button is as follows:



The Buttons, as can be seen have been labelled as 1,2,3... now on to their individual details:

1. Yeni Ilac: This is in case, you want to record the dosage, firm details, prescription guidelines. you can enter a new medicine name and details.
2. Ilac Listele: This shows a list of the medicine that you have recorded so far.
3. Ilac Guncelle: using this you can edit any details about any medicine that you have entered so far.
4. Ilac Bul: in order to find any medicine, this is your gateway to it.
5. Ana Menu: by pressing this menu, you are telling Hasta Takip that you don't want to stay here any longer, so you are taken back to the previous menu.
6. Ilac Sil: this is for deleting purposes.
7. rapor: Over here you can see, print and read a printer friendly version of a report.

[Go Back To Table Of Contents](#)

Part I - Basic Introduction & Main Interface

Chapter 2 - Main Interface Information

The main menu interface of Hasta Takip is the starting point of all of its features and functionality

It contains links to all the features and thus is the backbone of all the embedded features.



Hasta Kayit (Patient Registration) is the gateway to organizing patients, registering new ones, printing patient reports, finding specific patients and more.



Randevular (appointments) is where you can make new appointments, keep track of upcoming ones, find out about the patient with whom you have an appointment et cetera.




İlaclar (Medicine) is the menu where you can record all the details about any medicine that you tend to prescribe to patients. Capable of printing quick reports for your advantage.



Receleler (perscriptions) is where you can write a printable version of a prescription for a patient. You have the advantage of choosing the medicine that you want to prescribe by clicking on one from the list provided.



This is the accounting section, over here, the money that a patient owes you and has paid can be recorded for future reference.



This is find part of Hasta Takip. Over here you can do searches on anything. From patient detailed search to medicine search.



Over you can find reports on all the menus in one place.



Takes you to this help file



Pressing this button exits you from the program.

[Go Back To Table Of Contents](#)

Part II - Detailed Help For All Features

Chapter 6 - Muhasebe

This is the Accounting section of Hasta Takip. here you can see bills, money paid by a patient or how much is due? once again, almost every feature in this menu is similar to its counterparts in other menus within the program itself.

MUHASEBE KAYIT	
MuhKod	12345
HasKod	12345
Borc	40,000,000.00 TL
Odeme	1,225,000.00 TL
Alacak	0.00 TL
Bakiye	\$38,775,000.00

KAYIT

KAPAT

Record: 1 of 1

Muhasebe Kayit (Save Account)

MUHASEBE LİSTELE					
MuhKod	HesKod	Borc	Odeme	Alacak	Bakiye
1211	12231	200,000.00 TL	12,000.00 TL	0.00 TL	\$188,000.00
12332	12345	90,000,000.00 TL	10,000,000.00 TL	0.00 TL	\$80,000,000.00
12345	12345	40,000,000.00 TL	1,225,000.00 TL	0.00 TL	\$38,775,000.00
					KAPAT

List Accounts

Microsoft Access - [muhasebe]

File Edit View Tools Window Help

100% Close Setup

muhasebe

ID	2
MuhKod	1211
HesKod	12231
Borc	200,000.00 TL
Odeme	12,000.00 TL
Alacak	0.00 TL
Bakiye	0.00 TL

ID	3
MuhKod	12332
HesKod	12345
Borc	90,000,000.00 TL

Page: 1

Ready


NUM

Report Part

Muhasebe Button Details

As you must already know from the previous help file pages that the Muhasebe section of Hasta Takip deals with all the accounting within it, with more detail and more elegantly.

MuhasebeArama Menu take you to specific places within Hasta Takip. The Detailed Explanation of each button is as follows:



The Buttons, as can be seen have been labelled as 1,2,3... now on to their individual details:

1. **Hesap Kayit:** This is for patient accounting. over here you can see how much money has a patient paid, how much is due and how much is the total sum
2. **Hesap Listele:** This shows a list of the accounting calculations
3. **Hesap Guncelle:** Using this you can edit any hesap
4. **Ana Menu:** by pressing this menu, you are telling Hasta Takip that you don't want to stay here any longer, so you are taken back to the previous menu
5. **Hesap Bul:** in order to find any hesap, this is your gateway to it.
6. **Hesap Sil:** this is for deleting purposes.
7. **Rapor:** Over here you can see, print and read a printer friendly version of a report.

Also See:

[Muhasebe Button Details](#)

[Go Back To Table Of Contents](#)

Part II - Detailed Help For All Features

Chapter 3 - Randevular

This Menu deals specifically with appointments (Randevular). here you can store, view, print all the details about any appointment (randevu).



Yeni Randevu (New Appointment) Window

RANDEVULAR LISTELE			
HastKod	Hastanın Randevu Kodu	Hastanın Randevu Tarihi	Hastanın Randevu Saati
12346	15784	1/26/2003	2:11
12344	260856	1/26/2003	8:56
12231	261130	1/26/2003	11:30
12231	261145	1/26/2003	11:45
			KAPAT
Record: 1 of 11			

Randevu List

randevular Query

RANDEVULAR

Hasta Kodu 12231

Hastanın Randevu Kodu 261130

Hastanın Randevu Tarihi 1/26/2003

Hastanın Randevu Saati 11.30

Hastanın Randevu Konusu meeting for checkup and X-rays

KAPAT

Record: 1 of 3

Randevu guncelle (appointment updtae) is where after filling in a few search parameters, you can easily see and edit any patient's details about her/his appointment

randevular Query

RANDEVULAR

Hasta Kodu 12231

Hastanın Randevu Kodu 261130

Hastanın Randevu Tarihi 1/26/2003

Hastanın Randevu Saati 11:30

Hastanın Randevu Konusu meeting for check-up and X-rays

KAPAT

Record: 1 of 3

Randevu Bul (Find Appointment)



Randevu Rapor (Appointment Report)

Also See:


[Randevular Buton Details](#)

[Go Back To Table Of Contents](#)

Part II - Detailed Help For All Features

Chapter 5 - Recetler

Over Here you can write any Prescription for your patients and print it out. you are provided with a list of patients and a list of medicine that you need to prescribe the patient with.



REÇETE

HASTA

Hastanın Adı:

Hastanın Soyadı:

Hastanın Cinsiyeti:

HASTA LİSTESİ

ADEEB	RASOUNA
ALEX	DANTE
ATIYA	HAIDER

İLAÇLAR

İlaçın Adı:

İlaç Üreten Firma:

İlaçın Özellikleri:

İlaçın Kullanım Şekli:

İLAÇ LİSTESİ

IMODIUM	JANSSEN PH
STREPSILS	THE BOOTS
VIBRAMYCIN	PFIZER S.A.
ZYRTEC	UCB S.A. PH
TYLENOL FORTE	CILAG
DIPROLENE	SCHERING-P
FUCICORT	PERSCRIPTE
DAMONOPIAN	UCB S.A.
VOLTAREN	NOVARTIS
MACADA	CARDARCO

PRINT **PREVIEW** **KAPAT**

Image Paragraph


Also See:

[Recetler Button Details](#)

Recetler Button Details


As you must already know from the previous help file pages that the Receteler section of Hasta Takip deals with all the prescriptions within it, with more detail and more elegantly.


The buttons on the Receteler Menu take you to specific places within Hasta Takip. The Detailed Explanation of each button is as follows:





The Buttons, as can be seen have been labelled as 1,2,3... now on to their individual details:


1. **Print:** By Pressing this button, the program sends the data to be printed to the printer and by this you can get a printed version of what you are seeing.
2. **Preview:** this shows you the way the print out will look like.
3. **Kapat:** By pressing this, you are taking yourself back to the menu.













































































Created With a Trial Copy of SmartDraw
To remove this watermark please purchase a copy






















Created With a Trial Copy of SmartDraw
To remove this watermark please purchase a copy









Created With a Trial Copy of SmartDraw
To remove this watermark please purchase a copy





REFERENCES

1. ÇUBUKÇU , Faruk , “Her Yönüyle ACCESS ile Uygulamalı Veri Tabanı Yönetimi”, ALFA YAYIN , 11-1996 , Edition 1 .
2. UYSAL , Mithat, “SQL Veri tabanı Sorgulama Dili” , BETA Yayın , 07-2000 , Edition 3 .
3. UYSAL ,Mithat , “ACCESS 2000 İLE VERİ TABANI YÖNETİMİ” , BETA Yayın , 02-2000 , Edition 1 .
4. YANIK , Memik ,“Microsoft ACCESS” , BETA Yayın , 03-1997 , Edition 1 .