

NEAR EAST UNIVERSITY

**FACULTY OF ECONOMICS AND
ADMINISTRATIVE SCIENCES**

**DEPARTMENT OF
COMPUTER INFORMATION SYSTEMS**

2009 / 2010 SUMMER

**CIS 400
GRADUATION PROJECT**

ONLINE-ORDER SYSTEM FOR MOBILE PHONES

SUBMITTED TO: DEPARTMENT OF C.I.S.

SUBMITTED BY: Murat SEVINMEZ - 20020688



**Lefkoşa
2010**

CONTENTS



I.	ACKNOWLEDGEMENTS	3
II.	ABSTRACT	4
III.	INTRODUCTION	5
IV.	SYSTEM DESIGN		
•	Explanation	6
•	Data Flow Diagram	8-12
V.	USER MANUAL		
•	User Guidelines	13-18
•	User Flow Charts	19-98
REFERENCES		99
APPENDIX			
•	Screean Outputs	100-112
APPENDIX II			
•	Source Code	113-299

I. ACKNOWLEDGEMENT

First of all, I realy want to present my respects to my instructors Assist.Prof.Dr. Yalçın AKÇALI and Assist.Prof.Dr. Nadire ÇAVUŞ and My lecturer Doğuş SARICA due to their valuable contributions of my project.

And I also want to thank to my friends Samet BAYRAK,Gökhan ERDOĞAN who I work together with and I specificaly thank to my friend Nuri ÇİMŞİT for their technical and psychological supports during the project preparation process.

There is also my family whom I personally owe most of thing to them particularly, for their financial, psychological and to provide me a conditions to complete my 4 year high education and I want to thank to them for never unsparing their supports througout my whole life.

II. ABSTRACT

E-commerce (electronic commerce or EC) is the buying and selling of goods and services on the Internet, especially the World Wide Web. In practice, this term and a newer term, e-business, are often used interchangably. For online retail selling, the term e-tailing is sometimes used.

Electronic commerce that is conducted between businesses is referred to as business-to-business or B2B. B2B can be open to all interested parties (e.g. commodity exchange) or limited to specific, pre-qualified participants (private electronic market). Electronic commerce that is conducted between businesses and consumers, on the other hand, is referred to as business-to-consumer or B2C. This is the type of electronic commerce conducted by companies such as Amazon.com. Online shopping is a form of electronic commerce where the buyer is directly online to the seller's computer usually via the internet. There is no intermediary service. The sale and purchase transaction is completed electronically and interactively in real-time such as Amazon.com for new books. If an intermediary is present, then the sale and purchase transaction is called electronic commerce such as eBay.com.

Electronic commerce is generally considered to be the sales aspect of e-business. It also consists of the exchange of data to facilitate the financing and payment aspects of the business transactions.

My project's name is "Opiva Shop" which is prepared to make easy control of sale hours model. My project domain name is www.muratsevinmez.com for customers and www.muratsevinmez/admin for owner.

The aim of project is developing a software which can be easily manage all requirements of an online hours shop.

III. INTRODUCTION

The most important thing is using the computer. The advantage of using computer is that you can take the information needed fast and certain. With my system the organization can easily reach informations. By using this system you can gain information much quicker, true and certain and you can see your mistakes.

While I prepare my project I used PHP web site programming language and MySQL for create database.

These are the processes I will use in my Project:

1. CUSTOMER PROCESS

This process is using for the customers individual information, installments, payments, debits, which products sold to the customer etc.

2. ORDER PROCESS

This process has multiple functions. First we can make selling directly to the customer.

Second we can take orders from customers.

3. PAYMENT PROCESS

This process is using for payment information , take customer card or bank account information for complete order process.

4. REPORTS PROCESS

In this section order information, customer information and total sold product information.

EXTERNAL ENTITIES

Customer, Manager and Bank

IV. DESIGN OF THE SYSTEM

EXPLANATION

1-Project Identification and Selection

E-business means conducting or operating business through the Internet. The main aim is to establish a positive reputation of the enterprise as well as sell goods and services. Internet is used as a medium like print and broadcast to promote business and earn profits. It is also used to collaborate with business partners.

The Purpose of My Project:

The e-business services have been introduced to search for business partners and explore more opportunities. It is used to fetch potential customers, retain present customers and even locate old customers. Entrepreneurs build business relationships with the partners through the means of Internet. A marketer can invite the clients to enter into mergers and acquisitions or contracts to expand the business. A marketer should build an online presence in order to initiate and establish the online business. This is possible by building a website for the company. You should optimize the content in the site so that it becomes easily accessible to the search engines.

For this purpose, keyword rich content should be used. The presentation of the company website always reflects the image of the company. Therefore, the presentation of the website should not only be search engine friendly but also attractively presented. This is done to allure the customers and potential business partners towards your organization. The website should become accessible to the customers and the presentation should be visually emphatic. The wide use of Internet has given a boost to the growing trend of online shopping. A marketer can exhibit lucrative offers and his products and services on his website. Make the payment and purchasing procedure easy on the Internet. You can also provide contact details such as phone number or contact details of the call centre of the company.

Project Boundaries:

1-System can work every internet access is available with all mobile communication devices

2-Project Initiation and Planning

Technical Feasibility:

1-International network access is available (necessary)

2-One computer for manager (necessary)

Operational Feasibility:

This software developed for manager so employees can not use this program. Managers must have at least low level computer using for being educated the system.

Economical Feasibility:

This system will cost for owner about \$ 1500 at total.

This cost includes;

a computer minimum price	400 \$,
a network connection (one year)	200 \$,
a domain and hosting fee	150 \$,
and last programmer fee	750 \$

3-Analaysis

The Requirement Determination:


The requirements made by owner as follows:

- To increase the speed of operations.
- To provide easy and quick access.
- System security
- Recording incomes and expence daily

New System Providence:


- New system will help to manager easy and quick search opportunity.
- All the transactions will be stored in the database.
- Orders, customers, products, reports will be prepared with one click.

Context Diagram of Online Mobile Phones-Ordering System




- (*) Reports
1 the most viewed product information
2 sold product information
3 total orders information


Level-0 Diagram of Online Mobile Phones-Ordering System




Detail Diagram of Online Mobile Phones-Ordering System (Customer Process)



Detail Diagram of Online Mobile Phones-Ordering System (Order Process)



Detail Diagram of Online Mobile Phones-Ordering System (Report Process)



DESIGN OF THE SYSTEM

phpMyAdmin

Sunucu: localhost > Veritabanı: graduation_project > Tablo: products

Ağır	Türü	Karşılaştırma	Öznitelikler	Bağ	Varsayılan	Eksüre	Eylem							
<input type="checkbox"/> products_id	int(11)			Hayır	None	auto_increment								
<input type="checkbox"/> products_quantity	int(4)			Hayır	None									
<input type="checkbox"/> products_model	varchar(12)	utf8_general_ci		Evet	NULL									
<input type="checkbox"/> products_image	varchar(64)	utf8_general_ci		Evet	NULL									
<input type="checkbox"/> products_price	decimal(15,4)			Hayır	None									
<input type="checkbox"/> products_date_added	datetime			Hayır	None									
<input type="checkbox"/> products_last_modified	datetime			Evet	NULL									
<input type="checkbox"/> products_date_available	datetime			Evet	NULL									
<input type="checkbox"/> products_weight	decimal(5,2)			Hayır	None									
<input type="checkbox"/> products_status	tinyint(1)			Hayır	None									
<input type="checkbox"/> products_tax_class_id	int(11)			Hayır	None									
<input type="checkbox"/> manufacturers_id	int(11)			Evet	NULL									
<input type="checkbox"/> products_ordered	int(11)			Hayır	0									

Tümünü Seç / Hiçbirini Seçme Seçili:

Basıklı görünümü ilişkili görünümü Tablo yapısı öner

Alan Ekle Tablonun Sonuna Tablonun Başına tablosundan sonra products_id Gör.

+ Ayrıntılar... Yeni phpMyAdmin penceresi aç

graduation_project (48)

phpMyAdmin

Sunucu: localhost > Veritabanı: graduation_project > Tablo: products_attributes

Ağır	Türü	Karşılaştırma	Öznitelikler	Bağ	Varsayılan	Eksüre	Eylem							
<input type="checkbox"/> products_attributes_id	int(11)			Hayır	None	auto_increment								
<input type="checkbox"/> products_id	int(11)			Hayır	None									
<input type="checkbox"/> options_id	int(11)			Hayır	None									
<input type="checkbox"/> options_values_id	int(11)			Hayır	None									
<input type="checkbox"/> options_values_price	decimal(15,4)			Hayır	None									
<input type="checkbox"/> price_prefix	char(1)	utf8_general_ci		Hayır	None									

Tümünü Seç / Hiçbirini Seçme Seçili:

Basıklı görünümü ilişkili görünümü Tablo yapısı öner

Alan Ekle Tablonun Sonuna Tablonun Başına tablosundan sonra products_attributes_id Gör.

+ Ayrıntılar... Yeni phpMyAdmin penceresi aç

graduation_project (48)

DESIGN OF THE SYSTEM

phpMyAdmin

Sunucu: localhost > Veritabanı: graduation_project > Tablo: products_description

Alan	Türü	Karşılaştırma	Öznitelikler	Bog.	Varsayılan	Eksiz	Eylem					
products_id	int(11)			Hayır	None	auto_increment						
language_id	int(11)			Hayır	1							
products_name	varchar(64)	utf8_general_ci		Hayır								
products_description	text	utf8_general_ci		Evet	NULL							
products_url	varchar(255)	utf8_general_ci		Evet	NULL							
products_viewed	int(5)			Evet	0							

Tümünü Seç / Hiçbirini Seçme Seçimleri:

Basla görünümü ilişki görünümü Tablo yapısı öner

3: 1 Tablonun Sonuna Tablonun Başına tablosundan sonra: products_id

Ayrıntılar...

Yeni phpMyAdmin penceresi aç

phpMyAdmin

Sunucu: localhost > Veritabanı: graduation_project > Tablo: products_to_categories

Alan	Türü	Karşılaştırma	Öznitelikler	Bog.	Varsayılan	Eksiz	Eylem					
products_id	int(11)			Hayır	None							
categories_id	int(11)			Hayır	None							

Tümünü Seç / Hiçbirini Seçme Seçimleri:

Basla görünümü ilişki görünümü Tablo yapısı öner

3: 1 Tablonun Sonuna Tablonun Başına tablosundan sonra: products_id

Ayrıntılar...

Yeni phpMyAdmin penceresi aç

DESIGN OF THE SYSTEM

phpMyAdmin

Sunucu: localhost > Veritabanı: graduation_project > Tablo: customers

Gözat Yapı SQL Ara Ekle Dışarı Aktar İçeri Aktar İşlemler Bosalt Kaldır

MySQL boş bir sonuç kümesi döndürdü (0 m. sifir satır). (Sorgu 0.0003 san. sürüldü)

SELECT * FROM `customers` LIMIT 0 , 30

Profil çıkart [Düzenle] [SQL'ı açıkla] [PHP Kodu oluştur] [Yenile]

Alan	Türü	Karşılaştırma	Öznitelikler	Bos	Varsayılan	Eksik	Eylem
customers_id	int(11)	utf8_general_ci	Hayır None			auto_increment	
customers_gender	char(1)	utf8_general_ci	Hayır None				
customers_firstname	varchar(32)	utf8_general_ci	Hayır None				
customers_lastname	varchar(32)	utf8_general_ci	Hayır None				
customers_dob	datetime		Hayır 0000-00-00 00:00:00				
customers_email_address	varchar(96)	utf8_general_ci	Hayır None				
customers_default_address_id	int(11)		Evet NULL				
customers_telephone	varchar(32)	utf8_general_ci	Hayır None				
customers_fax	varchar(32)	utf8_general_ci	Evet NULL				
customers_password	varchar(40)	utf8_general_ci	Hayır None				
customers_newsletter	char(1)	utf8_general_ci	Evet NULL				

Tümünü Seç / Hiçbirini Seçme Seçiler

Basılı görünümü İlişki görünümü Tablo yapısı öner

1 alan ekle Tablonun Sonuna Tablonun Başına tablosundan sonra: customers_id Git

Ayrıntılar ..

Yeni phpMyAdmin penceresi aç

phpMyAdmin

Sunucu: localhost > Veritabanı: graduation_project > Tablo: customers_info

Gözat Yapı SQL Ara Ekle Dışarı Aktar İçeri Aktar İşlemler Bosalt Kaldır

MySQL boş bir sonuç kümesi döndürdü (0 m. sifir satır). (Sorgu 0.0003 san. sürüldü)

SELECT * FROM `customers_info` LIMIT 0 , 30

Profil çıkart [Düzenle] [SQL'ı açıkla] [PHP Kodu oluştur] [Yenile]

Alan	Türü	Karşılaştırma	Öznitelikler	Bos	Varsayılan	Eksik	Eylem
customers_info_id	int(11)		Hayır None				
customers_info_date_of_last_logon	datetime		Evet NULL				
customers_info_number_of_logons	int(5)		Evet NULL				
customers_info_date_account_created	datetime		Evet NULL				
customers_info_date_account_last_modified	datetime		Evet NULL				
global_product_notifications	int(1)		Evet 0				

Tümünü Seç / Hiçbirini Seçme Seçiler

Basılı görünümü İlişki görünümü Tablo yapısı öner

1 alan ekle Tablonun Sonuna Tablonun Başına tablosundan sonra: customers_info_id Git

Ayrıntılar ..

Yeni phpMyAdmin penceresi aç

DESIGN OF THE SYSTEM

phpMyAdmin

Sunucu: localhost > Veritabanı: graduation_project > Tablo: orders_products

Gözat Yap Ara Ekle Dışarı Aktar İçeri Aktar İşlemler Boşalt Kaldır

MySQL boş bir sonuç kümesi döndürdü (0 m. sifir satır). (Sorgu 0.0003 saniye sürdü)

```
SELECT * FROM `orders_products` LIMIT 0 , 20
```

Profil Çıkar [Düzenle] [SQL'i Açıklá] [PHP Kodu Oluştur] [Yenile]

Alan	Türü	Karşılıkarma	Öznitelikler	Böş	Varsayılan	Eksiz	Eylem
orders_products_id	int(11)			Hayır	None	auto_increment	
orders_id	int(11)			Hayır	None		
products_id	int(11)			Hayır	None		
products_model	varchar(12)	utf8_general_ci		Evet	NULL		
products_name	varchar(64)	utf8_general_ci		Hayır	None		
products_price	decimal(15,4)			Hayır	None		
final_price	decimal(15,4)			Hayır	None		
products_tax	decimal(7,4)			Hayır	None		
products_quantity	int(2)			Hayır	None		

Tomuru Séç / Hiçbirini Seç

Basisi görünümü ilişkili görünümü Tablo yapısı öner

İşlemler: 1 - alan ekle Tablonun Sonuna Tablonun Başına tablosundan sonra orders_products_id

Ayrıntılar: + Yeni phpMyAdmin penceresi aç

phpMyAdmin

Sunucu: localhost > Veritabanı: graduation_project > Tablo: orders_products_attributes

Gözat Yap Ara Ekle Dışarı Aktar İçeri Aktar İşlemler Boşalt Kaldır

MySQL boş bir sonuç kümesi döndürdü (0 m. sifir satır). (Sorgu 0.0003 saniye sürdü)

```
SELECT * FROM `orders_products_attributes` LIMIT 0 , 20
```

Profil Çıkar [Düzenle] [SQL'i Açıklá] [PHP Kodu Oluştur] [Yenile]

Alan	Türü	Karşılıkarma	Öznitelikler	Böş	Varsayılan	Eksiz	Eylem
orders_products_attributes_id	int(11)			Hayır	None	auto_increment	
orders_id	int(11)			Hayır	None		
orders_products_id	int(11)			Hayır	None		
products_options	varchar(32)	utf8_general_ci		Hayır	None		
products_options_values	varchar(32)	utf8_general_ci		Hayır	None		
options_values_price	decimal(15,4)			Hayır	None		
price_prefix	char(*)	utf8_general_ci		Hayır	None		

Tomuru Séç / Hiçbirini Seç

Basisi görünümü ilişkili görünümü Tablo yapısı öner

İşlemler: 1 - alan ekle Tablonun Sonuna Tablonun Başına tablosundan sonra orders_products_attributes_id

Ayrıntılar: + Yeni phpMyAdmin penceresi aç

DESIGN OF THE SYSTEM

phpMyAdmin

Sunucu: localhost > Veritabanı: graduation_project > Tablo: administrators

Gözat	Yapı	SQL	Ara	Ekle	Dışarı Aktar	İçeri Aktar	İşlemler	Bosalt	Kaldır						
	Alan	Türü	Karşılaştırma	Oznitelikler	Bug	Varsayılan	Ekstra		Eylem						
	<input type="checkbox"/> id	int(11)				Hayır	None	<input checked="" type="checkbox"/> auto_increment							
	<input type="checkbox"/> user_name	varchar(32)	utf8_bin			Hayır	None								
	<input type="checkbox"/> user_password	varchar(40)	utf8_general_ci			Hayır	None								

Tümünü Seç / Hiçbirini Seçme Seçili:

Basılı görünümü İlişki görünümü Tablo yapısı öner
B2 1 alan ekle Tablonun Sonuna Tablonun Başına tablosundan sonra id

+ Ayrıntılar...

Yeni phpMyAdmin penceresi aç

Veritabanı: graduation_project (48)

- address_book
- address_format
- addresses
- banners
- bernerz_history
- categories
- categories_description
- configuration
- configuration_group
- counter
- counter_history
- currencies
- customers
- customers_basket
- customers_basket_attributes
- customers_info
- flash_carousel
- geo_zones
- languages
- manufacturers
- manufacturers_info
- newsletters
- orders
- orders_products
- orders_products_attributes
- orders_products_download
- orders_status
- orders_status_history
- orders_total
- products
- products_attributes
- products_attributes_download
- products_description
- products_notifications
- products_options
- products_options_values
- products_options_values_to_products_attributes
- products_to_categories
- reviews
- reviews_description
- sessions

Sunucu: localhost > Veritabanı: graduation_project > Table: languages

Gözat	Yapı	SQL	Ara	Ekle	Dışarı Aktar	İçeri Aktar	İşlemler	Bosalt	Kaldır						
	Alan	Türü	Karşılaştırma	Oznitelikler	Bug	Varsayılan	Ekstra		Eylem						
	<input type="checkbox"/> languages_id	int(11)				Hayır	None	<input checked="" type="checkbox"/> auto_increment							
	<input type="checkbox"/> name	varchar(32)	utf8_general_ci			Hayır	None								
	<input type="checkbox"/> code	char(2)	utf8_general_ci			Hayır	None								
	<input type="checkbox"/> image	varchar(64)	utf8_general_ci			Evet	NULL								
	<input type="checkbox"/> directory	varchar(32)	utf8_general_ci			Evet	NULL								
	<input type="checkbox"/> sort_order	int(3)				Evet	NULL								

Tümünü Seç / Hiçbirini Seçme Seçili:

Basılı görünümü İlişki görünümü Tablo yapısı öner
B2 1 alan ekle Tablonun Sonuna Tablonun Başına languages_id

+ Ayrıntılar...

Yeni phpMyAdmin penceresi aç

Veritabanı: graduation_project (48)

- address_book
- address_format
- addresses
- banners
- bernerz_history
- categories
- categories_description
- configuration
- configuration_group
- counter
- counter_history
- currencies
- customers
- customers_basket
- customers_basket_attributes
- customers_info
- flash_carousel
- geo_zones
- languages
- manufacturers
- manufacturers_info
- newsletters
- orders
- orders_products
- orders_products_attributes
- orders_products_download
- orders_status
- orders_status_history
- orders_total
- products
- products_attributes
- products_attributes_download
- products_description
- products_notifications
- products_options
- products_options_values
- products_options_values_to_products_attributes
- products_to_categories
- reviews
- reviews_description
- sessions

DESIGN OF THE SYSTEM

Sunucu: localhost > Veritabanı: graduation_project > Tablo: manufacturers

	Alan	Türü	Kısıtlama	Oznitelikler	Böş	Versiyonlu	Eksiz	Eylem
<input type="checkbox"/>	manufacturers_id	int(11)		Hayır	None	auto_increment		
<input type="checkbox"/>	manufacturers_name	varchar(32)	utf8_general_ci	Hayır	None			
<input type="checkbox"/>	manufacturers_image	varchar(64)	utf8_general_ci	Evet	NULL			
<input type="checkbox"/>	date_added	datetime		Evet	NULL			
<input type="checkbox"/>	last_modified	datetime		Evet	NULL			

Alanı Seç / Hepsini Seçme Seçiler:

Alan ekle Tablonun Sonuna Tablonun Başına tablomdan sonra: manufacturers_id

Aynınlar..

Yeni phpMyAdmin penceresi aç

graduation_project (48)

address_book
address_format
administrators
barriers
barriers_history
categories
categories_description
configuration
configuration_group
countries
countries_history
currencies
customers
customers_basket
customers_basket_attributes
customers_info
flash_carousel
geo_zones
geo_zones_attributes
manufacturers
manufacturers_info
newsletters
orders
orders_products
orders_products_attributes
orders_products_download
orders_status
orders_status_history
order_total
products
products_attributes
products_attributes_download
products_descriptions
products_options
products_options_values
products_options_values_to_products
products_to_categories
reviews
reviews_description
sessions
specials
tax_classes
tax_rates
whos_online
zones
zones_to_geo_zones

Sunucu: localhost > Veritabanı: graduation_project > Tablo: flash_carousel

	Alan	Türü	Kısıtlama	Bölge	Veri Kaynağı	Özelleştir.	Eksiz	Eylem
<input type="checkbox"/>	flash_carousel_id	int(11)		Hayır	None	auto_increment		
<input type="checkbox"/>	products_id	int(11)		Hayır	0			
<input type="checkbox"/>	flash_carousel_date_added	datetime		Evet	NULL			
<input type="checkbox"/>	flash_carousel_last_modified	datetime		Evet	NULL			
<input type="checkbox"/>	expires_date	datetime		Evet	NULL			
<input type="checkbox"/>	date_status_change	datetime		Evet	NULL			
<input type="checkbox"/>	status	int(1)		Evet	1			

Alanı Seç / Hepsini Seçme Seçiler:

Alan ekle Tablonun Sonuna Tablonun Başına tablomdan sonra: flash_carousel_id

Aynınlar..

Yeni phpMyAdmin penceresi aç

graduation_project (48)

address_book
address_format
administrators
barriers
barriers_history
categories
categories_description
configuration
configuration_group
countries
countries_history
currencies
customers
customers_basket
customers_basket_attributes
customers_info
flash_carousel
geo_zones
geo_zones_attributes
manufacturers
manufacturers_info
newsletters
orders
orders_products
orders_products_attributes
orders_products_download
orders_status
orders_status_history
order_total
products
products_attributes
products_attributes_download
products_descriptions
products_options
products_options_values
products_options_values_to_products
products_to_categories
reviews
reviews_description
sessions
specials
tax_classes
tax_rates
whos_online
zones
zones_to_geo_zones

V. USER MANUAL

FTS42
111 000

User Guidelines

Program Requirements

To use this program, I will explain how you can use;

- 1- You must have a any personal computer
- 2- You must have internet
- 3- You must have web browser(Internet Explorer, Mozilla Firefox, Google Chrome) program in your personal computer.
If you do not have any internet browser, you must install any one

<http://www.microsoft.com/turkiye/windows/ie/default.mspx>
<http://www.mozilla-europe.org/tr/firefox/>
<http://www.google.com/chrome/?hl=tr>

4-Then your computer will be restart

Run Programs

After following up expenses, now you can run it. Click calibration of the internet browser, writing www.muratsevinmez/admin into the address bar.

Run Programs

At the beginning of using this program, first you can enter username and password to enter "yönetim" menu. Because security of organization.

The " Yönetim" menus include fallows;

- 1-Ayarlar
- 2-Katalog
- 3-Modüller
- 4-Müşteriler
- 5-Şehirler / Vergiler
- 6-Yerleştirme
- 7-Raporlar
- 8-Araçlar

1-Ayarlar

If you click this button you can enter new user information , your store information, minimum and maximum values of database fields, images width and height values, customers details information, shipping and packaging information, flash carousel information.

1.1.Yöneticiler

You can add or update new username and password for access to admin panel. (See Figure 1.1)

1.2.Dükkanım

You can add or update your store name ,store owner name, e-mail address, e-mail from , country ,sort order , sort field, store address, tax decimal points , tax shows. (See Figure 1.2)

1.3.Düşük Değerler

You can add minimum value of first name, last name, date of birth, e-mail address, street address, company, postal code, city, state, telephone number, password , etc....(See Figure 1.3)

1.4.Yüksek Değerler

You can add minimum value of first name, last name, date of birth, e-mail address, street address, company, postal code, city, state, telephone number, password , etc....(See Figure 1.4)

1.5.Resimler

You can add values of small images width and height , heading images width and height, subcategory images width and height ,image category.

(See Figure 1.5)

1.6.Müşteri Detayları

You can setting true or false to gender , date of birth date ,company, state. (See Figure 1.6)

1.7.Ürün Listeleme

You can display setting of product listing information. (See Figure 1.7)

1.8.Flash Carousel

You can setting of flash information. (See Figure 1.8)

2-Katalog

If you click this button you can enter new category and products, manufacturer, discount product, ordered product, flash designed product, setting product field values and display product and customer comment.

2.1.Kategoriler / Ürünler

You can add ,delete, move or update category and product information. (See Figure 2.1)

2.2.Ürün Özellikleri

You can add ,delete, move or update category and product field size information of databases. (See Figure 2.2)

2.3.Üreticiler

You can add , delete, or update manufacturer information. (See Figure 2.3)

2.4.Yorumlar

You can see customer comment of product sales and properties. (See Figure 2.4)

2.5.İndirimdekiler

You can add ,delete, move or update product information of discounted products list . (See Figure 2.5)

2.6.Flash Carousel

You can set flash information. (See Figure 2.6)

2.7.Beklenen Ürünler

You can display ordered product information. (See Figure 2.7)

3-Modüller

If you click this button you can enter ssn number for credit card sales.

3.1.Ödeme

You can set payment information with bank account. (See Figure 3.1)

3.2.Taşıma

You can set delivery information , shipping costs. (See Figure 3.2)

3.3.Toplam Sipariş Modülü

You can set ranking is determined by total cost. (See Figure 3.3)

4-Müsteriler

If you click this button you can see list of customers and our orders on the screen . if you double click any customer or our orders ,you can see details of information order or customers info.

4.1.Müsteriler

You can update and delete any customer, send e-mail any customers and display total orders and buy selected customers. (See Figure 4.1)

4.2.Siparişler

You can see all order with customers information, total cost , order date , and paying situation, and delete or update this information. (See Figure 4.2)

5-Şehirler / Vergiler

If you click this button you can add, delete, update country name and symbol into country database. Set tax type and rate.

5.1.Ulkeler

You can add, delete, update country name and symbol into country database. (See Figure 5.1)

5.2.Şehirler

You can add, delete, update city name and symbol into city database. (See Figure 5.2)

5.3.Vergi Bölgeleri

You can add, delete, update taxable situation into database. (See Figure 5.3)

5.4.Vergi Türleri

You can add, delete, update taxable goods or not tax. (See Figure 5.4)

5.5.Vergi Türleri

You can add, delete, update tax rate. (See Figure 5.5)

6-Müsteriler

If you click this button you can set money symbol and information, language information, delivery situation.

6.1.Para Birimleri

You can add, update and delete money information. (See Figure 6.1)

6.2.Diller

You can add, update and delete language information. (See Figure 6.2)

6.3.Sipariş Durumları

You can add, update and delete delivery information. (See Figure 6.3)

7-Raporlar

If you click this button you can set money symbol and information, language information, delivery situation.

7.1.Urün Ziyaret Sayıları

You can see list of most clicked products. (See Figure 7.1)

7.2.Satılan Ürünler

You can see list of sold product. (See Figure 7.2)

7.3.Müşteri Sipariş Toplamları

You can see list of sold product each customers. (See Figure 7.3)

8-Araçlar

If you click this button you can set database back up, setting source code , send e-mail.

8.1.Veri Tabanı Yedekleme

You can back-up of your database into local host. (See Figure 8.1)

8.2.Reklam Yönetimi

You can set html text document for advice. (See Figure 8.2)

8.3.Send E-Mail

You can send e-mail all or special customers. (See Figure 8.3)

8.4.Posta Yönetimi

You can create new post module for sending customers. (See Figure 8.4)

8.5.Sunucu Bilgisi


You can see host , os and information etc. (See Figure 8.5)


8.6.Kimler Siteye Bağlı

You can see which customer online . (See Figure 8.6)


User Floecharts

Kullanıcı Girişİ







1. Ayarlar




1.1 Yöneticiler




1.2 Dükkanım




1.3 Düşük Değerler




1.4 Yüksek Değerler




1.5 Resimler Ayarl




1.7.Ürün Listeleme




1.8.Flash Carousel




2.Katalog / Ürünler




2.1.Katalog veya Ürün Alt Listesi




2.1.1.Kategori Ekleme




2.1.2. Ürün Ekleme




2.1.3. Ürün / Katalog Düzenleme




2.1.4. Ürün / Katalog Düzenleme




2.1.5. Ürün Taşıma




2.2. Üreticiler




2.2.1 Üretici Ekleme




2.2.2 Üretici Düzenleme




2.2.3 Üretici Silme




2.3 Comment Silme



2.4 İndirimdeki Ürünler




2.4.1 İndirime Ürün Ekleme




2.4.2 İndirime Ürün Düzenleme




2.4.3 İndirimden Ürün Silme




2.5 Flash Ayraları




2.5.1 Flash a Ürün Ekleme




2.5.2 Flash a Ürün Düzenleme




2.5.3 Flash a Ürün Silme




3. Modüller




3.1. Ödeme




3.2 Taşıma Ücretleri




3.3 Toplam Fiyat Sıralaması




4. Müşteriler




4.1. Müşteriler




4.2. Siparişler




5. Şehirler / Vergiler




5.1. Ülkeler




5.1.1. Ülke Ekle




5.1.2. Ülke Düzenle




5.1.3. Ülke Sil




5.2. Şehirler




5.2.1. Şehir Ekle




5.2.2. Şehir Düzenle




5.2.3. Şehir Sil




5.2. Şehirler




5.3.1. Vergi Bölgesi Ekle




5.3.2. Vergi Bölgesi Düzenle




5.3.3. Vergi Bölgesi Sil




5.4. Vergi Türleri




5.4.1. Vergi Türü Ekle




5.4.2. Vergi Türü Düzenle




5.4.3. Vergi Türü Sil




5.5. Vergi Oranları




5.5.1. Vergi Oranları Ekle




5.5.2. Vergi Oranları Düzenle




5.5.3. Vergi Oranları Sil




6. Değer Yerleştirme




6. 1. Para Birimleri




6. 1.1 Para Birimi Ekle




6. 1.2. Para Birimleri Düzenle




6. 1.3. Para Birimleri Sil




6. 2. Language




6. 2.1 Language Ekle




6. 2.2. Language Düzenle




6. 2.3. Language Sil




6. 3. Order Payment Stiuation




6. 3.1 Sipariş Durumu Ekle




6. 3.2. Sipariş Durumu Düzenle




6. 3.3. Sipariş Durumu Sil




7. Raporlar




7.1. Ürün Ziyaret Sayıları




7.2. Satılan Ürünler




7.3. Müşteri Siparişleri Toplamı




8. Araçlar




8.1. Veri Tabanı Yedekleme




8.3. E-mail Yollama




8.4. E-mail Yollama



8.5. Sunucu Bilgisi



8.6. Online



VI. REFERENCES

Book;

Hoffer,A.,(2007),"Modern System Analysis and Design",Printice Hall,New Jersey,USA

Kayra Otanerin,(2009), "PHP ve MySql ile Web Yazılımı Geliştirme"

Weiss, Mark Allen. (1995)," Data structures and algorithm analysis" ,Cumming Pub, New Jersey, USA

Wang Paul, S. (2004),"An introduction to Web design and programming",Charles River Media, London, England

Laudon, Kenneth C.,(2004),"e-commerce", Pearson/Addison Wesley,New Jersey,USA

Web site;

<http://www.codekodu.com/>

<http://www.hotscripts.com/category/php/>

<http://www.freeprogrammingresources.com/phpsrc.html>

<http://www.webhocam.net/konuizle.asp?t=8053>

<http://www.banadersanlat.com/index.php/php-video-dersleri.html>

VII. APPENDIX - I




Figure 1. Yönetici Giriş'i




Figure 2. Yöneticiler

VII. APPENDIX - I

The screenshot shows the 'My Store' configuration page in the admin panel. The left sidebar contains navigation links for Ayarlar (Settings), Yonetim (Management), My Store, Minimum Values, Maximum Values, Images, Customer Details, Shipping/Packaging, Product Listing, Stock, Logging, Cache, E-mail Options, Download, GZip Compression, Sessions, Kategoriyeleski, Urunler, Flash Carousel, Katalog, Moduler, Musteriler, Sehirler / Vergiler, Verellestirme, Raporlar, and Aracilar.

The main content area is titled 'My Store' and displays a table of configuration settings:

Sayıklık	Değer	Hareket	Güvenlik
Store Name	opivashop	<input type="text" value="opivashop"/>	Lütfen gerekli değerleri işaretin
Store Owner	opivashop	<input type="text" value="opivashop"/>	Store Name The name of my store
E-Mail Address	mavilibris@hotmail.com	<input type="text" value="mavilibris@hotmail.com"/>	
E-Mail From	"Murat Sevinmez" <mavilibris@hotmail.com>	<input type="text" value=""/>	
Country	Turkey	<input type="text" value="Turkey"/>	
Zone	Florida	<input type="text" value="Florida"/>	
Expected Sort Order	desc	<input type="text" value="desc"/>	
Expected Sort Field	date_expected	<input type="text" value="date_expected"/>	
Switch To Default Language	false	<input type="text" value="false"/>	
Send Extra Order Emails To	mavilibris@hotmail.com	<input type="text" value="mavilibris@hotmail.com"/>	
Use Search-Engine Safe URLs (still in development)	false	<input type="text" value="false"/>	
Display Cart After Adding Product	true	<input type="text" value="true"/>	
Allow Guest To Tell A Friend	false	<input type="text" value="false"/>	
Default Search Operator	and	<input type="text" value="and"/>	
Show Address and Phone	Murat Sevinmez--0533 861 63 44	<input type="text" value="Murat Sevinmez--0533 861 63 44"/>	
Show Category Counts	false	<input type="text" value="false"/>	
Tax Decimal Places	0	<input type="text" value="0"/>	
Display Prices with Tax	false	<input type="text" value="false"/>	

Buttons at the bottom right include 'Güncelle' (Update) and 'İptal' (Cancel).

Figure 3. My Store

The screenshot shows the 'Images' configuration page in the admin panel. The left sidebar contains the same navigation links as Figure 3.

The main content area is titled 'Images' and displays a table of configuration settings:

Sayıklık	Değer	Hareket	Güvenlik
Small Image Width	119	<input type="text" value="119"/>	Small Image Width The pixel width of small images
Small Image Height	119	<input type="text" value="119"/>	
Heading Image Width	119	<input type="text" value="119"/>	
Heading Image Height	119	<input type="text" value="119"/>	
Subcategory Image Width	110	<input type="text" value="110"/>	
Subcategory Image Height	110	<input type="text" value="110"/>	
Calculate Image Size	true	<input type="text" value="true"/>	
Image Required	true	<input type="text" value="true"/>	

Buttons at the bottom right include 'Güncelle' (Update) and 'İptal' (Cancel).

Figure 4.Images

VII. APPENDIX - I

The screenshot shows the 'Product Listing' configuration page. On the left, a sidebar lists various settings like 'Ayarlar', 'Yöneticiler', 'My Store', etc. The main area is titled 'Product Listing' and contains a table with columns: Baslik, Değer, and Hareket. A tooltip 'Lütfen gerekli değerlere tıklayın' (Please click on the required values) is shown above the table. Buttons for 'Güncelle' (Update) and 'İptal' (Cancel) are at the bottom right.

Baslik	Değer	Hareket
Display Product Image	1	Display Product Image
Display Product Manufacturer Name	1	Lütfen gerekli değerlere tıklayın
Display Product Model	1	Display Product Image
Display Product Name	2	Do you want to display the Product Image?
Display Product Price	3	<input checked="" type="radio"/> 1
Display Product Quantity	1	<input type="radio"/>
Display Product Weight	1	<input type="radio"/>
Display Buy Now column	4	<input type="radio"/>
Display Category/Manufacturer Filter (0=disable; 1=enable)	1	<input type="radio"/>
Location of Prev/Next Navigation Bar (1=top, 2-bottom, 3-both)	3	<input type="radio"/>

Figure 5.Product Listing

The screenshot shows the 'Stock' configuration page. The sidebar includes 'Ayarlar', 'Yöneticiler', 'My Store', etc. The main area is titled 'Stock' and features a table with columns: Baslik, Değer, and Hareket. A tooltip 'Lütfen gerekli değerlere tıklayın' (Please click on the required values) is displayed above the table. Buttons for 'Güncelle' (Update) and 'İptal' (Cancel) are located at the bottom right.

Baslik	Değer	Hareket
Check stock level	true	Check stock level
Subtract stock	true	Check to see if sufficient stock is available
Allow Checkout	true	<input checked="" type="radio"/> true
Mark product out of stock	***	<input type="radio"/> false
Stock Re-order level	5	

Figure 6. Stock

VII. APPENDIX - I

The screenshot shows a configuration page for product listing settings. On the left, a sidebar lists various categories like Ayarlar, Yöneticiler, My Store, etc. The main area is titled 'Kategorideki Ürünler' (Products in Category). It contains a table with the following columns: Başlık (Title), Değer (Value), and Hareket (Action). The table includes the following rows:

Başlık	Değer	Hareket
Modül Gösterimi	true	<input type="checkbox"/> Lütfen gerekli değişiklikleri yapın
Maks. Kaç Ürün Göstereilecek	15	<input type="checkbox"/> Modül Gösterimi
Küçük Resim Boyu (Piksel)	30	<input type="checkbox"/> Kategori içinde diğer ürünler kutusu gösterilsin mi
Küçük Resim Eni (Piksel)	30	<input checked="" type="radio"/> true
Ürün Gösterim Sırasıma Kolonu	Max, Viewed	<input type="checkbox"/> false
Ürün Gösterim Sırasıma Rezdi	DESC	

At the bottom right are 'Güncelle' (Update) and 'İptal' (Cancel) buttons.

Figure 7. Kategorideki Ürünler

The screenshot shows a configuration page for the Flash Carousel module. On the left, a sidebar lists various categories like Ayarlar, Yöneticiler, My Store, etc. The main area is titled 'Flash Carousel'. It contains a table with the following columns: Başlık (Title), Değer (Value), and Hareket (Action). The table includes the following rows:

Başlık	Değer	Hareket
Flash Carousel Ürun Gösterecisini Göster	true	<input type="checkbox"/> Lütfen gerekli değişiklikleri yapın
Maksimum Gösterelecek Ürün Sayısı?	12	<input type="checkbox"/> Flash Carousel Ürun Gösterecisini Göster
Flash Carousel.xml/ressin Kayıt Dosyası?	kampanya	<input type="checkbox"/> Flash Carousel Ürun Gösterecisini kullanmak isterseniz true olarak işaretleyin.
Resimler Yeniden Sayılandırmak mı?	true	<input checked="" type="radio"/> true
Flash Carousel Stili	style_1:#medium	<input type="checkbox"/> false
Flash Carousel Arkaplan Rengi	#fffffe	
Alt kategorilerde gösterilisin mi?	false	
Üründen Sayı? Az ise Gösterme	0	

At the bottom right are 'Güncelle' (Update) and 'İptal' (Cancel) buttons.

Figure 8. Flash Carousel

VII. APPENDIX - I




Figure 9. Kategoriler-Ürünler




Figure 10. Üreticiler

VII. APPENDIX - I



Figure 11. Yorumlar




Figure 12. İndirimdeki Ürünler

VII. APPENDIX - I




Figure 13. Flash Carousel Ürünler




Figure 14. Ödeme Modülleri

VII. APPENDIX - I




Figure 15.Nakliye Modülü




Figure 16. Toplam Sipariş Modülü

VII. APPENDIX - I

Soy İsim	İsim	Üyelik Tarihi	Hareket	İslem
sevinmez	alixalt	03/11/2010		
sevinmez	murat	17/10/2010		
sevinmez	murat	03/11/2010		

Görunen 1 - 3 (toplam 3 müşteri)

Sayfa 1 / 1 Son Güncelleme: 03/11/2010
 Son Giriş: 03/11/2010
 Giriş Sayısı: 0
 Ülke: Turkey
 Yorum Sayısı: 0

Figure 17. Müşteriler

Malzeler	Sipariş Toplamo	Satış Tarihi	Durum	Hareket	İslem
murat sevinmez	1.572,42TL	03/11/2010 22:38:34	Aşkında		
eliseit sevinmez	338,50TL	03/11/2010 20:04:56	Aşkında		
murat sevinmez	238,50TL	17/10/2010 18:36:34	Aşkında		

Görunen 1 - 3 (toplam 3 sipariş)

Sipariş ID: 03/11/2010 22:38:34 Durum: Tüm Siparişler
 Sayfa 1 / 1 Oluşturulma Tarihi: 03/11/2010
 Ödeme Metodu: Banka Havalesi [Garanti Bankası]

Figure 18.Siparişler

VII. APPENDIX - I




Figure 19. Fatura




Figure 20. Şehirler-Vergiler

VII. APPENDIX - I




Figure 21.Yerelleştirme




Figure 22.En Çok Görüntülenen Ürünler

VII. APPENDIX - I

The screenshot shows a web interface for managing a store. On the left, there's a sidebar with links like Ayarlar, Katalog, Modüller, Müşteriler, Şehirler / Vergiler, Yerelgeştirme, and Raporlar. The main content area is titled "En İyi Sipariş Edilen Ürünler". A table lists three products based on sales volume:

No.	Ürünler	Sipariş
01.	Samsung S3653 Corby WiFi Cep Telefonu	2
02.	Samsung B7722 Çift Hedi Cep Telefonu-VADE FARKSIZ 12 TAKSİT	1
03.	sony ericson W995	1

Below the table, it says "Görünen 1 - 3 (toplam 3 ürün)". The top navigation bar includes "Yönetim paneli", "Yönetim paneli", "Yönetim paneli", and "Diğer yerimle". The URL in the address bar is "muratsevinmez.com/admin/stats_products_purchased.php".

Figure 23. En İyi Sipariş Edilen Ürünler

This screenshot shows another report page. The sidebar and top navigation are identical to Figure 23. The main title is "En İyi Müşteri Sipariş-Toplamı". A table lists two customers with their total order amounts:

No.	Müşteriler	Toplam Sipariş
01.	murat sevinmez	1.775,00TL
02.	alisat sevinmez	336,00TL

Below the table, it says "Görünen 1 - 3 (toplam 3 müşteri)". The top navigation bar includes "Yönetim paneli", "Yönetim paneli", "Yönetim paneli", and "Diğer yerimle". The URL in the address bar is "muratsevinmez.com/admin/stats_customers.php".

Figure 24. En İyi Müşteri Sipariş Toplamı

VII. APPENDIX - I




Figure 25 .Araçlar

VIII. Appendix II

Kullanıcı Giriş (admin / login.php)

```
<?php
/*
$Id: login.php 1739 2007-12-20 00:52:16Z hpdl $

osCommerce, Open Source E-Commerce Solutions
http://www.oscommerce.com

Copyright (c) 2007 osCommerce

Released under the GNU General Public License
*/
require('includes/application_top.php');
require('includes/functions/password_funcs.php');

$action = (isset($_GET['action']) ? $_GET['action'] : "");

if (tep_not_null($action)) {
    switch ($action) {
        case 'process':
            $username = tep_db_prepare_input($_POST['username']);
            $password = tep_db_prepare_input($_POST['password']);

            $check_query = tep_db_query("select id, user_name, user_password from " . TABLE_ADMINISTRATORS .
" where user_name = '" . tep_db_input($username) . "'");

            if (tep_db_num_rows($check_query) == 1) {
                $check = tep_db_fetch_array($check_query);

                if (tep_validate_password($password, $check['user_password'])) {
                    tep_session_register('admin');

                    $admin = array('id' => $check['id'],
                                  'username' => $check['user_name']);

                    if (tep_session_is_registered('redirect_origin')) {
                        $page = $redirect_origin['page'];
                        $get_string = "";

                        if (function_exists('http_build_query')) {
                            $get_string = http_build_query($redirect_origin['get']);
                        }
                    }

                    tep_session_unregister('redirect_origin');

                    tep_redirect(tep_href_link($page, $get_string));
                } else {
                    tep_redirect(tep_href_link(FILENAME_DEFAULT));
                }
            }
        }

        $messageStack->add(ERROR_INVALID_ADMINISTRATOR, 'error');

        break;

        case 'logoff':
            tep_session_unregister('selected_box');
            tep_session_unregister('admin');
            tep_redirect(tep_href_link(FILENAME_DEFAULT));

            break;

        case 'create':
            $check_query = tep_db_query("select id from " . TABLE_ADMINISTRATORS . " limit 1");
    }
}
```

```

if (tep_db_num_rows($check_query) == 0) {
    $username = tep_db_prepare_input($HTTP_POST_VARS['username']);
    $password = tep_db_prepare_input($HTTP_POST_VARS['password']);

    tep_db_query('insert into ' . TABLE_ADMINISTRATORS . ' (user_name, user_password) values ("' .
    $username . '", "' . tep_encrypt_password($password) . '"');
}

tep_redirect(tep_href_link(FILENAME_LOGIN));

break;
}
}

$languages = tep_get_languages();
$languages_array = array();
$languages_selected = DEFAULT_LANGUAGE;
for ($i = 0, $n = sizeof($languages); $i < $n; $i++) {
    $languages_array[] = array('id' => $languages[$i]['code'],
        'text' => $languages[$i]['name']);
    if ($languages[$i]['directory'] == $language) {
        $languages_selected = $languages[$i]['code'];
    }
}

$admins_check_query = tep_db_query("select id from " . TABLE_ADMINISTRATORS . " limit 1");
if (tep_db_num_rows($admins_check_query) < 1) {
    $messageStack->add(TEXT_CREATE_FIRST_ADMINISTRATOR, 'warning');
}
?>
<!doctype html public "-//W3C//DTD HTML 4.01 Transitional//EN">
<html <?php echo HTML_PARAMS; ?>>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=<?php echo CHARSET; ?>">
<meta name="robots" content="noindex,nofollow">
<title><?php echo TITLE; ?></title>
<link rel="stylesheet" type="text/css" href="includes/stylesheet.css">
<script language="javascript" src="includes/general.js"></script>
</head>
<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"
bgcolor="#FFFFFF" onload="SetFocus();">
<!-- header //-->
<?php require(DIR_WS_INCLUDES . 'header.php'); ?>
<!-- header_eof //-->

<!-- body //-->
<table border="0" width="100%" cellspacing="2" cellpadding="2">
<tr>
    <td><table border="0" width="100%" cellspacing="0" cellpadding="0" height="40">
        <tr>
            <td class="pageHeading"><?php echo HEADING_TITLE; ?></td>
            <td class="pageHeading" align="right"><?php echo tep_draw_form('adminlanguage',
FILENAME_DEFAULT, "", 'get') . tep_draw_pull_down_menu('language', $languages_array,
$languages_selected, 'onChange="this.form.submit();"' . tep_hide_session_id() . '</form>'; ?></td>
        </tr>
    </table></td>
</tr>
<tr>
    <td>
        <?php
        $heading = array();
        $contents = array();

        if (tep_db_num_rows($admins_check_query) > 0) {
            $heading[] = array('text' => '<b>' . HEADING_TITLE . '</b>');
            $contents = array('form' => tep_draw_form('login', FILENAME_LOGIN, 'action=process'));
            $contents[] = array('text' => TEXT_USERNAME . '<br>' . tep_draw_input_field('username'));
            $contents[] = array('text' => '<br>' . TEXT_PASSWORD . '<br>' . tep_draw_password_field('password'));
            $contents[] = array('align' => 'center', 'text' => '<br><input type="submit" value="" . BUTTON_LOGIN . ""');
        }
    </td>

```

```

} else {
$heading[] = array('text' => '<b>' . HEADING_TITLE . '</b>');
$contents = array('form' => tep_draw_form('login', FILENAME_LOGIN, 'action=create'));
$contents[] = array('text' => TEXT_CREATE_FIRST_ADMINISTRATOR);
$contents[] = array('text' => '<br>' . TEXT_USERNAME . '<br>' . tep_draw_input_field('username'));
$contents[] = array('text' => '<br>' . TEXT_PASSWORD . '<br>' . tep_draw_password_field('password'));
$contents[] = array('align' => 'center', 'text' => '<br><input type="submit" value=""');
BUTTON_CREATE_ADMINISTRATOR . " />');
}

$box = new box;
echo $box->infoBox($heading, $contents);
?>

</td>
</tr>
</table>
<!-- body_eof //-->

<!-- footer //-->
<?php require(DIR_WS_INCLUDES . 'footer.php'); ?>
<!-- footer_eof //-->
</body>
</html>
<?php require(DIR_WS_INCLUDES . 'application_bottom.php'); ?>

```

1.Ayarlar (admin / index.php)

```

<?php
/*
$Id: index.php 1739 2007-12-20 00:52:16Z hpdl $

osCommerce, Open Source E-Commerce Solutions
http://www.oscommerce.com

Copyright (c) 2007 osCommerce

Released under the GNU General Public License
*/
require('includes/application_top.php');

$languages = tep_get_languages();
$languages_array = array();
$languages_selected = DEFAULT_LANGUAGE;
for ($i = 0, $n = sizeof($languages); $i < $n; $i++) {
$languages_array[] = array('id' => $languages[$i]['code'],
'text' => $languages[$i]['name']);
if ($languages[$i]['directory'] == $language) {
$languages_selected = $languages[$i]['code'];
}
}
?>
<!doctype html public "-//W3C//DTD HTML 4.01 Transitional//EN">
<html <?php echo HTML_PARAMS; ?>>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=<?php echo CHARSET; ?>">
<meta name="robots" content="noindex,nofollow">
<title><?php echo TITLE; ?></title>
<link rel="stylesheet" type="text/css" href="includes/stylesheet.css">
<script language="javascript" src="includes/general.js"></script>
</head>
<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"
bgcolor="#FFFFFF" onload="SetFocus();">
<!-- header //-->
<?php require(DIR_WS_INCLUDES . 'header.php'); ?>
<!-- header_eof //-->

```

```

<!-- body //-->
<table border="0" width="100%" cellspacing="2" cellpadding="2">
<tr>
  <td width=<?php echo BOX_WIDTH; ?>" valign="top"><table border="0" width=<?php echo
BOX_WIDTH; ?>" cellspacing="1" cellpadding="1" class="columnLeft">
<!-- left_navigation //-->
<?php require(DIR_WS_INCLUDES . 'column_left.php'); ?>
<!-- left_navigation_eof //-->
</table></td>
<!-- body_text //-->
<td width="100%" valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr>
  <td><table border="0" width="100%" cellspacing="0" cellpadding="2" height="40">
    <tr>
      <td class="pageHeading"><?php echo STORE_NAME; ?></td>
      <td class="pageHeading" align="right"><?php echo tep_draw_form('adminlanguage',
FILENAME_DEFAULT, '', 'get') . tep_draw_pull_down_menu('language', $languages_array,
$languages_selected, 'onChange="this.form.submit();"' ) . tep_hide_session_id() . '</form>'; ?></td>
    </tr>
  </table></td>
</tr>
<tr>
  <td><table border="0" width="100%" cellspacing="0" cellpadding="2">
<?php
$file_extension = substr($PHP_SELF, strpos($PHP_SELF, '.'));
$files = array();
if ($dir = @dir(DIR_FS_ADMIN . 'includes/modules/index')) {
  while ($file = $dir->read()) {
    if (!is_dir($module_directory . $file)) {
      if (substr($file, strpos($file, '.')) == $file_extension) {
        $files[] = $file;
      }
    }
  }
  sort($files);
  $dir->close();
}

$col = 0;

for ($i=0, $n=sizeof($files); $i<$n; $i++) {
  if (file_exists(DIR_WS_LANGUAGES . $language . '/modules/index/' . $files[$i])) {
    include(DIR_WS_LANGUAGES . $language . '/modules/index/' . $files[$i]);
  }

  if ($col < 1) {
    echo '      <tr>' . "\n";
  }

  $col++;

  if ($col <= 2) {
    echo '      <td width="50%" valign="top">' . "\n";
  }

  include('includes/modules/index/' . $files[$i]);

  if ($col <= 2) {
    echo '      </td>' . "\n";
  }

  if ( !isset($files[$i+1]) || ($col == 2) ) {
    if ( !isset($files[$i+1]) && ($col == 1) ) {
      echo '      <td width="50%" valign="top">&ampnbsp</td>' . "\n";
    }

    $col = 0;

    echo '    </tr>' . "\n";
  }
}

```

```

?>
    </td></td>
</tr>
</td></td>
</tr>
</table>
<!-- body_eof //-->

<!-- footer //-->
<?php require(DIR_WS_INCLUDES . 'footer.php'); ?>
<!-- footer_eof //-->
</body>
</html>
<?php require(DIR_WS_INCLUDES . 'application_bottom.php'); ?>

```

1.1.Yöneticiler (admin / administrator.php)

```

<?php
/*
$Id: administrators.php 1739 2007-12-20 00:52:16Z hpdl $

osCommerce, Open Source E-Commerce Solutions
http://www.oscommerce.com

Copyright (c) 2007 osCommerce

Released under the GNU General Public License
*/
require('includes/application_top.php');

$action = (isset($HTTP_GET_VARS['action']) ? $HTTP_GET_VARS['action'] : "");

if (tep_not_null($action)) {
    switch ($action) {
        case 'insert':
            require('includes/functions/password_funcs.php');

            $username = tep_db_prepare_input($HTTP_POST_VARS['username']);
            $password = tep_db_prepare_input($HTTP_POST_VARS['password']);

            $check_query = tep_db_query("select id from " . TABLE_ADMINISTRATORS . " where user_name = '" .
            tep_db_input($username) . "' limit 1");

            if (tep_db_num_rows($check_query) < 1) {
                tep_db_query("insert into " . TABLE_ADMINISTRATORS . " (user_name, user_password) values ('" .
                tep_db_input($username) . "', '" . tep_db_input(tep_encrypt_password($password)) . "')");
            } else {
                $messageStack->add_session(ERROR_ADMINISTRATOR_EXISTS, 'error');
            }

            tep_redirect(tep_href_link(FILENAME_ADMINISTRATORS));
            break;
        case 'save':
            require('includes/functions/password_funcs.php');

            $username = tep_db_prepare_input($HTTP_POST_VARS['username']);
            $password = tep_db_prepare_input($HTTP_POST_VARS['password']);

            $check_query = tep_db_query("select id from " . TABLE_ADMINISTRATORS . " where user_name = '" .
            tep_db_input($admin['username']) . "'");
            $check = tep_db_fetch_array($check_query);

            if ($admin['id'] == $check['id']) {
                $admin['username'] = $username;
            }
    }
}

```

```

tep_db_query("update " . TABLE_ADMINISTRATORS . " set user_name = '" . tep_db_input($username) .
"" where id = "" . (int)$HTTP_GET_VARS['aID'] . "'");
if (tep_not_null($password)) {
    tep_db_query("update " . TABLE_ADMINISTRATORS . " set user_password = '" .
tep_db_input(tep_encrypt_password($password)) . "' where id = " . (int)$HTTP_GET_VARS['aID'] . "'");
}
tep_redirect(tep_href_link(FILENAME_ADMINISTRATORS, 'aID=' . (int)$HTTP_GET_VARS['aID']));
break;
case 'deleteconfirm':
$id = tep_db_prepare_input($HTTP_GET_VARS['aID']);
$check_query = tep_db_query("select id from " . TABLE_ADMINISTRATORS . " where user_name = '" .
tep_db_input($admin['username']) . "'");
$check = tep_db_fetch_array($check_query);
if ($id == $check['id']) {
    tep_session_unregister('admin');
}
tep_db_query("delete from " . TABLE_ADMINISTRATORS . " where id = " . (int)$id . "'");
tep_redirect(tep_href_link(FILENAME_ADMINISTRATORS));
break;
}
?>
<!doctype html public "-//W3C//DTD HTML 4.01 Transitional//EN">
<html <?php echo HTML_PARAMS; ?>>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=<?php echo CHARSET; ?>">
<title><?php echo TITLE; ?></title>
<link rel="stylesheet" type="text/css" href="includes/stylesheet.css">
<script language="javascript" src="includes/general.js"></script>
</head>
<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"
bgcolor="#FFFFFF" onLoad="SetFocus();">
<!-- header //-->
<?php require(DIR_WS_INCLUDES . 'header.php'); ?>
<!-- header_eof //-->

<!-- body //-->
<table border="0" width="100%" cellspacing="2" cellpadding="2">
<tr>
<td width="php echo BOX_WIDTH; ?&gt;" valign="top"&gt;&lt;table border="0" width="<?php echo
BOX_WIDTH; ?&gt;" cellspacing="1" cellpadding="1" class="columnLeft"&gt;
&lt;!-- left_navigation //--&gt;
&lt;?php require(DIR_WS_INCLUDES . 'column_left.php'); ?&gt;
&lt;!-- left_navigation_eof //--&gt;
&lt;/table&gt;&lt;/td&gt;
&lt;!-- body_text //--&gt;
&lt;td width="100%" valign="top"&gt;&lt;table border="0" width="100%" cellspacing="0" cellpadding="2"&gt;
&lt;tr&gt;
&lt;td&gt;&lt;table border="0" width="100%" cellspacing="0" cellpadding="0"&gt;
&lt;tr&gt;
&lt;td class="pageHeading"<?php echo HEADING_TITLE; ?></td>
<td class="pageHeading" align="right"><?php echo tep_draw_separator('pixel_trans.gif',
HEADING_IMAGE_WIDTH, HEADING_IMAGE_HEIGHT); ?></td>
</tr>
</table></td>
</tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr>
<td valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr class="dataTableHeadingRow">
<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_ADMINISTRATORS; ?></td>
<td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_ACTION;
?>&nbsp;</td>
</tr>
<?php

```

```

$admins_query = tep_db_query("select id, user_name from " . TABLE_ADMINISTRATORS . " order by
user_name");
while ($admins = tep_db_fetch_array($admins_query)) {
    if ((!isset($HTTP_GET_VARS['aID']) || (isset($HTTP_GET_VARS['aID']) && ($HTTP_GET_VARS['aID'] ==
$admins['id']))) && !isset($aInfo) && (substr($action, 0, 3) != 'new')) {
        $aInfo = new objectInfo($admins);
    }

    if ( (isset($aInfo) && is_object($aInfo)) && ($admins['id'] == $aInfo->id) ) {
        echo '          <tr id="defaultSelected" class="dataTableRowSelected"
onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)" onclick="document.location.href=\"
tep_href_link(FILENAME_ADMINISTRATORS, 'aID=' . $aInfo->id . '&action=edit') . \'>' . "\n";
    } else {
        echo '          <tr class="dataTableRow" onmouseover="rowOverEffect(this)"
onmouseout="rowOutEffect(this)" onclick="document.location.href=\"
tep_href_link(FILENAME_ADMINISTRATORS, 'aID=' . $admins['id']) . \'>' . "\n";
    }
?>
    <td class="dataTableContent"><?php echo $admins['user_name']; ?></td>
    <td class="dataTableContent" align="right"><?php if ( (isset($aInfo) && is_object($aInfo)) &&
($admins['id'] == $aInfo->id) ) { echo tep_image(DIR_WS_IMAGES . 'icon_arrow_right.gif', ''); } else { echo
'<a href="" . tep_href_link(FILENAME_ADMINISTRATORS, 'aID=' . $admins['id']) . "'>' .
tep_image(DIR_WS_IMAGES . 'icon_info.gif', IMAGE_ICON_INFO) . '</a>'; } ?>&nbsp;</td>
    </tr>
<?php
}
?>
<tr>
    <td colspan="2" align="right"><?php echo '<a href="" .
tep_href_link(FILENAME_ADMINISTRATORS, 'action=new') . "'>' . tep_image_button('button_insert.gif',
IMAGE_INSERT) . '</a>'; ?></td>
    </tr>
</table></td>
<?php
$heading = array();
$contents = array();

switch ($action) {
    case 'new':
        $heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_NEW_ADMINISTRATOR . '</b>');
        $contents = array('form' => tep_draw_form('administrator', FILENAME_ADMINISTRATORS,
'action=insert'));
        $contents[] = array('text' => TEXT_INFO_INSERT_INTRO);
        $contents[] = array('text' => '<br>' . TEXT_INFO_USERNAME . '<br>' .
tep_draw_input_field('username'));
        $contents[] = array('text' => '<br>' . TEXT_INFO_PASSWORD . '<br>' .
tep_draw_password_field('password'));
        $contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_save.gif',
IMAGE_SAVE) . '&nbsp;<a href="" . tep_href_link(FILENAME_ADMINISTRATORS) . "'>' .
tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
        break;
    case 'edit':
        $heading[] = array('text' => '<b>' . $aInfo->user_name . '</b>');
        $contents = array('form' => tep_draw_form('administrator', FILENAME_ADMINISTRATORS, 'aID=' .
$aInfo->id . '&action=save'));
        $contents[] = array('text' => TEXT_INFO_EDIT_INTRO);
        $contents[] = array('text' => '<br>' . TEXT_INFO_USERNAME . '<br>' . tep_draw_input_field('username',
$aInfo->user_name));
        $contents[] = array('text' => '<br>' . TEXT_INFO_NEW_PASSWORD . '<br>' .
tep_draw_password_field('password'));
        $contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_update.gif',
IMAGE_UPDATE) . '&nbsp;<a href="" . tep_href_link(FILENAME_ADMINISTRATORS, 'aID=' . $aInfo->id) . "'>' .
tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
        break;
    case 'delete':
        $heading[] = array('text' => '<b>' . $aInfo->user_name . '</b>');
        $contents = array('form' => tep_draw_form('administrator', FILENAME_ADMINISTRATORS, 'aID=' .
$aInfo->id . '&action=deleteconfirm'));
        $contents[] = array('text' => TEXT_INFO_DELETE_INTRO);

```

```

$contents[] = array('text' => '<br><b>' . $aInfo->user_name . '</b>');
$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_delete.gif',
IMAGE_UPDATE) . '&nbsp;<a href="" . tep_href_link(FILENAME_ADMINISTRATORS, 'aID=' . $aInfo->id) . '">' .
tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
break;
default:
if (isset($aInfo) && is_object($aInfo)) {
$heading[] = array('text' => '<b>' . $aInfo->user_name . '</b>');

$contents[] = array('align' => 'center', 'text' => '<a href="" .
tep_href_link(FILENAME_ADMINISTRATORS, 'aID=' . $aInfo->id . '&action=edit') . '">' .
tep_image_button('button_edit.gif', IMAGE_EDIT) . '</a> <a href="" .
tep_href_link(FILENAME_ADMINISTRATORS, 'aID=' . $aInfo->id . '&action=delete') . '">' .
tep_image_button('button_delete.gif', IMAGE_DELETE) . '</a>');
}
break;
}

if ( (tep_not_null($heading)) && (tep_not_null($contents)) ) {
echo '<td width="25%" valign="top">' . "\n";
$box = new box;
echo $box->infoBox($heading, $contents);

echo '      </td>' . "\n";
}
?>
      </tr>
    </table></td>
  </tr>
</table></td>
<!-- body_text_eof //-->
</tr>
</table>
<!-- body_eof //-->

<!-- footer //-->
<?php require(DIR_WS_INCLUDES . 'footer.php'); ?>
<!-- footer_eof //-->
</body>
</html>
<?php require(DIR_WS_INCLUDES . 'application_bottom.php'); ?>

```

1.2.Dükkanım (admin / configuration.php)

- 1.3.Düşükdeğerler**
- 1.4.Yüksekdeğerler**
- 1.5.Resimler Ayarı**
- 1.7.Urün Listeleme**
- 1.8.Flash Carousel**

```

<?php
/*
 $Id: configuration.php 1739 2007-12-20 00:52:16Z hpdl $

osCommerce, Open Source E-Commerce Solutions
http://www.oscommerce.com

Copyright (c) 2003 osCommerce

Released under the GNU General Public License
*/
require('includes/application_top.php');

$action = (isset($_GET['action'])) ? $_GET['action'] : "";

```

```

if (tep_not_null($action)) {
    switch ($action) {
        case 'save':
            $configuration_value = tep_db_prepare_input($HTTP_POST_VARS['configuration_value']);
            $cID = tep_db_prepare_input($HTTP_GET_VARS['cID']);

            tep_db_query("update " . TABLE_CONFIGURATION . " set configuration_value = '" .
            tep_db_input($configuration_value) . "'", last_modified = now() where configuration_id = "" . (int)$cID . "'");
            tep_redirect(tep_href_link(FILENAME_CONFIGURATION, 'gID=' . $HTTP_GET_VARS['gID'] . '&cID=' .
            $cID));
            break;
    }
}

$gID = (isset($HTTP_GET_VARS['gID'])) ? $HTTP_GET_VARS['gID'] : 1;

$cfg_group_query = tep_db_query("select configuration_group_title from " . TABLE_CONFIGURATION_GROUP .
. " where configuration_group_id = '" . (int)$gID . "'");
$cfg_group = tep_db_fetch_array($cfg_group_query);
?>
<!doctype html public "-//W3C//DTD HTML 4.01 Transitional//EN">
<html <?php echo HTML_PARAMS; ?>>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=<?php echo CHARSET; ?>">
<title><?php echo TITLE; ?></title>
<link rel="stylesheet" type="text/css" href="includes/stylesheet.css">
<script language="javascript" src="includes/general.js"></script>
</head>
<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"
bgcolor="#FFFFFF" onload="SetFocus();">
<!-- header //-->
<?php require(DIR_WS_INCLUDES . 'header.php'); ?>
<!-- header_eof //-->

<!-- body //-->
<table border="0" width="100%" cellspacing="2" cellpadding="2">
<tr>
    <td width="php echo BOX_WIDTH; ?&gt;" valign="top"&gt;&lt;table border="0" width="<?php echo
BOX_WIDTH; ?&gt;" cellspacing="1" cellpadding="1" class="columnLeft"&gt;
&lt;!-- left_navigation //--&gt;
&lt;?php require(DIR_WS_INCLUDES . 'column_left.php'); ?&gt;
&lt;!-- left_navigation_eof //--&gt;
    &lt;/table&gt;&lt;/td&gt;
&lt;!-- body_text //--&gt;
    &lt;td width="100%" valign="top"&gt;&lt;table border="0" width="100%" cellspacing="0" cellpadding="2"&gt;
    &lt;tr&gt;
        &lt;td&gt;&lt;table border="0" width="100%" cellspacing="0" cellpadding="0"&gt;
        &lt;tr&gt;
            &lt;td class="pageHeading"&gt;&lt;?php echo $cfg_group['configuration_group_title']; ?&gt;&lt;/td&gt;
            &lt;td class="pageHeading" align="right"&gt;&lt;?php echo tep_draw_separator('pixel_trans.gif',
HEADING_IMAGE_WIDTH, HEADING_IMAGE_HEIGHT); ?&gt;&lt;/td&gt;
        &lt;/tr&gt;
        &lt;/table&gt;&lt;/td&gt;
    &lt;/tr&gt;
    &lt;tr&gt;
        &lt;td&gt;&lt;table border="0" width="100%" cellspacing="0" cellpadding="0"&gt;
        &lt;tr&gt;
            &lt;td valign="top"&gt;&lt;table border="0" width="100%" cellspacing="0" cellpadding="2"&gt;
                &lt;tr class="dataTableHeadingRow"&gt;
                    &lt;td class="dataTableHeadingContent"&gt;&lt;?php echo TABLE_HEADING_CONFIGURATION_TITLE;
?&gt;&lt;/td&gt;
                    &lt;td class="dataTableHeadingContent"&gt;&lt;?php echo TABLE_HEADING_CONFIGURATION_VALUE;
?&gt;&lt;/td&gt;
                    &lt;td class="dataTableHeadingContent" align="right"&gt;&lt;?php echo TABLE_HEADING_ACTION;
?&gt;&amp;nbsp;&lt;/td&gt;
                &lt;/tr&gt;
            &lt;/table&gt;&lt;/td&gt;
        &lt;/tr&gt;
        &lt;?php
            $configuration_query = tep_db_query("select configuration_id, configuration_title,
            configuration_value, use_function from " . TABLE_CONFIGURATION . " where configuration_group_id =
            '" . (int)$gID . "' order by sort_order");
            while ($configuration = tep_db_fetch_array($configuration_query)) {
</pre

```

```

if (tep_not_null($configuration['use_function'])) {
    $use_function = $configuration['use_function'];
    if (ereg('>', $use_function)) {
        $class_method = explode('>', $use_function);
        if (!is_object(${$class_method[0]})) {
            include(DIR_WS_CLASSES . $class_method[0] . '.php');
            ${$class_method[0]} = new $class_method[0]();
        }
        $cfgValue = tep_call_function($class_method[1], $configuration['configuration_value'],
${$class_method[0]});
    } else {
        $cfgValue = tep_call_function($use_function, $configuration['configuration_value']);
    }
} else {
    $cfgValue = $configuration['configuration_value'];
}

if ((!isset($_GET['cID']) || (isset($_GET['cID']) && ($_GET['cID'] ==
$configuration['configuration_id']))) && !isset($cInfo) && (substr($action, 0, 3) != 'new')) {
    $cfg_extra_query = tep_db_query("select configuration_key, configuration_description, date_added,
last_modified, use_function, set_function from " . TABLE_CONFIGURATION . " where configuration_id = '" .
(int)$configuration['configuration_id'] . "'");
    $cfg_extra = tep_db_fetch_array($cfg_extra_query);

    $cInfo_array = array_merge($configuration, $cfg_extra);
    $cInfo = new objectInfo($cInfo_array);
}

if ( (isset($cInfo) && is_object($cInfo)) && ($configuration['configuration_id'] == $cInfo->configuration_id)
) {
    echo '          <tr id="defaultSelected" class="dataTableRowSelected"
onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)" onclick="document.location.href=\"
tep_href_link(FILENAME_CONFIGURATION, \'gID\'' . $_GET['gID'] . '&cID\'' . $cInfo-
>configuration_id . '&action=edit') . '\">' . "\n";
} else {
    echo '          <tr class="dataTableRow" onmouseover="rowOverEffect(this)"
onmouseout="rowOutEffect(this)" onclick="document.location.href=\"
tep_href_link(FILENAME_CONFIGURATION, \'gID\'' . $_GET['gID'] . '&cID\'' .
$configuration['configuration_id']) . '\">' . "\n";
}
?>
<td class="dataTableContent"><?php echo $configuration['configuration_title']; ?></td>
<td class="dataTableContent"><?php echo htmlspecialchars($cfgValue); ?></td>
<td class="dataTableContent" align="right"><?php if ( (isset($cInfo) && is_object($cInfo)) &&
($configuration['configuration_id'] == $cInfo->configuration_id) ) { echo tep_image(DIR_WS_IMAGES .
'icon_arrow_right.gif', ''); } else { echo '<a href="' . tep_href_link(FILENAME_CONFIGURATION, 'gID=' .
$_GET['gID'] . '&cID=' . $configuration['configuration_id']) . '">' . tep_image(DIR_WS_IMAGES .
'icon_info.gif', IMAGE_ICON_INFO) . '</a>'; } ?>&nbsp;</td>
</tr>
<?php
}
?>
</table></td>
<?php
$heading = array();
$contents = array();

switch ($action) {
    case 'edit':
        $heading[] = array('text' => '<b>' . $cInfo->configuration_title . '</b>');
        if ($cInfo->set_function) {
            eval('$value_field = ' . $cInfo->set_function . "' . htmlspecialchars($cInfo->configuration_value) . \"');");
        } else {
            $value_field = tep_draw_input_field('configuration_value', $cInfo->configuration_value);
        }

        $contents = array('form' => tep_draw_form('configuration', FILENAME_CONFIGURATION, 'gID=' .
$_GET['gID'] . '&cID=' . $cInfo->configuration_id . '&action=save'));
        $contents[] = array('text' => TEXT_INFO_EDIT_INTRO);
        $contents[] = array('text' => '<br><b>' . $cInfo->configuration_title . '</b><br>' . $cInfo-
>configuration_description . '<br>' . $value_field);
}

```

```

$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_update.gif',
IMAGE_UPDATE) . '&nbsp;<a href="" . tep_href_link(FILENAME_CONFIGURATION, 'gID='.
$HTTP_GET_VARS['gID'] . '&cID=' . $cInfo->configuration_id) . '">' . tep_image_button('button_cancel.gif',
IMAGE_CANCEL) . '</a>');
break;
default:
if (isset($cInfo) && is_object($cInfo)) {
$heading[] = array('text' => '<b>' . $cInfo->configuration_title . '</b>');

$contents[] = array('align' => 'center', 'text' => '<a href="" . tep_href_link(FILENAME_CONFIGURATION,
'gID=' . $HTTP_GET_VARS['gID'] . '&cID=' . $cInfo->configuration_id . '&action=edit') . '">' .
tep_image_button('button_edit.gif', IMAGE_EDIT) . '</a>');
$contents[] = array('text' => '<br>' . $cInfo->configuration_description);
$contents[] = array('text' => '<br>' . TEXT_INFO_DATE_ADDED . '' . tep_date_short($cInfo-
>date_added));
if (tep_not_null($cInfo->last_modified)) $contents[] = array('text' => TEXT_INFO_LAST_MODIFIED . '' .
tep_date_short($cInfo->last_modified));
}
break;
}

if ( (tep_not_null($heading)) && (tep_not_null($contents)) ) {
echo '      <td width="25%" valign="top">' . "\n";
$box = new box;
echo $box->infoBox($heading, $contents);

echo '      </td>' . "\n";
}
?>
      </tr>
    </table></td>
  </tr>
</table></td>
<!-- body_text_eof //-->
</tr>
</table>
<!-- body_eof //-->

<!-- footer //-->
<?php require(DIR_WS_INCLUDES . 'footer.php'); ?>
<!-- footer_eof //-->
</body>
</html>
<?php require(DIR_WS_INCLUDES . 'application_bottom.php'); ?>

```

2.Katalog / Ürünler (admin / categories.php)

2.1.Katalog veya Ürün Alt Listesi

2.1.1.Kategori Ekleme

2.1.2.Ürün Ekleme

2.1.3.Ürün / Katalog Düzenleme

2.1.4.Ürün / Katalog Silme

2.1.5. Ürün Taşıma

```
<?php
/*
$Id: categories.php 1755 2007-12-21 14:02:36Z hpdl $

osCommerce, Open Source E-Commerce Solutions
http://www.oscommerce.com

Copyright (c) 2007 osCommerce

Released under the GNU General Public License
*/
require('includes/application_top.php');

require(DIR_WS_CLASSES . 'currencies.php');
$currencies = new currencies();

$action = (isset($HTTP_GET_VARS['action']) ? $HTTP_GET_VARS['action'] : "");

if (tep_not_null($action)) {
    switch ($action) {
        case 'setflag':
            if ( ($HTTP_GET_VARS['flag'] == '0') || ($HTTP_GET_VARS['flag'] == '1') ) {
                if (isset($HTTP_GET_VARS['pID'])) {
                    tep_set_product_status($HTTP_GET_VARS['pID'], $HTTP_GET_VARS['flag']);
                }
            }
            if (USE_CACHE == 'true') {
                tep_reset_cache_block('categories');
                tep_reset_cache_block('also_purchased');
            }
        }
    }

    tep_redirect(tep_href_link(FILENAME_CATEGORIES, 'cPath=' . $HTTP_GET_VARS['cPath'] . '&pID=' .
    $HTTP_GET_VARS['pID']));
    break;
    case 'insert_category':
    case 'update_category':
        if (isset($HTTP_POST_VARS['categories_id'])) $categories_id =
    tep_db_prepare_input($HTTP_POST_VARS['categories_id']);
        $sort_order = tep_db_prepare_input($HTTP_POST_VARS['sort_order']);

        $sql_data_array = array('sort_order' => (int)$sort_order);

        if ($action == 'insert_category') {
            $insert_sql_data = array('parent_id' => $current_category_id,
            'date_added' => 'now()');

            $sql_data_array = array_merge($sql_data_array, $insert_sql_data);

            tep_db_perform(TABLE_CATEGORIES, $sql_data_array);
    }
}
```

```

$categories_id = tep_db_insert_id();
} elseif ($action == 'update_category') {
    $update_sql_data = array('last_modified' => 'now()');

    $sql_data_array = array_merge($sql_data_array, $update_sql_data);

    tep_db_perform(TABLE_CATEGORIES, $sql_data_array, 'update', "categories_id = '" .
(int)$categories_id . "'");
}

$languages = tep_get_languages();
for ($i=0, $n=sizeof($languages); $i<$n; $i++) {
    $categories_name_array = $HTTP_POST_VARS['categories_name'];

    $language_id = $languages[$i]['id'];

    $sql_data_array = array('categories_name' =>
tep_db_prepare_input($categories_name_array[$language_id]));

    if ($action == 'insert_category') {
        $insert_sql_data = array('categories_id' => $categories_id,
                           'language_id' => $languages[$i]['id']);

        $sql_data_array = array_merge($sql_data_array, $insert_sql_data);

        tep_db_perform(TABLE_CATEGORIES_DESCRIPTION, $sql_data_array);
    } elseif ($action == 'update_category') {
        tep_db_perform(TABLE_CATEGORIES_DESCRIPTION, $sql_data_array, 'update', "categories_id = '" .
(int)$categories_id . "' and language_id = '" . (int)$languages[$i]['id'] . "'");
    }
}

$categories_image = new upload('categories_image');
$categories_image->set_destination(DIR_FS_CATALOG_IMAGES);

if ($categories_image->parse() && $categories_image->save()) {
    tep_db_query("update ". TABLE_CATEGORIES . " set categories_image = '" .
tep_db_input($categories_image->filename) . "' where categories_id = '" . (int)$categories_id . "'");
}

if (USE_CACHE == 'true') {
    tep_reset_cache_block('categories');
    tep_reset_cache_block('also_purchased');
}

tep_redirect(tep_href_link(FILENAME_CATEGORIES, 'cPath=' . $cPath . '&cID=' . $categories_id));
break;
case 'delete_category_confirm':
if (isset($HTTP_POST_VARS['categories_id'])) {
    $categories_id = tep_db_prepare_input($HTTP_POST_VARS['categories_id']);

    $categories = tep_get_category_tree($categories_id, ", '0', ", true);
    $products = array();
    $products_delete = array();

    for ($i=0, $n=sizeof($categories); $i<$n; $i++) {
        $product_ids_query = tep_db_query("select products_id from ". TABLE_PRODUCTS_TO_CATEGORIES .
" where categories_id = '" . (int)$categories[$i]['id'] . "'");
        while ($product_ids = tep_db_fetch_array($product_ids_query)) {
            $products[$product_ids['products_id']]['categories'][] = $categories[$i]['id'];
        }
    }

    reset($products);
    while (list($key, $value) = each($products)) {
        $category_ids = "";

        for ($i=0, $n=sizeof($value['categories']); $i<$n; $i++) {
            $category_ids .= "" . (int)$value['categories'][$i] . ", ";
        }
    }
}

```

```

$category_ids = substr($category_ids, 0, -2);

$check_query = tep_db_query("select count(*) as total from " . TABLE_PRODUCTS_TO_CATEGORIES .
" where products_id = '" . (int)$key . "' and categories_id not in (" . $category_ids . ")");
$check = tep_db_fetch_array($check_query);
if ($check['total'] < '1') {
    $products_delete[$key] = $key;
}
}

// removing categories can be a lengthy process
tep_set_time_limit(0);
for ($i=0, $n=sizeof($categories); $i<$n; $i++) {
    tep_remove_category($categories[$i]['id']);
}

reset($products_delete);
while (list($key) = each($products_delete)) {
    tep_remove_product($key);
}

if (USE_CACHE == 'true') {
    tep_reset_cache_block('categories');
    tep_reset_cache_block('also_purchased');
}

tep_redirect(tep_href_link(FILENAME_CATEGORIES, 'cPath=' . $cPath));
break;
case 'delete_product_confirm':
if (isset($HTTP_POST_VARS['products_id']) && isset($HTTP_POST_VARS['product_categories']) &&
is_array($HTTP_POST_VARS['product_categories'])) {
    $product_id = tep_db_prepare_input($HTTP_POST_VARS['products_id']);
    $product_categories = $HTTP_POST_VARS['product_categories'];

    for ($i=0, $n=sizeof($product_categories); $i<$n; $i++) {
        tep_db_query("delete from " . TABLE_PRODUCTS_TO_CATEGORIES . " where products_id = '" .
(int)$product_id . "' and categories_id = '" . (int)$product_categories[$i] . "'");
    }

    $product_categories_query = tep_db_query("select count(*) as total from " .
TABLE_PRODUCTS_TO_CATEGORIES . " where products_id = '" . (int)$product_id . "'");
    $product_categories = tep_db_fetch_array($product_categories_query);

    if ($product_categories['total'] == '0') {
        tep_remove_product($product_id);
    }
}

if (USE_CACHE == 'true') {
    tep_reset_cache_block('categories');
    tep_reset_cache_block('also_purchased');
}

tep_redirect(tep_href_link(FILENAME_CATEGORIES, 'cPath=' . $cPath));
break;
case 'move_category_confirm':
if (isset($HTTP_POST_VARS['categories_id']) && ($HTTP_POST_VARS['categories_id'] !=
$HTTP_POST_VARS['move_to_category_id'])) {
    $categories_id = tep_db_prepare_input($HTTP_POST_VARS['categories_id']);
    $new_parent_id = tep_db_prepare_input($HTTP_POST_VARS['move_to_category_id']);

    $path = explode('_', tep_get_generated_category_path_ids($new_parent_id));

    if (in_array($categories_id, $path)) {
        $messageStack->add_session(ERROR_CANNOT_MOVE_CATEGORY_TO_PARENT, 'error');

        tep_redirect(tep_href_link(FILENAME_CATEGORIES, 'cPath=' . $cPath . '&cID=' . $categories_id));
    } else {
        tep_db_query("update " . TABLE_CATEGORIES . " set parent_id = '" . (int)$new_parent_id . "' ,
last_modified = now() where categories_id = '" . (int)$categories_id . "'");
    }
}
}

```

```

if (USE_CACHE == 'true') {
    tep_reset_cache_block('categories');
    tep_reset_cache_block('also_purchased');
}

tep_redirect(tep_href_link(FILENAME_CATEGORIES, 'cPath=' . $new_parent_id . '&cID=' .
$categories_id));
}

break;
case 'move_product_confirm':
$products_id = tep_db_prepare_input($HTTP_POST_VARS['products_id']);
$new_parent_id = tep_db_prepare_input($HTTP_POST_VARS['move_to_category_id']);

$duplicate_check_query = tep_db_query("select count(*) as total from " .
TABLE_PRODUCTS_TO_CATEGORIES . " where products_id = '" . (int)$products_id . "' and categories_id = '" .
(int)$new_parent_id . "'");
$duplicate_check = tep_db_fetch_array($duplicate_check_query);
if ($duplicate_check['total'] < 1) tep_db_query("update " . TABLE_PRODUCTS_TO_CATEGORIES . " set
categories_id = '" . (int)$new_parent_id . "' where products_id = '" . (int)$products_id . "' and categories_id =
'" . (int)$current_category_id . "'");

if (USE_CACHE == 'true') {
    tep_reset_cache_block('categories');
    tep_reset_cache_block('also_purchased');
}

tep_redirect(tep_href_link(FILENAME_CATEGORIES, 'cPath=' . $new_parent_id . '&pID=' .
$products_id));
break;
case 'insert_product':
case 'update_product':
if (isset($HTTP_POST_VARS['edit_x']) || isset($HTTP_POST_VARS['edit_y'])) {
    $action = 'new_product';
} else {
    if (isset($HTTP_GET_VARS['pID'])) $products_id = tep_db_prepare_input($HTTP_GET_VARS['pID']);
    $products_date_available = tep_db_prepare_input($HTTP_POST_VARS['products_date_available']);

    $products_date_available = (date('Y-m-d') < $products_date_available) ? $products_date_available :
    'null';

    $sql_data_array = array('products_quantity' =>
(int)tep_db_prepare_input($HTTP_POST_VARS['products_quantity']),
    'products_model' => tep_db_prepare_input($HTTP_POST_VARS['products_model']),
    'products_price' => tep_db_prepare_input($HTTP_POST_VARS['products_price']),
    'products_date_available' => $products_date_available,
    'products_weight' =>
(float)tep_db_prepare_input($HTTP_POST_VARS['products_weight']),
    'products_status' => tep_db_prepare_input($HTTP_POST_VARS['products_status']),
    'products_tax_class_id' =>
    'manufacturers_id' =>
(int)tep_db_prepare_input($HTTP_POST_VARS['manufacturers_id')));

    if (isset($HTTP_POST_VARS['products_image']) && tep_not_null($HTTP_POST_VARS['products_image']) && ($HTTP_POST_VARS['products_image'] != 'none')) {
        $sql_data_array['products_image'] = tep_db_prepare_input($HTTP_POST_VARS['products_image']);
    }

    if ($action == 'insert_product') {
        $insert_sql_data = array('products_date_added' => 'now()');

        $sql_data_array = array_merge($sql_data_array, $insert_sql_data);

        tep_db_perform(TABLE_PRODUCTS, $sql_data_array);
        $products_id = tep_db_insert_id();

        tep_db_query("insert into " . TABLE_PRODUCTS_TO_CATEGORIES . " (products_id, categories_id)
values ('" . (int)$products_id . "', '" . (int)$current_category_id . "')");
    } elseif ($action == 'update_product') {
        $update_sql_data = array('products_last_modified' => 'now()');
    }
}
}

```

```

$sql_data_array = array_merge($sql_data_array, $update_sql_data);

tep_db_perform(TABLE_PRODUCTS, $sql_data_array, 'update', "products_id = '" . (int)$products_id . "'");
}

$languages = tep_get_languages();
for ($i=0, $n=sizeof($languages); $i<$n; $i++) {
    $language_id = $languages[$i]['id'];

    $sql_data_array = array('products_name' =>
tep_db_prepare_input($HTTP_POST_VARS['products_name'][$language_id]),
'products_description' =>
tep_db_prepare_input($HTTP_POST_VARS['products_description'][$language_id]),
'products_url' =>
tep_db_prepare_input($HTTP_POST_VARS['products_url'][$language_id]));

if ($action == 'insert_product') {
    $insert_sql_data = array('products_id' => $products_id,
'language_id' => $language_id);

    $sql_data_array = array_merge($sql_data_array, $insert_sql_data);

    tep_db_perform(TABLE_PRODUCTS_DESCRIPTION, $sql_data_array);
} elseif ($action == 'update_product') {
    tep_db_perform(TABLE_PRODUCTS_DESCRIPTION, $sql_data_array, 'update', "products_id = '" .
(int)$products_id . "' and language_id = '" . (int)$language_id . "'");
}
}


if (USE_CACHE == 'true') {
    tep_reset_cache_block('categories');
    tep_reset_cache_block('also_purchased');
}

tep_redirect(tep_href_link(FILENAME_CATEGORIES, 'cPath=' . $cPath . '&pID=' . $products_id));
}
break;
case 'copy_to_confirm':
if (isset($HTTP_POST_VARS['products_id']) && isset($HTTP_POST_VARS['categories_id'])) {
    $products_id = tep_db_prepare_input($HTTP_POST_VARS['products_id']);
    $categories_id = tep_db_prepare_input($HTTP_POST_VARS['categories_id']);

    if ($HTTP_POST_VARS['copy_as'] == 'link') {
        if ($categories_id != $current_category_id) {
            $check_query = tep_db_query("select count(*) as total from " . TABLE_PRODUCTS_TO_CATEGORIES
. " where products_id = '" . (int)$products_id . "' and categories_id = '" . (int)$categories_id . "'");
            $check = tep_db_fetch_array($check_query);
            if ($check['total'] < '1') {
                tep_db_query("insert into " . TABLE_PRODUCTS_TO_CATEGORIES . " (products_id, categories_id)
values ('" . (int)$products_id . "', '" . (int)$categories_id . "')");
            }
        } else {
            $messageStack->add_session(ERROR_CANNOT_LINK_TO_SAME_CATEGORY, 'error');
        }
    } elseif ($HTTP_POST_VARS['copy_as'] == 'duplicate') {
        $product_query = tep_db_query("select products_quantity, products_model, products_image,
products_price, products_date_available, products_weight, products_tax_class_id, manufacturers_id from " .
TABLE_PRODUCTS . " where products_id = '" . (int)$products_id . "'");
        $product = tep_db_fetch_array($product_query);

        tep_db_query("insert into " . TABLE_PRODUCTS . " (products_quantity,
products_model, products_image, products_price, products_date_added, products_date_available,
products_weight, products_status, products_tax_class_id, manufacturers_id) values ('".
tep_db_input($product['products_quantity']) . "", "" . tep_db_input($product['products_model']) . "", "" .
tep_db_input($product['products_image']) . "", "" . tep_db_input($product['products_price']) . "", now(), "" .
(empty($product['products_date_available'])) ? "null" : "" . tep_db_input($product['products_date_available']) .
"" . ", "" . tep_db_input($product['products_weight']) . "", '0', "" . (int)$product['products_tax_class_id'] . "", "" .
(int)$product['manufacturers_id'] . "")");
        $dup_products_id = tep_db_insert_id();
    }
}

```



```
$description_query = tep_db_query("select language_id, products_name, products_description, products_url from ". TABLE_PRODUCTS_DESCRIPTION . " where products_id = " . (int)$products_id . """);
while ($description = tep_db_fetch_array($description_query)) {
    tep_db_query("insert into ". TABLE_PRODUCTS_DESCRIPTION . " (products_id, language_id,
products_name, products_description, products_url, products_viewed) values ('" . (int)$dup_products_id . "'",
. (int)$description['language_id'] . "", "' . tep_db_input($description['products_name']) . ", "' .
tep_db_input($description['products_description']) . ", "' . tep_db_input($description['products_url']) . ",
'0')");
}

tep_db_query("insert into ". TABLE_PRODUCTS_TO_CATEGORIES . " (products_id, categories_id)
values ('" . (int)$dup_products_id . "', '" . (int)$categories_id . "')");
$products_id = $dup_products_id;
}

if (USE_CACHE == 'true') {
    tep_reset_cache_block('categories');
    tep_reset_cache_block('also_purchased');
}
}

tep_redirect(tep_href_link(FILENAME_CATEGORIES, 'cPath=' . $categories_id . '&pID=' . $products_id));
break;
case 'new_product_preview':
// copy image only if modified
$products_image = new upload('products_image');
$products_image->set_destination(DIR_FS_CATALOG_IMAGES);
if ($products_image->parse() && $products_image->save()) {
    $products_image_name = $products_image->filename;
} else {
    $products_image_name = (isset($_POST_VARS['products_previous_image']) ?
$_POST_VARS['products_previous_image'] : "");
}
break;
}

// check if the catalog image directory exists
if (!is_dir(DIR_FS_CATALOG_IMAGES)) {
    if (!is_writable(DIR_FS_CATALOG_IMAGES)) $messageStack-
>add(ERROR_CATALOG_IMAGE_DIRECTORY_NOT_WRITEABLE, 'error');
} else {
    $messageStack->add(ERROR_CATALOG_IMAGE_DIRECTORY_DOES_NOT_EXIST, 'error');
}
?>
<!doctype html public "-//W3C//DTD HTML 4.01 Transitional//EN">
<html <?php echo HTML_PARAMS; ?>>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=<?php echo CHARSET; ?>">
<title><?php echo TITLE; ?></title>
<link rel="stylesheet" type="text/css" href="includes/stylesheet.css">
<script language="javascript" src="includes/general.js"></script>
</head>
<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"
bgcolor="#FFFFFF" onLoad="SetFocus();">
<div id="spiffycalendar" class="text"></div>
<!-- header //-->
<?php require(DIR_WS_INCLUDES . 'header.php'); ?>
<!-- header_eof //-->

<!-- body //-->
<table border="0" width="100%" cellspacing="2" cellpadding="2">
<tr>
    <td width="<?php echo BOX_WIDTH; ?>" valign="top"><table border="0" width="<?php echo
BOX_WIDTH; ?>" cellspacing="1" cellpadding="1" class="columnLeft">
<!-- left_navigation //-->
<?php require(DIR_WS_INCLUDES . 'column_left.php'); ?>
<!-- left_navigation_eof //-->
    </table></td>
<!-- body_text //-->
    <td width="100%" valign="top">
<?php
```

```

if ($action == 'new_product') {
    $parameters = array('products_name' => '',
        'products_description' => '',
        'products_url' => '',
        'products_id' => '',
        'products_quantity' => '',
        'products_model' => '',
        'products_image' => '',
        'products_price' => '',
        'products_weight' => '',
        'products_date_added' => '',
        'products_last_modified' => '',
        'products_date_available' => '',
        'products_status' => '',
        'products_tax_class_id' => '',
        'manufacturers_id' => '');
}

$pInfo = new objectInfo($parameters);

if (isset($HTTP_GET_VARS['pID']) && empty($HTTP_POST_VARS)) {
    $product_query = tep_db_query("select pd.products_name, pd.products_description, pd.products_url,
p.products_id, p.products_quantity, p.products_model, p.products_image, p.products_price,
p.products_weight, p.products_date_added, p.products_last_modified, date_format(p.products_date_available,
'%Y-%m-%d') as products_date_available, p.products_status, p.products_tax_class_id, p.manufacturers_id
from " . TABLE_PRODUCTS . " p, " . TABLE_PRODUCTS_DESCRIPTION . " pd where p.products_id = " .
(int)$HTTP_GET_VARS['pID'] . " and p.products_id = pd.products_id and pd.language_id = " .
(int)$languages_id . "");
    $product = tep_db_fetch_array($product_query);

    $pInfo->objectInfo($product);
} elseif (tep_not_null($HTTP_POST_VARS)) {
    $pInfo->objectInfo($HTTP_POST_VARS);
    $products_name = $HTTP_POST_VARS['products_name'];
    $products_description = $HTTP_POST_VARS['products_description'];
    $products_url = $HTTP_POST_VARS['products_url'];
}

$manufacturers_array = array(array('id' => '', 'text' => TEXT_NONE));
$manufacturers_query = tep_db_query("select manufacturers_id, manufacturers_name from " .
TABLE_MANUFACTURERS . " order by manufacturers_name");
while ($manufacturers = tep_db_fetch_array($manufacturers_query)) {
    $manufacturers_array[] = array('id' => $manufacturers['manufacturers_id'],
        'text' => $manufacturers['manufacturers_name']);
}

$tax_class_array = array(array('id' => '0', 'text' => TEXT_NONE));
$tax_class_query = tep_db_query("select tax_class_id, tax_class_title from " . TABLE_TAX_CLASS . " order
by tax_class_title");
while ($tax_class = tep_db_fetch_array($tax_class_query)) {
    $tax_class_array[] = array('id' => $tax_class['tax_class_id'],
        'text' => $tax_class['tax_class_title']);
}

$languages = tep_get_languages();

if (!isset($pInfo->products_status)) $pInfo->products_status = '1';
switch ($pInfo->products_status) {
    case '0': $in_status = false; $out_status = true; break;
    case '1':
        default: $in_status = true; $out_status = false;
    }
?>
<link rel="stylesheet" type="text/css" href="includes/javascript/spiffyCal/spiffyCal_v2_1.css">
<script language="JavaScript" src="includes/javascript/spiffyCal/spiffyCal_v2_1.js"></script>
<script language="javascript"><!--
    var dateAvailable = new ctlSpiffyCalendarBox("dateAvailable", "new_product",
"products_date_available","btnDate1","<?php echo $pInfo->products_date_available;
?>","scBTNMODE_CUSTOMBLUE);
//--></script>
<script language="javascript"><!--
var tax_rates = new Array();
<?php

```

```

for ($i=0, $n=sizeof($tax_class_array); $i<$n; $i++) {
    if ($tax_class_array[$i]['id'] > 0) {
        echo 'tax_rates"' . $tax_class_array[$i]['id'] . '" = ' . tep_get_tax_rate_value($tax_class_array[$i]['id'])
        . ';' . "\n";
    }
}
?>

function doRound(x, places) {
    return Math.round(x * Math.pow(10, places)) / Math.pow(10, places);
}

function getTaxRate() {
    var selected_value = document.forms["new_product"].products_tax_class_id.selectedIndex;
    var parameterVal = document.forms["new_product"].products_tax_class_id[selected_value].value;

    if ( (parameterVal > 0) && (tax_rates[parameterVal] > 0) ) {
        return tax_rates[parameterVal];
    } else {
        return 0;
    }
}

function updateGross() {
    var taxRate = getTaxRate();
    var grossValue = document.forms["new_product"].products_price.value;

    if (taxRate > 0) {
        grossValue = grossValue * ((taxRate / 100) + 1);
    }

    document.forms["new_product"].products_price_gross.value = doRound(grossValue, 4);
}

function updateNet() {
    var taxRate = getTaxRate();
    var netValue = document.forms["new_product"].products_gross.value;

    if (taxRate > 0) {
        netValue = netValue / ((taxRate / 100) + 1);
    }

    document.forms["new_product"].products_price.value = doRound(netValue, 4);
}
//--></script>
<?php echo tep_draw_form('new_product', FILENAME_CATEGORIES, 'cPath=' . $cPath .
(isset($HTTP_GET_VARS['pID']) ? '&pID=' . $HTTP_GET_VARS['pID'] : '') . '&action=new_product_preview',
'post', 'enctype="multipart/form-data"'; ?>
<table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr>
<td class="pageHeading"><?php echo sprintf(TEXT_NEW_PRODUCT,
tep_output_generated_category_path($current_category_id)); ?></td>
<td class="pageHeading" align="right"><?php echo tep_draw_separator('pixel_trans.gif',
HEADING_IMAGE_WIDTH, HEADING_IMAGE_HEIGHT); ?></td>
</tr>
</table></td>
</tr>
<tr>
<td><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<tr>
<td><table border="0" cellspacing="0" cellpadding="2">
<tr>
<td class="main"><?php echo TEXT_PRODUCTS_STATUS; ?></td>
<td class="main"><?php echo tep_draw_separator('pixel_trans.gif', '24', '15') . ' ' .
tep_draw_radio_field('products_status', '1', $in_status) . ' ' . TEXT_PRODUCT_AVAILABLE . ' ' .
tep_draw_radio_field('products_status', '0', $out_status) . ' ' . TEXT_PRODUCT_NOT_AVAILABLE;
?></td>
</tr>
<tr>

```

```

<td colspan="2"><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<tr>
<td class="main"><?php echo TEXT_PRODUCTS_DATE_AVAILABLE; ?><br><small>(YYYY-MM-DD)</small></td>
<td class="main"><?php echo tep_draw_separator('pixel_trans.gif', '24', '15') . ' '; ?><script language="javascript">dateAvailable.writeControl(); dateAvailable.dateFormat="yyyy-MM-dd";</script></td>
</tr>
<tr>
<td colspan="2"><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<tr>
<td class="main"><?php echo TEXT_PRODUCTS_MANUFACTURER; ?></td>
<td class="main"><?php echo tep_draw_separator('pixel_trans.gif', '24', '15') . ' '. tep_draw_pull_down_menu('manufacturers_id', $manufacturers_array, $pInfo->manufacturers_id); ?></td>
</tr>
<tr>
<td colspan="2"><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<?php
for ($i=0, $n=sizeof($languages); $i<$n; $i++) {
?>
<tr>
<td class="main"><?php if ($i == 0) echo TEXT_PRODUCTS_NAME; ?></td>
<td class="main"><?php echo tep_image(DIR_WS_CATALOG_LANGUAGES . $languages[$i]['directory'] . '/images/' . $languages[$i]['image'], $languages[$i]['name']) . ' ' . tep_draw_input_field('products_name[' . $languages[$i]['id'] . ']', (isset($products_name[$languages[$i]['id']]) ? stripslashes($products_name[$languages[$i]['id']])) : tep_get_products_name($pInfo->products_id, $languages[$i]['id'])); ?></td>
</tr>
<?php
}
?>
<tr>
<td colspan="2"><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<tr bgcolor="#ebebff">
<td class="main"><?php echo TEXT_PRODUCTS_TAX_CLASS; ?></td>
<td class="main"><?php echo tep_draw_separator('pixel_trans.gif', '24', '15') . ' ' . tep_draw_pull_down_menu('products_tax_class_id', $tax_class_array, $pInfo->products_tax_class_id, 'onchange="updateGross()"); ?></td>
</tr>
<tr bgcolor="#ebebff">
<td class="main"><?php echo TEXT_PRODUCTS_PRICE_NET; ?></td>
<td class="main"><?php echo tep_draw_separator('pixel_trans.gif', '24', '15') . ' ' . tep_draw_input_field('products_price', $pInfo->products_price, 'onKeyUp="updateGross()"); ?></td>
</tr>
<tr bgcolor="#ebebff">
<td class="main"><?php echo TEXT_PRODUCTS_PRICE_GROSS; ?></td>
<td class="main"><?php echo tep_draw_separator('pixel_trans.gif', '24', '15') . ' ' . tep_draw_input_field('products_price_gross', $pInfo->products_price, 'OnKeyUp="updateNet()"); ?></td>
</tr>
<tr>
<td colspan="2"><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<script language="javascript"><!--
updateGross();
//--></script>
<?php
for ($i=0, $n=sizeof($languages); $i<$n; $i++) {
?>
<tr>
<td class="main" valign="top"><?php if ($i == 0) echo TEXT_PRODUCTS_DESCRIPTION; ?></td>
<td><table border="0" cellspacing="0" cellpadding="0">
<tr>
<td class="main" valign="top"><?php echo tep_image(DIR_WS_CATALOG_LANGUAGES . $languages[$i]['directory'] . '/images/' . $languages[$i]['image'], $languages[$i]['name']); ?>&nbsp;</td>
<td class="main"><?php echo tep_draw_textarea_field('products_description[' . $languages[$i]['id'] . ']', 'soft', '70', '15', (isset($products_description[$languages[$i]['id']]) ? stripslashes($products_description[$languages[$i]['id']])) : tep_get_products_description($pInfo->products_id, $languages[$i]['id'])); ?></td>
</tr>

```

```

        </table></td>
    </tr>
<?php
}
?>
<tr>
    <td colspan="2"><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<tr>
    <td class="main"><?php echo TEXT_PRODUCTS_QUANTITY; ?></td>
    <td class="main"><?php echo tep_draw_separator('pixel_trans.gif', '24', '15') . '&nbsp;' .
tep_draw_input_field('products_quantity', $pInfo->products_quantity); ?></td>
</tr>
<tr>
    <td colspan="2"><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<tr>
    <td class="main"><?php echo TEXT_PRODUCTS_MODEL; ?></td>
    <td class="main"><?php echo tep_draw_separator('pixel_trans.gif', '24', '15') . '&nbsp;' .
tep_draw_input_field('products_model', $pInfo->products_model); ?></td>
</tr>
<tr>
    <td colspan="2"><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<tr>
    <td class="main"><?php echo TEXT_PRODUCTS_IMAGE; ?></td>
    <td class="main"><?php echo tep_draw_separator('pixel_trans.gif', '24', '15') . '&nbsp;' .
tep_draw_file_field('products_image') . '<br>' . tep_draw_separator('pixel_trans.gif', '24', '15') . '&nbsp;' .
$pInfo->products_image . tep_draw_hidden_field('products_previous_image', $pInfo->products_image);
?></td>
</tr>
<tr>
    <td colspan="2"><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<?php
    for ($i=0, $n=sizeof($languages); $i<$n; $i++) {
?>
    <tr>
        <td class="main"><?php if ($i == 0) echo TEXT_PRODUCTS_URL . '<br><small>' .
TEXT_PRODUCTS_URL_WITHOUT_HTTP . '</small>'; ?></td>
        <td class="main"><?php echo tep_image(DIR_WS_CATALOG_LANGUAGES .
$languages[$i]['directory'] . '/images/' . $languages[$i]['image'], $languages[$i]['name']) . '&nbsp;' .
tep_draw_input_field('products_url[' . $languages[$i]['id'] . ']', (isset($products_url[$languages[$i]['id']])) ?
stripslashes($products_url[$languages[$i]['id']]) : tep_get_products_url($pInfo->products_id,
$languages[$i]['id'])); ?></td>
    </tr>
<?php
}
?>
    <tr>
        <td colspan="2"><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
    </tr>
    <tr>
        <td class="main"><?php echo TEXT_PRODUCTS_WEIGHT; ?></td>
        <td class="main"><?php echo tep_draw_separator('pixel_trans.gif', '24', '15') . '&nbsp;' .
tep_draw_input_field('products_weight', $pInfo->products_weight); ?></td>
    </tr>
    </table></td>
</tr>
<tr>
    <td><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<tr>
    <td class="main" align="right"><?php echo tep_draw_hidden_field('products_date_added',
(tep_not_null($pInfo->products_date_added) ? $pInfo->products_date_added : date('Y-m-d'))) .
tep_image_submit('button_preview.gif', IMAGE_PREVIEW) . '&nbsp;&nbsp;<a href=""' .
tep_href_link(FILENAME_CATEGORIES, 'cPath=' . $cPath . (isset($HTTP_GET_VARS['pID']) ? '&pID=' .
$HTTP_GET_VARS['pID'] : "") . '">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>';
?></td>
    </tr>
</table></form>
<?php

```

```

} elseif ($action == 'new_product_preview') {
    if (tep_not_null($HTTP_POST_VARS)) {
        $pInfo = new objectInfo($HTTP_POST_VARS);
        $products_name = $HTTP_POST_VARS['products_name'];
        $products_description = $HTTP_POST_VARS['products_description'];
        $products_url = $HTTP_POST_VARS['products_url'];
    } else {
        $product_query = tep_db_query("select p.products_id, pd.language_id, pd.products_name,
pd.products_description, pd.products_url, p.products_quantity, p.products_model, p.products_image,
p.products_price, p.products_weight, p.products_date_added, p.products_last_modified,
p.products_date_available, p.products_status, p.manufacturers_id from ". TABLE_PRODUCTS . " p, ".
TABLE_PRODUCTS_DESCRIPTION . " pd where p.products_id = pd.products_id and p.products_id = '" .
(int)$HTTP_GET_VARS['pID'] . "'");
        $product = tep_db_fetch_array($product_query);

        $pInfo = new objectInfo($product);
        $products_image_name = $pInfo->products_image;
    }

    $form_action = (isset($HTTP_GET_VARS['pID'])) ? 'update_product' : 'insert_product';

    echo tep_draw_form($form_action, FILENAME_CATEGORIES, 'cPath=' . $cPath .
(isset($HTTP_GET_VARS['pID']) ? '&pID=' . $HTTP_GET_VARS['pID'] : '') . '&action=' . $form_action, 'post',
'enctype="multipart/form-data"');

    $languages = tep_get_languages();
    for ($i=0, $n=sizeof($languages); $i<$n; $i++) {
        if (isset($HTTP_GET_VARS['read']) && ($HTTP_GET_VARS['read'] == 'only')) {
            $pInfo->products_name = tep_get_products_name($pInfo->products_id, $languages[$i]['id']);
            $pInfo->products_description = tep_get_products_description($pInfo->products_id,
$languages[$i]['id']);
            $pInfo->products_url = tep_get_products_url($pInfo->products_id, $languages[$i]['id']);
        } else {
            $pInfo->products_name = tep_db_prepare_input($products_name[$languages[$i]['id']]);
            $pInfo->products_description = tep_db_prepare_input($products_description[$languages[$i]['id']]);
            $pInfo->products_url = tep_db_prepare_input($products_url[$languages[$i]['id']]);
        }
    }
?>


|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                          |                                                                                          |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| <table border="0" width="100%" cellspacing="0" cellpadding="0"> <tr> <td class="pageHeading">&lt;?php echo tep_image(DIR_WS_CATALOG_LANGUAGES . \$languages[\$i]['directory'] . '/images/' . \$languages[\$i]['image'], \$languages[\$i]['name']) . ' ' . \$pInfo- &gt;products_name; ?&gt;&lt;/td&gt; <td align="right" class="pageHeading">&lt;?php echo \$currencies-&gt;format(\$pInfo-&gt;products_price); ?&gt; <tr> <td>&lt;?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?&gt;&lt;/td&gt; </td></tr> <tr> <td class="main">&lt;?php echo tep_image(DIR_WS_CATALOG_IMAGES . \$products_image_name, \$pInfo- &gt;products_name, SMALL_IMAGE_WIDTH, SMALL_IMAGE_HEIGHT, 'align="right" hspace="5" vspace="5") . \$pInfo-&gt;products_description; ?&gt;&lt;/td&gt;  ?&gt; ?&gt;     if (\$pInfo-&gt;products_url) { <tr> <td>&lt;?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?&gt;&lt;/td&gt; </td></tr> <tr> <td class="main">&lt;?php echo sprintf(TEXT_PRODUCT_MORE_INFORMATION, \$pInfo-&gt;products_url); ?&gt;&lt;/td&gt;  ?&gt; ?&gt; </td></tr></td></tr></td></td></tr> | <?php echo tep_image(DIR_WS_CATALOG_LANGUAGES . \$languages[\$i]['directory'] . '/images/' . \$languages[\$i]['image'], \$languages[\$i]['name']) . ' ' . \$pInfo- >products_name; ?></td> <td align="right" class="pageHeading">&lt;?php echo \$currencies-&gt;format(\$pInfo-&gt;products_price); ?&gt; <tr> <td>&lt;?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?&gt;&lt;/td&gt; </td></tr> <tr> <td class="main">&lt;?php echo tep_image(DIR_WS_CATALOG_IMAGES . \$products_image_name, \$pInfo- &gt;products_name, SMALL_IMAGE_WIDTH, SMALL_IMAGE_HEIGHT, 'align="right" hspace="5" vspace="5") . \$pInfo-&gt;products_description; ?&gt;&lt;/td&gt;  ?&gt; ?&gt;     if (\$pInfo-&gt;products_url) { <tr> <td>&lt;?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?&gt;&lt;/td&gt; </td></tr> <tr> <td class="main">&lt;?php echo sprintf(TEXT_PRODUCT_MORE_INFORMATION, \$pInfo-&gt;products_url); ?&gt;&lt;/td&gt;  ?&gt; ?&gt; </td></tr></td></tr></td> | <?php echo \$currencies->format(\$pInfo->products_price); ?> <tr> <td>&lt;?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?&gt;&lt;/td&gt; </td></tr> <tr> <td class="main">&lt;?php echo tep_image(DIR_WS_CATALOG_IMAGES . \$products_image_name, \$pInfo- &gt;products_name, SMALL_IMAGE_WIDTH, SMALL_IMAGE_HEIGHT, 'align="right" hspace="5" vspace="5") . \$pInfo-&gt;products_description; ?&gt;&lt;/td&gt;  ?&gt; ?&gt;     if (\$pInfo-&gt;products_url) { <tr> <td>&lt;?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?&gt;&lt;/td&gt; </td></tr> <tr> <td class="main">&lt;?php echo sprintf(TEXT_PRODUCT_MORE_INFORMATION, \$pInfo-&gt;products_url); ?&gt;&lt;/td&gt;  ?&gt; ?&gt; </td></tr></td></tr> | <?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>                                                                                                                                                                                                                                                                                                                                                                                                                                           | <?php echo tep_image(DIR_WS_CATALOG_IMAGES . \$products_image_name, \$pInfo- >products_name, SMALL_IMAGE_WIDTH, SMALL_IMAGE_HEIGHT, 'align="right" hspace="5" vspace="5") . \$pInfo->products_description; ?></td>  ?> ?>     if (\$pInfo->products_url) { <tr> <td>&lt;?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?&gt;&lt;/td&gt; </td></tr> <tr> <td class="main">&lt;?php echo sprintf(TEXT_PRODUCT_MORE_INFORMATION, \$pInfo-&gt;products_url); ?&gt;&lt;/td&gt;  ?&gt; ?&gt; </td></tr> | <?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>                     | <?php echo sprintf(TEXT_PRODUCT_MORE_INFORMATION, \$pInfo->products_url); ?></td>  ?> ?> |
| <?php echo tep_image(DIR_WS_CATALOG_LANGUAGES . \$languages[\$i]['directory'] . '/images/' . \$languages[\$i]['image'], \$languages[\$i]['name']) . ' ' . \$pInfo- >products_name; ?></td> <td align="right" class="pageHeading">&lt;?php echo \$currencies-&gt;format(\$pInfo-&gt;products_price); ?&gt; <tr> <td>&lt;?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?&gt;&lt;/td&gt; </td></tr> <tr> <td class="main">&lt;?php echo tep_image(DIR_WS_CATALOG_IMAGES . \$products_image_name, \$pInfo- &gt;products_name, SMALL_IMAGE_WIDTH, SMALL_IMAGE_HEIGHT, 'align="right" hspace="5" vspace="5") . \$pInfo-&gt;products_description; ?&gt;&lt;/td&gt;  ?&gt; ?&gt;     if (\$pInfo-&gt;products_url) { <tr> <td>&lt;?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?&gt;&lt;/td&gt; </td></tr> <tr> <td class="main">&lt;?php echo sprintf(TEXT_PRODUCT_MORE_INFORMATION, \$pInfo-&gt;products_url); ?&gt;&lt;/td&gt;  ?&gt; ?&gt; </td></tr></td></tr></td>                                                                                                                       | <?php echo \$currencies->format(\$pInfo->products_price); ?> <tr> <td>&lt;?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?&gt;&lt;/td&gt; </td></tr> <tr> <td class="main">&lt;?php echo tep_image(DIR_WS_CATALOG_IMAGES . \$products_image_name, \$pInfo- &gt;products_name, SMALL_IMAGE_WIDTH, SMALL_IMAGE_HEIGHT, 'align="right" hspace="5" vspace="5") . \$pInfo-&gt;products_description; ?&gt;&lt;/td&gt;  ?&gt; ?&gt;     if (\$pInfo-&gt;products_url) { <tr> <td>&lt;?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?&gt;&lt;/td&gt; </td></tr> <tr> <td class="main">&lt;?php echo sprintf(TEXT_PRODUCT_MORE_INFORMATION, \$pInfo-&gt;products_url); ?&gt;&lt;/td&gt;  ?&gt; ?&gt; </td></tr></td></tr>                                                                                                                                                                                                                                                   | <?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <?php echo tep_image(DIR_WS_CATALOG_IMAGES . \$products_image_name, \$pInfo- >products_name, SMALL_IMAGE_WIDTH, SMALL_IMAGE_HEIGHT, 'align="right" hspace="5" vspace="5") . \$pInfo->products_description; ?></td>  ?> ?>     if (\$pInfo->products_url) { <tr> <td>&lt;?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?&gt;&lt;/td&gt; </td></tr> <tr> <td class="main">&lt;?php echo sprintf(TEXT_PRODUCT_MORE_INFORMATION, \$pInfo-&gt;products_url); ?&gt;&lt;/td&gt;  ?&gt; ?&gt; </td></tr> | <?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>                                                                                                                                                                                                                                                                                                                                                                                                                                           | <?php echo sprintf(TEXT_PRODUCT_MORE_INFORMATION, \$pInfo->products_url); ?></td>  ?> ?> |                                                                                          |
| <?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                          |                                                                                          |
| <?php echo tep_image(DIR_WS_CATALOG_IMAGES . \$products_image_name, \$pInfo- >products_name, SMALL_IMAGE_WIDTH, SMALL_IMAGE_HEIGHT, 'align="right" hspace="5" vspace="5") . \$pInfo->products_description; ?></td>  ?> ?>     if (\$pInfo->products_url) { <tr> <td>&lt;?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?&gt;&lt;/td&gt; </td></tr> <tr> <td class="main">&lt;?php echo sprintf(TEXT_PRODUCT_MORE_INFORMATION, \$pInfo-&gt;products_url); ?&gt;&lt;/td&gt;  ?&gt; ?&gt; </td></tr>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | <?php echo sprintf(TEXT_PRODUCT_MORE_INFORMATION, \$pInfo->products_url); ?></td>  ?> ?>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                          |                                                                                          |
| <?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                          |                                                                                          |
| <?php echo sprintf(TEXT_PRODUCT_MORE_INFORMATION, \$pInfo->products_url); ?></td>  ?> ?>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                          |                                                                                          |


```

```

<td><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<?php
if ($pInfo->products_date_available > date('Y-m-d')) {
?>
<tr>
<td align="center" class="smallText"><?php echo sprintf(TEXT_PRODUCT_DATE_AVAILABLE,
tep_date_long($pInfo->products_date_available)); ?></td>
</tr>
<?php
} else {
?>
<tr>
<td align="center" class="smallText"><?php echo sprintf(TEXT_PRODUCT_DATE_ADDED,
tep_date_long($pInfo->products_date_added)); ?></td>
</tr>
<?php
}
?>
<tr>
<td><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<?php
}
}

if (isset($_HTTP_GET_VARS['read']) && ($_HTTP_GET_VARS['read'] == 'only')) {
if (isset($_HTTP_GET_VARS['origin'])) {
$pos_params = strpos($_HTTP_GET_VARS['origin'], '?', 0);
if ($pos_params != false) {
$back_url = substr($_HTTP_GET_VARS['origin'], 0, $pos_params);
$back_url_params = substr($_HTTP_GET_VARS['origin'], $pos_params + 1);
} else {
$back_url = $_HTTP_GET_VARS['origin'];
$back_url_params = "";
}
} else {
$back_url = FILENAME_CATEGORIES;
$back_url_params = 'cPath=' . $cPath . '&pID=' . $pInfo->products_id;
}
}
?>
<tr>
<td align="right"><?php echo '<a href="' . tep_href_link($back_url, $back_url_params, 'NONSSL') . '">' .
tep_image_button('button_back.gif', IMAGE_BACK) . '</a>'; ?></td>
</tr>
<?php
} else {
?>
<tr>
<td align="right" class="smallText">
<?php
/* Re-Post all POST'ed variables */
reset($_HTTP_POST_VARS);
while (list($key, $value) = each($_HTTP_POST_VARS)) {
if (!is_array($_HTTP_POST_VARS[$key])) {
echo tep_draw_hidden_field($key, htmlspecialchars(stripslashes($value)));
}
}
$languages = tep_get_languages();
for ($i=0, $n=sizeof($languages); $i<$n; $i++) {
echo tep_draw_hidden_field('products_name[' . $languages[$i]['id'] . '],
htmlspecialchars(stripslashes($products_name[$languages[$i]['id']])));
echo tep_draw_hidden_field('products_description[' . $languages[$i]['id'] . '],
htmlspecialchars(stripslashes($products_description[$languages[$i]['id']])));
echo tep_draw_hidden_field('products_url[' . $languages[$i]['id'] . '],
htmlspecialchars(stripslashes($products_url[$languages[$i]['id']])));
}
echo tep_draw_hidden_field('products_image', stripslashes($products_image_name));
echo tep_image_submit('button_back.gif', IMAGE_BACK, 'name="edit"') . '&nbsp;&nbsp;';
if (isset($_HTTP_GET_VARS['pID'])) {
echo tep_image_submit('button_update.gif', IMAGE_UPDATE);
}
}

```

```

} else {
    echo tep_image_submit('button_insert.gif', IMAGE_INSERT);
}
echo '&nbsp;&nbsp;<a href="'. tep_href_link(FILENAME_CATEGORIES, 'cPath=' . $cPath .
(isset($HTTP_GET_VARS['pID'])) ? '&pID=' . $HTTP_GET_VARS['pID'] : '') . '">' .
tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>';
?></td>
</tr>
</table></form>
<?php
}
} else {
?>
<table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr>
<td class="pageHeading"><?php echo HEADING_TITLE; ?></td>
<td class="pageHeading" align="right"><?php echo tep_draw_separator('pixel_trans.gif', 1,
HEADING_IMAGE_HEIGHT); ?></td>
<td align="right"><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr>
<td class="smallText" align="right">
<?php
echo tep_draw_form('search', FILENAME_CATEGORIES, '', 'get');
echo HEADING_TITLE_SEARCH . '' . tep_draw_input_field('search');
echo tep_hide_session_id() . '</form>';
?>
        </td>
    </tr>
    <tr>
        <td class="smallText" align="right">
<?php
echo tep_draw_form('goto', FILENAME_CATEGORIES, '', 'get');
echo HEADING_TITLE_GOTO . '' . tep_draw_pull_down_menu('cPath', tep_get_category_tree(),
$current_category_id, 'onChange="this.form.submit();"]');
echo tep_hide_session_id() . '</form>';
?>
        </td>
    </tr>
</table></td>
</tr>
</table></td>
</tr>
<tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr>
<td valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr class="dataTableHeadingRow">
<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_CATEGORIES_PRODUCTS;
?></td>
<td class="dataTableHeadingContent" align="center"><?php echo TABLE_HEADING_STATUS;
?></td>
<td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_ACTION;
?>&nbsp;</td>
    </tr>
<?php
$categories_count = 0;
$rows = 0;
if (isset($HTTP_GET_VARS['search'])) {
    $search = tep_db_prepare_input($HTTP_GET_VARS['search']);

    $categories_query = tep_db_query("select c.categories_id, cd.categories_name, c.categories_image,
c.parent_id, c.sort_order, c.date_added, c.last_modified from " . TABLE_CATEGORIES . " c, " .
TABLE_CATEGORIES_DESCRIPTION . " cd where c.categories_id = cd.categories_id and cd.language_id = " .
(int)$languages_id . " and cd.categories_name like '%" . tep_db_input($search) . "%' order by c.sort_order,
cd.categories_name");
} else {
    $categories_query = tep_db_query("select c.categories_id, cd.categories_name, c.categories_image,
c.parent_id, c.sort_order, c.date_added, c.last_modified from " . TABLE_CATEGORIES . " c, " .
TABLE_CATEGORIES_DESCRIPTION . " cd where c.parent_id = " . (int)$current_category_id . " and

```

```

c.categories_id = cd.categories_id and cd.language_id = "" . (int)$languages_id . " order by c.sort_order,
cd.categories_name");
}
while ($categories = tep_db_fetch_array($categories_query)) {
    $categories_count++;
    $rows++;

// Get parent_id for subcategories if search
if (isset($_GET['search'])) $cPath= $categories['parent_id'];

if ((!isset($_GET['cID']) && !isset($_GET['pID'])) || (isset($_GET['cID']) && ($HTTP_GET_VARS['cID'] == $categories['categories_id']))) && !isset($cInfo) && (substr($action, 0, 3) != 'new')) {
    $category_childs = array('childs_count' => tep_childs_in_category_count($categories['categories_id']));
    $category_products = array('products_count' =>
tep_products_in_category_count($categories['categories_id']));

$cInfo_array = array_merge($categories, $category_childs, $category_products);
$cInfo = new objectInfo($cInfo_array);
}

if (isset($cInfo) && is_object($cInfo) && ($categories['categories_id'] == $cInfo->categories_id) ) {
    echo '|
|  |

```

```

$reviews_query = tep_db_query("select (avg(reviews_rating) / 5 * 100) as average_rating from " .
TABLE_REVIEWS . " where products_id = '" . (int)$products['products_id'] . "'");
$reviews = tep_db_fetch_array($reviews_query);
$pInfo_array = array_merge($products, $reviews);
$pInfo = new objectInfo($pInfo_array);
}

if (isset($pInfo) && is_object($pInfo) && ($products['products_id'] == $pInfo->products_id) ) {
echo '          <tr id="defaultSelected" class="dataTableRowSelected"
onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)" onclick="document.location.href=' .
tep_href_link(FILENAME_CATEGORIES, 'cPath=' . $cPath . '&pID=' . $products['products_id'] .
'&action=new_product_preview&read=only') . '"/>' . "\n";
} else {
echo '          <tr class="dataTableRow" onmouseover="rowOverEffect(this)"
onmouseout="rowOutEffect(this)" onclick="document.location.href=' .
tep_href_link(FILENAME_CATEGORIES, 'cPath=' . $cPath . '&pID=' . $products['products_id']) . '"/>' . "\n";
}
?>
<td class="dataTableContent"><?php echo '<a href=' . tep_href_link(FILENAME_CATEGORIES,
'cPath=' . $cPath . '&pID=' . $products['products_id']) . '&action=new_product_preview&read=only') . '">' .
tep_image(DIR_WS_ICONS . 'preview.gif', ICON_PREVIEW) . '</a>&ampnbsp' . $products['products_name'];
?></td>
<td class="dataTableContent" align="center">
<?php
if ($products['products_status'] == '1') {
echo tep_image(DIR_WS_IMAGES . 'icon_status_green.gif', IMAGE_ICON_STATUS_GREEN, 10, 10) .
'&nbsp;<a href=' . tep_href_link(FILENAME_CATEGORIES, 'action=setflag&flag=0&pID=' .
$products['products_id'] . '&cPath=' . $cPath) . '">' . tep_image(DIR_WS_IMAGES . 'icon_status_red_light.gif',
IMAGE_ICON_STATUS_RED_LIGHT, 10, 10) . '</a>';
} else {
echo '<a href=' . tep_href_link(FILENAME_CATEGORIES, 'action=setflag&flag=1&pID=' .
$products['products_id'] . '&cPath=' . $cPath) . '">' . tep_image(DIR_WS_IMAGES . 'icon_status_green_light.gif',
IMAGE_ICON_STATUS_GREEN_LIGHT, 10, 10) . '</a>&nbsp;&nbsp;' .
tep_image(DIR_WS_IMAGES . 'icon_status_red.gif', IMAGE_ICON_STATUS_RED, 10, 10);
}
?></td>
<td class="dataTableContent" align="right"><?php if (isset($pInfo) && is_object($pInfo) &&
($products['products_id'] == $pInfo->products_id)) { echo tep_image(DIR_WS_IMAGES .
'&nbsp;<a href=' . $cPath . '&#039; . '&gt;' . tep_image(DIR_WS_IMAGES . 'icon_arrow_right.gif',
IMAGE_ARROW_RIGHT, 10, 10) . '</a>'; } else { echo '<a href=' . tep_href_link(FILENAME_CATEGORIES, 'cPath=' . $cPath .
'&pID=' . $products['products_id']) . '">' . tep_image(DIR_WS_IMAGES . 'icon_info.gif', IMAGE_ICON_INFO) .
'</a>'; } ?>&nbsp;</td>
</tr>
<?php
}

$cPath_back = "";
if (sizeof($cPath_array) > 0) {
for ($i=0, $n=sizeof($cPath_array)-1; $i<$n; $i++) {
if (empty($cPath_back)) {
$cPath_back .= $cPath_array[$i];
} else {
$cPath_back .= '_' . $cPath_array[$i];
}
}
}

$cPath_back = (tep_not_null($cPath_back)) ? 'cPath=' . $cPath_back . '&' : '';
?>
<tr>
<td colspan="3"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr>
<td class="smallText"><?php echo TEXT_CATEGORIES . '&nbsp;' . $categories_count . '<br>' .
TEXT_PRODUCTS . '&nbsp;' . $products_count; ?></td>
<td align="right" class="smallText"><?php if (sizeof($cPath_array) > 0) echo '<a href=' .
tep_href_link(FILENAME_CATEGORIES, $cPath_back . 'cID=' . $current_category_id) . '">' .
tep_image_button('button_back.gif', IMAGE_BACK) . '</a>&nbsp;'; if (!isset($HTTP_GET_VARS['search'])) {
echo '<a href=' . tep_href_link(FILENAME_CATEGORIES, 'cPath=' . $cPath . '&action=new_category') . '">' .
tep_image_button('button_new_category.gif', IMAGE_NEW_CATEGORY) . '</a>&nbsp;<a href=' .
tep_href_link(FILENAME_CATEGORIES, 'cPath=' . $cPath . '&action=new_product') . '">' .
tep_image_button('button_new_product.gif', IMAGE_NEW_PRODUCT) . '</a>; ?>&nbsp;</td>
</tr>
</table></td>

```

```

        </tr>
    </table></td>
<?php
$heading = array();
$contents = array();
switch ($action) {
    case 'new_category':
        $heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_NEW_CATEGORY . '</b>');
        $contents = array('form' => tep_draw_form('newcategory', FILENAME_CATEGORIES,
'action=insert_category&cPath=' . $cPath, 'post', 'enctype="multipart/form-data"'));
        $contents[] = array('text' => TEXT_NEW_CATEGORY_INTRO);

        $category_inputs_string = '';
        $languages = tep_get_languages();
        for ($i = 0, $n = sizeof($languages); $i < $n; $i++) {
            $category_inputs_string .= '<br>' . tep_image(DIR_WS_CATALOG_LANGUAGES .
$languages[$i]['directory'] . '/images/' . $languages[$i]['image'], $languages[$i]['name']) . '&nbsp;';
        }
        tep_draw_input_field('categories_name[' . $languages[$i]['id'] . ']');

        $contents[] = array('text' => '<br>' . TEXT_CATEGORIES_NAME . $category_inputs_string);
        $contents[] = array('text' => '<br>' . TEXT_CATEGORIES_IMAGE . '<br>' .
tep_draw_file_field('categories_image'));
        $contents[] = array('text' => '<br>' . TEXT_SORT_ORDER . '<br>' . tep_draw_input_field('sort_order', '',
'size="2"'));
        $contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_save.gif',
IMAGE_SAVE) . ' <a href="" . tep_href_link(FILENAME_CATEGORIES, 'cPath=' . $cPath) . '">' .
tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
        break;
    case 'edit_category':
        $heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_EDIT_CATEGORY . '</b>');

        $contents = array('form' => tep_draw_form('categories', FILENAME_CATEGORIES,
'action=update_category&cPath=' . $cPath, 'post', 'enctype="multipart/form-data"') .
tep_draw_hidden_field('categories_id', $cInfo->categories_id));
        $contents[] = array('text' => TEXT_EDIT_INTRO);

        $category_inputs_string = '';
        $languages = tep_get_languages();
        for ($i = 0, $n = sizeof($languages); $i < $n; $i++) {
            $category_inputs_string .= '<br>' . tep_image(DIR_WS_CATALOG_LANGUAGES .
$languages[$i]['directory'] . '/images/' . $languages[$i]['image'], $languages[$i]['name']) . '&nbsp;';
        }
        tep_draw_input_field('categories_name[' . $languages[$i]['id'] . ']', tep_get_category_name($cInfo-
>categories_id, $languages[$i]['id']));
        }

        $contents[] = array('text' => '<br>' . TEXT_EDIT_CATEGORIES_NAME . $category_inputs_string);
        $contents[] = array('text' => '<br>' . tep_image(DIR_WS_CATALOG_IMAGES . $cInfo-
>categories_image, $cInfo->categories_name) . '<br>' . DIR_WS_CATALOG_IMAGES . '<br><b>' . $cInfo-
>categories_image . '</b>');
        $contents[] = array('text' => '<br>' . TEXT_EDIT_CATEGORIES_IMAGE . '<br>' .
tep_draw_file_field('categories_image'));
        $contents[] = array('text' => '<br>' . TEXT_EDIT_SORT_ORDER . '<br>' .
tep_draw_input_field('sort_order', $cInfo->sort_order, 'size="2"'));
        $contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_save.gif',
IMAGE_SAVE) . ' <a href="" . tep_href_link(FILENAME_CATEGORIES, 'cPath=' . $cPath . '&cID=' . $cInfo-
>categories_id) . '">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
        break;
    case 'delete_category':
        $heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_DELETE_CATEGORY . '</b>');

        $contents = array('form' => tep_draw_form('categories', FILENAME_CATEGORIES,
'action=delete_category_confirm&cPath=' . $cPath) . tep_draw_hidden_field('categories_id', $cInfo-
>categories_id));
        $contents[] = array('text' => TEXT_DELETE_CATEGORY_INTRO);
        $contents[] = array('text' => '<br><b>' . $cInfo->categories_name . '</b>');
        if ($cInfo->childs_count > 0) $contents[] = array('text' => '<br>' .
sprintf(TEXT_DELETE_WARNING_CHILDREN, $cInfo->childs_count));
        if ($cInfo->products_count > 0) $contents[] = array('text' => '<br>' .
sprintf(TEXT_DELETE_WARNING_PRODUCTS, $cInfo->products_count));

```

```

$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_delete.gif',
IMAGE_DELETE) . '<a href="" . tep_href_link(FILENAME_CATEGORIES, 'cPath=' . $cPath . '&cID=' . $cInfo->categories_id) . '">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
break;
case 'move_category':
$heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_MOVE_CATEGORY . '</b>');
$contents = array('form' => tep_draw_form('categories', FILENAME_CATEGORIES,
'action=move_category_confirm&cPath=' . $cPath) . tep_draw_hidden_field('categories_id', $cInfo->categories_id));
$contents[] = array('text' => sprintf(TEXT_MOVE_CATEGORIES_INTRO, $cInfo->categories_name));
$contents[] = array('text' => '<br>' . sprintf(TEXT_MOVE, $cInfo->categories_name) . '<br>' .
tep_draw_pull_down_menu('move_to_category_id', tep_get_category_tree(), $current_category_id));
$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_move.gif',
IMAGE_MOVE) . '<a href="" . tep_href_link(FILENAME_CATEGORIES, 'cPath=' . $cPath . '&cID=' . $cInfo->categories_id) . '">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
break;
case 'delete_product':
$heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_DELETE_PRODUCT . '</b>');
$contents = array('form' => tep_draw_form('products', FILENAME_CATEGORIES,
'action=delete_product_confirm&cPath=' . $cPath) . tep_draw_hidden_field('products_id', $pInfo->products_id));
$contents[] = array('text' => TEXT_DELETE_PRODUCT_INTRO);
$contents[] = array('text' => '<br><b>' . $pInfo->products_name . '</b>');
$product_categories_string = "";
$product_categories = tep_generate_category_path($pInfo->products_id, 'product');
for ($i = 0, $n = sizeof($product_categories); $i < $n; $i++) {
$category_path = "";
for ($j = 0, $k = sizeof($product_categories[$i]); $j < $k; $j++) {
$category_path .= $product_categories[$i][$j]['text'] . '&nbsp;&gt;&nbsp;';
}
$category_path = substr($category_path, 0, -16);
$product_categories_string .= tep_draw_checkbox_field('product_categories[]',
$product_categories[$i][sizeof($product_categories[$i])-1]['id'], true) . '&nbsp;' . $category_path . '<br>';
}
$product_categories_string = substr($product_categories_string, 0, -4);
$contents[] = array('text' => '<br>' . $product_categories_string);
$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_delete.gif',
IMAGE_DELETE) . '<a href="" . tep_href_link(FILENAME_CATEGORIES, 'cPath=' . $cPath . '&pID=' . $pInfo->products_id) . '">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
break;
case 'move_product':
$heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_MOVE_PRODUCT . '</b>');
$contents = array('form' => tep_draw_form('products', FILENAME_CATEGORIES,
'action=move_product_confirm&cPath=' . $cPath) . tep_draw_hidden_field('products_id', $pInfo->products_id));
$contents[] = array('text' => sprintf(TEXT_MOVE_PRODUCTS_INTRO, $pInfo->products_name));
$contents[] = array('text' => '<br>' . TEXT_INFO_CURRENT_CATEGORIES . '<br><b>' .
tep_output_generated_category_path($pInfo->products_id, 'product') . '</b>');
$contents[] = array('text' => '<br>' . sprintf(TEXT_MOVE, $pInfo->products_name) . '<br>' .
tep_draw_pull_down_menu('move_to_category_id', tep_get_category_tree(), $current_category_id));
$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_move.gif',
IMAGE_MOVE) . '<a href="" . tep_href_link(FILENAME_CATEGORIES, 'cPath=' . $cPath . '&pID=' . $pInfo->products_id) . '">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
break;
case 'copy_to':
$heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_COPY_TO . '</b>');
$contents = array('form' => tep_draw_form('copy_to', FILENAME_CATEGORIES,
'action=copy_to_confirm&cPath=' . $cPath) . tep_draw_hidden_field('products_id', $pInfo->products_id));
$contents[] = array('text' => TEXT_INFO_COPY_TO_INTRO);
$contents[] = array('text' => '<br>' . TEXT_INFO_CURRENT_CATEGORIES . '<br><b>' .
tep_output_generated_category_path($pInfo->products_id, 'product') . '</b>');
$contents[] = array('text' => '<br>' . TEXT_CATEGORIES . '<br>' .
tep_draw_pull_down_menu('categories_id', tep_get_category_tree(), $current_category_id));
$contents[] = array('text' => '<br>' . TEXT_HOW_TO_COPY . '<br>' . tep_draw_radio_field('copy_as',
'link', true) . '' . TEXT_COPY_AS_LINK . '<br>' . tep_draw_radio_field('copy_as', 'duplicate') . '' .
TEXT_COPY_AS_DUPLICATE);

```

```

$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_copy.gif',
IMAGE_COPY) . '<a href="' . tep_href_link(FILENAME_CATEGORIES, 'cPath=' . $cPath . '&pID=' . $pInfo-
>products_id) . '">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
break;
default:
if ($rows > 0) {
if (isset($cInfo) && is_object($cInfo)) { // category info box contents
$category_path_string = '';
$category_path = tep_generate_category_path($cInfo->categories_id);
for ($i=(sizeof($category_path[0])-1); $i>0; $i--) {
$category_path_string .= $category_path[0][$i]['id'] . '_';
}
$category_path_string = substr($category_path_string, 0, -1);

$heading[] = array('text' => '<b>' . $cInfo->categories_name . '</b>');

$contents[] = array('align' => 'center', 'text' => '<a href="' . tep_href_link(FILENAME_CATEGORIES,
'cPath=' . $category_path_string . '&cID=' . $cInfo->categories_id . '&action=edit_category') . '">' .
tep_image_button('button_edit.gif', IMAGE_EDIT) . '</a> <a href="' . tep_href_link(FILENAME_CATEGORIES,
'cPath=' . $category_path_string . '&cID=' . $cInfo->categories_id . '&action=delete_category') . '">' .
tep_image_button('button_delete.gif', IMAGE_DELETE) . '</a> <a href="" .
tep_href_link(FILENAME_CATEGORIES, 'cPath=' . $category_path_string . '&cID=' . $cInfo->categories_id .
'&action=move_category') . '">' . tep_image_button('button_move.gif', IMAGE_MOVE) . '</a>';
$contents[] = array('text' => '<br>' . TEXT_DATE_ADDED . '' . tep_date_short($cInfo-
>date_added));
if (tep_not_null($cInfo->last_modified)) $contents[] = array('text' => TEXT_LAST_MODIFIED . '' .
tep_date_short($cInfo->last_modified));
$contents[] = array('text' => '<br>' . tep_info_image($cInfo->categories_image, $cInfo-
>categories_name, HEADING_IMAGE_WIDTH, HEADING_IMAGE_HEIGHT) . '<br>' . $cInfo-
>categories_image);
$contents[] = array('text' => '<br>' . TEXT_SUBCATEGORIES . '' . $cInfo->childs_count . '<br>' .
TEXT_PRODUCTS . '' . $cInfo->products_count);
} elseif (isset($pInfo) && is_object($pInfo)) { // product info box contents
$heading[] = array('text' => '<b>' . tep_get_products_name($pInfo->products_id, $languages_id) .
'</b>');

$contents[] = array('align' => 'center', 'text' => '<a href="' . tep_href_link(FILENAME_CATEGORIES,
'cPath=' . $cPath . '&pID=' . $pInfo->products_id . '&action=new_product') . '">' .
tep_image_button('button_edit.gif', IMAGE_EDIT) . '</a> <a href="' . tep_href_link(FILENAME_CATEGORIES,
'cPath=' . $cPath . '&pID=' . $pInfo->products_id . '&action=delete_product') . '">' .
tep_image_button('button_delete.gif', IMAGE_DELETE) . '</a> <a href="" .
tep_href_link(FILENAME_CATEGORIES, 'cPath=' . $cPath . '&pID=' . $pInfo->products_id .
'&action=move_product') . '">' . tep_image_button('button_move.gif', IMAGE_MOVE) . '</a> <a href="" .
tep_href_link(FILENAME_CATEGORIES, 'cPath=' . $cPath . '&pID=' . $pInfo->products_id . '&action=copy_to') .
'">' . tep_image_button('button_copy_to.gif', IMAGE_COPY_TO) . '</a>';
$contents[] = array('text' => '<br>' . TEXT_DATE_ADDED . '' . tep_date_short($pInfo-
>products_date_added));
if (tep_not_null($pInfo->products_last_modified)) $contents[] = array('text' =>
TEXT_LAST_MODIFIED . '' . tep_date_short($pInfo->products_last_modified));
if (date('Y-m-d') < $pInfo->products_date_available) $contents[] = array('text' =>
TEXT_DATE_AVAILABLE . '' . tep_date_short($pInfo->products_date_available));
$contents[] = array('text' => '<br>' . tep_info_image($pInfo->products_image, $pInfo-
>products_name, SMALL_IMAGE_WIDTH, SMALL_IMAGE_HEIGHT) . '<br>' . $pInfo->products_image);
$contents[] = array('text' => '<br>' . TEXT_PRODUCTS_PRICE_INFO . '' . $currencies-
>format($pInfo->products_price) . '<br>' . TEXT_PRODUCTS_QUANTITY_INFO . '' . $pInfo-
>products_quantity);
$contents[] = array('text' => '<br>' . TEXT_PRODUCTS_AVERAGE_RATING . '' .
number_format($pInfo->average_rating, 2) . '%');
}
} else { // create category/product info
$heading[] = array('text' => '<b>' . EMPTY_CATEGORY . '</b>');

$contents[] = array('text' => TEXT_NO_CHILD_CATEGORIES_OR_PRODUCTS);
}
break;
}

if ( (tep_not_null($heading)) && (tep_not_null($contents)) ) {
echo '<td width="25%" valign="top">' . "\n";
$box = new box;
echo $box->infoBox($heading, $contents);

```

```

        echo '      </td>' . "\n";
    }
?>
    </tr>
</table></td>
</tr>
</table>
<?php
}
?>
</td>
<!-- body_text_eof //-->
</tr>
</table>
<!-- body_eof //-->

<!-- footer //-->
<?php require(DIR_WS_INCLUDES . 'footer.php'); ?>
<!-- footer_eof //-->
</body>
</html>
<?php require(DIR_WS_INCLUDES . 'application_bottom.php'); ?>

```

2.2. Üreticiler (admin /manufacturer.php)

2.2.1 Üretici Ekleme

2.2.2 Üretici Düzenleme

2.2.3 Üretici Silme

```

<?php
/*
$Id: manufacturers.php 1739 2007-12-20 00:52:16Z hpdl $

osCommerce, Open Source E-Commerce Solutions
http://www.oscommerce.com

Copyright (c) 2003 osCommerce

Released under the GNU General Public License
*/
require('includes/application_top.php');

$action = (isset($HTTP_GET_VARS['action']) ? $HTTP_GET_VARS['action'] : "");

if (tep_not_null($action)) {
    switch ($action) {
        case 'insert':
        case 'save':
            if (isset($HTTP_GET_VARS['mID'])) $manufacturers_id =
tep_db_prepare_input($HTTP_GET_VARS['mID']);
            $manufacturers_name = tep_db_prepare_input($HTTP_POST_VARS['manufacturers_name']);

            $sql_data_array = array('manufacturers_name' => $manufacturers_name);

            if ($action == 'insert') {
                $insert_sql_data = array('date_added' => 'now()');

                $sql_data_array = array_merge($sql_data_array, $insert_sql_data);

                tep_db_perform(TABLE_MANUFACTURERS, $sql_data_array);
                $manufacturers_id = tep_db_insert_id();
            }
    }
}

```

```

} elseif ($action == 'save') {
    $update_sql_data = array('last_modified' => 'now()');

    $sql_data_array = array_merge($sql_data_array, $update_sql_data);

    tep_db_perform(TABLE_MANUFACTURERS, $sql_data_array, 'update', "manufacturers_id = '" .
(int)$manufacturers_id . "'");

}

if ($manufacturers_image = new upload('manufacturers_image', DIR_FS_CATALOG_IMAGES)) {
    tep_db_query("update " . TABLE_MANUFACTURERS . " set manufacturers_image = '" .
$manufacturers_image->filename . "' where manufacturers_id = '" . (int)$manufacturers_id . "'");
}

$languages = tep_get_languages();
for ($i=0, $n=sizeof($languages); $i<$n; $i++) {
    $manufacturers_url_array = $HTTP_POST_VARS['manufacturers_url'];
    $language_id = $languages[$i]['id'];

    $sql_data_array = array('manufacturers_url' =>
tep_db_prepare_input($manufacturers_url_array[$language_id]));

    if ($action == 'insert') {
        $insert_sql_data = array('manufacturers_id' => $manufacturers_id,
                                'languages_id' => $language_id);

        $sql_data_array = array_merge($sql_data_array, $insert_sql_data);

        tep_db_perform(TABLE_MANUFACTURERS_INFO, $sql_data_array);
    } elseif ($action == 'save') {
        tep_db_perform(TABLE_MANUFACTURERS_INFO, $sql_data_array, 'update', "manufacturers_id = '" .
(int)$manufacturers_id . "' and languages_id = '" . (int)$language_id . "'");
    }
}

if (USE_CACHE == 'true') {
    tep_reset_cache_block('manufacturers');
}

tep_redirect(tep_href_link(FILENAME_MANUFACTURERS, (isset($HTTP_GET_VARS['page']) ? 'page=' .
$HTTP_GET_VARS['page'] . '&' : '') . 'mID=' . $manufacturers_id));
break;
case 'deleteconfirm':
$manufacturers_id = tep_db_prepare_input($HTTP_GET_VARS['mID']);

if (isset($HTTP_POST_VARS['delete_image']) && ($HTTP_POST_VARS['delete_image'] == 'on')) {
    $manufacturer_query = tep_db_query("select manufacturers_image from " . TABLE_MANUFACTURERS .
" where manufacturers_id = '" . (int)$manufacturers_id . "'");
    $manufacturer = tep_db_fetch_array($manufacturer_query);

    $image_location = DIR_FS_DOCUMENT_ROOT . DIR_WS_CATALOG_IMAGES .
$manufacturer['manufacturers_image'];

    if (file_exists($image_location)) @unlink($image_location);
}

tep_db_query("delete from " . TABLE_MANUFACTURERS . " where manufacturers_id = '" .
(int)$manufacturers_id . "'");
tep_db_query("delete from " . TABLE_MANUFACTURERS_INFO . " where manufacturers_id = '" .
(int)$manufacturers_id . "'");

if (isset($HTTP_POST_VARS['delete_products']) && ($HTTP_POST_VARS['delete_products'] == 'on')) {
    $products_query = tep_db_query("select products_id from " . TABLE_PRODUCTS . " where
manufacturers_id = '" . (int)$manufacturers_id . "'");
    while ($products = tep_db_fetch_array($products_query)) {
        tep_remove_product($products['products_id']);
    }
} else {
    tep_db_query("update " . TABLE_PRODUCTS . " set manufacturers_id = '' where manufacturers_id = '" .
(int)$manufacturers_id . "'");
}

```

```

if (USE_CACHE == 'true') {
    tep_reset_cache_block('manufacturers');
}

tep_redirect(tep_href_link(FILENAME_MANUFACTURERS, 'page=' . $HTTP_GET_VARS['page']));
break;
}
}

?>
<!doctype html public "-//W3C//DTD HTML 4.01 Transitional//EN">
<html <?php echo HTML_PARAMS; ?>>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=<?php echo CHARSET; ?>">
<title><?php echo TITLE; ?></title>
<link rel="stylesheet" type="text/css" href="includes/stylesheet.css">
<script language="javascript" src="includes/general.js"></script>
</head>
<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"
bgcolor="#FFFFFF" onload="SetFocus();">
<!-- header //-->
<?php require(DIR_WS_INCLUDES . 'header.php'); ?>
<!-- header_eof //-->

<!-- body //-->
<table border="0" width="100%" cellspacing="2" cellpadding="2">
<tr>
    <td width=<?php echo BOX_WIDTH; ?> valign="top"><table border="0" width=<?php echo
BOX_WIDTH; ?> cellspacing="1" cellpadding="1" class="columnLeft">
<!-- left_navigation //-->
<?php require(DIR_WS_INCLUDES . 'column_left.php'); ?>
<!-- left_navigation_eof //-->
    </table></td>
<!-- body_text //-->
    <td width="100%" valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
        <tr>
            <td width="100%"><table border="0" width="100%" cellspacing="0" cellpadding="0">
                <tr>
                    <td class="pageHeading"><?php echo HEADING_TITLE; ?></td>
                    <td class="pageHeading" align="right"><?php echo tep_draw_separator('pixel_trans.gif',
HEADING_IMAGE_WIDTH, HEADING_IMAGE_HEIGHT); ?></td>
                </tr>
            </table></td>
        </tr>
        <tr>
            <td><table border="0" width="100%" cellspacing="0" cellpadding="0">
                <tr>
                    <td valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
                        <tr class="dataTableHeadingRow">
                            <td class="dataTableHeadingContent"><?php echo TABLE_HEADING_MANUFACTURERS; ?></td>
                            <td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_ACTION;
?>&nbsp;</td>
                        </tr>
                    </table></td>
                </tr>
            </td>
        </tr>
    </table><?php
        $manufacturers_query_raw = "select manufacturers_id, manufacturers_name, manufacturers_image,
date_added, last_modified from " . TABLE_MANUFACTURERS . " order by manufacturers_name";
        $manufacturers_split = new splitPageResults($HTTP_GET_VARS['page'], MAX_DISPLAY_SEARCH_RESULTS,
$manufacturers_query_raw, $manufacturers_query_numrows);
        $manufacturers_query = tep_db_query($manufacturers_query_raw);
        while ($manufacturers = tep_db_fetch_array($manufacturers_query)) {
            if ((!isset($HTTP_GET_VARS['mID'])) || (isset($HTTP_GET_VARS['mID']) && ($HTTP_GET_VARS['mID'] ==
$manufacturers['manufacturers_id']))) && !isset($mInfo) && (substr($action, 0, 3) != 'new')) {
                $manufacturer_products_query = tep_db_query("select count(*) as products_count from ".
TABLE_PRODUCTS . " where manufacturers_id = " . (int)$manufacturers['manufacturers_id'] . "");
                $manufacturer_products = tep_db_fetch_array($manufacturer_products_query);

                $mInfo_array = array_merge($manufacturers, $manufacturer_products);
                $mInfo = new objectInfo($mInfo_array);
            }
            if (isset($mInfo) && is_object($mInfo) && ($manufacturers['manufacturers_id'] == $mInfo-
>manufacturers_id)) {

```

```

echo '      <tr id="defaultSelected" class="dataTableRowSelected"
onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)" onclick="document.location.href=\" .
tep_href_link(FILENAME_MANUFACTURERS, 'page=' . $HTTP_GET_VARS['page'] . '&mID=' .
$manufacturers['manufacturers_id'] . '&action=edit') . '\"> . "\n";
} else {
echo '      <tr class="dataTableRow" onmouseover="rowOverEffect(this)"
onmouseout="rowOutEffect(this)" onclick="document.location.href=\" .
tep_href_link(FILENAME_MANUFACTURERS, 'page=' . $HTTP_GET_VARS['page'] . '&mID=' .
$manufacturers['manufacturers_id']) . '\"> . "\n";
}
?>
<td class="dataTableContent"><?php echo $manufacturers['manufacturers_name']; ?></td>
<td class="dataTableContent" align="right"><?php if (isset($mInfo) && is_object($mInfo) &&
($manufacturers['manufacturers_id'] == $mInfo->manufacturers_id)) { echo tep_image(DIR_WS_IMAGES .
'icon_arrow_right.gif'); } else { echo '<a href="' . tep_href_link(FILENAME_MANUFACTURERS, 'page=' .
$HTTP_GET_VARS['page'] . '&mID=' . $manufacturers['manufacturers_id']) . '">' .
tep_image(DIR_WS_IMAGES . 'icon_info.gif', IMAGE_ICON_INFO) . '</a>'; } ?>&nbsp;</td>
</tr>
<?php
}
?>
<tr>
<td colspan="2"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr>
<td class="smallText" valign="top"><?php echo $manufacturers_split-
>display_count($manufacturers_query_numrows, MAX_DISPLAY_SEARCH_RESULTS,
$HTTP_GET_VARS['page'], TEXT_DISPLAY_NUMBER_OF_MANUFACTURERS); ?></td>
<td class="smallText" align="right"><?php echo $manufacturers_split-
>display_links($manufacturers_query_numrows, MAX_DISPLAY_SEARCH_RESULTS,
MAX_DISPLAY_PAGE_LINKS, $HTTP_GET_VARS['page']); ?></td>
</tr>
</table></td>
</tr>
<?php
if (empty($action)) {
?>
<tr>
<td align="right" colspan="2" class="smallText"><?php echo '<a href="' .
tep_href_link(FILENAME_MANUFACTURERS, 'page=' . $HTTP_GET_VARS['page'] . '&mID=' . $mInfo-
>manufacturers_id . '&action=new') . '"> . tep_image_button('button_insert.gif', IMAGE_INSERT) . '</a>';
?></td>
</tr>
<?php
}
?>
</table></td>
<?php
$heading = array();
$contents = array();

switch ($action) {
case 'new':
$heading[] = array('text' => '<b>' . TEXT_HEADING_NEW_MANUFACTURER . '</b>');

$contents = array('form' => tep_draw_form('manufacturers', FILENAME_MANUFACTURERS, 'action=insert',
'post', 'enctype="multipart/form-data"'));
$contents[] = array('text' => TEXT_NEW_INTRO);
$contents[] = array('text' => '<br>' . TEXT_MANUFACTURERS_NAME . '<br>' .
tep_draw_input_field('manufacturers_name'));
$contents[] = array('text' => '<br>' . TEXT_MANUFACTURERS_IMAGE . '<br>' .
tep_draw_file_field('manufacturers_image'));

$manufacturer_inputs_string = '';
$languages = tep_get_languages();
for ($i=0, $n=sizeof($languages); $i<$n; $i++) {
$manufacturer_inputs_string .= '<br>' . tep_image(DIR_WS_CATALOG_LANGUAGES .
$languages[$i]['directory'] . '/images/' . $languages[$i]['image'], $languages[$i]['name']) . '&nbsp;' .
tep_draw_input_field('manufacturers_url[' . $languages[$i]['id'] . ']');
}

$contents[] = array('text' => '<br>' . TEXT_MANUFACTURERS_URL . $manufacturer_inputs_string);

```

```

$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_save.gif',
IMAGE_SAVE) . ' <a href="" . tep_href_link(FILENAME_MANUFACTURERS, 'page=' . $HTTP_GET_VARS['page'] .
'&mID=' . $HTTP_GET_VARS['mID']) . ">" . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
break;
case 'edit':
$heading[] = array('text' => '<b>' . TEXT_HEADING_EDIT_MANUFACTURER . '</b>');

$contents = array('form' => tep_draw_form('manufacturers', FILENAME_MANUFACTURERS, 'page=' .
$HTTP_GET_VARS['page'] . '&mID=' . $mInfo->manufacturers_id . '&action=save', 'post',
'enctype="multipart/form-data"'));
$contents[] = array('text' => TEXT_EDIT_INTRO);
$contents[] = array('text' => '<br>' . TEXT_MANUFACTURERS_NAME . '<br>' .
tep_draw_input_field('manufacturers_name', $mInfo->manufacturers_name));
$contents[] = array('text' => '<br>' . TEXT_MANUFACTURERS_IMAGE . '<br>' .
tep_draw_file_field('manufacturers_image') . '<br>' . $mInfo->manufacturers_image);

$manufacturer_inputs_string = '';
$languages = tep_get_languages();
for ($i=0, $n=sizeof($languages); $i<$n; $i++) {
$manufacturer_inputs_string .= '<br>' . tep_image(DIR_WS_CATALOG_LANGUAGES .
$languages[$i]['directory'] . '/images/' . $languages[$i]['image'], $languages[$i]['name']) . '&nbsp;';
tep_draw_input_field('manufacturers_url[' . $languages[$i]['id'] . ']', tep_get_manufacturer_url($mInfo-
>manufacturers_id, $languages[$i]['id']));
}

$contents[] = array('text' => '<br>' . TEXT_MANUFACTURERS_URL . $manufacturer_inputs_string);
$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_save.gif',
IMAGE_SAVE) . ' <a href="" . tep_href_link(FILENAME_MANUFACTURERS, 'page=' . $HTTP_GET_VARS['page'] .
'&mID=' . $mInfo->manufacturers_id) . ">" . tep_image_button('button_cancel.gif', IMAGE_CANCEL) .
'</a>');
break;
case 'delete':
$heading[] = array('text' => '<b>' . TEXT_HEADING_DELETE_MANUFACTURER . '</b>');

$contents = array('form' => tep_draw_form('manufacturers', FILENAME_MANUFACTURERS, 'page=' .
$HTTP_GET_VARS['page'] . '&mID=' . $mInfo->manufacturers_id . '&action=deleteconfirm'));
$contents[] = array('text' => TEXT_DELETE_INTRO);
$contents[] = array('text' => '<br><b>' . $mInfo->manufacturers_name . '</b>');
$contents[] = array('text' => '<br>' . tep_draw_checkbox_field('delete_image', "", true) . '' .
TEXT_DELETE_IMAGE);

if ($mInfo->products_count > 0) {
$contents[] = array('text' => '<br>' . tep_draw_checkbox_field('delete_products') . '' .
TEXT_DELETE_PRODUCTS);
$contents[] = array('text' => '<br>' . sprintf(TEXT_DELETE_WARNING_PRODUCTS, $mInfo-
>products_count));
}

$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_delete.gif',
IMAGE_DELETE) . ' <a href="" . tep_href_link(FILENAME_MANUFACTURERS, 'page=' .
$HTTP_GET_VARS['page'] . '&mID=' . $mInfo->manufacturers_id) . ">" .
tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
break;
default:
if (isset($mInfo) && is_object($mInfo)) {
$heading[] = array('text' => '<b>' . $mInfo->manufacturers_name . '</b>');

$contents[] = array('align' => 'center', 'text' => '<a href="" .
tep_href_link(FILENAME_MANUFACTURERS, 'page=' . $HTTP_GET_VARS['page'] . '&mID=' . $mInfo-
>manufacturers_id . '&action=edit') . ">" . tep_image_button('button_edit.gif', IMAGE_EDIT) . '</a> <a
href="" . tep_href_link(FILENAME_MANUFACTURERS, 'page=' . $HTTP_GET_VARS['page'] . '&mID=' . $mInfo-
>manufacturers_id . '&action=delete') . ">" . tep_image_button('button_delete.gif', IMAGE_DELETE) . '</a>');
$contents[] = array('text' => '<br>' . TEXT_DATE_ADDED . '' . tep_date_short($mInfo->date_added));
if (tep_not_null($mInfo->last_modified)) $contents[] = array('text' => TEXT_LAST_MODIFIED . '');
tep_date_short($mInfo->last_modified));
$contents[] = array('text' => '<br>' . tep_info_image($mInfo->manufacturers_image, $mInfo-
>manufacturers_name));
$contents[] = array('text' => '<br>' . TEXT_PRODUCTS . '' . $mInfo->products_count);
}
break;
}

```

```

if ( (tep_not_null($heading)) && (tep_not_null($contents)) ) {
echo '      <td width="25%" valign="top">' . "\n";
$box = new box;
echo $box->infoBox($heading, $contents);

echo '      </td>' . "\n";
}
?>
      </tr>
    </table></td>
  </tr>
</table></td>
<!-- body_text_eof //-->
</tr>
</table>
<!-- body_eof //-->

<!-- footer //-->
<?php require(DIR_WS_INCLUDES . 'footer.php'); ?>
<!-- footer_eof //-->
</body>
</html>
<?php require(DIR_WS_INCLUDES . 'application_bottom.php'); ?>

```

2.3 Comment Silme (admin / reviews.php)

```

<?php
/*
$Id: reviews.php 1739 2007-12-20 00:52:16Z hpdl $

osCommerce, Open Source E-Commerce Solutions
http://www.oscommerce.com

Copyright (c) 2003 osCommerce

Released under the GNU General Public License
*/
require('includes/application_top.php');

$action = (isset($HTTP_GET_VARS['action']) ? $HTTP_GET_VARS['action'] : "");

if (tep_not_null($action)) {
switch ($action) {
  case 'update':
    $reviews_id = tep_db_prepare_input($HTTP_GET_VARS['rID']);
    $reviews_rating = tep_db_prepare_input($HTTP_POST_VARS['reviews_rating']);
    $reviews_text = tep_db_prepare_input($HTTP_POST_VARS['reviews_text']);

    tep_db_query("update " . TABLE_REVIEWS . " set reviews_rating = '" . tep_db_input($reviews_rating) .
    "'", last_modified = now() where reviews_id = "' . (int)$reviews_id . "'");
    tep_db_query("update " . TABLE_REVIEWS_DESCRIPTION . " set reviews_text = '" .
    tep_db_input($reviews_text) . "' where reviews_id = "' . (int)$reviews_id . "'");
    tep_redirect(tep_href_link(FILENAME_REVIEWS, 'page=' . $HTTP_GET_VARS['page'] . '&rID=' .
    $reviews_id));
    break;
  case 'deleteconfirm':
    $reviews_id = tep_db_prepare_input($HTTP_GET_VARS['rID']);

    tep_db_query("delete from " . TABLE_REVIEWS . " where reviews_id = "' . (int)$reviews_id . "'");
    tep_db_query("delete from " . TABLE_REVIEWS_DESCRIPTION . " where reviews_id = "' .
    (int)$reviews_id . "'");

    tep_redirect(tep_href_link(FILENAME_REVIEWS, 'page=' . $HTTP_GET_VARS['page']));
    break;
}
}

```

```

?>
<!doctype html public "-//W3C//DTD HTML 4.01 Transitional//EN">
<html <?php echo HTML_PARAMS; ?>>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=<?php echo CHARSET; ?>">
<title><?php echo TITLE; ?></title>
<link rel="stylesheet" type="text/css" href="includes/stylesheet.css">
<script language="javascript" src="includes/general.js"></script>
</head>
<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"
bgcolor="#FFFFFF" onload="SetFocus();">
<!-- header //-->
<?php require(DIR_WS_INCLUDES . 'header.php'); ?>
<!-- header_eof //-->

<!-- body //-->
<table border="0" width="100%" cellspacing="2" cellpadding="2">
<tr>
<td width=<?php echo BOX_WIDTH; ?> valign="top"><table border="0" width=<?php echo
BOX_WIDTH; ?> cellspacing="1" cellpadding="1" class="columnLeft">
<!-- left_navigation //-->
<?php require(DIR_WS_INCLUDES . 'column_left.php'); ?>
<!-- left_navigation_eof //-->
</table></td>
<!-- body_text //-->
<td width="100%" valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr>
<td width="100%"><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr>
<td class="pageHeading"><?php echo HEADING_TITLE; ?></td>
<td class="pageHeading" align="right"><?php echo tep_draw_separator('pixel_trans.gif',
HEADING_IMAGE_WIDTH, HEADING_IMAGE_HEIGHT); ?></td>
</tr>
</table></td>
</tr>
</td>
<?php
if ($action == 'edit') {
    $rID = tep_db_prepare_input($HTTP_GET_VARS['rID']);

    $reviews_query = tep_db_query("select r.reviews_id, r.products_id, r.customers_name, r.date_added,
r.last_modified, r.reviews_read, rd.reviews_text, r.reviews_rating from " . TABLE_REVIEWS . " r, " .
TABLE_REVIEWS_DESCRIPTION . " rd where r.reviews_id = '" . (int)$rID . "' and r.reviews_id =
rd.reviews_id");
    $reviews = tep_db_fetch_array($reviews_query);

    $products_query = tep_db_query("select products_image from " . TABLE_PRODUCTS . " where products_id =
'" . (int)$reviews['products_id'] . "'");
    $products = tep_db_fetch_array($products_query);

    $products_name_query = tep_db_query("select products_name from " . TABLE_PRODUCTS_DESCRIPTION . "
where products_id = '" . (int)$reviews['products_id'] . "' and language_id = '" . (int)$languages_id . "'");
    $products_name = tep_db_fetch_array($products_name_query);

    $rInfo_array = array_merge($reviews, $products, $products_name);
    $rInfo = new objectInfo($rInfo_array);
?>
<tr><?php echo tep_draw_form('review', FILENAME_REVIEWS, 'page=' . $HTTP_GET_VARS['page'] .
'&rID=' . $HTTP_GET_VARS['rID'] . '&action=preview'); ?>
<td><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr>
<td class="main" valign="top"><b><?php echo ENTRY_PRODUCT; ?></b> <?php echo $rInfo->
products_name; ?><br><b><?php echo ENTRY_FROM; ?></b> <?php echo $rInfo->customers_name;
?><br><br><b><?php echo ENTRY_DATE; ?></b> <?php echo tep_date_short($rInfo->date_added);
?></td>
<td class="main" align="right" valign="top"><?php echo tep_image(HTTP_CATALOG_SERVER .
DIR_WS_CATALOG_IMAGES . $rInfo->products_image, $rInfo->products_name, SMALL_IMAGE_WIDTH,
SMALL_IMAGE_HEIGHT, 'hspace="5" vspace="5"'); ?></td>
</tr>
</table></td>
</tr>
<td><table width="100%" border="0" cellspacing="0" cellpadding="0">

```

```

<tr>
    <td class="main" valign="top"><b><?php echo ENTRY REVIEW; ?></b><br><br><?php echo
tep_draw_textarea_field('reviews_text', 'soft', '60', '15', $rInfo->reviews_text); ?></td>
    </tr>
    <tr>
        <td class="smallText" align="right"><?php echo ENTRY REVIEW_TEXT; ?></td>
    </tr>
</table></td>
</tr>
<tr>
    <td><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<tr>
    <td class="main"><b><?php echo ENTRY RATING; ?></b>&ampnbsp<?php echo TEXT_BAD;
?>&ampnbsp<?php for ($i=1; $i<=5; $i++) echo tep_draw_radio_field('reviews_rating', $i, "", $rInfo-
>reviews_rating) . '&nbsp;'; echo TEXT_GOOD; ?></td>
    </tr>
    <tr>
        <td><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
    </tr>
    <tr>
        <td align="right" class="main"><?php echo tep_draw_hidden_field('reviews_id', $rInfo->reviews_id) .
tep_draw_hidden_field('products_id', $rInfo->products_id) . tep_draw_hidden_field('customers_name', $rInfo-
>customers_name) . tep_draw_hidden_field('products_name', $rInfo->products_name) .
tep_draw_hidden_field('products_image', $rInfo->products_image) . tep_draw_hidden_field('date_added',
$rInfo->date_added) . tep_image_submit('button_preview.gif', IMAGE_PREVIEW) . '<a href="" .
tep_href_link(FILENAME_REVIEWS, 'page=' . $HTTP_GET_VARS['page'] . '&rID=' . $HTTP_GET_VARS['rID']) .
"">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>'; ?></td>
    </tr>
</form></tr>
<?php
} elseif ($action == 'preview') {
    if (tep_not_null($HTTP_POST_VARS)) {
        $rInfo = new objectInfo($HTTP_POST_VARS);
    } else {
        $rID = tep_db_prepare_input($HTTP_GET_VARS['rID']);

        $reviews_query = tep_db_query("select r.reviews_id, r.products_id, r.customers_name, r.date_added,
r.last_modified, r.reviews_read, rd.reviews_text, r.reviews_rating from " . TABLE_REVIEWS . " r, " .
TABLE_REVIEWS_DESCRIPTION . " rd where r.reviews_id = '" . (int)$rID . "' and r.reviews_id =
rd.reviews_id");
        $reviews = tep_db_fetch_array($reviews_query);

        $products_query = tep_db_query("select products_image from " . TABLE_PRODUCTS . " where products_id =
'" . (int)$reviews['products_id'] . "'");
        $products = tep_db_fetch_array($products_query);

        $products_name_query = tep_db_query("select products_name from " . TABLE_PRODUCTS_DESCRIPTION .
" where products_id = '" . (int)$reviews['products_id'] . "' and language_id = '" . (int)$languages_id . "'");
        $products_name = tep_db_fetch_array($products_name_query);

        $rInfo_array = array_merge($reviews, $products, $products_name);
        $rInfo = new objectInfo($rInfo_array);
    }
}
?>
<tr><?php echo tep_draw_form('update', FILENAME_REVIEWS, 'page=' . $HTTP_GET_VARS['page'] .
'&rID=' . $HTTP_GET_VARS['rID'] . '&action=update', 'post', 'enctype="multipart/form-data"'); ?>
    <td><table border="0" width="100%" cellspacing="0" cellpadding="0">
        <tr>
            <td class="main" valign="top"><b><?php echo ENTRY_PRODUCT; ?></b> <?php echo $rInfo-
>products_name; ?><br><b><?php echo ENTRY_FROM; ?></b> <?php echo $rInfo->customers_name;
?><br><br><b><?php echo ENTRY_DATE; ?></b> <?php echo tep_date_short($rInfo->date_added);
?></td>
            <td class="main" align="right" valign="top"><?php echo tep_image(HTTP_CATALOG_SERVER .
DIR_WS_CATALOG_IMAGES . $rInfo->products_image, $rInfo->products_name, SMALL_IMAGE_WIDTH,
SMALL_IMAGE_HEIGHT, 'hspace="5" vspace="5"'); ?></td>
        </tr>
    </table>
</tr>
<tr>
    <td><table width="100%" border="0" cellspacing="0" cellpadding="0">
        <tr>

```

```

<td valign="top" class="main"><b><?php echo ENTRY REVIEW; ?></b><br><br><?php echo
nl2br(tep_db_output(tep_break_string($rInfo->reviews_text, 15))); ?></td>
</tr>
</tr>
<td><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<tr>
<td class="main"><b><?php echo ENTRY_RATING; ?></b>&nbsp;<?php echo
tep_image(DIR_WS_CATALOG_IMAGES . 'stars_'. $rInfo->reviews_rating . '.gif', sprintf(TEXT_OF_5_STARS,
$rInfo->reviews_rating)); ?>&nbsp;<small>[<?php echo sprintf(TEXT_OF_5_STARS, $rInfo->reviews_rating);
?>]</small></td>
</tr>
<tr>
<td><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<?php
if (tep_not_null($HTTP_POST_VARS)) {
/* Re-Post all POST'ed variables */
reset($HTTP_POST_VARS);
while (list($key, $value) = each($HTTP_POST_VARS)) echo tep_draw_hidden_field($key,
htmlspecialchars(stripslashes($value)));
?>
<tr>
<td align="right" class="smallText"><?php echo '<a href="'. tep_href_link(FILENAME_REVIEWS,
'page=' . $HTTP_GET_VARS['page'] . '&rID=' . $rInfo->reviews_id . '&action=edit') . '">' .
tep_image_button('button_back.gif', IMAGE_BACK) . '</a> ' . tep_image_submit('button_update.gif',
IMAGE_UPDATE) . '<a href="'. tep_href_link(FILENAME_REVIEWS, 'page=' . $HTTP_GET_VARS['page'] .
'&rID=' . $rInfo->reviews_id) . '">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>'; ?></td>
</form></tr>
<?php
} else {
if (isset($HTTP_GET_VARS['origin'])) {
$back_url = $HTTP_GET_VARS['origin'];
$back_url_params = '';
} else {
$back_url = FILENAME_REVIEWS;
$back_url_params = 'page=' . $HTTP_GET_VARS['page'] . '&rID=' . $rInfo->reviews_id;
}
?>
<tr>
<td align="right"><?php echo '<a href="'. tep_href_link($back_url, $back_url_params, 'NONSSL') . '">' .
tep_image_button('button_back.gif', IMAGE_BACK) . '</a>'; ?></td>
</tr>
<?php
}
} else {
?>
<tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr>
<td valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr class="dataTableHeadingRow">
<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_PRODUCTS; ?></td>
<td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_RATING;
?></td>
<td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_DATE_ADDED;
?></td>
<td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_ACTION;
?>&nbsp;</td>
</tr>
<?php
$reviews_query_raw = "select reviews_id, products_id, date_added, last_modified, reviews_rating from " .
TABLE_REVIEWS . " order by date_added DESC";
$reviews_split = new splitPageResults($HTTP_GET_VARS['page'], MAX_DISPLAY_SEARCH_RESULTS,
$reviews_query_raw, $reviews_query_numrows);
$reviews_query = tep_db_query($reviews_query_raw);
while ($reviews = tep_db_fetch_array($reviews_query)) {
if (!isset($HTTP_GET_VARS['rID']) || (isset($HTTP_GET_VARS['rID']) && ($HTTP_GET_VARS['rID'] ==
$reviews['reviews_id']))) && !isset($rInfo)) {

```

```

$reviews_text_query = tep_db_query("select r.reviews_read, r.customers_name, length(rd.reviews_text)
as reviews_text_size from ". TABLE_REVIEWS . " r, ". TABLE_REVIEWS_DESCRIPTION . " rd where
r.reviews_id = '" . (int)$reviews['reviews_id'] . "' and r.reviews_id = rd.reviews_id");
$reviews_text = tep_db_fetch_array($reviews_text_query);

$products_image_query = tep_db_query("select products_image from ". TABLE_PRODUCTS . " where
products_id = '" . (int)$reviews['products_id'] . "'");
$products_image = tep_db_fetch_array($products_image_query);

$products_name_query = tep_db_query("select products_name from ".
TABLE_PRODUCTS_DESCRIPTION . " where products_id = '" . (int)$reviews['products_id'] . "' and language_id
= '" . (int)$languages_id . "'");
$products_name = tep_db_fetch_array($products_name_query);

$reviews_average_query = tep_db_query("select (avg(reviews_rating) / 5 * 100) as average_rating from
". TABLE_REVIEWS . " where products_id = '" . (int)$reviews['products_id'] . "'");
$reviews_average = tep_db_fetch_array($reviews_average_query);

$review_info = array_merge($reviews_text, $reviews_average, $products_name);
$rInfo_array = array_merge($reviews, $review_info, $products_image);
$rInfo = new objectInfo($rInfo_array);
}

if (isset($rInfo) && is_object($rInfo) && ($reviews['reviews_id'] == $rInfo->reviews_id) ) {
    echo '
        <tr id="defaultSelected" class="dataTableRowSelected"
onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)" onclick="document.location.href='". tep_href_link(FILENAME_REVIEWS, 'page=' . $HTTP_GET_VARS['page'] . '&rID=' . $rInfo->reviews_id .
'&action=preview') . ';">' . "\n";
} else {
    echo '
        <tr class="dataTableRow" onmouseover="rowOverEffect(this)"
onmouseout="rowOutEffect(this)" onclick="document.location.href='". tep_href_link(FILENAME_REVIEWS,
'page=' . $HTTP_GET_VARS['page'] . '&rID=' . $reviews['reviews_id']) . ';">' . "\n";
}
?>
<td class="dataTableContent"><?php echo '<a href="'. tep_href_link(FILENAME_REVIEWS,
'page=' . $HTTP_GET_VARS['page'] . '&rID=' . $reviews['reviews_id'] . '&action=preview') . ';">' .
tep_image(DIR_WS_ICONS . 'preview.gif', ICON_PREVIEW) . '</a>&nbsp;' .
tep_get_products_name($reviews['products_id']); ?></td>
<td class="dataTableContent" align="right"><?php echo tep_image(HTTP_CATALOG_SERVER .
DIR_WS_CATALOG_IMAGES . 'stars_' . $reviews['reviews_rating'] . '.gif'); ?></td>
<td class="dataTableContent" align="right"><?php echo tep_date_short($reviews['date_added']); ?></td>
<td class="dataTableContent" align="right"><?php if ( (is_object($rInfo)) &&
($reviews['reviews_id'] == $rInfo->reviews_id) ) { echo tep_image(DIR_WS_IMAGES . 'icon_arrow_right.gif');
} else { echo '<a href="'. tep_href_link(FILENAME_REVIEWS, 'page=' . $HTTP_GET_VARS['page'] . '&rID=' .
$reviews['reviews_id']) . ';">' . tep_image(DIR_WS_IMAGES . 'icon_info.gif', IMAGE_ICON_INFO) . '</a>'; }
?>&nbsp;</td>
</tr>
<?php
}
?>
<tr>
<td colspan="4"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr>
    <td class="smallText" valign="top"><?php echo $reviews_split-
>display_count($reviews_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, $HTTP_GET_VARS['page'],
TEXT_DISPLAY_NUMBER_OF_REVIEWS); ?></td>
    <td class="smallText" align="right"><?php echo $reviews_split-
>display_links($reviews_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, MAX_DISPLAY_PAGE_LINKS,
$HTTP_GET_VARS['page']); ?></td>
</tr>
</table></td>
</tr>
</table></td>
<?php
$heading = array();
$contents = array();

switch ($action) {
    case 'delete':
        $heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_DELETE REVIEW . '</b>');

```

```

$contents = array('form' => tep_draw_form('reviews', FILENAME_REVIEWS, 'page=' .
$HTTP_GET_VARS['page'] . '&rID=' . $rInfo->reviews_id . '&action=deleteconfirm'));
$contents[] = array('text' => TEXT_INFO_DELETE REVIEW_INTRO);
$contents[] = array('text' => '<br><b>' . $rInfo->products_name . '</b>');
$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_delete.gif',
IMAGE_DELETE) . ' <a href="" . tep_href_link(FILENAME_REVIEWS, 'page=' . $HTTP_GET_VARS['page'] .
'&rID=' . $rInfo->reviews_id) . ">" . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
break;
default:
if (isset($rInfo) && is_object($rInfo)) {
$heading[] = array('text' => '<b>' . $rInfo->products_name . '</b>');

$contents[] = array('align' => 'center', 'text' => '<a href="" . tep_href_link(FILENAME_REVIEWS, 'page=' .
$HTTP_GET_VARS['page'] . '&rID=' . $rInfo->reviews_id . '&action=edit') . ">" .
tep_image_button('button_edit.gif', IMAGE_EDIT) . '</a> <a href="" . tep_href_link(FILENAME_REVIEWS,
'page=' . $HTTP_GET_VARS['page'] . '&rID=' . $rInfo->reviews_id . '&action=delete') . ">" .
tep_image_button('button_delete.gif', IMAGE_DELETE) . '</a>');
$contents[] = array('text' => '<br>' . TEXT_INFO_DATE_ADDED . '' . tep_date_short($rInfo-
>date_added));
if (tep_not_null($rInfo->last_modified)) $contents[] = array('text' => TEXT_INFO_LAST_MODIFIED . '' .
tep_date_short($rInfo->last_modified));
$contents[] = array('text' => '<br>' . tep_info_image($rInfo->products_image, $rInfo->products_name,
SMALL_IMAGE_WIDTH, SMALL_IMAGE_HEIGHT));
$contents[] = array('text' => '<br>' . TEXT_INFO_REVIEW_AUTHOR . '' . $rInfo->customers_name);
$contents[] = array('text' => TEXT_INFO_REVIEW_RATING . '' . tep_image(HTTP_CATALOG_SERVER .
DIR_WS_CATALOG_IMAGES . 'stars_' . $rInfo->reviews_rating . '.gif'));
$contents[] = array('text' => TEXT_INFO_REVIEW_READ . '' . $rInfo->reviews_read);
$contents[] = array('text' => '<br>' . TEXT_INFO_REVIEW_SIZE . '' . $rInfo->reviews_text_size .
'bytes');
$contents[] = array('text' => '<br>' . TEXT_INFO_PRODUCTS_AVERAGE_RATING . '' .
number_format($rInfo->average_rating, 2) . '%');
}
break;
}

if ( (tep_not_null($heading)) && (tep_not_null($contents)) ) {
echo '<td width="25%" valign="top">' . "\n";
$box = new box;
echo $box->infoBox($heading, $contents);

echo '      </td>' . "\n";
}
?>
      </tr>
    </table></td>
  </tr>
<?php
}
?>
  </table></td>
<!-- body_text_eof //-->
</tr>
</table>
<!-- body_eof //-->

<!-- footer //-->
<?php require(DIR_WS_INCLUDES . 'footer.php'); ?>
<!-- footer_eof //-->
</body>
</html>
<?php require(DIR_WS_INCLUDES . 'application_bottom.php'); ?>

```

2.4 İndirimdeki Ürünler (admin / special.php)

2.4.1 İndirime Ürün Ekleme

2.4.2 İndirime Ürün Düzenleme

2.4.3 İndirimden Ürün Silme

```
<?php
/*
$Id: specials.php 1739 2007-12-20 00:52:16Z hpdl $

osCommerce, Open Source E-Commerce Solutions
http://www.oscommerce.com

Copyright (c) 2003 osCommerce

Released under the GNU General Public License
*/
require('includes/application_top.php');

require(DIR_WS_CLASSES . 'currencies.php');
$currencies = new currencies();

$action = (isset($HTTP_GET_VARS['action']) ? $HTTP_GET_VARS['action'] : '');

if (tep_not_null($action)) {
    switch ($action) {
        case 'setflag':
            tep_set_specials_status($HTTP_GET_VARS['id'], $HTTP_GET_VARS['flag']);

            tep_redirect(tep_href_link(FILENAME_SPECIALS, (isset($HTTP_GET_VARS['page']) ? 'page=' .
$HTTP_GET_VARS['page'] . '&' : '') . 'sID=' . $HTTP_GET_VARS['id'], 'NONSSL'));
            break;
        case 'insert':
            $products_id = tep_db_prepare_input($HTTP_POST_VARS['products_id']);
            $products_price = tep_db_prepare_input($HTTP_POST_VARS['products_price']);
            $specials_price = tep_db_prepare_input($HTTP_POST_VARS['specials_price']);
            $day = tep_db_prepare_input($HTTP_POST_VARS['day']);
            $month = tep_db_prepare_input($HTTP_POST_VARS['month']);
            $year = tep_db_prepare_input($HTTP_POST_VARS['year']);

            if (substr($specials_price, -1) == '%') {
                $new_special_insert_query = tep_db_query("select products_id, products_price from " .
TABLE_PRODUCTS . " where products_id = '" . (int)$products_id . "'");
                $new_special_insert = tep_db_fetch_array($new_special_insert_query);

                $products_price = $new_special_insert['products_price'];
                $specials_price = ($products_price - (($specials_price / 100) * $products_price));
            }

            $expires_date = '';
            if (tep_not_null($day) && tep_not_null($month) && tep_not_null($year)) {
                $expires_date = $year;
                $expires_date .= (strlen($month) == 1) ? '0' . $month : $month;
                $expires_date .= (strlen($day) == 1) ? '0' . $day : $day;
            }

            tep_db_query("insert into " . TABLE_SPECIALS . " (products_id, specials_new_products_price,
specials_date_added, expires_date, status) values ('" . (int)$products_id . "', '" . tep_db_input($specials_price) .
"', now(), '" . tep_db_input($expires_date) . "', '1')");

            tep_redirect(tep_href_link(FILENAME_SPECIALS, 'page=' . $HTTP_GET_VARS['page']));
            break;
        case 'update':
            $specials_id = tep_db_prepare_input($HTTP_POST_VARS['specials_id']);
```

```

$products_price = tep_db_prepare_input($HTTP_POST_VARS['products_price']);
$specials_price = tep_db_prepare_input($HTTP_POST_VARS['specials_price']);
$day = tep_db_prepare_input($HTTP_POST_VARS['day']);
$month = tep_db_prepare_input($HTTP_POST_VARS['month']);
$year = tep_db_prepare_input($HTTP_POST_VARS['year']);

if (substr($specials_price, -1) == '%') $specials_price = ($products_price - ((($specials_price / 100) *
$products_price));

$expires_date = "";
if (tep_not_null($day) && tep_not_null($month) && tep_not_null($year)) {
    $expires_date = $year;
    $expires_date .= (strlen($month) == 1) ? '0' . $month : $month;
    $expires_date .= (strlen($day) == 1) ? '0' . $day : $day;
}

tep_db_query("update " . TABLE_SPECIALS . " set specials_new_products_price = '" .
tep_db_input($specials_price) . "', specials_last_modified = now(), expires_date = '" .
tep_db_input($expires_date) . "' where specials_id = '" . (int)$specials_id . "'");

tep_redirect(tep_href_link(FILENAME_SPECIALS, 'page=' . $HTTP_GET_VARS['page'] . '&sID=' .
$specials_id));
break;
case 'deleteconfirm':
$specials_id = tep_db_prepare_input($HTTP_GET_VARS['sID']);

tep_db_query("delete from " . TABLE_SPECIALS . " where specials_id = '" . (int)$specials_id . "'");

tep_redirect(tep_href_link(FILENAME_SPECIALS, 'page=' . $HTTP_GET_VARS['page']));
break;
}
}
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html <?php echo HTML_PARAMS; ?>>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=<?php echo CHARSET; ?>">
<title><?php echo TITLE; ?></title>
<link rel="stylesheet" type="text/css" href="includes/stylesheet.css">
<script language="javascript" src="includes/general.js"></script>
<?php
if ( ($action == 'new') || ($action == 'edit') ) {
?>
<link rel="stylesheet" type="text/css" href="includes/javascript/calendar.css">
<script language="JavaScript" src="includes/javascript/calendarcodes.js"></script>
<?php
}
?>
</head>
<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"
bgcolor="#FFFFFF" onload="SetFocus();">
<div id="popupcalendar" class="text"></div>
<!-- header //-->
<?php require(DIR_WS_INCLUDES . 'header.php'); ?>
<!-- header_eof //-->

<!-- body //-->
<table border="0" width="100%" cellspacing="2" cellpadding="2">
<tr>
<td width="php echo BOX_WIDTH; ?&gt;" valign="top"&gt;&lt;table border="0" width="<?php echo
BOX_WIDTH; ?&gt;" cellspacing="1" cellpadding="1" class="columnLeft"&gt;
&lt;!-- left_navigation //--&gt;
&lt;?php require(DIR_WS_INCLUDES . 'column_left.php'); ?&gt;
&lt;!-- left_navigation_eof //--&gt;
&lt;/table&gt;&lt;/td&gt;
&lt;!-- body_text //--&gt;
&lt;td width="100%" valign="top"&gt;&lt;table border="0" width="100%" cellspacing="0" cellpadding="2"&gt;
&lt;tr&gt;
&lt;td width="100%"&gt;&lt;table border="0" width="100%" cellspacing="0" cellpadding="0"&gt;
&lt;tr&gt;
&lt;td class="pageHeading"&gt;&lt;?php echo HEADING_TITLE; ?&gt;&lt;/td&gt;
</pre

```

```

<td class="pageHeading" align="right"><?php echo tep_draw_separator('pixel_trans.gif',
HEADING_IMAGE_WIDTH, HEADING_IMAGE_HEIGHT); ?></td>
</tr>
</table></td>
</tr>
</?php
if ( ($action == 'new') || ($action == 'edit') ) {
$form_action = 'insert';
if ( ($action == 'edit') && isset($HTTP_GET_VARS['sID']) ) {
$form_action = 'update';

$product_query = tep_db_query("select p.products_id, pd.products_name, p.products_price,
s.specials_new_products_price, s.expires_date from " . TABLE_PRODUCTS . " p, " .
TABLE_PRODUCTS_DESCRIPTION . " pd, " . TABLE_SPECIALS . " s where p.products_id = pd.products_id and
pd.language_id = '" . (int)$languages_id . "' and p.products_id = s.products_id and s.specials_id = '" .
(int)$HTTP_GET_VARS['sID'] . "'");
$product = tep_db_fetch_array($product_query);

$sInfo = new objectInfo($product);
} else {
$sInfo = new objectInfo(array());

// create an array of products on special, which will be excluded from the pull down menu of products
// (when creating a new product on special)
$specials_array = array();
$specials_query = tep_db_query("select p.products_id from " . TABLE_PRODUCTS . " p, " .
TABLE_SPECIALS . " s where s.products_id = p.products_id");
while ($specials = tep_db_fetch_array($specials_query)) {
$specials_array[] = $specials['products_id'];
}
}

?>
<tr><form name="new_special" <?php echo 'action=' . tep_href_link(FILENAME_SPECIALS,
tep_get_all_get_params(array('action', 'info', 'sID')) . 'action=' . $form_action, 'NONSSL') . "'", ?>
method="post"><?php if ($form_action == 'update') echo tep_draw_hidden_field('specials_id',
$HTTP_GET_VARS['sID']); ?>
<td><br><table border="0" cellspacing="0" cellpadding="2">
<tr>
<td class="main"><?php echo TEXT_SPECIALS_PRODUCT; ?>&nbsp;</td>
<td class="main"><?php echo (isset($sInfo->products_name) ? $sInfo->products_name . ' <small>' . $currencies->format($sInfo->products_price) . '</small>' : tep_draw_products_pull_down('products_id',
'style="font-size:10px"', $specials_array); echo tep_draw_hidden_field('products_price', (isset($sInfo->products_price) ? $sInfo->products_price : "")); ?></td>
</tr>
<tr>
<td class="main"><?php echo TEXT_SPECIALS_SPECIAL_PRICE; ?>&nbsp;</td>
<td class="main"><?php echo tep_draw_input_field('specials_price', (isset($sInfo->specials_new_products_price) ? $sInfo->specials_new_products_price : "")); ?></td>
</tr>
<tr>
<td class="main"><?php echo TEXT_SPECIALS_EXPIRES_DATE; ?>&nbsp;</td>
<td class="main"><?php echo tep_draw_input_field('day', (isset($sInfo->expires_date) ? substr($sInfo->expires_date, 8, 2) : ""), 'size="2" maxlength="2" class="cal-TextBox"') . tep_draw_input_field('month', (isset($sInfo->expires_date) ? substr($sInfo->expires_date, 5, 2) : ""), 'size="2" maxlength="2" class="cal-TextBox") . tep_draw_input_field('year', (isset($sInfo->expires_date) ? substr($sInfo->expires_date, 0, 4) : ""), 'size="4" maxlength="4" class="cal-TextBox"); ?><a class="so-BtnLink" href="javascript:calClick();return false;" onmouseover="calSwapImg('BTN_date',
'img_Date_OVER',true);" onmouseout="calSwapImg('BTN_date', 'img_Date_UP',true);"
onclick="calSwapImg('BTN_date', 'img_Date_DOWN');showCalendar('new_special','dteWhen','BTN_date');return false;"><?php echo tep_image(DIR_WS_IMAGES . 'cal_date_up.gif', 'Calendar', '22', '17', 'align="absmiddle" name="BTN_date"); ?></a></td>
</tr>
</table></td>
</tr>
<tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr>
<td class="main"><br><?php echo TEXT_SPECIALS_PRICE_TIP; ?></td>
<td class="main" align="right" valign="top"><br><?php echo (($form_action == 'insert') ?
tep_image_submit('button_insert.gif', IMAGE_INSERT) : tep_image_submit('button_update.gif',
IMAGE_UPDATE)). '&nbsp;&nbsp;&nbsp;<a href="' . tep_href_link(FILENAME_SPECIALS, 'page=' .

```

```

$HTTP_GET_VARS['page'] . (isset($HTTP_GET_VARS['sID']) ? '&sID=' . $HTTP_GET_VARS['sID'] : "") . '">' .
tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>'; ?></td>
</tr>
</table></td>
</form></tr>
<?php
} else {
?>
<tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr>
<td valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr class="dataTableHeadingRow">
<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_PRODUCTS; ?></td>
<td class="dataTableHeadingContent" align="right"><?php echo
TABLE_HEADING_PRODUCTS_PRICE; ?></td>
<td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_STATUS;
?></td>
<td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_ACTION;
?>&nbsp;</td>
</tr>
<?php
$specials_query_raw = "select p.products_id, pd.products_name, p.products_price, s.specials_id,
s.specials_new_products_price, s.specials_date_added, s.specials_last_modified, s.expires_date,
s.date_status_change, s.status from " . TABLE_PRODUCTS . " p, " . TABLE_SPECIALS . " s, ".
TABLE_PRODUCTS_DESCRIPTION . " pd where p.products_id = pd.products_id and pd.language_id = "" .
(int)$languages_id . "" and p.products_id = s.products_id order by pd.products_name";
$specials_split = new splitPageResults($HTTP_GET_VARS['page'], MAX_DISPLAY_SEARCH_RESULTS,
$specials_query_raw, $specials_query_numrows);
$specials_query = tep_db_query($specials_query_raw);
while ($specials = tep_db_fetch_array($specials_query)) {
if ((!isset($HTTP_GET_VARS['sID'])) || (isset($HTTP_GET_VARS['sID'])) && ($HTTP_GET_VARS['sID'] ==
$specials['specials_id'])) && (!isset($sInfo)) {
$products_query = tep_db_query("select products_image from " . TABLE_PRODUCTS . " where
products_id = " . (int)$specials['products_id'] . "");
$products = tep_db_fetch_array($products_query);
$sInfo_array = array_merge($specials, $products);
$sInfo = new objectInfo($sInfo_array);
}
if (isset($sInfo) && is_object($sInfo) && ($specials['specials_id'] == $sInfo->specials_id)) {
echo '<tr id="defaultSelected" class="dataTableRowSelected" '
onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)" onclick="document.location.href=''.
tep_href_link(FILENAME_SPECIALS, 'page=' . $HTTP_GET_VARS['page'] . '&sID=' . $sInfo->specials_id .
'&action=edit') . '">' . "\n";
} else {
echo '<tr class="dataTableRow" onmouseover="rowOverEffect(this)" '
onmouseout="rowOutEffect(this)" onclick="document.location.href=''.
tep_href_link(FILENAME_SPECIALS,
'page=' . $HTTP_GET_VARS['page'] . '&sID=' . $specials['specials_id']) . '">' . "\n";
}
?>
<td class="dataTableContent"><?php echo $specials['products_name']; ?></td>
<td class="dataTableContent" align="right"><span class="oldPrice"><?php echo $currencies-
>format($specials['products_price']); ?></span> <span class="specialPrice"><?php echo $currencies-
>format($specials['specials_new_products_price']); ?></span></td>
<td class="dataTableContent" align="right">
<?php
if ($specials['status'] == '1') {
echo tep_image(DIR_WS_IMAGES . 'icon_status_green.gif', IMAGE_ICON_STATUS_GREEN, 10, 10) .
'&nbsp;&nbsp;<a href="" . tep_href_link(FILENAME_SPECIALS, 'action=setflag&flag=0&id=' .
$specials['specials_id'], 'NONSSL') . '">' . tep_image(DIR_WS_IMAGES . 'icon_status_red_light.gif',
IMAGE_ICON_STATUS_RED_LIGHT, 10, 10) . '</a>';
} else {
echo '<a href="" . tep_href_link(FILENAME_SPECIALS, 'action=setflag&flag=1&id=' .
$specials['specials_id'], 'NONSSL') . '">' . tep_image(DIR_WS_IMAGES . 'icon_status_green_light.gif',
IMAGE_ICON_STATUS_GREEN_LIGHT, 10, 10) . '</a>&nbsp;&nbsp;' . tep_image(DIR_WS_IMAGES .
'icon_status_red.gif', IMAGE_ICON_STATUS_RED, 10, 10);
}
?></td>
<td class="dataTableContent" align="right"><?php if (isset($sInfo) && is_object($sInfo) &&
($specials['specials_id'] == $sInfo->specials_id)) { echo tep_image(DIR_WS_IMAGES . 'icon_arrow_right.gif',
""); } else { echo '<a href="" . tep_href_link(FILENAME_SPECIALS, 'page=' . $HTTP_GET_VARS['page'] .
'' );

```

```

'&sID=' . $specials['specials_id']) . '">' . tep_image(DIR_WS_IMAGES . 'icon_info.gif', IMAGE_ICON_INFO) .
'</a>'; } ?>&nbsp;</td>
    </tr>
<?php
}
?>
    <tr>
        <td colspan="4"><table border="0" width="100%" cellpadding="0" cellspacing="2">
            <tr>
                <td class="smallText" valign="top"><?php echo $specials_split-
>display_count($specials_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, $HTTP_GET_VARS['page'],
TEXT_DISPLAY_NUMBER_OF_SPECIALS); ?></td>
                <td class="smallText" align="right"><?php echo $specials_split-
>display_links($specials_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, MAX_DISPLAY_PAGE_LINKS,
$HTTP_GET_VARS['page']); ?></td>
            </tr>
<?php
if (empty($action)) {
?>
            <tr>
                <td colspan="2" align="right"><?php echo '<a href="' . tep_href_link(FILENAME_SPECIALS,
'page=' . $HTTP_GET_VARS['page'] . '&action=new') . '">' . tep_image_button('button_new_product.gif',
IMAGE_NEW_PRODUCT) . '</a>'; ?></td>
            </tr>
<?php
}
?>
            </table></td>
        </tr>
    </table></td>
<?php
$heading = array();
$contents = array();

switch ($action) {
    case 'delete':
        $heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_DELETE_SPECIALS . '</b>');

        $contents = array('form' => tep_draw_form('specials', FILENAME_SPECIALS, 'page=' .
$HTTP_GET_VARS['page'] . '&sID=' . $sInfo->specials_id . '&action=deleteconfirm'));
        $contents[] = array('text' => TEXT_INFO_DELETE_INTRO);
        $contents[] = array('text' => '<br><b>' . $sInfo->products_name . '</b>');
        $contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_delete.gif',
IMAGE_DELETE) . '&nbsp;<a href="' . tep_href_link(FILENAME_SPECIALS, 'page=' . $HTTP_GET_VARS['page'] .
'&sID=' . $sInfo->specials_id) . '">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
        break;
    default:
        if (is_object($sInfo)) {
            $heading[] = array('text' => '<b>' . $sInfo->products_name . '</b>');

            $contents[] = array('align' => 'center', 'text' => '<a href="' . tep_href_link(FILENAME_SPECIALS,
'page=' . $HTTP_GET_VARS['page'] . '&sID=' . $sInfo->specials_id . '&action=edit') . '">' .
tep_image_button('button_edit.gif', IMAGE_EDIT) . '</a> <a href="' . tep_href_link(FILENAME_SPECIALS,
'page=' . $HTTP_GET_VARS['page'] . '&sID=' . $sInfo->specials_id . '&action=delete') . '">' .
tep_image_button('button_delete.gif', IMAGE_DELETE) . '</a>');
            $contents[] = array('text' => '<br>' . TEXT_INFO_DATE_ADDED . '' . tep_date_short($sInfo-
>specials_date_added));
            $contents[] = array('text' => '' . TEXT_INFO_LAST_MODIFIED . '' . tep_date_short($sInfo-
>specials_last_modified));
            $contents[] = array('align' => 'center', 'text' => '<br>' . tep_info_image($sInfo->products_image,
$sInfo->products_name, SMALL_IMAGE_WIDTH, SMALL_IMAGE_HEIGHT));
            $contents[] = array('text' => '<br>' . TEXT_INFO_ORIGINAL_PRICE . '' . $currencies->format($sInfo-
>products_price));
            $contents[] = array('text' => '' . TEXT_INFO_NEW_PRICE . '' . $currencies->format($sInfo-
>specials_new_products_price));
            $contents[] = array('text' => '' . TEXT_INFO_PERCENTAGE . '' . number_format(100 - ((($sInfo-
>specials_new_products_price / $sInfo->products_price) * 100)) . '%');

            $contents[] = array('text' => '<br>' . TEXT_INFO_EXPIRES_DATE . ' <b>' . tep_date_short($sInfo-
>expires_date) . '</b>');
            $contents[] = array('text' => '' . TEXT_INFO_STATUS_CHANGE . '' . tep_date_short($sInfo-
>date_status_change));

```

```

        }
        break;
    }
    if ( (tep_not_null($heading)) && (tep_not_null($contents)) ) {
        echo '          <td width="25%" valign="top">' . "\n";
        $box = new box;
        echo $box->infoBox($heading, $contents);

        echo '          </td>' . "\n";
    }
}
?>
        </tr>
    </table></td>
</tr>
</table></td>
<!-- body_text_eof //-->
</tr>
</table>
<!-- body_eof //-->

<!-- footer //-->
<?php require(DIR_WS_INCLUDES . 'footer.php'); ?>
<!-- footer_eof //-->
</body>
</html>
<?php require(DIR_WS_INCLUDES . 'application_bottom.php'); ?>

```

2.5 Flash Ayraları (admin / flash_carosel.php)

2.5.1 Flash a Ürün Ekleme

2.5.2 Flash a Ürün Düzenleme

2.5.3 Flash a Ürün Silme

```

<?php
/*
osCommerceX, osCommerce Lab
http://www.oscommercex.com

Copyright (c) 2009 osCommercex

Released under the GNU General Public License
*/
require('includes/application_top.php');

function tep_set_flash_carousel_status($flash_carousel_id, $status) {
    if ($status == '1') {
        return tep_db_query("update " . TABLE_FLASH_CAROUSEL . " set status = '1', expires_date = NULL,
date_status_change = NULL where flash_carousel_id = '" . $flash_carousel_id . "'");
    } elseif ($status == '0') {
        return tep_db_query("update " . TABLE_FLASH_CAROUSEL . " set status = '0', date_status_change =
now() where flash_carousel_id = '" . $flash_carousel_id . "'");
    } else {
        return -1;
    }
}

require(DIR_WS_CLASSES . 'currencies.php');
$currencies = new currencies();

switch ($HTTP_GET_VARS['action']) {
    case 'setflag':
        tep_set_flash_carousel_status($HTTP_GET_VARS['id'], $HTTP_GET_VARS['flag']);
}

```

```

tep_redirect(tep_href_link(FILENAME_FLASH_CAROUSEL, '', 'NONSSL'));
break;
case 'insert':
$expires_date = '';
if ($HTTP_POST_VARS['day'] && $HTTP_POST_VARS['month'] && $HTTP_POST_VARS['year']) {
    $expires_date = $HTTP_POST_VARS['year'];
    $expires_date .= (strlen($HTTP_POST_VARS['month']) == 1) ? '0' . $HTTP_POST_VARS['month'] :
$HTTP_POST_VARS['month'];
    $expires_date .= (strlen($HTTP_POST_VARS['day']) == 1) ? '0' . $HTTP_POST_VARS['day'] :
$HTTP_POST_VARS['day'];
}
tep_db_query("insert into " . TABLE_FLASH_CAROUSEL . " (products_id, flash_carousel_date_added,
expires_date, status) values ('" . $HTTP_POST_VARS['products_id'] . "", now(), '" . $expires_date . "', '1')");
tep_redirect(tep_href_link(FILENAME_FLASH_CAROUSEL, 'page=' . $HTTP_GET_VARS['page']));
break;
case 'update':
$expires_date = '';
if ($HTTP_POST_VARS['day'] && $HTTP_POST_VARS['month'] && $HTTP_POST_VARS['year']) {
    $expires_date = $HTTP_POST_VARS['year'];
    $expires_date .= (strlen($HTTP_POST_VARS['month']) == 1) ? '0' . $HTTP_POST_VARS['month'] :
$HTTP_POST_VARS['month'];
    $expires_date .= (strlen($HTTP_POST_VARS['day']) == 1) ? '0' . $HTTP_POST_VARS['day'] :
$HTTP_POST_VARS['day'];
}
tep_db_query("update " . TABLE_FLASH_CAROUSEL . " set flash_carousel_last_modified = now(),
expires_date = '" . $expires_date . "' where flash_carousel_id = '" . $HTTP_POST_VARS['flash_carousel_id'] . "'");
tep_redirect(tep_href_link(FILENAME_FLASH_CAROUSEL, 'page=' . $HTTP_GET_VARS['page'] . '&sID=' .
$flash_carousel_id));
break;
case 'deleteconfirm':
$flash_carousel_id = tep_db_prepare_input($HTTP_GET_VARS['sID']);

tep_db_query("delete from " . TABLE_FLASH_CAROUSEL . " where flash_carousel_id = '" .
tep_db_input($flash_carousel_id) . "'");
tep_redirect(tep_href_link(FILENAME_FLASH_CAROUSEL, 'page=' . $HTTP_GET_VARS['page']));
break;
}
?>
<!doctype html public "-//W3C//DTD HTML 4.01 Transitional//EN">
<html <?php echo HTML_PARAMS; ?>>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=<?php echo CHARSET; ?>">
<title><?php echo TITLE; ?></title>
<link rel="stylesheet" type="text/css" href="includes/stylesheet.css">
<script language="javascript" src="includes/general.js"></script>
<?php
if ( ($HTTP_GET_VARS['action'] == 'new') || ($HTTP_GET_VARS['action'] == 'edit') ) {
?>
<link rel="stylesheet" type="text/css" href="includes/javascript/calendar.css">
<script language="JavaScript" src="includes/javascript/calendarcode.js"></script>
<?php
}
?>
</head>
<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"
bgcolor="#FFFFFF" onload="SetFocus();">
<div id="popupcalendar" class="text"></div>
<!-- header //-->
<?php require(DIR_WS_INCLUDES . 'header.php'); ?>
<!-- header_eof //-->

<!-- body //-->
<table border="0" width="100%" cellspacing="2" cellpadding="2">
<tr>
<td width="php echo BOX_WIDTH; ?&gt;" valign="top"&gt;&lt;table border="0" width="<?php echo
BOX_WIDTH; ?&gt;" cellspacing="1" cellpadding="1" class="columnLeft"&gt;
&lt;!-- left_navigation //--&gt;
&lt;?php require(DIR_WS_INCLUDES . 'column_left.php'); ?&gt;
</pre

```

```

<!-- left_navigation_eof //-->
</table></td>
<!-- body_text //-->
<td width="100%" valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr>
<td width="100%"><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr>
<td class="pageHeading"><?php echo HEADING_TITLE; ?></td>
<td class="pageHeading" align="right"><?php echo tep_draw_separator('pixel_trans.gif',
HEADING_IMAGE_WIDTH, HEADING_IMAGE_HEIGHT); ?></td>
</tr>
</table></td>
</tr>
</td>
</tr>
<?php
if ( ($HTTP_GET_VARS['action'] == 'new') || ($HTTP_GET_VARS['action'] == 'edit') ) {
$form_action = 'insert';
if ( ($HTTP_GET_VARS['action'] == 'edit') && ($HTTP_GET_VARS['sID']) ) {
$form_action = 'update';

$product_query = tep_db_query("select p.products_id, pd.products_name, s.expires_date from " .
TABLE_PRODUCTS . " p, " . TABLE_PRODUCTS_DESCRIPTION . " pd, " . TABLE_FLASH_CAROUSEL . " s where
p.products_id = pd.products_id and pd.language_id = '" . $languages_id . "' and p.products_id = s.products_id
and s.flash_carousel_id = '" . $HTTP_GET_VARS['sID'] . "' order by pd.products_name");
$product = tep_db_fetch_array($product_query);

$sInfo = new objectInfo($product);
} else {
$sInfo = new objectInfo(array());

// create an array of flash_carousel products, which will be excluded from the pull down menu of products
// (when creating a new flash_carousel product)
$flash_carousel_array = array();
$flash_carousel_query = tep_db_query("select p.products_id from " . TABLE_PRODUCTS . " p, " .
TABLE_FLASH_CAROUSEL . " s where s.products_id = p.products_id");
while ($flash_carousel = tep_db_fetch_array($flash_carousel_query)) {
$flash_carousel_array[] = $flash_carousel['products_id'];
}
}

?>
<tr><form name="new_feature" <?php echo 'action=' . tep_href_link(FILENAME_FLASH_CAROUSEL,
tep_get_all_get_params(array('action', 'info', 'sID'))) . 'action=' . $form_action, 'NONSSL') . '''; ?>
method="post"><?php if ($form_action == 'update') echo tep_draw_hidden_field('flash_carousel_id',
$HTTP_GET_VARS['sID']); ?>
<td><br><table border="0" cellspacing="0" cellpadding="2">
<tr>
<td class="main"><?php echo TEXT_FLASH_CAROUSEL_PRODUCT; ?>&ampnbsp</td>
<td class="main"><?php echo ($sInfo->products_name) ? $sInfo->products_name :
tep_draw_products_pull_down('products_id', 'style="font-size:10px"', $flash_carousel_array); echo
tep_draw_hidden_field('products_price', $sInfo->products_price); ?></td>
</tr>
<tr>
<td class="main"><?php echo TEXT_FLASH_CAROUSEL_EXPIRES_DATE; ?>&ampnbsp</td>
<td class="main"><?php echo tep_draw_input_field('day', substr($sInfo->expires_date, 8, 2),
'size="2" maxlength="2" class="cal-TextBox") . tep_draw_input_field('month', substr($sInfo->expires_date, 5,
2), 'size="2" maxlength="2" class="cal-TextBox") . tep_draw_input_field('year', substr($sInfo->expires_date,
0, 4), 'size="4" maxlength="4" class="cal-TextBox"); ?><a class="so-BtnLink"
href="javascript:calClick();return false;" onmouseover="calSwapImg('BTN_date', 'img_Date_OVER',true);"
onmouseout="calSwapImg('BTN_date', 'img_Date_UP',true);" onclick="calSwapImg('BTN_date',
'img_Date_DOWN');showCalendar('new_feature', 'dteWhen', 'BTN_date');return false;"><?php echo
tep_image(DIR_WS_IMAGES . 'cal_date_up.gif', 'Calendar', '22', '17', 'align="absmiddle" name="BTN_date"');
?></a></td>
</tr>
</table></td>
</tr>
<tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr>
<td class="main" align="right" valign="top"><br><?php echo (($form_action == 'insert') ?
tep_image_submit('button_insert.gif', IMAGE_INSERT) : tep_image_submit('button_update.gif',
IMAGE_UPDATE)). '&nbsp;&nbsp;<a href="' . tep_href_link(FILENAME_FLASH_CAROUSEL, 'page=' .
$HTTP_GET_VARS['page'] . '&sID=' . $HTTP_GET_VARS['sID']) . '">' . tep_image_button('button_cancel.gif',
IMAGE_CANCEL) . '</a>'; ?></td>

```

```

        </tr>
    </table></td>
</form></tr>
<?php
} else {
?>
<tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr>
<td valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr class="dataTableHeadingRow">
<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_PRODUCTS; ?></td>
<td class="dataTableHeadingContent" align="right">&ampnbsp</td>
<td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_STATUS;
?></td>
<td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_ACTION;
?>&nbsp;</td>
</tr>
<?php
$flash_carousel_query_raw = "select p.products_id, pd.products_name, s.flash_carousel_id,
s.flash_carousel_date_added, s.flash_carousel_last_modified, s.expires_date, s.date_status_change, s.status
from ".TABLE_PRODUCTS . " p, ".TABLE_FLASH_CAROUSEL . " s, ".TABLE_PRODUCTS_DESCRIPTION . " pd
where p.products_id = pd.products_id and pd.language_id = '" . $languages_id . "' and p.products_id =
s.products_id order by pd.products_name";
$flash_carousel_split = new splitPageResults($HTTP_GET_VARS['page'], MAX_DISPLAY_SEARCH_RESULTS,
$flash_carousel_query_raw, $flash_carousel_query_numrows);
$flash_carousel_query = tep_db_query($flash_carousel_query_raw);
while ($flash_carousel = tep_db_fetch_array($flash_carousel_query)) {
if ( (!($HTTP_GET_VARS['sID']) || ($HTTP_GET_VARS['sID'] == $flash_carousel['flash_carousel_id'])) &&
(!$sInfo) ) {

$products_query = tep_db_query("select products_image from ".TABLE_PRODUCTS . " where
products_id = '" . $flash_carousel['products_id'] . "'");
$products = tep_db_fetch_array($products_query);
$sInfo_array = array_merge($flash_carousel, $products);
$sInfo = new objectInfo($sInfo_array);
}

if ( (is_object($sInfo)) && ($flash_carousel['flash_carousel_id'] == $sInfo->flash_carousel_id) ) {
echo '
<tr class="dataTableRowSelected" onmouseover="this.style.cursor='\''hand\'"
onclick="document.location.href=' . tep_href_link(FILENAME_FLASH_CAROUSEL, 'page=' .
$HTTP_GET_VARS['page'] . '&sID=' . $sInfo->flash_carousel_id . '&action=edit') . '"'> .
"\n";
} else {
echo '
<tr class="dataTableRow"
onmouseover="this.className='\''dataTableRowOver\'';this.style.cursor='\''hand\'"
onmouseout="this.className='\''dataTableRow\''" onclick="document.location.href=' .
tep_href_link(FILENAME_FLASH_CAROUSEL, 'page=' . $HTTP_GET_VARS['page'] . '&sID=' .
$flash_carousel['flash_carousel_id']) . '"'> .
"\n";
}
?>
<td class="dataTableContent"><?php echo $flash_carousel['products_name']; ?></td>
<td class="dataTableContent" align="right">&ampnbsp</td>
<td class="dataTableContent" align="right">

<?php
if ($flash_carousel['status'] == '1') {
echo tep_image(DIR_WS_IMAGES . 'icon_status_green.gif', IMAGE_ICON_STATUS_GREEN, 10, 10) .
'&nbsp;<a href="' . tep_href_link(FILENAME_FLASH_CAROUSEL, 'action=setflag&flag=0&id=' .
$flash_carousel['flash_carousel_id'], 'NONSSL') . '">' . tep_image(DIR_WS_IMAGES .
'icon_status_red_light.gif', IMAGE_ICON_STATUS_RED_LIGHT, 10, 10) . '</a>';
} else {
echo '<a href="' . tep_href_link(FILENAME_FLASH_CAROUSEL, 'action=setflag&flag=1&id=' .
$flash_carousel['flash_carousel_id'], 'NONSSL') . '">' . tep_image(DIR_WS_IMAGES .
'icon_status_green_light.gif', IMAGE_ICON_STATUS_GREEN_LIGHT, 10, 10) . '</a>&nbsp;&nbsp;' .
tep_image(DIR_WS_IMAGES . 'icon_status_red.gif', IMAGE_ICON_STATUS_RED, 10, 10);
}
?></td>
<td class="dataTableContent" align="right"><?php if ( (is_object($sInfo)) &&
($flash_carousel['flash_carousel_id'] == $sInfo->flash_carousel_id) ) { echo tep_image(DIR_WS_IMAGES .
'icon_arrow_right.gif', ''); } else { echo '<a href="' . tep_href_link(FILENAME_FLASH_CAROUSEL, 'page=' .
$HTTP_GET_VARS['page'] . '&sID=' . $flash_carousel['flash_carousel_id']) . '">' . tep_image(DIR_WS_IMAGES .
'icon_info.gif', IMAGE_ICON_INFO) . '</a>'; } ?>&nbsp;</td>
</tr>

```

```

<?php
}
?>
<tr>
<td colspan="4"><table border="0" width="100%" cellpadding="0" cellspacing="2">
<tr>
<td class="smallText" valign="top"><?php echo $flash_carousel_split-
>display_count($flash_carousel_query_numrows, MAX_DISPLAY_SEARCH_RESULTS,
$HTTP_GET_VARS['page'], TEXT_DISPLAY_NUMBER_OF_CAROUSEL_PRODUCT); ?></td>
<td class="smallText" align="right"><?php echo $flash_carousel_split-
>display_links($flash_carousel_query_numrows, MAX_DISPLAY_SEARCH_RESULTS,
MAX_DISPLAY_PAGE_LINKS, $HTTP_GET_VARS['page']); ?></td>
</tr>
<?php
if (!$HTTP_GET_VARS['action']) {
?>
<tr>
<td colspan="2" align="right"><?php echo '<a href="' .
tep_href_link(FILENAME_FLASH_CAROUSEL, 'page=' . $HTTP_GET_VARS['page'] . '&action=new') . '">' .
tep_image_button('button_new_product.gif', IMAGE_NEW_PRODUCT) . '</a>'; ?></td>
</tr>
<?php
}
?>
</table></td>
</tr>
</table></td>
<?php
$heading = array();
$contents = array();
switch ($HTTP_GET_VARS['action']) {
case 'delete':
$heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_DELETE_CAROUSEL_PRODUCT . '</b>');
$contents = array('form' => tep_draw_form('flash_carousel', FILENAME_FLASH_CAROUSEL, 'page=' .
$HTTP_GET_VARS['page'] . '&sID=' . $sInfo->flash_carousel_id . '&action=deleteconfirm'));
$contents[] = array('text' => TEXT_INFO_DELETE_INTRO);
$contents[] = array('text' => '<br><b>' . $sInfo->products_name . '</b>');
$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_delete.gif',
IMAGE_DELETE) . '&nbsp;<a href="' . tep_href_link(FILENAME_FLASH_CAROUSEL, 'page=' .
$HTTP_GET_VARS['page'] . '&sID=' . $sInfo->flash_carousel_id) . '">' . tep_image_button('button_cancel.gif',
IMAGE_CANCEL) . '</a>');
break;
default:
if (is_object($sInfo)) {
$heading[] = array('text' => '<b>' . $sInfo->products_name . '</b>');
$contents[] = array('align' => 'center', 'text' => '<a href="" .
tep_href_link(FILENAME_FLASH_CAROUSEL, 'page=' . $HTTP_GET_VARS['page'] . '&sID=' . $sInfo-
>flash_carousel_id . '&action=edit') . '">' . tep_image_button('button_edit.gif', IMAGE_EDIT) . '</a> <a
href="" . tep_href_link(FILENAME_FLASH_CAROUSEL, 'page=' . $HTTP_GET_VARS['page'] . '&sID=' . $sInfo-
>flash_carousel_id . '&action=delete') . '">' . tep_image_button('button_delete.gif', IMAGE_DELETE) . '</a>';
$contents[] = array('text' => '<br>' . TEXT_INFO_DATE_ADDED . '' . tep_date_short($sInfo-
>flash_carousel_date_added));
$contents[] = array('text' => "" . TEXT_INFO_LAST_MODIFIED . '' . tep_date_short($sInfo-
>flash_carousel_last_modified));
$contents[] = array('align' => 'center', 'text' => '<br>' . tep_info_image($sInfo->products_image,
$sInfo->products_name, SMALL_IMAGE_WIDTH, SMALL_IMAGE_HEIGHT));
$contents[] = array('text' => '<br>' . TEXT_INFO_EXPIRES_DATE . ' <b>' . tep_date_short($sInfo-
>expires_date) . '</b>');
$contents[] = array('text' => "" . TEXT_INFO_STATUS_CHANGE . '' . tep_date_short($sInfo-
>date_status_change));
}
break;
}
if ( (tep_not_null($heading)) && (tep_not_null($contents)) ) {
echo '      <td width="25%" valign="top">' . "\n";
$box = new box;
echo $box->infoBox($heading, $contents);
}

```

```

        echo'      </td>' . "\n";
    }
}
?>
    </tr>
</table></td>
</tr>
</table></td>
<!-- body_text_eof //-->
</tr>
</table>
<!-- body_eof //-->

<!-- footer //-->
<?php require(DIR_WS_INCLUDES . 'footer.php'); ?>
<!-- footer_eof //-->
</body>
</html>
<?php require(DIR_WS_INCLUDES . 'application_bottom.php'); ?>

```

3. Modüller (admin / modules.php)

3.1. Ödeme

3.2 Taşıma Ücretleri

3.3 Toplam Fiyat Sıralaması

```

<?php

/*
 $Id: modules.php 1802 2008-01-11 16:59:17Z hpdl $

osCommerce, Open Source E-Commerce Solutions
http://www.oscommerce.com

Copyright (c) 2008 osCommerce

Released under the GNU General Public License
*/
require('includes/application_top.php');

$set = (isset($HTTP_GET_VARS['set']) ? $HTTP_GET_VARS['set'] : "");

if (tep_not_null($set)) {
    switch ($set) {
        case 'shipping':
            $module_type = 'shipping';
            $module_directory = DIR_FS_CATALOG_MODULES . 'shipping/';
            $module_key = 'MODULE_SHIPPING_INSTALLED';
            define('HEADING_TITLE', HEADING_TITLE_MODULES_SHIPPING);
            break;
        case 'ordertotal':
            $module_type = 'order_total';
            $module_directory = DIR_FS_CATALOG_MODULES . 'order_total/';
            $module_key = 'MODULE_ORDER_TOTAL_INSTALLED';
            define('HEADING_TITLE', HEADING_TITLE_MODULES_ORDER_TOTAL);
            break;
        case 'payment':
        default:
            $module_type = 'payment';
            $module_directory = DIR_FS_CATALOG_MODULES . 'payment/';
            $module_key = 'MODULE_PAYMENT_INSTALLED';
            define('HEADING_TITLE', HEADING_TITLE_MODULES_PAYMENT);
            break;
    }
}

```

```

    }

$action = (isset($HTTP_GET_VARS['action']) ? $HTTP_GET_VARS['action'] : "");

if (tep_not_null($action)) {
    switch ($action) {
        case 'save':
            while (list($key, $value) = each($HTTP_POST_VARS['configuration'])) {
                tep_db_query("update " . TABLE_CONFIGURATION . " set configuration_value = '" . $value . "' where
configuration_key = '" . $key . "'");
            }
            tep_redirect(tep_href_link(FILENAME_MODULES, 'set=' . $set . '&module=' .
$HTTP_GET_VARS['module']));
            break;
        case 'install':
        case 'remove':
            $file_extension = substr($PHP_SELF, strpos($PHP_SELF, '.'));
            $class = basename($HTTP_GET_VARS['module']);
            if (file_exists($module_directory . $class . $file_extension)) {
                include($module_directory . $class . $file_extension);
                $module = new $class;
                if ($action == 'install') {
                    $module->install();
                } elseif ($action == 'remove') {
                    $module->remove();
                }
            }
            tep_redirect(tep_href_link(FILENAME_MODULES, 'set=' . $set . '&module=' . $class));
            break;
    }
}
?>
<!doctype html public "-//W3C//DTD HTML 4.01 Transitional//EN">
<html <?php echo HTML_PARAMS; ?>>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=<?php echo CHARSET; ?>">
<title><?php echo TITLE; ?></title>
<link rel="stylesheet" type="text/css" href="includes/stylesheet.css">
<script language="javascript" src="includes/general.js"></script>
</head>
<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"
bgcolor="#FFFFFF">
<!-- header //-->
<?php require(DIR_WS_INCLUDES . 'header.php'); ?>
<!-- header_eof //-->

<!-- body //-->
<table border="0" width="100%" cellspacing="2" cellpadding="2">
    <tr>
        <td width="<?php echo BOX_WIDTH; ?>" valign="top"><table border="0" width="<?php echo
BOX_WIDTH; ?>" cellspacing="1" cellpadding="1" class="columnLeft">
            <!-- left_navigation //-->
            <?php require(DIR_WS_INCLUDES . 'column_left.php'); ?>
            <!-- left_navigation_eof //-->
        </table></td>
    <!-- body_text //-->
    <td width="100%" valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
        <tr>
            <td width="100%"><table border="0" width="100%" cellspacing="0" cellpadding="0">
                <tr>
                    <td class="pageHeading"><?php echo HEADING_TITLE; ?></td>
                    <td class="pageHeading" align="right"><?php echo tep_draw_separator('pixel_trans.gif',
HEADING_IMAGE_WIDTH, HEADING_IMAGE_HEIGHT); ?></td>
                </tr>
            </table></td>
        </tr>
        <td valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
            <tr class="dataTableHeadingRow">

```

```

<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_MODULES; ?></td>
<td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_SORT_ORDER;
?></td>
<td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_ACTION;
?>&nbsp;</td>
</tr>
<?php
$file_extension = substr($PHP_SELF, strrpos($PHP_SELF, '.'));
$directory_array = array();
if ($dir = @dir($module_directory)) {
    while ($file = $dir->read()) {
        if (!is_dir($module_directory . $file)) {
            if (substr($file, strrpos($file, '.')) == $file_extension) {
                $directory_array[] = $file;
            }
        }
    }
    sort($directory_array);
    $dir->close();
}

$installed_modules = array();
for ($i=0, $n=sizeof($directory_array); $i<$n; $i++) {
    $file = $directory_array[$i];

    include(DIR_FS_CATALOG_LANGUAGES . $language . '/modules/' . $module_type . '/' . $file);
    include($module_directory . $file);

    $class = substr($file, 0, strrpos($file, '.'));
    if (tep_class_exists($class)) {
        $module = new $class;
        if ($module->check() > 0) {
            if ($module->sort_order > 0) {
                $installed_modules[$module->sort_order] = $file;
            } else {
                $installed_modules[] = $file;
            }
        }
    }

    if ((!isset($HTTP_GET_VARS['module']) || (!isset($HTTP_GET_VARS['module']) &&
($HTTP_GET_VARS['module'] == $class))) && !isset($mInfo)) {
        $module_info = array('code' => $module->code,
                            'title' => $module->title,
                            'description' => $module->description,
                            'status' => $module->check(),
                            'signature' => (isset($module->signature) ? $module->signature : null));
    }

    $module_keys = $module->keys();

    $keys_extra = array();
    for ($j=0, $k=sizeof($module_keys); $j<$k; $j++) {
        $key_value_query = tep_db_query("select configuration_title, configuration_value,
configuration_description, use_function, set_function from " . TABLE_CONFIGURATION . " where
configuration_key = '" . $module_keys[$j] . "'");
        $key_value = tep_db_fetch_array($key_value_query);

        $keys_extra[$module_keys[$j]]['title'] = $key_value['configuration_title'];
        $keys_extra[$module_keys[$j]]['value'] = $key_value['configuration_value'];
        $keys_extra[$module_keys[$j]]['description'] = $key_value['configuration_description'];
        $keys_extra[$module_keys[$j]]['use_function'] = $key_value['use_function'];
        $keys_extra[$module_keys[$j]]['set_function'] = $key_value['set_function'];
    }

    $module_info['keys'] = $keys_extra;
}

$mInfo = new objectInfo($module_info);
}

if (isset($mInfo) && is_object($mInfo) && ($class == $mInfo->code) ) {
    if ($module->check() > 0) {

```

```

echo '          <tr id="defaultSelected" class="dataTableRowSelected"
onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)" onclick="document.location.href=\"$ .
tep_href_link(FILENAME_MODULES, 'set='.$set . '&module='.$class . '&action=edit') . '\">' . "\n";
} else {
echo '          <tr id="defaultSelected" class="dataTableRowSelected"
onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)>' . "\n";
}
} else {
echo '          <tr class="dataTableRow" onmouseover="rowOverEffect(this)"
onmouseout="rowOutEffect(this)" onclick="document.location.href=\"$ . tep_href_link(FILENAME_MODULES,
'set='.$set . '&module='.$class) . '\">' . "\n";
}
?>
<td class="dataTableContent"><?php echo $module->title; ?></td>
<td class="dataTableContent" align="right"><?php if (is_numeric($module->sort_order)) echo
$module->sort_order; ?></td>
<td class="dataTableContent" align="right"><?php if (isset($mInfo) && is_object($mInfo) &&
($class == $mInfo->code) ) { echo tep_image(DIR_WS_IMAGES . 'icon_arrow_right.gif'); } else { echo '<a
href="' . tep_href_link(FILENAME_MODULES, 'set='.$set . '&module='.$class) . '\">' .
tep_image(DIR_WS_IMAGES . 'icon_info.gif', IMAGE_ICON_INFO) . '</a>'; } ?>&nbsp;</td>
</tr>
<?php
}
}
}

ksort($installed_modules);
$check_query = tep_db_query("select configuration_value from " . TABLE_CONFIGURATION . " where
configuration_key = \" . $module_key . \"");
if (tep_db_num_rows($check_query)) {
$check = tep_db_fetch_array($check_query);
if ($check['configuration_value'] != implode(';', $installed_modules)) {
tep_db_query("update " . TABLE_CONFIGURATION . " set configuration_value = \" . implode('',
$installed_modules) . \" , last_modified = now() where configuration_key = \" . $module_key . \"");
}
} else {
tep_db_query("insert into " . TABLE_CONFIGURATION . " (configuration_title, configuration_key,
configuration_value, configuration_description, configuration_group_id, sort_order, date_added) values
('Installed Modules', \" . $module_key . \" , \" . implode(';', $installed_modules) . \" , 'This is automatically
updated. No need to edit.', '6', '0', now())");
}
?>
<tr>
<td colspan="3" class="smallText"><?php echo TEXT_MODULE_DIRECTORY . ' ' .
$module_directory; ?></td>
</tr>
</table></td>
<?php
$heading = array();
$contents = array();

switch ($action) {
case 'edit':
$keys = "";
reset($mInfo->keys);
while (list($key, $value) = each($mInfo->keys)) {
$keys .= '<b>' . $value['title'] . '</b><br>' . $value['description'] . '<br>';

if ($value['set_function']) {
eval('$keys .= ' . $value['set_function'] . " . $value['value'] . \" . $key . \"");;
} else {
$keys .= tep_draw_input_field('configuration[' . $key . ']', $value['value']);
}
$keys .= '<br><br>';
}
$keys = substr($keys, 0, strrpos($keys, '<br><br>'));

$heading[] = array('text' => '<b>' . $mInfo->title . '</b>');

$contents = array('form' => tep_draw_form('modules', FILENAME_MODULES, 'set=' . $set . '&module=' .
$HTTP_GET_VARS['module'] . '&action=save'));
$contents[] = array('text' => $keys);
}

```

```

$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_update.gif',
IMAGE_UPDATE) . '<a href="" . tep_href_link(FILENAME_MODULES, 'set=' . $set . '&module=' .
$HTTP_GET_VARS['module']) . '">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
break;
default:
$heading[] = array('text' => '<b>' . $mInfo->title . '</b>');

if ($mInfo->status == '1') {
$keys = '';
reset($mInfo->keys);
while (list(), $value) = each($mInfo->keys)) {
$keys .= '<b>' . $value['title'] . '</b><br>';
if ($value['use_function']) {
$use_function = $value['use_function'];
if (ereg('>', $use_function)) {
$class_method = explode('>', $use_function);
if (!is_object(${class_method[0]})) {
include(DIR_WS_CLASSES . $class_method[0] . '.php');
${class_method[0]} = new $class_method[0]();
}
$keys .= tep_call_function($class_method[1], $value['value'], ${class_method[0]});
} else {
$keys .= tep_call_function($use_function, $value['value']);
}
} else {
$keys .= $value['value'];
}
$keys .= '<br><br>';
}
$keys = substr($keys, 0, strrpos($keys, '<br><br>'));

$contents[] = array('align' => 'center', 'text' => '<a href="" . tep_href_link(FILENAME_MODULES, 'set=' .
$set . '&module=' . $mInfo->code . '&action=remove') . '">' . tep_image_button('button_module_remove.gif',
IMAGE_MODULE_REMOVE) . '</a> <a href="" . tep_href_link(FILENAME_MODULES, 'set=' . $set .
(isset($HTTP_GET_VARS['module']) ? '&module=' . $HTTP_GET_VARS['module'] : '') . '&action=edit') . '">' .
tep_image_button('button_edit.gif', IMAGE_EDIT) . '</a>');

if (isset($mInfo->signature) && (list($scode, $smodule, $sversion, $soscversion) = explode('|', $mInfo-
>signature))) {
$contents[] = array('text' => '<br>' . tep_image(DIR_WS_IMAGES . 'icon_info.gif', IMAGE_ICON_INFO)
. '&nbsp;<b>' . TEXT_INFO_VERSION . '</b>' . $sversion . '(<a href="http://sig.oscommerce.com/' .
$mInfo->signature . '" target="_blank">' . TEXT_INFO_ONLINE_STATUS . '</a>)' );
}

$contents[] = array('text' => '<br>' . $mInfo->description);
$contents[] = array('text' => '<br>' . $keys);
} else {
$contents[] = array('align' => 'center', 'text' => '<a href="" . tep_href_link(FILENAME_MODULES, 'set=' .
$set . '&module=' . $mInfo->code . '&action=install') . '">' . tep_image_button('button_module_install.gif',
IMAGE_MODULE_INSTALL) . '</a>');

if (isset($mInfo->signature) && (list($scode, $smodule, $sversion, $soscversion) = explode('|', $mInfo-
>signature))) {
$contents[] = array('text' => '<br>' . tep_image(DIR_WS_IMAGES . 'icon_info.gif', IMAGE_ICON_INFO)
. '&nbsp;<b>' . TEXT_INFO_VERSION . '</b>' . $sversion . '(<a href="http://sig.oscommerce.com/' .
$mInfo->signature . '" target="_blank">' . TEXT_INFO_ONLINE_STATUS . '</a>)' );
}

$contents[] = array('text' => '<br>' . $mInfo->description);
}
break;
}

if ( (tep_not_null($heading)) && (tep_not_null($contents)) ) {
echo '      <td width="25%" valign="top">' . "\n";
$box = new box;
echo $box->infoBox($heading, $contents);

echo '      </td>' . "\n";
}

```

```

?>
    </tr>
</table></td>
</tr>
</table></td>
<!-- body_text_eof //-->
</tr>
</table>
<!-- body_eof //-->

<!-- footer //-->
<?php require(DIR_WS_INCLUDES . 'footer.php'); ?>
<!-- footer_eof //-->
</body>
</html>
<?php require(DIR_WS_INCLUDES . 'application_bottom.php'); ?>

```

4. Müşteriler (admin / customers.php)

```

<?php
/*
$Id: customers.php 1739 2007-12-20 00:52:16Z hpdl $

osCommerce, Open Source E-Commerce Solutions
http://www.oscommerce.com

Copyright (c) 2003 osCommerce

Released under the GNU General Public License
*/
require('includes/application_top.php');

$action = (isset($HTTP_GET_VARS['action']) ? $HTTP_GET_VARS['action'] : "");

$error = false;
$processed = false;

if (tep_not_null($action)) {
switch ($action) {
    case 'update':
        $customers_id = tep_db_prepare_input($HTTP_GET_VARS['cID']);
        $customers_firstname = tep_db_prepare_input($HTTP_POST_VARS['customers_firstname']);
        $customers_lastname = tep_db_prepare_input($HTTP_POST_VARS['customers_lastname']);
        $customers_email_address = tep_db_prepare_input($HTTP_POST_VARS['customers_email_address']);
        $customers_telephone = tep_db_prepare_input($HTTP_POST_VARS['customers_telephone']);
        $customers_fax = tep_db_prepare_input($HTTP_POST_VARS['customers_fax']);
        $customers_newsletter = tep_db_prepare_input($HTTP_POST_VARS['customers_newsletter']);

        $customers_gender = tep_db_prepare_input($HTTP_POST_VARS['customers_gender']);
        $customers_dob = tep_db_prepare_input($HTTP_POST_VARS['customers_dob']);

        $default_address_id = tep_db_prepare_input($HTTP_POST_VARS['default_address_id']);
        $entry_street_address = tep_db_prepare_input($HTTP_POST_VARS['entry_street_address']);
        $entry_suburb = tep_db_prepare_input($HTTP_POST_VARS['entry_suburb']);
        $entry_postcode = tep_db_prepare_input($HTTP_POST_VARS['entry_postcode']);
        $entry_city = tep_db_prepare_input($HTTP_POST_VARS['entry_city']);
        $entry_country_id = tep_db_prepare_input($HTTP_POST_VARS['entry_country_id']);

        $entry_company = tep_db_prepare_input($HTTP_POST_VARS['entry_company']);
        $entry_state = tep_db_prepare_input($HTTP_POST_VARS['entry_state']);
        if (isset($HTTP_POST_VARS['entry_zone_id'])) $entry_zone_id =
            tep_db_prepare_input($HTTP_POST_VARS['entry_zone_id']);

        if (strlen($customers_firstname) < ENTRY_FIRST_NAME_MIN_LENGTH) {
            $error = true;
            $entry_firstname_error = true;
        } else {
            $entry_firstname_error = false;
        }
    }
}
}

```

```
}

if (strlen($customers_lastname) < ENTRY_LAST_NAME_MIN_LENGTH) {
    $error = true;
    $entry_lastname_error = true;
} else {
    $entry_lastname_error = false;
}

if (ACCOUNT_DOB == 'true') {
    if (checkdate(substr(tep_date_raw($customers_dob), 4, 2), substr(tep_date_raw($customers_dob), 6,
2), substr(tep_date_raw($customers_dob), 0, 4))) {
        $entry_date_of_birth_error = false;
    } else {
        $error = true;
        $entry_date_of_birth_error = true;
    }
}

if (strlen($customers_email_address) < ENTRY_EMAIL_ADDRESS_MIN_LENGTH) {
    $error = true;
    $entry_email_address_error = true;
} else {
    $entry_email_address_error = false;
}

if (!tep_validate_email($customers_email_address)) {
    $error = true;
    $entry_email_address_check_error = true;
} else {
    $entry_email_address_check_error = false;
}

if (strlen($entry_street_address) < ENTRY_STREET_ADDRESS_MIN_LENGTH) {
    $error = true;
    $entry_street_address_error = true;
} else {
    $entry_street_address_error = false;
}

if (strlen($entry_postcode) < ENTRY_POSTCODE_MIN_LENGTH) {
    $error = true;
    $entry_post_code_error = true;
} else {
    $entry_post_code_error = false;
}

if (strlen($entry_city) < ENTRY_CITY_MIN_LENGTH) {
    $error = true;
    $entry_city_error = true;
} else {
    $entry_city_error = false;
}

if ($entry_country_id == false) {
    $error = true;
    $entry_country_error = true;
} else {
    $entry_country_error = false;
}

if (ACCOUNT_STATE == 'true') {
    if ($entry_country_error == true) {
        $entry_state_error = true;
    } else {
        $zone_id = 0;
        $entry_state_error = false;
        $check_query = tep_db_query("select count(*) as total from " . TABLE_ZONES . " where
zone_country_id = '" . (int)$entry_country_id . "'");
        $check_value = tep_db_fetch_array($check_query);
        $entry_state_has_zones = ($check_value['total'] > 0);
        if ($entry_state_has_zones == true) {
```

```

$zone_query = tep_db_query("select zone_id from " . TABLE_ZONES . " where zone_country_id = '" .
(int)$entry_country_id . "' and zone_name = '" . tep_db_input($entry_state) . "'");
if (tep_db_num_rows($zone_query) == 1) {
    $zone_values = tep_db_fetch_array($zone_query);
    $entry_zone_id = $zone_values['zone_id'];
} else {
    $error = true;
    $entry_state_error = true;
}
} else {
    if (strlen($entry_state) < ENTRY_STATE_MIN_LENGTH) {
        $error = true;
        $entry_state_error = true;
    }
}
}

if (strlen($customers_telephone) < ENTRY_TELEPHONE_MIN_LENGTH) {
    $error = true;
    $entry_telephone_error = true;
} else {
    $entry_telephone_error = false;
}

$check_email = tep_db_query("select customers_email_address from " . TABLE_CUSTOMERS . " where
customers_email_address = '" . tep_db_input($customers_email_address) . "' and customers_id != '" .
(int)$customers_id . "'");
if (tep_db_num_rows($check_email)) {
    $error = true;
    $entry_email_address_exists = true;
} else {
    $entry_email_address_exists = false;
}

if ($error == false) {

$sql_data_array = array('customers_firstname' => $customers_firstname,
'customers_lastname' => $customers_lastname,
'customers_email_address' => $customers_email_address,
'customers_telephone' => $customers_telephone,
'customers_fax' => $customers_fax,
'customers_newsletter' => $customers_newsletter);

if (ACCOUNT_GENDER == 'true') $sql_data_array['customers_gender'] = $customers_gender;
if (ACCOUNT_DOB == 'true') $sql_data_array['customers_dob'] = tep_date_raw($customers_dob);

tep_db_perform(TABLE_CUSTOMERS, $sql_data_array, 'update', "customers_id = '" . (int)$customers_id .
"');

tep_db_query("update " . TABLE_CUSTOMERS_INFO . " set customers_info_date_account_last_modified
= now() where customers_info_id = '" . (int)$customers_id . "'");

if ($entry_zone_id > 0) $entry_state = "";

$sql_data_array = array('entry_firstname' => $customers_firstname,
'entry_lastname' => $customers_lastname,
'entry_street_address' => $entry_street_address,
'entry_postcode' => $entry_postcode,
'entry_city' => $entry_city,
'entry_country_id' => $entry_country_id);

if (ACCOUNT_COMPANY == 'true') $sql_data_array['entry_company'] = $entry_company;
if (ACCOUNT_SUBURB == 'true') $sql_data_array['entry_suburb'] = $entry_suburb;

if (ACCOUNT_STATE == 'true') {
    if ($entry_zone_id > 0) {
        $sql_data_array['entry_zone_id'] = $entry_zone_id;
        $sql_data_array['entry_state'] = "";
    } else {
        $sql_data_array['entry_zone_id'] = '0';
        $sql_data_array['entry_state'] = $entry_state;
    }
}
}

```

```

        }

        tep_db_perform(TABLE_ADDRESS_BOOK, $sql_data_array, 'update', "customers_id = '" .
(int)$customers_id . " and address_book_id = '" . (int)$default_address_id . "'");

        tep_redirect(tep_href_link(FILENAME_CUSTOMERS, tep_get_all_get_params(array('cID', 'action')) .
'cID=' . $customers_id));

    } else if ($error == true) {
        $cInfo = new objectInfo($HTTP_POST_VARS);
        $processed = true;
    }

    break;
case 'deleteconfirm':
    $customers_id = tep_db_prepare_input($HTTP_GET_VARS['cID']);

    if (isset($HTTP_POST_VARS['delete_reviews']) && ($HTTP_POST_VARS['delete_reviews'] == 'on')) {
        $reviews_query = tep_db_query("select reviews_id from " . TABLE_REVIEWS . " where customers_id =
'" . (int)$customers_id . "'");
        while ($reviews = tep_db_fetch_array($reviews_query)) {
            tep_db_query("delete from " . TABLE_REVIEWS_DESCRIPTION . " where reviews_id = '" .
(int)$reviews['reviews_id'] . "'");
        }
        tep_db_query("delete from " . TABLE_REVIEWS . " where customers_id = '" . (int)$customers_id . "'");
    } else {
        tep_db_query("update " . TABLE_REVIEWS . " set customers_id = null where customers_id = '" .
(int)$customers_id . "'");
    }

    tep_db_query("delete from " . TABLE_ADDRESS_BOOK . " where customers_id = '" . (int)$customers_id . "'");
    tep_db_query("delete from " . TABLE_CUSTOMERS . " where customers_id = '" . (int)$customers_id . "'");
    tep_db_query("delete from " . TABLE_CUSTOMERS_INFO . " where customers_info_id = '" .
(int)$customers_id . "'");
    tep_db_query("delete from " . TABLE_CUSTOMERS_BASKET . " where customers_id = '" .
(int)$customers_id . "'");
    tep_db_query("delete from " . TABLE_CUSTOMERS_BASKET_ATTRIBUTES . " where customers_id = '" .
(int)$customers_id . "'");
    tep_db_query("delete from " . TABLE_WHOS_ONLINE . " where customer_id = '" . (int)$customers_id . "'");

    tep_redirect(tep_href_link(FILENAME_CUSTOMERS, tep_get_all_get_params(array('cID', 'action'))));
    break;
default:
    $customers_query = tep_db_query("select c.customers_id, c.customers_gender, c.customers_firstname,
c.customers_lastname, c.customers_dob, c.customers_email_address, a.entry_company,
a.entry_street_address, a.entry_suburb, a.entry_postcode, a.entry_city, a.entry_state, a.entry_zone_id,
a.entry_country_id, c.customers_telephone, c.customers_fax, c.customers_newsletter,
c.customers_default_address_id from " . TABLE_CUSTOMERS . " c left join " . TABLE_ADDRESS_BOOK . " a on
c.customers_default_address_id = a.address_book_id where a.customers_id = c.customers_id and
c.customers_id = '" . (int)$HTTP_GET_VARS['cID'] . "'");
    $customers = tep_db_fetch_array($customers_query);
    $cInfo = new objectInfo($customers);
}
}

?>
<!doctype html public "-//W3C//DTD HTML 4.01 Transitional//EN">
<html <?php echo HTML_PARAMS; ?>>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=<?php echo CHARSET; ?>">
<title><?php echo TITLE; ?></title>
<link rel="stylesheet" type="text/css" href="includes/stylesheet.css">
<script language="javascript" src="includes/general.js"></script>
<?php
if ($action == 'edit' || $action == 'update') {
?>
<script language="javascript"><!--

function check_form() {

```

```

var error = 0;
var error_message = "<?php echo JS_ERROR; ?>";

var customers_firstname = document.customers.customers_firstname.value;
var customers_lastname = document.customers.customers_lastname.value;
<?php if (ACCOUNT_COMPANY == 'true') echo 'var entry_company =  

document.customers.entry_company.value;' . "\n"; ?>
<?php if (ACCOUNT_DOB == 'true') echo 'var customers_dob = document.customers.customers_dob.value;' .  

"\n"; ?>
var customers_email_address = document.customers.customers_email_address.value;
var entry_street_address = document.customers.entry_street_address.value;
var entry_postcode = document.customers.entry_postcode.value;
var entry_city = document.customers.entry_city.value;
var customers_telephone = document.customers.customers_telephone.value;

<?php if (ACCOUNT_GENDER == 'true') { ?>
if (document.customers.customers_gender[0].checked || document.customers.customers_gender[1].checked)
{
} else {
    error_message = error_message + "<?php echo JS_GENDER; ?>";
    error = 1;
}
<?php } ?>

if (customers_firstname.length < <?php echo ENTRY_FIRST_NAME_MIN_LENGTH; ?>) {
    error_message = error_message + "<?php echo JS_FIRST_NAME; ?>";
    error = 1;
}

if (customers_lastname.length < <?php echo ENTRY_LAST_NAME_MIN_LENGTH; ?>) {
    error_message = error_message + "<?php echo JS_LAST_NAME; ?>";
    error = 1;
}

<?php if (ACCOUNT_DOB == 'true') { ?>
if (customers_dob.length < <?php echo ENTRY_DOB_MIN_LENGTH; ?>) {
    error_message = error_message + "<?php echo JS_DOB; ?>";
    error = 1;
}
<?php } ?>

if (customers_email_address.length < <?php echo ENTRY_EMAIL_ADDRESS_MIN_LENGTH; ?>) {
    error_message = error_message + "<?php echo JS_EMAIL_ADDRESS; ?>";
    error = 1;
}

if (entry_street_address.length < <?php echo ENTRY_STREET_ADDRESS_MIN_LENGTH; ?>) {
    error_message = error_message + "<?php echo JS_ADDRESS; ?>";
    error = 1;
}

if (entry_postcode.length < <?php echo ENTRY_POSTCODE_MIN_LENGTH; ?>) {
    error_message = error_message + "<?php echo JS_POST_CODE; ?>";
    error = 1;
}

if (entry_city.length < <?php echo ENTRY_CITY_MIN_LENGTH; ?>) {
    error_message = error_message + "<?php echo JS_CITY; ?>";
    error = 1;
}

<?php
if (ACCOUNT_STATE == 'true') {
?>
if (document.customers.elements['entry_state'].type != "hidden") {
    if (document.customers.entry_state.value.length < <?php echo ENTRY_STATE_MIN_LENGTH; ?>) {
        error_message = error_message + "<?php echo JS_STATE; ?>";
        error = 1;
    }
}
<?php
}

```

```

?>

if (document.customers.elements['entry_country_id'].type != "hidden") {
    if (document.customers.entry_country_id.value == 0) {
        error_message = error_message + "<?php echo JS_COUNTRY; ?>";
        error = 1;
    }
}

if (customers_telephone.length < <?php echo ENTRY_TELEPHONE_MIN_LENGTH; ?>) {
    error_message = error_message + "<?php echo JS_TELEPHONE; ?>";
    error = 1;
}

if (error == 1) {
    alert(error_message);
    return false;
} else {
    return true;
}
}

//--></script>
<?php
?
?>
</head>
<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"
bgcolor="#FFFFFF" onload="SetFocus();">
<!-- header //-->
<?php require(DIR_WS_INCLUDES . 'header.php'); ?>
<!-- header_eof //-->

<!-- body //-->
<table border="0" width="100%" cellspacing="2" cellpadding="2">
<tr>
    <td width=<?php echo BOX_WIDTH; ?> valign="top"><table border="0" width=<?php echo
BOX_WIDTH; ?>" cellspacing="1" cellpadding="1" class="columnLeft">
<!-- left_navigation //-->
<?php require(DIR_WS_INCLUDES . 'column_left.php'); ?>
<!-- left_navigation_eof //-->
    </table></td>
<!-- body_text //-->
    <td width="100%" valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<?php
    if ($action == 'edit' || $action == 'update') {
        $newsletter_array = array(array('id' => '1', 'text' => ENTRY_NEWSLETTER_YES),
                                array('id' => '0', 'text' => ENTRY_NEWSLETTER_NO));
    }
    <tr>
        <td><table border="0" width="100%" cellspacing="0" cellpadding="0">
            <tr>
                <td class="pageHeading"><?php echo HEADING_TITLE; ?></td>
                <td class="pageHeading" align="right"><?php echo tep_draw_separator('pixel_trans.gif',
HEADING_IMAGE_WIDTH, HEADING_IMAGE_HEIGHT); ?></td>
            </tr>
        </table></td>
    </tr>
    <tr>
        <td><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
    </tr>
    <tr>
        <td><?php echo tep_draw_form('customers', FILENAME_CUSTOMERS,
tep_get_all_get_params(array('action')) . 'action=update', 'post', 'onSubmit="return check_form();"' . tep_draw_hidden_field('default_address_id', $cInfo->customers_default_address_id); ?>
            <td class="formAreaTitle"><?php echo CATEGORY_PERSONAL; ?></td>
        </td>
    </tr>
    <tr>
        <td class="formArea"><table border="0" cellspacing="2" cellpadding="2">
<?php
        if (ACCOUNT_GENDER == 'true') {
?>
            <tr>
                <td class="main"><?php echo ENTRY_GENDER; ?></td>

```

```

        <td class="main">
<?php
if ($error == true) {
    if ($entry_gender_error == true) {
        echo tep_draw_radio_field('customers_gender', 'm', false, $cInfo->customers_gender) . '&nbsp;&nbsp;' .
MALE . '&nbsp;&nbsp;' . tep_draw_radio_field('customers_gender', 'f', false, $cInfo->customers_gender) .
'&nbsp;&nbsp;' . FEMALE . '&nbsp;' . ENTRY_GENDER_ERROR;
    } else {
        echo ($cInfo->customers_gender == 'm') ? MALE : FEMALE;
        echo tep_draw_hidden_field('customers_gender');
    }
} else {
    echo tep_draw_radio_field('customers_gender', 'm', false, $cInfo->customers_gender) . '&nbsp;&nbsp;' .
MALE . '&nbsp;&nbsp;' . tep_draw_radio_field('customers_gender', 'f', false, $cInfo->customers_gender) .
'&nbsp;&nbsp;' . FEMALE;
}
?></td>
        </tr>
<?php
}
?>
        <tr>
            <td class="main"><?php echo ENTRY_FIRST_NAME; ?></td>
            <td class="main">
<?php
if ($error == true) {
    if ($entry_firstname_error == true) {
        echo tep_draw_input_field('customers_firstname', $cInfo->customers_firstname, 'maxlength="32") .
'&nbsp;' . ENTRY_FIRST_NAME_ERROR;
    } else {
        echo $cInfo->customers_firstname . tep_draw_hidden_field('customers_firstname');
    }
} else {
    echo tep_draw_input_field('customers_firstname', $cInfo->customers_firstname, 'maxlength="32"', true);
}
?></td>
        </tr>
        <tr>
            <td class="main"><?php echo ENTRY_LAST_NAME; ?></td>
            <td class="main">
<?php
if ($error == true) {
    if ($entry_lastname_error == true) {
        echo tep_draw_input_field('customers_lastname', $cInfo->customers_lastname, 'maxlength="32") .
'&nbsp;' . ENTRY_LAST_NAME_ERROR;
    } else {
        echo $cInfo->customers_lastname . tep_draw_hidden_field('customers_lastname');
    }
} else {
    echo tep_draw_input_field('customers_lastname', $cInfo->customers_lastname, 'maxlength="32"', true);
}
?></td>
        </tr>
<?php
if (ACCOUNT_DOB == 'true') {
?>
        <tr>
            <td class="main"><?php echo ENTRY_DATE_OF_BIRTH; ?></td>
            <td class="main">
<?php
if ($error == true) {
    if ($entry_date_of_birth_error == true) {
        echo tep_draw_input_field('customers_dob', tep_date_short($cInfo->customers_dob), 'maxlength="10") .
'&nbsp;' . ENTRY_DATE_OF_BIRTH_ERROR;
    } else {
        echo $cInfo->customers_dob . tep_draw_hidden_field('customers_dob');
    }
} else {
    echo tep_draw_input_field('customers_dob', tep_date_short($cInfo->customers_dob), 'maxlength="10"', true);
}
}

```

```

?></td>
    </tr>
<?php
}
?>
<tr>
    <td class="main"><?php echo ENTRY_EMAIL_ADDRESS; ?></td>
    <td class="main">
<?php
if ($error == true) {
    if ($entry_email_address_error == true) {
        echo tep_draw_input_field('customers_email_address', $cInfo->customers_email_address,
'maxlength="96"') . '&nbsp;' . ENTRY_EMAIL_ADDRESS_ERROR;
    } elseif ($entry_email_address_check_error == true) {
        echo tep_draw_input_field('customers_email_address', $cInfo->customers_email_address,
'maxlength="96"') . '&nbsp;' . ENTRY_EMAIL_ADDRESS_CHECK_ERROR;
    } elseif ($entry_email_address_exists == true) {
        echo tep_draw_input_field('customers_email_address', $cInfo->customers_email_address,
'maxlength="96"') . '&nbsp;' . ENTRY_EMAIL_ADDRESS_ERROR_EXISTS;
    } else {
        echo $customers_email_address . tep_draw_hidden_field('customers_email_address');
    }
} else {
    echo tep_draw_input_field('customers_email_address', $cInfo->customers_email_address,
'maxlength="96"', true);
}
?></td>
    </tr>
</table></td>
</tr>
<?php
if (ACCOUNT_COMPANY == 'true') {
?>
<tr>
    <td><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<tr>
    <td class="formAreaTitle"><?php echo CATEGORY_COMPANY; ?></td>
</tr>
<tr>
    <td class="formArea"><table border="0" cellspacing="2" cellpadding="2">
        <tr>
            <td class="main"><?php echo ENTRY_COMPANY; ?></td>
            <td class="main">
<?php
if ($error == true) {
    if ($entry_company_error == true) {
        echo tep_draw_input_field('entry_company', $cInfo->entry_company, 'maxlength="32"') . '&nbsp;' .
ENTRY_COMPANY_ERROR;
    } else {
        echo $cInfo->entry_company . tep_draw_hidden_field('entry_company');
    }
} else {
    echo tep_draw_input_field('entry_company', $cInfo->entry_company, 'maxlength="32"');
}
?></td>
    </tr>
</table></td>
</tr>
<?php
}
?>
<tr>
    <td><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<tr>
    <td class="formAreaTitle"><?php echo CATEGORY_ADDRESS; ?></td>
</tr>
<tr>
    <td class="formArea"><table border="0" cellspacing="2" cellpadding="2">
        <tr>
            <td class="main"><?php echo ENTRY_STREET_ADDRESS; ?></td>

```

```

        <td class="main">
<?php
if ($error == true) {
    if ($entry_street_address_error == true) {
        echo tep_draw_input_field('entry_street_address', $cInfo->entry_street_address, 'maxlength="64") .
'&nbsp;' . ENTRY_STREET_ADDRESS_ERROR;
    } else {
        echo $cInfo->entry_street_address . tep_draw_hidden_field('entry_street_address');
    }
} else {
    echo tep_draw_input_field('entry_street_address', $cInfo->entry_street_address, 'maxlength="64"', true);
}
?></td>
</tr>
<?php
if (ACCOUNT_SUBURB == 'true') {
?>
<tr>
    <td class="main"><?php echo ENTRY_SUBURB; ?></td>
    <td class="main">
<?php
if ($error == true) {
    if ($entry_suburb_error == true) {
        echo tep_draw_input_field('suburb', $cInfo->entry_suburb, 'maxlength="32") . '&nbsp;' .
ENTRY_SUBURB_ERROR;
    } else {
        echo $cInfo->entry_suburb . tep_draw_hidden_field('entry_suburb');
    }
} else {
    echo tep_draw_input_field('entry_suburb', $cInfo->entry_suburb, 'maxlength="32");
}
?></td>
</tr>
<?php
}
?>
<tr>
    <td class="main"><?php echo ENTRY_POST_CODE; ?></td>
    <td class="main">
<?php
if ($error == true) {
    if ($entry_post_code_error == true) {
        echo tep_draw_input_field('entry_postcode', $cInfo->entry_postcode, 'maxlength="8") . '&nbsp;' .
ENTRY_POST_CODE_ERROR;
    } else {
        echo $cInfo->entry_postcode . tep_draw_hidden_field('entry_postcode');
    }
} else {
    echo tep_draw_input_field('entry_postcode', $cInfo->entry_postcode, 'maxlength="8"', true);
}
?></td>
</tr>
<tr>
    <td class="main"><?php echo ENTRY_CITY; ?></td>
    <td class="main">
<?php
if ($error == true) {
    if ($entry_city_error == true) {
        echo tep_draw_input_field('entry_city', $cInfo->entry_city, 'maxlength="32") . '&nbsp;' .
ENTRY_CITY_ERROR;
    } else {
        echo $cInfo->entry_city . tep_draw_hidden_field('entry_city');
    }
} else {
    echo tep_draw_input_field('entry_city', $cInfo->entry_city, 'maxlength="32"', true);
}
?></td>
</tr>
<?php
if (ACCOUNT_STATE == 'true') {
?>
<tr>

```

```

<td class="main"><?php echo ENTRY_STATE; ?></td>
<td class="main">
<?php
$entry_state = tep_get_zone_name($cInfo->entry_country_id, $cInfo->entry_zone_id, $cInfo->entry_state);
if ($error == true) {
    if ($entry_state_error == true) {
        if ($entry_state_has_zones == true) {
            $zones_array = array();
            $zones_query = tep_db_query("select zone_name from " . TABLE_ZONES . " where zone_country_id = "
                . tep_db_input($cInfo->entry_country_id) . " order by zone_name");
            while ($zones_values = tep_db_fetch_array($zones_query)) {
                $zones_array[] = array('id' => $zones_values['zone_name'], 'text' => $zones_values['zone_name']);
            }
            echo tep_draw_pull_down_menu('entry_state', $zones_array) . '&nbsp;' . ENTRY_STATE_ERROR;
        } else {
            echo tep_draw_input_field('entry_state', tep_get_zone_name($cInfo->entry_country_id, $cInfo->entry_zone_id, $cInfo->entry_state)) . '&nbsp;' . ENTRY_STATE_ERROR;
        }
    } else {
        echo $entry_state . tep_draw_hidden_field('entry_zone_id') . tep_draw_hidden_field('entry_state');
    }
} else {
    echo tep_draw_input_field('entry_state', tep_get_zone_name($cInfo->entry_country_id, $cInfo->entry_zone_id, $cInfo->entry_state));
}
?></td>
</tr>
<?php
?>
?>
<tr>
<td class="main"><?php echo ENTRY_COUNTRY; ?></td>
<td class="main">
<?php
if ($error == true) {
    if ($entry_country_error == true) {
        echo tep_draw_pull_down_menu('entry_country_id', tep_get_countries(), $cInfo->entry_country_id) . '&nbsp;' . ENTRY_COUNTRY_ERROR;
    } else {
        echo tep_get_country_name($cInfo->entry_country_id) . tep_draw_hidden_field('entry_country_id');
    }
} else {
    echo tep_draw_pull_down_menu('entry_country_id', tep_get_countries(), $cInfo->entry_country_id);
}
?></td>
</tr>
</table></td>
</tr>
<tr>
<td><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<tr>
<td class="formAreaTitle"><?php echo CATEGORY_CONTACT; ?></td>
</tr>
<tr>
<td class="formArea"><table border="0" cellspacing="2" cellpadding="2">
<tr>
<td class="main"><?php echo ENTRY_TELEPHONE_NUMBER; ?></td>
<td class="main">
<?php
if ($error == true) {
    if ($entry_telephone_error == true) {
        echo tep_draw_input_field('customers_telephone', $cInfo->customers_telephone, 'maxlength="32") . '&nbsp;' . ENTRY_TELEPHONE_NUMBER_ERROR;
    } else {
        echo $cInfo->customers_telephone . tep_draw_hidden_field('customers_telephone');
    }
} else {
    echo tep_draw_input_field('customers_telephone', $cInfo->customers_telephone, 'maxlength="32"', true);
}

```

```

?></td>
</tr>
<tr>
<td class="main"><?php echo ENTRY_FAX_NUMBER; ?></td>
<td class="main">
<?php
if ($processed == true) {
echo $cInfo->customers_fax . tep_draw_hidden_field('customers_fax');
} else {
echo tep_draw_input_field('customers_fax', $cInfo->customers_fax, 'maxlength="32"');
}
?></td>
</tr>
</table></td>
</tr>
<tr>
<td><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<tr>
<td class="formAreaTitle"><?php echo CATEGORY_OPTIONS; ?></td>
</tr>
<tr>
<td class="formArea"><table border="0" cellspacing="2" cellpadding="2">
<tr>
<td class="main"><?php echo ENTRY_NEWSLETTER; ?></td>
<td class="main">
<?php
if ($processed == true) {
if ($cInfo->customers_newsletter == '1') {
echo ENTRY_NEWSLETTER_YES;
} else {
echo ENTRY_NEWSLETTER_NO;
}
echo tep_draw_hidden_field('customers_newsletter');
} else {
echo tep_draw_pull_down_menu('customers_newsletter', $newsletter_array, ((($cInfo->customers_newsletter == '1') ? '1' : '0')));
}
?></td>
</tr>
</table></td>
</tr>
<tr>
<td><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<tr>
<td align="right" class="main"><?php echo tep_image_submit('button_update.gif', IMAGE_UPDATE) . '<a href="' . tep_href_link(FILENAME_CUSTOMERS, tep_get_all_get_params(array('action'))) . '">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>; ?></td>
</tr></form>
<?php
} else {
?>
<tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr><?php echo tep_draw_form('search', FILENAME_CUSTOMERS, "", 'get'); ?>
<td class="pageHeading"><?php echo HEADING_TITLE; ?></td>
<td class="pageHeading" align="right"><?php echo tep_draw_separator('pixel_trans.gif', 1, HEADING_IMAGE_HEIGHT); ?></td>
<td class="smallText" align="right"><?php echo HEADING_TITLE_SEARCH . '' . tep_draw_input_field('search'); ?></td>
<?php echo tep_hide_session_id(); ?></form></tr>
</table></td>
</tr>
<tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr class="dataTableHeadingRow">
<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_LASTNAME; ?></td>
<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_FIRSTNAME; ?></td>

```

```

<td class="dataTableHeadingContent" align="right"><?php echo
TABLE_HEADING_ACCOUNT_CREATED; ?></td>
    <td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_ACTION;
?>&nbsp;</td>
</tr>
<?php
$search = "";
if (isset($HTTP_GET_VARS['search'])) && tep_not_null($HTTP_GET_VARS['search'])) {
    $keywords = tep_db_input(tep_db_prepare_input($HTTP_GET_VARS['search']));
    $search = "where c.customers_lastname like '%" . $keywords . "%' or c.customers_firstname like '%" .
$keywords . "%' or c.customers_email_address like '%" . $keywords . "%'";
}
$customers_query_raw = "select c.customers_id, c.customers_lastname, c.customers_firstname,
c.customers_email_address, a.entry_country_id from " . TABLE_CUSTOMERS . " c left join " .
TABLE_ADDRESS_BOOK . " a on c.customers_id = a.customers_id and c.customers_default_address_id =
a.address_book_id ". $search . " order by c.customers_lastname, c.customers_firstname";
$customers_split = new splitPageResults($HTTP_GET_VARS['page'], MAX_DISPLAY_SEARCH_RESULTS,
$customers_query_raw, $customers_query_numrows);
$customers_query = tep_db_query($customers_query_raw);
while ($customers = tep_db_fetch_array($customers_query)) {
    $info_query = tep_db_query("select customers_info_date_account_created as date_account_created,
customers_info_date_account_last_modified as date_account_last_modified,
customers_info_date_of_last_logon as date_last_logon, customers_info_number_of_logons as
number_of_logons from " . TABLE_CUSTOMERS_INFO . " where customers_info_id = '" .
$customers['customers_id'] . "'");
    $info = tep_db_fetch_array($info_query);

    if ((!isset($HTTP_GET_VARS['cID']) || (!isset($HTTP_GET_VARS['cID']) && ($HTTP_GET_VARS['cID'] ==
$customers['customers_id']))) && !isset($cInfo)) {
        $country_query = tep_db_query("select countries_name from " . TABLE_COUNTRIES . " where
countries_id = '" . (int)$customers['entry_country_id'] . "'");
        $country = tep_db_fetch_array($country_query);

        $reviews_query = tep_db_query("select count(*) as number_of_reviews from " . TABLE_REVIEWS . "
where customers_id = '" . (int)$customers['customers_id'] . "'");
        $reviews = tep_db_fetch_array($reviews_query);

        $customer_info = array_merge($country, $info, $reviews);

        $cInfo_array = array_merge($customers, $customer_info);
        $cInfo = new objectInfo($cInfo_array);
    }

    if (isset($cInfo) && is_object($cInfo) && ($customers['customers_id'] == $cInfo->customers_id)) {
        echo '      <tr id="defaultSelected" class="dataTableRowSelected" onmouseover="rowOverEffect(this)"
onmouseout="rowOutEffect(this)" onclick="document.location.href=\\" . tep_href_link(FILENAME_CUSTOMERS,
tep_get_all_get_params(array('cID', 'action')) . 'cID=' . $cInfo->customers_id . '&action=edit') . '\\">'.
"\n";
    } else {
        echo '      <tr class="dataTableRow" onmouseover="rowOverEffect(this)"
onmouseout="rowOutEffect(this)" onclick="document.location.href=\\" . tep_href_link(FILENAME_CUSTOMERS,
tep_get_all_get_params(array('cID')) . 'cID=' . $customers['customers_id']) . '\\">".\n';
    }
?>
        <td class="dataTableContent"><?php echo $customers['customers_lastname']; ?></td>
        <td class="dataTableContent"><?php echo $customers['customers_firstname']; ?></td>
        <td class="dataTableContent" align="right"><?php echo
tep_date_short($info['date_account_created']); ?></td>
        <td class="dataTableContent" align="right"><?php if (isset($cInfo) && is_object($cInfo) &&
($customers['customers_id'] == $cInfo->customers_id)) { echo tep_image(DIR_WS_IMAGES .
'icon_arrow_right.gif', ''); } else { echo '<a href="" . tep_href_link(FILENAME_CUSTOMERS,
tep_get_all_get_params(array('cID')) . 'cID=' . $customers['customers_id']) . '\\">' .
tep_image(DIR_WS_IMAGES . 'icon_info.gif', IMAGE_ICON_INFO) . '</a>'; } ?>&nbsp;</td>
    </tr>
<?php
}
?>
<tr>
    <td colspan="4"><table border="0" width="100%" cellspacing="0" cellpadding="2">
        <tr>
            <td class="smallText" valign="top"><?php echo $customers_split-
>display_count($customers_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, $HTTP_GET_VARS['page'],
TEXT_DISPLAY_NUMBER_OF_CUSTOMERS); ?></td>

```

```

<td class="smallText" align="right"><?php echo $customers_split-
>display_links($customers_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, MAX_DISPLAY_PAGE_LINKS,
$HTTP_GET_VARS['page'], tep_get_all_get_params(array('page', 'info', 'x', 'y', 'cID'))); ?></td>
</tr>
<?php
if (isset($HTTP_GET_VARS['search']) && tep_not_null($HTTP_GET_VARS['search'])) {
?>
    <tr>
        <td align="right" colspan="2"><?php echo '<a href="" . tep_href_link(FILENAME_CUSTOMERS) .
"' . tep_image_button('button_reset.gif', IMAGE_RESET) . '</a>'; ?></td>
    </tr>
<?php
}
?>
    </table></td>
</tr>
</table></td>
<?php
$heading = array();
$contents = array();

switch ($action) {
    case 'confirm':
        $heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_DELETE_CUSTOMER . '</b>');

        $contents = array('form' => tep_draw_form('customers', FILENAME_CUSTOMERS,
tep_get_all_get_params(array('cID', 'action')) . 'cID=' . $cInfo->customers_id . '&action=deleteconfirm'));
        $contents[] = array('text' => TEXT_DELETE_INTRO . '<br><br><b>' . $cInfo->customers_firstname . ' ' .
$cInfo->customers_lastname . '</b>');
        if (isset($cInfo->number_of_reviews) && ($cInfo->number_of_reviews) > 0) $contents[] = array('text' =>
'<br>' . tep_draw_checkbox_field('delete_reviews', 'on', true) . '' . sprintf(TEXT_DELETE_REVIEWS, $cInfo-
>number_of_reviews));
        $contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_delete.gif',
IMAGE_DELETE) . '<a href="" . tep_href_link(FILENAME_CUSTOMERS, tep_get_all_get_params(array('cID',
'action')) . 'cID=' . $cInfo->customers_id) . "'>' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) .
'</a>');
        break;
    default:
        if (isset($cInfo) && is_object($cInfo)) {
            $heading[] = array('text' => '<b>' . $cInfo->customers_firstname . ' ' . $cInfo->customers_lastname .
'</b>');

            $contents[] = array('align' => 'center', 'text' => '<a href="" . tep_href_link(FILENAME_CUSTOMERS,
tep_get_all_get_params(array('cID', 'action')) . 'cID=' . $cInfo->customers_id . '&action=edit') . "'> .
tep_image_button('button_edit.gif', IMAGE_EDIT) . '</a> <a href="" . tep_href_link(FILENAME_CUSTOMERS,
tep_get_all_get_params(array('cID', 'action')) . 'cID=' . $cInfo->customers_id . '&action=confirm') . "'> .
tep_image_button('button_delete.gif', IMAGE_DELETE) . '</a> <a href="" . tep_href_link(FILENAME_ORDERS,
'cID=' . $cInfo->customers_id) . "'>' . tep_image_button('button_orders.gif', IMAGE_ORDERS) . '</a> <a
href="" . tep_href_link(FILENAME_MAIL, 'selected_box=tools&customer=' . $cInfo->customers_email_address)
. "'>' . tep_image_button('button_email.gif', IMAGE_EMAIL) . '</a>');
            $contents[] = array('text' => '<br>' . TEXT_DATE_ACCOUNT_CREATED . '' . tep_date_short($cInfo-
>date_account_created));
            $contents[] = array('text' => '<br>' . TEXT_DATE_ACCOUNT_LAST_MODIFIED . '' .
tep_date_short($cInfo->date_account_last_modified));
            $contents[] = array('text' => '<br>' . TEXT_INFO_DATE_LAST_LOGON . '' . tep_date_short($cInfo-
>date_last_logon));
            $contents[] = array('text' => '<br>' . TEXT_INFO_NUMBER_OF_LOGONS . '' . $cInfo-
>number_of_logons);
            $contents[] = array('text' => '<br>' . TEXT_INFO_COUNTRY . '' . $cInfo->countries_name);
            $contents[] = array('text' => '<br>' . TEXT_INFO_NUMBER_OF_REVIEWS . '' . $cInfo-
>number_of_reviews);
        }
        break;
}

if ( (tep_not_null($heading)) && (tep_not_null($contents)) ) {
    echo '<td width="25%" valign="top">' . "\n";
    $box = new box;
    echo $box->infoBox($heading, $contents);
    echo '</td>' . "\n";
}

```

```

    }
?>
    </tr>
</table></td>
</tr>
<?php
}
?>
    </table></td>
<!-- body_text_eof //-->
</tr>
</table>
<!-- body_eof //-->

<!-- footer //-->
<?php require(DIR_WS_INCLUDES . 'footer.php'); ?>
<!-- footer_eof //-->
</body>
</html>
<?php require(DIR_WS_INCLUDES . 'application_bottom.php'); ?>

```

4.2. Siparişler (admin / orders.php)

```

<?php
/*
$Id: orders.php 1739 2007-12-20 00:52:16Z hpdl $

osCommerce, Open Source E-Commerce Solutions
http://www.oscommerce.com

Copyright (c) 2003 osCommerce

Released under the GNU General Public License
*/
require('includes/application_top.php');

require(DIR_WS_CLASSES . 'currencies.php');
$currencies = new currencies();

$orders_statuses = array();
$orders_status_array = array();
$orders_status_query = tep_db_query("select orders_status_id, orders_status_name from " .
TABLE_ORDERS_STATUS . " where language_id = '" . (int)$languages_id . "'");
while ($orders_status = tep_db_fetch_array($orders_status_query)) {
    $orders_statuses[] = array('id' => $orders_status['orders_status_id'],
        'text' => $orders_status['orders_status_name']);
    $orders_status_array[$orders_status['orders_status_id']] = $orders_status['orders_status_name'];
}

$action = (isset($_GET['action'])) ? $_GET['action'] : "";

if (tep_not_null($action)) {
    switch ($action) {
        case 'update_order':
            $oID = tep_db_prepare_input($_GET['oID']);
            $status = tep_db_prepare_input($_POST['status']);
            $comments = tep_db_prepare_input($_POST['comments']);

            $order_updated = false;
            $check_status_query = tep_db_query("select customers_name, customers_email_address, orders_status,
date_purchased from " . TABLE_ORDERS . " where orders_id = '" . (int)$oID . "'");
            $check_status = tep_db_fetch_array($check_status_query);

            if ( ($check_status['orders_status'] != $status) || tep_not_null($comments) ) {
                tep_db_query("update " . TABLE_ORDERS . " set orders_status = '" . tep_db_input($status) . "'",
                "last_modified = now() where orders_id = '" . (int)$oID . "'");

            $customer_notified = '0';

```

```

if (isset($HTTP_POST_VARS['notify']) && ($HTTP_POST_VARS['notify'] == 'on')) {
    $notify_comments = "";
    if (isset($HTTP_POST_VARS['notify_comments'])) && ($HTTP_POST_VARS['notify_comments'] == 'on'))
    {
        $notify_comments = sprintf(EMAIL_TEXT_COMMENTS_UPDATE, $comments) . "\n\n";
    }

    $email = STORE_NAME . "\n" . EMAIL_SEPARATOR . "\n" . EMAIL_TEXT_ORDER_NUMBER . '' . $oID .
"\n" . EMAIL_TEXT_INVOICE_URL . '' . tep_catalog_href_link(FILENAME_CATALOG_ACCOUNT_HISTORY_INFO,
'order_id=' . $oID, 'SSL') . "\n" . EMAIL_TEXT_DATE_ORDERED . '' .
tep_date_long($check_status['date_purchased']) . "\n\n" . $notify_comments .
sprintf(EMAIL_TEXT_STATUS_UPDATE, $orders_status_array[$status]);

tep_mail($check_status['customers_name'], $check_status['customers_email_address'],
EMAIL_TEXT_SUBJECT, $email, STORE_OWNER, STORE_OWNER_EMAIL_ADDRESS);

$customer_notified = '1';
}

tep_db_query("insert into " . TABLE_ORDERS_STATUS_HISTORY . " (orders_id, orders_status_id,
date_added, customer_notified, comments) values (" . (int)$oID . "", "" . tep_db_input($status) . "", now(), "" .
tep_db_input($customer_notified) . "", "" . tep_db_input($comments) . "")");

$order_updated = true;
}

if ($order_updated == true) {
    $messageStack->add_session(SUCCESS_ORDER_UPDATED, 'success');
} else {
    $messageStack->add_session(WARNING_ORDER_NOT_UPDATED, 'warning');
}

tep_redirect(tep_href_link(FILENAME_ORDERS, tep_get_all_get_params(array('action')) . 'action=edit'));
break;
case 'deleteconfirm':
$oID = tep_db_prepare_input($HTTP_GET_VARS['oID']);

tep_remove_order($oID, $HTTP_POST_VARS['restock']);

tep_redirect(tep_href_link(FILENAME_ORDERS, tep_get_all_get_params(array('oID', 'action'))));
break;
}
}

if (($action == 'edit') && isset($HTTP_GET_VARS['oID'])) {
$oID = tep_db_prepare_input($HTTP_GET_VARS['oID']);

$orders_query = tep_db_query("select orders_id from " . TABLE_ORDERS . " where orders_id = " .
(int)$oID . "'");
$order_exists = true;
if (!tep_db_num_rows($orders_query)) {
    $order_exists = false;
    $messageStack->add(sprintf(ERROR_ORDER_DOES_NOT_EXIST, $oID), 'error');
}
}

include(DIR_WS_CLASSES . 'order.php');
?>
<!DOCTYPE html public "-//W3C//DTD HTML 4.01 Transitional//EN">
<html <?php echo HTML_PARAMS; ?>>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=<?php echo CHARSET; ?>">
<title><?php echo TITLE; ?></title>
<link rel="stylesheet" type="text/css" href="includes/stylesheet.css">
<script language="javascript" src="includes/general.js"></script>
</head>
<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"
bgcolor="#FFFFFF">
<!-- header //-->
<?php
    require(DIR_WS_INCLUDES . 'header.php');
?>

```

```

<!-- header_eof //-->
<!-- body //-->
<table border="0" width="100%" cellspacing="2" cellpadding="2">
  <tr>
    <td width="php echo BOX_WIDTH; ?&gt;" valign="top"&gt;&lt;table border="0" width="<?php echo BOX_WIDTH; ?&gt;" cellspacing="1" cellpadding="1" class="columnLeft"&gt;
      &lt;!-- left_navigation //--&gt;
      &lt;?php require(DIR_WS_INCLUDES . 'column_left.php'); ?&gt;
      &lt;!-- left_navigation_eof //--&gt;
    &lt;/table&gt;&lt;/td&gt;
    &lt;!-- body_text //--&gt;
    &lt;td width="100%" valign="top"&gt;&lt;table border="0" width="100%" cellspacing="0" cellpadding="2"&gt;
      &lt;?php
        if (($action == 'edit') &amp;&amp; ($order_exists == true)) {
          $order = new order($oID);
        }
      ?&gt;
      &lt;tr&gt;
        &lt;td width="100%"&gt;&lt;table border="0" width="100%" cellspacing="0" cellpadding="0"&gt;
          &lt;tr&gt;
            &lt;td class="pageHeading"&gt;&lt;?php echo HEADING_TITLE; ?&gt;&lt;/td&gt;
            &lt;td class="pageHeading" align="right"&gt;&lt;?php echo tep_draw_separator('pixel_trans.gif', 1, HEADING_IMAGE_HEIGHT); ?&gt;&lt;/td&gt;
            &lt;td class="pageHeading" align="right"&gt;&lt;a href="" . tep_href_link(FILENAME_ORDERS, tep_get_all_get_params(array('action'))) . ""&gt; . tep_image_button('button_back.gif', IMAGE_BACK) . '&lt;/a&gt;'&gt;
          ?&gt;&lt;/td&gt;
          &lt;/tr&gt;
        &lt;/table&gt;&lt;/td&gt;
      &lt;/tr&gt;
      &lt;tr&gt;
        &lt;td&gt;&lt;table width="100%" border="0" cellspacing="0" cellpadding="2"&gt;
          &lt;tr&gt;
            &lt;td colspan="3"&gt;&lt;?php echo tep_draw_separator(); ?&gt;&lt;/td&gt;
          &lt;/tr&gt;
          &lt;tr&gt;
            &lt;td valign="top"&gt;&lt;table width="100%" border="0" cellspacing="0" cellpadding="2"&gt;
              &lt;tr&gt;
                &lt;td class="main" valign="top"&gt;&lt;b&gt;&lt;?php echo ENTRY_CUSTOMER; ?&gt;&lt;/b&gt;&lt;/td&gt;
                &lt;td class="main"&gt;&lt;?php echo tep_address_format($order-&gt;customer['format_id'], $order-&gt;customer, 1, ", '&lt;br&gt;"); ?&gt;&lt;/td&gt;
              &lt;/tr&gt;
              &lt;tr&gt;
                &lt;td colspan="2"&gt;&lt;?php echo tep_draw_separator('pixel_trans.gif', '1', '5'); ?&gt;&lt;/td&gt;
              &lt;/tr&gt;
              &lt;tr&gt;
                &lt;td class="main"&gt;&lt;b&gt;&lt;?php echo ENTRY_TELEPHONE_NUMBER; ?&gt;&lt;/b&gt;&lt;/td&gt;
                &lt;td class="main"&gt;&lt;?php echo $order-&gt;customer['telephone']; ?&gt;&lt;/td&gt;
              &lt;/tr&gt;
              &lt;tr&gt;
                &lt;td class="main"&gt;&lt;b&gt;&lt;?php echo ENTRY_EMAIL_ADDRESS; ?&gt;&lt;/b&gt;&lt;/td&gt;
                &lt;td class="main"&gt;&lt;a href="mailto:' . $order-&gt;customer['email_address'] . '"&gt;&lt;u&gt;' . $order-&gt;customer['email_address'] . '&lt;/u&gt;&lt;/a&gt;'; ?&gt;&lt;/td&gt;
              &lt;/tr&gt;
            &lt;/table&gt;&lt;/td&gt;
          &lt;/tr&gt;
          &lt;tr&gt;
            &lt;td valign="top"&gt;&lt;table width="100%" border="0" cellspacing="0" cellpadding="2"&gt;
              &lt;tr&gt;
                &lt;td class="main" valign="top"&gt;&lt;b&gt;&lt;?php echo ENTRY_SHIPPING_ADDRESS; ?&gt;&lt;/b&gt;&lt;/td&gt;
                &lt;td class="main"&gt;&lt;?php echo tep_address_format($order-&gt;delivery['format_id'], $order-&gt;delivery, 1, ", '&lt;br&gt;"); ?&gt;&lt;/td&gt;
              &lt;/tr&gt;
            &lt;/table&gt;&lt;/td&gt;
          &lt;/tr&gt;
          &lt;tr&gt;
            &lt;td valign="top"&gt;&lt;table width="100%" border="0" cellspacing="0" cellpadding="2"&gt;
              &lt;tr&gt;
                &lt;td class="main" valign="top"&gt;&lt;b&gt;&lt;?php echo ENTRY_BILLING_ADDRESS; ?&gt;&lt;/b&gt;&lt;/td&gt;
                &lt;td class="main"&gt;&lt;?php echo tep_address_format($order-&gt;billing['format_id'], $order-&gt;billing, 1, ", '&lt;br&gt;"); ?&gt;&lt;/td&gt;
              &lt;/tr&gt;
            &lt;/table&gt;&lt;/td&gt;
          &lt;/tr&gt;
        &lt;/table&gt;&lt;/td&gt;
      &lt;/tr&gt;
    &lt;/table&gt;
  </pre

```

```

<td><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<tr>
<td><table border="0" cellspacing="0" cellpadding="2">
<tr>
<td class="main"><b><?php echo ENTRY_PAYMENT_METHOD; ?></b></td>
<td class="main"><?php echo $order->info['payment_method']; ?></td>
</tr>
<?php
if (tep_not_null($order->info['cc_type']) || tep_not_null($order->info['cc_owner']) || tep_not_null($order->info['cc_number'])) {
?>
<tr>
<td colspan="2"><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<tr>
<td class="main"><?php echo ENTRY_CREDIT_CARD_TYPE; ?></td>
<td class="main"><?php echo $order->info['cc_type']; ?></td>
</tr>
<tr>
<td class="main"><?php echo ENTRY_CREDIT_CARD_OWNER; ?></td>
<td class="main"><?php echo $order->info['cc_owner']; ?></td>
</tr>
<tr>
<td class="main"><?php echo ENTRY_CREDIT_CARD_NUMBER; ?></td>
<td class="main"><?php echo $order->info['cc_number']; ?></td>
</tr>
<tr>
<td class="main"><?php echo ENTRY_CREDIT_CARD_EXPIRES; ?></td>
<td class="main"><?php echo $order->info['cc_expires']; ?></td>
</tr>
<?php
}
?>
</table></td>
</tr>
<tr>
<td><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr class="dataTableHeadingRow">
<td class="dataTableHeadingContent" colspan="2"><?php echo TABLE_HEADING_PRODUCTS;
?></td>
<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_PRODUCTS_MODEL; ?></td>
<td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_TAX; ?></td>
<td class="dataTableHeadingContent" align="right"><?php echo
TABLE_HEADING_PRICE_EXCLUDING_TAX; ?></td>
<td class="dataTableHeadingContent" align="right"><?php echo
TABLE_HEADING_PRICE_INCLUDING_TAX; ?></td>
<td class="dataTableHeadingContent" align="right"><?php echo
TABLE_HEADING_TOTAL_EXCLUDING_TAX; ?></td>
<td class="dataTableHeadingContent" align="right"><?php echo
TABLE_HEADING_TOTAL_INCLUDING_TAX; ?></td>
</tr>
<?php
for ($i=0, $n=sizeof($order->products); $i<$n; $i++) {
echo'<tr class="dataTableRow">' . "\n" .
'<td class="dataTableContent" valign="top" align="right">' . $order->products[$i]['qty'] .
'&nbsp;x</td>' . "\n".
'<td class="dataTableContent" valign="top">' . $order->products[$i]['name'];
if (isset($order->products[$i]['attributes']) && (sizeof($order->products[$i]['attributes']) > 0)) {
for ($j = 0, $k = sizeof($order->products[$i]['attributes']); $j < $k; $j++) {
echo '<br><nobr><small>&nbsp;<i> - ' . $order->products[$i]['attributes'][$j]['option'] . ':' . $order->products[$i]['attributes'][$j]['value'];
if ($order->products[$i]['attributes'][$j]['price'] != '0') echo ' (' . $order->products[$i]['attributes'][$j]['prefix'] . $currencies->format($order->products[$i]['attributes'][$j]['price'] * $order->products[$i]['qty'], true, $order->info['currency'], $order->info['currency_value']) . ')';
echo '</i></small></nobr>';
}
}
}

```

```

echo '          </td>' . "\n" .
'          <td class="dataTableContent" valign="top">' . $order->products[$i]['model'] . '</td>' . "\n" .
'          <td class="dataTableContent" align="right" valign="top">' . tep_display_tax_value($order-
>products[$i]['tax']) . '%</td>' . "\n" .
'          <td class="dataTableContent" align="right" valign="top"><b>' . $currencies->format($order-
>products[$i]['final_price'], true, $order->info['currency'], $order->info['currency_value']) . '</b></td>' . "\n" .

'          <td class="dataTableContent" align="right" valign="top"><b>' . $currencies-
>format(tep_add_tax($order->products[$i]['final_price'], $order->products[$i]['tax'], true), true, $order-
>info['currency'], $order->info['currency_value']) . '</b></td>' . "\n" .
'          <td class="dataTableContent" align="right" valign="top"><b>' . $currencies->format($order-
>products[$i]['final_price'] * $order->products[$i]['qty'], true, $order->info['currency'], $order-
>info['currency_value']) . '</b></td>' . "\n" .
'          <td class="dataTableContent" align="right" valign="top"><b>' . $currencies-
>format(tep_add_tax($order->products[$i]['final_price'], $order->products[$i]['tax'], true) * $order-
>products[$i]['qty'], true, $order->info['currency'], $order->info['currency_value']) . '</b></td>' . "\n" ;
echo '          </tr>' . "\n";
}
?>
<tr>
<td align="right" colspan="8"><table border="0" cellspacing="0" cellpadding="2">
<?php
for ($i = 0, $n = sizeof($order->totals); $i < $n; $i++) {
echo '          <tr>' . "\n" .
'          <td align="right" class="smallText">' . $order->totals[$i]['title'] . '</td>' . "\n" .
'          <td align="right" class="smallText">' . $order->totals[$i]['text'] . '</td>' . "\n" .
'          </tr>' . "\n";
}
?>
</table></td>
</tr>
</table></td>
</tr>
<tr>
<td><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<tr>
<td class="main"><table border="1" cellspacing="0" cellpadding="5">
<tr>
<td class="smallText" align="center"><b><?php echo TABLE_HEADING_DATE_ADDED; ?></b></td>
<td class="smallText" align="center"><b><?php echo TABLE_HEADING_CUSTOMER_NOTIFIED;
?></b></td>
<td class="smallText" align="center"><b><?php echo TABLE_HEADING_STATUS; ?></b></td>
<td class="smallText" align="center"><b><?php echo TABLE_HEADING_COMMENTS; ?></b></td>
</tr>
<?php
$orders_history_query = tep_db_query("select orders_status_id, date_added, customer_notified, comments
from " . TABLE_ORDERS_STATUS_HISTORY . " where orders_id = '" . tep_db_input($oID) . "' order by
date_added");
if (tep_db_num_rows($orders_history_query)) {
while ($orders_history = tep_db_fetch_array($orders_history_query)) {
echo '          <tr>' . "\n" .
'          <td class="smallText" align="center">' . tep_datetime_short($orders_history['date_added'])
. '</td>' . "\n" .
'          <td class="smallText" align="center">';
if ($orders_history['customer_notified'] == '1') {
echo tep_image(DIR_WS_ICONS . 'tick.gif', ICON_TICK) . "</td>\n";
} else {
echo tep_image(DIR_WS_ICONS . 'cross.gif', ICON_CROSS) . "</td>\n";
}
echo '          <td class="smallText">' . $orders_status_array[$orders_history['orders_status_id']] .
'</td>' . "\n" .
'          <td class="smallText">' . nl2br(tep_db_output($orders_history['comments'])) .
'&nbsp;</td>' . "\n" .
'          </tr>' . "\n";
}
} else {
echo '          <tr>' . "\n" .
'          <td class="smallText" colspan="5">' . TEXT_NO_ORDER_HISTORY . '</td>' . "\n" .
'          </tr>' . "\n";
}
}
?>

```

```

?>
    </table></td>
</tr>
<tr>
    <td class="main"><br><b><?php echo TABLE_HEADING_COMMENTS; ?></b></td>
</tr>
<tr>
    <td><?php echo tep_draw_separator('pixel_trans.gif', '1', '5'); ?></td>
</tr>
<tr>
    <td><?php echo tep_draw_form('status', FILENAME_ORDERS, tep_get_all_get_params(array('action')) .
'&action=update_order'); ?>
        <td class="main"><?php echo tep_draw_textarea_field('comments', 'soft', '60', '5'); ?></td>
    </tr>
    <tr>
        <td><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
    </tr>
    <tr>
        <td><table border="0" cellspacing="0" cellpadding="2">
            <tr>
                <td><table border="0" cellspacing="0" cellpadding="2">
                    <tr>
                        <td class="main"><b><?php echo ENTRY_STATUS; ?></b> <?php echo
tep_draw_pull_down_menu('status', $orders_statuses, $order->info['orders_status']); ?></td>
                    </tr>
                    <tr>
                        <td class="main"><b><?php echo ENTRY_NOTIFY_CUSTOMER; ?></b> <?php echo
tep_draw_checkbox_field('notify', "", true); ?></td>
                        <td class="main"><b><?php echo ENTRY_NOTIFY_COMMENTS; ?></b> <?php echo
tep_draw_checkbox_field('notify_comments', "", true); ?></td>
                    </tr>
                </table></td>
                <td valign="top"><?php echo tep_image_submit('button_update.gif', IMAGE_UPDATE); ?></td>
            </tr>
        </table></td>
    </form></tr>
    <tr>
        <td colspan="2" align="right"><?php echo '<a href="" . tep_href_link(FILENAME_ORDERS_INVOICE,
'oID=' . $HTTP_GET_VARS['oID']) . '" TARGET="_blank">' . tep_image_button('button_invoice.gif',
IMAGE_ORDERS_INVOICE) . '</a> <a href="" . tep_href_link(FILENAME_ORDERS_PACKINGSLIP, 'oID=' .
$HTTP_GET_VARS['oID']) . '" TARGET="_blank">' . tep_image_button('button_packinglist.gif',
IMAGE_ORDERS_PACKINGSLIP) . '</a> <a href="" . tep_href_link(FILENAME_ORDERS,
tep_get_all_get_params(array('action'))) . '">' . tep_image_button('button_back.gif', IMAGE_BACK) . '</a>'; ?></td>
    </tr>
<?php
} else {
?>
    <tr>
        <td width="100%"><table border="0" width="100%" cellspacing="0" cellpadding="0">
            <tr>
                <td class="pageHeading"><?php echo HEADING_TITLE; ?></td>
                <td class="pageHeading" align="right"><?php echo tep_draw_separator('pixel_trans.gif', 1,
HEADING_IMAGE_HEIGHT); ?></td>
            <td align="right"><table border="0" width="100%" cellspacing="0" cellpadding="0">
                <tr><?php echo tep_draw_form('orders', FILENAME_ORDERS, '', 'get'); ?>
                    <td class="smallText" align="right"><?php echo HEADING_TITLE_SEARCH . '' .
tep_draw_input_field('oID', '', 'size="12"') . tep_draw_hidden_field('action', 'edit'); ?></td>
                    <?php echo tep_hide_session_id(); ?></form></tr>
                    <tr><?php echo tep_draw_form('status', FILENAME_ORDERS, '', 'get'); ?>
                        <td class="smallText" align="right"><?php echo HEADING_TITLE_STATUS . '' .
tep_draw_pull_down_menu('status', array_merge(array('id' => "", 'text' => TEXT_ALL_ORDERS)),
$orders_statuses), "", 'onChange="this.form.submit();"' ); ?></td>
                        <?php echo tep_hide_session_id(); ?></form></tr>
                </table></td>
            </tr>
        </table></td>
    </tr>
    <td><table border="0" width="100%" cellspacing="0" cellpadding="0">
        <tr>
            <td valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
                <tr class="dataTableHeadingRow">

```

```

<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_CUSTOMERS; ?></td>
<td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_ORDER_TOTAL;
?></td>
<td class="dataTableHeadingContent" align="center"><?php echo
TABLE_HEADING_DATE_PURCHASED; ?></td>
<td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_STATUS;
?></td>
<td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_ACTION;
?>&nbsp;</td>
</tr>
<?php
if (isset($_HTTP_GET_VARS['cID'])) {
$cID = tep_db_prepare_input($_HTTP_GET_VARS['cID']);
$orders_query_raw = "select o.orders_id, o.customers_name, o.customers_id, o.payment_method,
o.date_purchased, o.last_modified, o.currency, o.currency_value, s.orders_status_name, ot.text as order_total
from ".TABLE_ORDERS." o left join ".TABLE_ORDERS_TOTAL." ot on (o.orders_id = ot.orders_id), ".
TABLE_ORDERS_STATUS." s where o.customers_id = '".(int)$cID."' and o.orders_status =
s.orders_status_id and s.language_id = '".(int)$languages_id."' and ot.class = 'ot_total' order by orders_id
DESC";
} elseif (isset($_HTTP_GET_VARS['status']) && is_numeric($_HTTP_GET_VARS['status']) &&
($_HTTP_GET_VARS['status'] > 0)) {
$status = tep_db_prepare_input($_HTTP_GET_VARS['status']);
$orders_query_raw = "select o.orders_id, o.customers_name, o.payment_method, o.date_purchased,
o.last_modified, o.currency, o.currency_value, s.orders_status_name, ot.text as order_total from ".
TABLE_ORDERS." o left join ".TABLE_ORDERS_TOTAL." ot on (o.orders_id = ot.orders_id), ".
TABLE_ORDERS_STATUS." s where o.orders_status = s.orders_status_id and s.language_id = '".(int)$languages_id."' and s.orders_status_id = '".(int)$status."' and ot.class = 'ot_total' order by
o.orders_id DESC";
} else {
$orders_query_raw = "select o.orders_id, o.customers_name, o.payment_method, o.date_purchased,
o.last_modified, o.currency, o.currency_value, s.orders_status_name, ot.text as order_total from ".
TABLE_ORDERS." o left join ".TABLE_ORDERS_TOTAL." ot on (o.orders_id = ot.orders_id), ".
TABLE_ORDERS_STATUS." s where o.orders_status = s.orders_status_id and s.language_id = '".(int)$languages_id."' and ot.class = 'ot_total' order by o.orders_id DESC";
}
$orders_split = new splitPageResults($_HTTP_GET_VARS['page'], MAX_DISPLAY_SEARCH_RESULTS,
$orders_query_raw, $orders_query_numrows);
$orders_query = tep_db_query($orders_query_raw);
while ($orders = tep_db_fetch_array($orders_query)) {
if (!isset($_HTTP_GET_VARS['oID']) || (isset($_HTTP_GET_VARS['oID']) && ($_HTTP_GET_VARS['oID'] ==
$orders['orders_id'])) && !isset($oInfo)) {
$oInfo = new objectInfo($orders);
}
if (isset($oInfo) && is_object($oInfo) && ($orders['orders_id'] == $oInfo->orders_id)) {
echo '<tr id="defaultSelected" class="dataTableRowSelected"
onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)" onclick="document.location.href='".tep_href_link(FILENAME_ORDERS, tep_get_all_get_params(array('oID', 'action')) . 'oID=' . $oInfo->orders_id .
'&action=edit')."'. "\n";
} else {
echo '<tr class="dataTableRow" onmouseover="rowOverEffect(this)"
onmouseout="rowOutEffect(this)" onclick="document.location.href='".tep_href_link(FILENAME_ORDERS,
tep_get_all_get_params(array('oID')) . 'oID=' . $orders['orders_id']).'". "\n';
}
?>
<td class="dataTableContent"><?php echo '<a href="'.tep_href_link(FILENAME_ORDERS,
tep_get_all_get_params(array('oID', 'action')) . 'oID=' . $orders['orders_id'] . '&action=edit').'"'.
tep_image(DIR_WS_ICONS . 'preview.gif', ICON_PREVIEW) . '</a>&nbsp;' . $orders['customers_name'];
?></td>
<td class="dataTableContent" align="right"><?php echo strip_tags($orders['order_total']);?
></td>
<td class="dataTableContent" align="center"><?php echo
tep_datetime_short($orders['date_purchased']); ?></td>
<td class="dataTableContent" align="right"><?php echo $orders['orders_status_name']; ?></td>
<td class="dataTableContent" align="right"><?php if (isset($oInfo) && is_object($oInfo) &&
($orders['orders_id'] == $oInfo->orders_id)) { echo tep_image(DIR_WS_IMAGES . 'icon_arrow_right.gif', ''); } else { echo '<a href="'.tep_href_link(FILENAME_ORDERS, tep_get_all_get_params(array('oID')) . 'oID=' .
$orders['orders_id']).'"'. tep_image(DIR_WS_IMAGES . 'icon_info.gif', IMAGE_ICON_INFO) . '</a>'; }
?>&nbsp;</td>
</tr>
<?php
}

```

```

?>
<tr>
    <td colspan="5"><table border="0" width="100%" cellspacing="0" cellpadding="2">
        <tr>
            <td class="smallText" valign="top"><?php echo $orders_split-
>display_count($orders_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, $HTTP_GET_VARS['page'],
TEXT_DISPLAY_NUMBER_OF_ORDERS); ?></td>
            <td class="smallText" align="right"><?php echo $orders_split-
>display_links($orders_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, MAX_DISPLAY_PAGE_LINKS,
$HTTP_GET_VARS['page'], tep_get_all_get_params(array('page', 'oID', 'action'))); ?></td>
        </tr>
    </table></td>
</tr>
</table></td>
</td>
</tr>
<?php
$heading = array();
$contents = array();

switch ($action) {
    case 'delete':
        $heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_DELETE_ORDER . '</b>');
        $contents = array('form' => tep_draw_form('orders', FILENAME_ORDERS,
tep_get_all_get_params(array('oID', 'action')) . 'oID=' . $oInfo->orders_id . '&action=deleteconfirm'));
        $contents[] = array('text' => TEXT_INFO_DELETE_INTRO . '<br><br><b>' . $cInfo-
>customers_firstname . ' ' . $cInfo->customers_lastname . '</b>');
        $contents[] = array('text' => '<br>' . tep_draw_checkbox_field('restock') . ' ' .
TEXT_INFO_RESTOCK_PRODUCT_QUANTITY);
        $contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_delete.gif',
IMAGE_DELETE) . ' <a href="' . tep_href_link(FILENAME_ORDERS, tep_get_all_get_params(array('oID',
'action')) . 'oID=' . $oInfo->orders_id) . '">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) .
'</a>');
        break;
    default:
        if (isset($oInfo) && is_object($oInfo)) {
            $heading[] = array('text' => '<b>' . $oInfo->orders_id . ' &nbsp;' . tep_datetime_short($oInfo-
>date_purchased) . '</b>');
            $contents[] = array('align' => 'center', 'text' => '<a href="' . tep_href_link(FILENAME_ORDERS,
tep_get_all_get_params(array('oID', 'action')) . 'oID=' . $oInfo->orders_id . '&action=edit') . '">' .
tep_image_button('button_edit.gif', IMAGE_EDIT) . '</a> <a href="' . tep_href_link(FILENAME_ORDERS,
tep_get_all_get_params(array('oID', 'action')) . 'oID=' . $oInfo->orders_id . '&action=delete') . '">' .
tep_image_button('button_delete.gif', IMAGE_DELETE) . '</a>');
            $contents[] = array('align' => 'center', 'text' => '<a href=""'.
tep_href_link(FILENAME_ORDERS_INVOICE, 'oID=' . $oInfo->orders_id) . '" TARGET=_blank">' .
tep_image_button('button_invoice.gif', IMAGE_ORDERS_INVOICE) . '</a> <a href=""'.
tep_href_link(FILENAME_ORDERS_PACKSLIP, 'oID=' . $oInfo->orders_id) . '" TARGET=_blank">' .
tep_image_button('button_packinglist.gif', IMAGE_ORDERS_PACKSLIP) . '</a>');
            $contents[] = array('text' => '<br>' . TEXT_DATE_ORDER_CREATED . ' ' . tep_date_short($oInfo-
>date_purchased));
            if (tep_not_null($oInfo->last_modified)) $contents[] = array('text' =>
TEXT_DATE_ORDER_LAST_MODIFIED . ' ' . tep_date_short($oInfo->last_modified));
            $contents[] = array('text' => '<br>' . TEXT_INFO_PAYMENT_METHOD . ' ' . $oInfo->payment_method);
        }
        break;
    }

if ( (tep_not_null($heading)) && (tep_not_null($contents)) ) {
    echo '      <td width="25%" valign="top">' . "\n";
    $box = new box;
    echo $box->infoBox($heading, $contents);

    echo '          </td>' . "\n";
}
?>
    </tr>
</table></td>
</tr>
<?php
}
?>

```

```

</table></td>
<!-- body_text_eof //-->
</tr>
</table>
<!-- body_eof //-->

<!-- footer //-->
<?php require(DIR_WS_INCLUDES . 'footer.php'); ?>
<!-- footer_eof //-->
</body>
</html>
<?php require(DIR_WS_INCLUDES . 'application_bottom.php'); ?>
```

5. Şehirler / Vergiler (admin /countries.php)

5.1. Ülkeler

5.1.1. Ülke Ekle

5.1.2. Ülke Düzenle

5.1.3. Ülke Sil

```

<?php
/*
$Id: countries.php 1739 2007-12-20 00:52:16Z hpdl $

osCommerce, Open Source E-Commerce Solutions
http://www.oscommerce.com

Copyright (c) 2003 osCommerce

Released under the GNU General Public License
*/
require('includes/application_top.php');

$action = (isset($HTTP_GET_VARS['action']) ? $HTTP_GET_VARS['action'] : "");

if (tep_not_null($action)) {
switch ($action) {
case 'insert':
$countries_name = tep_db_prepare_input($HTTP_POST_VARS['countries_name']);
$countries_iso_code_2 = tep_db_prepare_input($HTTP_POST_VARS['countries_iso_code_2']);
$countries_iso_code_3 = tep_db_prepare_input($HTTP_POST_VARS['countries_iso_code_3']);
$address_format_id = tep_db_prepare_input($HTTP_POST_VARS['address_format_id']);

tep_db_query("insert into " . TABLE_COUNTRIES . " (countries_name, countries_iso_code_2,
countries_iso_code_3, address_format_id) values ('" . tep_db_input($countries_name) . "', '',
tep_db_input($countries_iso_code_2) . "", '" . tep_db_input($countries_iso_code_3) . "', '',
(int)$address_format_id . "")");

tep_redirect(tep_href_link(FILENAME_COUNTRIES));
break;
case 'save':
$countries_id = tep_db_prepare_input($HTTP_GET_VARS['cID']);
$countries_name = tep_db_prepare_input($HTTP_POST_VARS['countries_name']);
$countries_iso_code_2 = tep_db_prepare_input($HTTP_POST_VARS['countries_iso_code_2']);
$countries_iso_code_3 = tep_db_prepare_input($HTTP_POST_VARS['countries_iso_code_3']);
$address_format_id = tep_db_prepare_input($HTTP_POST_VARS['address_format_id']);

tep_db_query("update " . TABLE_COUNTRIES . " set countries_name = '" .
tep_db_input($countries_name) . "', countries_iso_code_2 = '" . tep_db_input($countries_iso_code_2) . "' ,
countries_iso_code_3 = '" . tep_db_input($countries_iso_code_3) . "', address_format_id = '" .
(int)$address_format_id . "' where countries_id = '" . (int)$countries_id . "'");
```

```

    tep_redirect(tep_href_link(FILENAME_COUNTRIES, 'page=' . $HTTP_GET_VARS['page'] . '&cID=' .
$countries_id));
    break;
  case 'deleteconfirm':
    $countries_id = tep_db_prepare_input($HTTP_GET_VARS['cID']);

    tep_db_query("delete from " . TABLE_COUNTRIES . " where countries_id = " . (int)$countries_id . "''");

    tep_redirect(tep_href_link(FILENAME_COUNTRIES, 'page=' . $HTTP_GET_VARS['page']));
    break;
}
}

?>
<!doctype html public "-//W3C//DTD HTML 4.01 Transitional//EN">
<html <?php echo HTML_PARAMS; ?>>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=<?php echo CHARSET; ?>">
<title><?php echo TITLE; ?></title>
<link rel="stylesheet" type="text/css" href="includes/stylesheet.css">
<script language="javascript" src="includes/general.js"></script>
</head>
<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"
bgcolor="#FFFFFF" onLoad="SetFocus();">
<!-- header //-->
<?php require(DIR_WS_INCLUDES . 'header.php'); ?>
<!-- header_eof //-->

<!-- body //-->
<table border="0" width="100%" cellspacing="2" cellpadding="2">
<tr>
  <td width="<?php echo BOX_WIDTH; ?>" valign="top"><table border="0" width="<?php echo
BOX_WIDTH; ?>" cellspacing="1" cellpadding="1" class="columnLeft">
<!-- left_navigation //-->
<?php require(DIR_WS_INCLUDES . 'column_left.php'); ?>
<!-- left_navigation_eof //-->
</table></td>
<!-- body_text //-->
<td width="100%" valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr>
  <td><table border="0" width="100%" cellspacing="0" cellpadding="0">
    <tr>
      <td class="pageHeading"><?php echo HEADING_TITLE; ?></td>
      <td class="pageHeading" align="right"><?php echo tep_draw_separator('pixel_trans.gif',
HEADING_IMAGE_WIDTH, HEADING_IMAGE_HEIGHT); ?></td>
    </tr>
  </table></td>
</tr>
<tr>
  <td><table border="0" width="100%" cellspacing="0" cellpadding="0">
    <tr>
      <td valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
        <tr class="dataTableHeadingRow">
          <td class="dataTableHeadingContent"><?php echo TABLE_HEADING_COUNTRY_NAME; ?></td>
          <td class="dataTableHeadingContent" align="center" colspan="2"><?php echo
TABLE_HEADING_COUNTRY_CODES; ?></td>
          <td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_ACTION;
?>&nbsp;</td>
        </tr>
      </table></td>
    </tr>
  </table></td>
</tr>
<?php
$countries_query_raw = "select countries_id, countries_name, countries_iso_code_2, countries_iso_code_3,
address_format_id from " . TABLE_COUNTRIES . " order by countries_name";
$countries_split = new splitPageResults($HTTP_GET_VARS['page'], MAX_DISPLAY_SEARCH_RESULTS,
$countries_query_raw, $countries_query_numrows);
$countries_query = tep_db_query($countries_query_raw);
while ($countries = tep_db_fetch_array($countries_query)) {
  if ((!isset($HTTP_GET_VARS['cID']) || (isset($HTTP_GET_VARS['cID']) && ($HTTP_GET_VARS['cID'] ==
$countries['countries_id']))) && !isset($cInfo) && (substr($action, 0, 3) != 'new')) {
    $cInfo = new objectInfo($countries);
  }
  if (isset($cInfo) && is_object($cInfo) && ($countries['countries_id'] == $cInfo->countries_id)) {

```

```

echo '          <tr id="defaultSelected" class="dataTableRowSelected"
onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)" onclick="document.location.href='". tep_href_link(FILENAME_COUNTRIES, 'page=' . $HTTP_GET_VARS['page'] . '&cID=' . $cInfo->countries_id . '&action=edit') . '">' . "\n";
} else {
echo '          <tr class="dataTableRow" onmouseover="rowOverEffect(this)"
onmouseout="rowOutEffect(this)" onclick="document.location.href='". tep_href_link(FILENAME_COUNTRIES,
'page=' . $HTTP_GET_VARS['page'] . '&cID=' . $countries['countries_id']) . '">' . "\n";
}
?>
<td class="dataTableContent"><?php echo $countries['countries_name']; ?></td>
<td class="dataTableContent" align="center" width="40"><?php echo
$countries['countries_iso_code_2']; ?></td>
<td class="dataTableContent" align="center" width="40"><?php echo
$countries['countries_iso_code_3']; ?></td>
<td class="dataTableContent" align="right"><?php if (isset($cInfo) && is_object($cInfo) &&
($countries['countries_id'] == $cInfo->countries_id) ) { echo tep_image(DIR_WS_IMAGES .
'icong_arrow_right.gif', ''); } else { echo '<a href="'. tep_href_link(FILENAME_COUNTRIES, 'page=' .
$HTTP_GET_VARS['page'] . '&cID=' . $countries['countries_id']) . '">' . tep_image(DIR_WS_IMAGES .
'icong_info.gif', IMAGE_ICON_INFO) . '</a>'; } ?>&nbsp;</td>
</tr>
<?php
}
?>
<tr>
<td colspan="4"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr>
<td class="smallText" valign="top"><?php echo $countries_split-
>display_count($countries_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, $HTTP_GET_VARS['page'],
TEXT_DISPLAY_NUMBER_OF_COUNTRIES); ?></td>
<td class="smallText" align="right"><?php echo $countries_split-
>display_links($countries_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, MAX_DISPLAY_PAGE_LINKS,
$HTTP_GET_VARS['page']); ?></td>
</tr>
<?php
if (empty($action)) {
?>
<tr>
<td colspan="2" align="right"><?php echo '<a href="'. tep_href_link(FILENAME_COUNTRIES,
'page=' . $HTTP_GET_VARS['page'] . '&action=new') . '">' . tep_image_button('button_new_country.gif',
IMAGE_NEW_COUNTRY) . '</a>'; ?></td>
</tr>
<?php
}
?>
</table></td>
</tr>
</table></td>
<?php
$heading = array();
$contents = array();

switch ($action) {
case 'new':
$heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_NEW_COUNTRY . '</b>');

$contents = array('form' => tep_draw_form('countries', FILENAME_COUNTRIES, 'page=' .
$HTTP_GET_VARS['page'] . '&action=insert'));
$contents[] = array('text' => TEXT_INFO_INSERT_INTRO);
$contents[] = array('text' => '<br>' . TEXT_INFO_COUNTRY_NAME . '<br>' .
tep_draw_input_field('countries_name'));
$contents[] = array('text' => '<br>' . TEXT_INFO_COUNTRY_CODE_2 . '<br>' .
tep_draw_input_field('countries_iso_code_2'));
$contents[] = array('text' => '<br>' . TEXT_INFO_COUNTRY_CODE_3 . '<br>' .
tep_draw_input_field('countries_iso_code_3'));
$contents[] = array('text' => '<br>' . TEXT_INFO_ADDRESS_FORMAT . '<br>' .
tep_draw_pull_down_menu('address_format_id', tep_get_address_formats()));
$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_insert.gif',
IMAGE_INSERT) . '&nbsp;<a href="'. tep_href_link(FILENAME_COUNTRIES, 'page=' .
$HTTP_GET_VARS['page']) . '">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
break;
case 'edit':

```

```

$heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_EDIT_COUNTRY . '</b>');

$contents = array('form' => tep_draw_form('countries', FILENAME_COUNTRIES, 'page=' .
$HTTP_GET_VARS['page'] . '&cID=' . $cInfo->countries_id . '&action=save'));
$contents[] = array('text' => TEXT_INFO_EDIT_INTRO);
$contents[] = array('text' => '<br>' . TEXT_INFO_COUNTRY_NAME . '<br>' .
tep_draw_input_field('countries_name', $cInfo->countries_name));
$contents[] = array('text' => '<br>' . TEXT_INFO_COUNTRY_CODE_2 . '<br>' .
tep_draw_input_field('countries_iso_code_2', $cInfo->countries_iso_code_2));
$contents[] = array('text' => '<br>' . TEXT_INFO_COUNTRY_CODE_3 . '<br>' .
tep_draw_input_field('countries_iso_code_3', $cInfo->countries_iso_code_3));
$contents[] = array('text' => '<br>' . TEXT_INFO_ADDRESS_FORMAT . '<br>' .
tep_draw_pull_down_menu('address_format_id', tep_get_address_formats(), $cInfo->address_format_id));
$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_update.gif',
IMAGE_UPDATE) . '&nbsp;<a href="" . tep_href_link(FILENAME_COUNTRIES, 'page=' .
$HTTP_GET_VARS['page'] . '&cID=' . $cInfo->countries_id) . '">' . tep_image_button('button_cancel.gif',
IMAGE_CANCEL) . '</a>');
break;
case 'delete':
$heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_DELETE_COUNTRY . '</b>');

$contents = array('form' => tep_draw_form('countries', FILENAME_COUNTRIES, 'page=' .
$HTTP_GET_VARS['page'] . '&cID=' . $cInfo->countries_id . '&action=deleteconfirm'));
$contents[] = array('text' => TEXT_INFO_DELETE_INTRO);
$contents[] = array('text' => '<br><b>' . $cInfo->countries_name . '</b>');
$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_delete.gif',
IMAGE_UPDATE) . '&nbsp;<a href="" . tep_href_link(FILENAME_COUNTRIES, 'page=' .
$HTTP_GET_VARS['page'] . '&cID=' . $cInfo->countries_id . '&action=delete') . '">' .
tep_image_button('button_delete.gif', IMAGE_DELETE) . '</a>');
$contents[] = array('align' => 'center', 'text' => '<a href="" . tep_href_link(FILENAME_COUNTRIES,
'page=' . $HTTP_GET_VARS['page'] . '&cID=' . $cInfo->countries_id . '&action=edit') . '">' .
tep_image_button('button_edit.gif', IMAGE_EDIT) . '</a> <a href="" . tep_href_link(FILENAME_COUNTRIES,
'page=' . $HTTP_GET_VARS['page'] . '&cID=' . $cInfo->countries_id . '&action=delete') . '">' .
tep_image_button('button_delete.gif', IMAGE_DELETE) . '</a>');
$contents[] = array('text' => '<br>' . TEXT_INFO_COUNTRY_NAME . '<br>' . $cInfo->countries_name);
$contents[] = array('text' => '<br>' . TEXT_INFO_COUNTRY_CODE_2 . '' . $cInfo-
>countries_iso_code_2);
$contents[] = array('text' => '<br>' . TEXT_INFO_COUNTRY_CODE_3 . '' . $cInfo-
>countries_iso_code_3);
$contents[] = array('text' => '<br>' . TEXT_INFO_ADDRESS_FORMAT . '' . $cInfo->address_format_id);
}
break;
default:
if (is_object($cInfo)) {
$heading[] = array('text' => '<b>' . $cInfo->countries_name . '</b>');

$contents[] = array('align' => 'center', 'text' => '<a href="" . tep_href_link(FILENAME_COUNTRIES,
'page=' . $HTTP_GET_VARS['page'] . '&cID=' . $cInfo->countries_id . '&action=edit') . '">' .
tep_image_button('button_edit.gif', IMAGE_EDIT) . '</a> <a href="" . tep_href_link(FILENAME_COUNTRIES,
'page=' . $HTTP_GET_VARS['page'] . '&cID=' . $cInfo->countries_id . '&action=delete') . '">' .
tep_image_button('button_delete.gif', IMAGE_DELETE) . '</a>');
$contents[] = array('text' => '<br>' . TEXT_INFO_COUNTRY_NAME . '<br>' . $cInfo->countries_name);
$contents[] = array('text' => '<br>' . TEXT_INFO_COUNTRY_CODE_2 . '' . $cInfo-
>countries_iso_code_2);
$contents[] = array('text' => '<br>' . TEXT_INFO_COUNTRY_CODE_3 . '' . $cInfo-
>countries_iso_code_3);
$contents[] = array('text' => '<br>' . TEXT_INFO_ADDRESS_FORMAT . '' . $cInfo->address_format_id);
}
break;
}

if ( (tep_not_null($heading)) && (tep_not_null($contents)) ) {
echo '      <td width="25%" valign="top">' . "\n";
$box = new box;
echo $box->infoBox($heading, $contents);
echo '      </td>' . "\n";
}
?>

      </tr>
    </table></td>
  </tr>
</table></td>
<!-- body_text_eof //-->
</tr>
</table>
<!-- body_eof //-->

<!-- footer //-->
<?php require(DIR_WS_INCLUDES . 'footer.php'); ?>
<!-- footer_eof //-->
</body>

```

```
</html>
<?php require(DIR_WS_INCLUDES . 'application_bottom.php'); ?>
```

5.2. Şehirler (admin / zones.php)

5.2.1. Şehir Ekle

5.2.2. Şehir Düzenle

5.2.3. Şehir Sil

```
<?php
/*
$Id: zones.php 1739 2007-12-20 00:52:16Z hpdl $

osCommerce, Open Source E-Commerce Solutions
http://www.oscommerce.com

Copyright (c) 2002 osCommerce

Released under the GNU General Public License
*/
require('includes/application_top.php');

$action = (isset($HTTP_GET_VARS['action']) ? $HTTP_GET_VARS['action'] : "");

if (tep_not_null($action)) {
    switch ($action) {
        case 'insert':
            $zone_country_id = tep_db_prepare_input($HTTP_POST_VARS['zone_country_id']);
            $zone_code = tep_db_prepare_input($HTTP_POST_VARS['zone_code']);
            $zone_name = tep_db_prepare_input($HTTP_POST_VARS['zone_name']);

            tep_db_query("insert into " . TABLE_ZONES . " (zone_country_id, zone_code, zone_name) values ('" .
(int)$zone_country_id . "", "' . tep_db_input($zone_code) . "', '" . tep_db_input($zone_name) . "')");

            tep_redirect(tep_href_link(FILENAME_ZONES));
            break;
        case 'save':
            $zone_id = tep_db_prepare_input($HTTP_GET_VARS['cID']);
            $zone_country_id = tep_db_prepare_input($HTTP_POST_VARS['zone_country_id']);
            $zone_code = tep_db_prepare_input($HTTP_POST_VARS['zone_code']);
            $zone_name = tep_db_prepare_input($HTTP_POST_VARS['zone_name']);

            tep_db_query("update " . TABLE_ZONES . " set zone_country_id = '" . (int)$zone_country_id . "' ,
zone_code = '" . tep_db_input($zone_code) . "', zone_name = '" . tep_db_input($zone_name) . "' where
zone_id = '" . (int)$zone_id . "'");

            tep_redirect(tep_href_link(FILENAME_ZONES, 'page=' . $HTTP_GET_VARS['page'] . '&cID=' . $zone_id));
            break;
        case 'deleteconfirm':
            $zone_id = tep_db_prepare_input($HTTP_GET_VARS['cID']);

            tep_db_query("delete from " . TABLE_ZONES . " where zone_id = '" . (int)$zone_id . "'");

            tep_redirect(tep_href_link(FILENAME_ZONES, 'page=' . $HTTP_GET_VARS['page']));
            break;
    }
}
?>
<!doctype html public "-//W3C//DTD HTML 4.01 Transitional//EN">
<html <?php echo HTML_PARAMS; ?>>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=<?php echo CHARSET; ?>">
<title><?php echo TITLE; ?></title>
<link rel="stylesheet" type="text/css" href="includes/stylesheet.css">
<script language="javascript" src="includes/general.js"></script>
```

```

</head>
<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"
bgcolor="#FFFFFF" onload="SetFocus();">
<!-- header //-->
<?php require(DIR_WS_INCLUDES . 'header.php'); ?>
<!-- header_eof //-->

<!-- body //-->
<table border="0" width="100%" cellspacing="2" cellpadding="2">
<tr>
    <td width="php echo BOX_WIDTH; ?&gt;" valign="top"&gt;&lt;table border="0" width="<?php echo
BOX_WIDTH; ?&gt;" cellspacing="1" cellpadding="1" class="columnLeft"&gt;
&lt;!-- left_navigation //--&gt;
&lt;?php require(DIR_WS_INCLUDES . 'column_left.php'); ?&gt;
&lt;!-- left_navigation_eof //--&gt;
    &lt;/table&gt;&lt;/td&gt;
&lt;!-- body_text //--&gt;
    &lt;td width="100%" valign="top"&gt;&lt;table border="0" width="100%" cellspacing="0" cellpadding="2"&gt;
        &lt;tr&gt;
            &lt;td&gt;&lt;table border="0" width="100%" cellspacing="0" cellpadding="0"&gt;
                &lt;tr&gt;
                    &lt;td class="pageHeading"&gt;&lt;?php echo HEADING_TITLE; ?&gt;&lt;/td&gt;
                    &lt;td class="pageHeading" align="right"&gt;&lt;?php echo tep_draw_separator('pixel_trans.gif',
HEADING_IMAGE_WIDTH, HEADING_IMAGE_HEIGHT); ?&gt;&lt;/td&gt;
                &lt;/tr&gt;
            &lt;/table&gt;&lt;/td&gt;
        &lt;/tr&gt;
        &lt;tr&gt;
            &lt;td&gt;&lt;table border="0" width="100%" cellspacing="0" cellpadding="0"&gt;
                &lt;tr&gt;
                    &lt;td valign="top"&gt;&lt;table border="0" width="100%" cellspacing="0" cellpadding="2"&gt;
                        &lt;tr class="dataTableHeadingRow"&gt;
                            &lt;td class="dataTableHeadingContent"&gt;&lt;?php echo TABLE_HEADING_COUNTRY_NAME; ?&gt;&lt;/td&gt;
                            &lt;td class="dataTableHeadingContent"&gt;&lt;?php echo TABLE_HEADING_ZONE_NAME; ?&gt;&lt;/td&gt;
                            &lt;td class="dataTableHeadingContent" align="center"&gt;&lt;?php echo TABLE_HEADING_ZONE_CODE;
?&gt;&lt;/td&gt;
                        &lt;td class="dataTableHeadingContent" align="right"&gt;&lt;?php echo TABLE_HEADING_ACTION;
?&gt;&amp;nbsp;&lt;/td&gt;
                    &lt;/tr&gt;
                &lt;/table&gt;&lt;/td&gt;
            &lt;/tr&gt;
            &lt;?php
                $zones_query_raw = "select z.zone_id, c.countries_id, c.countries_name, z.zone_name, z.zone_code,
z.zone_country_id from ". TABLE_ZONES . " z, ". TABLE_COUNTRIES . " c where z.zone_country_id =
c.countries_id order by c.countries_name, z.zone_name";
                $zones_split = new splitPageResults($HTTP_GET_VARS['page'], MAX_DISPLAY_SEARCH_RESULTS,
$zones_query_raw, $zones_query_numrows);
                $zones_query = tep_db_query($zones_query_raw);
                while ($zones = tep_db_fetch_array($zones_query)) {
                    if ((!isset($HTTP_GET_VARS['cID']) || (isset($HTTP_GET_VARS['cID']) &amp;&amp; ($HTTP_GET_VARS['cID'] ==
$zones['zone_id'])))) &amp;&amp; !isset($cInfo) &amp;&amp; (substr($action, 0, 3) != 'new')) {
                        $cInfo = new objectInfo($zones);
                    }
                    if (isset($cInfo) &amp;&amp; is_object($cInfo) &amp;&amp; ($zones['zone_id'] == $cInfo-&gt;zone_id)) {
                        echo '          &lt;tr id="defaultSelected" class="dataTableRowSelected"
onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)" onclick="document.location.href='". tep_href_link(FILENAME_ZONES, 'page=' . $HTTP_GET_VARS['page'] . '&amp;cID=' . $cInfo-&gt;zone_id .
'&amp;action=edit') . '"&gt;          &lt;td&gt;
                    } else {
                        echo '          &lt;tr class="dataTableRow" onmouseover="rowOverEffect(this)"
onmouseout="rowOutEffect(this)" onclick="document.location.href='". tep_href_link(FILENAME_ZONES,
'page=' . $HTTP_GET_VARS['page'] . '&amp;cID=' . $zones['zone_id']) . '"&gt;          &lt;td&gt;
                    }
                ?&gt;
                &lt;td class="dataTableContent"&gt;&lt;?php echo $zones['countries_name']; ?&gt;&lt;/td&gt;
                &lt;td class="dataTableContent"&gt;&lt;?php echo $zones['zone_name']; ?&gt;&lt;/td&gt;
                &lt;td class="dataTableContent" align="center"&gt;&lt;?php echo $zones['zone_code']; ?&gt;&lt;/td&gt;
                &lt;td class="dataTableContent" align="right"&gt;&lt;?php if (isset($cInfo) &amp;&amp; is_object($cInfo) &amp;&amp;
($zones['zone_id'] == $cInfo-&gt;zone_id) ) { echo tep_image(DIR_WS_IMAGES . 'icon_arrow_right.gif', ''); } else { echo '&lt;a href="'. tep_href_link(FILENAME_ZONES, 'page=' . $HTTP_GET_VARS['page'] . '&amp;cID=' .
$zones['zone_id']) . '"&gt;'. tep_image(DIR_WS_IMAGES . 'icon_info.gif', IMAGE_ICON_INFO) . '&lt;/a&gt;'; }
?&gt;&amp;nbsp;&lt;/td&gt;
            &lt;/tr&gt;
        &lt;/table&gt;&lt;/td&gt;
    &lt;/tr&gt;
</pre

```

```

<?php
}
?>
<tr>
<td colspan="4"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr>
<td class="smallText" valign="top"><?php echo $zones_split-
>display_count($zones_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, $HTTP_GET_VARS['page'],
TEXT_DISPLAY_NUMBER_OF_ZONES); ?></td>
<td class="smallText" align="right"><?php echo $zones_split-
>display_links($zones_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, MAX_DISPLAY_PAGE_LINKS,
$HTTP_GET_VARS['page']); ?></td>
</tr>
<?php
if (empty($action)) {
?>
<tr>
<td colspan="2" align="right"><?php echo '<a href="' . tep_href_link(FILENAME_ZONES,
'page=' . $HTTP_GET_VARS['page'] . '&action=new') . '">' . tep_image_button('button_new_zone.gif',
IMAGE_NEW_ZONE) . '</a>'; ?></td>
</tr>
<?php
}
?>
</table></td>
</tr>
</table></td>
<?php
$heading = array();
$contents = array();

switch ($action) {
    case 'new':
        $heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_NEW_ZONE . '</b>');
        $contents = array('form' => tep_draw_form('zones', FILENAME_ZONES, 'page=' .
$HTTP_GET_VARS['page'] . '&action=insert'));
        $contents[] = array('text' => TEXT_INFO_INSERT_INTRO);
        $contents[] = array('text' => '<br>' . TEXT_INFO_ZONES_NAME . '<br>' .
tep_draw_input_field('zone_name'));
        $contents[] = array('text' => '<br>' . TEXT_INFO_ZONES_CODE . '<br>' .
tep_draw_input_field('zone_code'));
        $contents[] = array('text' => '<br>' . TEXT_INFO_COUNTRY_NAME . '<br>' .
tep_draw_pull_down_menu('zone_country_id', tep_get_countries()));
        $contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_insert.gif',
IMAGE_INSERT) . '&ampnbsp<a href="' . tep_href_link(FILENAME_ZONES, 'page=' . $HTTP_GET_VARS['page']) . '">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
        break;
    case 'edit':
        $heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_EDIT_ZONE . '</b>');
        $contents = array('form' => tep_draw_form('zones', FILENAME_ZONES, 'page=' .
$HTTP_GET_VARS['page'] . '&cID=' . $cInfo->zone_id . '&action=save'));
        $contents[] = array('text' => TEXT_INFO_EDIT_INTRO);
        $contents[] = array('text' => '<br>' . TEXT_INFO_ZONES_NAME . '<br>' .
tep_draw_input_field('zone_name', $cInfo->zone_name));
        $contents[] = array('text' => '<br>' . TEXT_INFO_ZONES_CODE . '<br>' .
tep_draw_input_field('zone_code', $cInfo->zone_code));
        $contents[] = array('text' => '<br>' . TEXT_INFO_COUNTRY_NAME . '<br>' .
tep_draw_pull_down_menu('zone_country_id', tep_get_countries(), $cInfo->countries_id));
        $contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_update.gif',
IMAGE_UPDATE) . '&ampnbsp<a href="' . tep_href_link(FILENAME_ZONES, 'page=' . $HTTP_GET_VARS['page']) . '&cID=' . $cInfo->zone_id) . '">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
        break;
    case 'delete':
        $heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_DELETE_ZONE . '</b>');
        $contents = array('form' => tep_draw_form('zones', FILENAME_ZONES, 'page=' .
$HTTP_GET_VARS['page'] . '&cID=' . $cInfo->zone_id . '&action=deleteconfirm'));
        $contents[] = array('text' => TEXT_INFO_DELETE_INTRO);
        $contents[] = array('text' => '<br><b>' . $cInfo->zone_name . '</b>');
}

```

```

$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_delete.gif',
IMAGE_DELETE) . '&nbsp;<a href="" . tep_href_link(FILENAME_ZONES, 'page=' . $HTTP_GET_VARS['page'] .
'&cID=' . $cInfo->zone_id) . '">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
break;
default:
if (isset($cInfo) && is_object($cInfo)) {
$heading[] = array('text' => '<b>' . $cInfo->zone_name . '</b>');
$contents[] = array('align' => 'center', 'text' => '<a href="" . tep_href_link(FILENAME_ZONES, 'page=' .
$HTTP_GET_VARS['page']) . '&cID=' . $cInfo->zone_id . '&action=edit') . '">' .
tep_image_button('button_edit.gif', IMAGE_EDIT) . '</a> <a href="" . tep_href_link(FILENAME_ZONES,
'page=' . $HTTP_GET_VARS['page']) . '&cID=' . $cInfo->zone_id . '&action=delete') . '">' .
tep_image_button('button_delete.gif', IMAGE_DELETE) . '</a>');
$contents[] = array('text' => '<br>' . TEXT_INFO_ZONES_NAME . '<br>' . $cInfo->zone_name . '(' .
$cInfo->zone_code . ')');
$contents[] = array('text' => '<br>' . TEXT_INFO_COUNTRY_NAME . '' . $cInfo->countries_name);
}
break;
}

if ( (tep_not_null($heading)) && (tep_not_null($contents)) ) {
echo '<td width="25%" valign="top">' . "\n";
$box = new box;
echo $box->infoBox($heading, $contents);

echo '</td>' . "\n";
}
?>
</tr>
</table></td>
</tr>
</table></td>
<!-- body_text_eof //-->
</tr>
</table>
<!-- body_eof //-->

<!-- footer //-->
<?php require(DIR_WS_INCLUDES . 'footer.php'); ?>
<!-- footer_eof //-->
</body>
</html>
<?php require(DIR_WS_INCLUDES . 'application_bottom.php'); ?>

```

5.3. Vergi Bölgeleri (admin / geo_zones.php)

5.3.1. Vergi Bölgesi Ekle

5.3.2. Vergi Bölgesi Düzenle

5.3.3. Vergi Bölgesi Sil

```

<?php
/*
$Id: geo_zones.php 1739 2007-12-20 00:52:16Z hpdl $

osCommerce, Open Source E-Commerce Solutions
http://www.oscommerce.com

Copyright (c) 2003 osCommerce

Released under the GNU General Public License
*/

```

```

require('includes/application_top.php');

$saction = (isset($HTTP_GET_VARS['saction']) ? $HTTP_GET_VARS['saction'] : "");

if (tep_not_null($saction)) {
    switch ($saction) {
        case 'insert_sub':
            $zID = tep_db_prepare_input($HTTP_GET_VARS['zID']);
            $zone_country_id = tep_db_prepare_input($HTTP_POST_VARS['zone_country_id']);
            $zone_id = tep_db_prepare_input($HTTP_POST_VARS['zone_id']);

            tep_db_query("insert into " . TABLE_ZONES_TO_GEO_ZONES . " (zone_country_id, zone_id,
geo_zone_id, date_added) values ('" . (int)$zone_country_id . "', '" . (int)$zone_id . "', '" . (int)$zID . ',
now())");
            $new_subzone_id = tep_db_insert_id();

            tep_redirect(tep_href_link(FILENAME_GEO_ZONES, 'zpage=' . $HTTP_GET_VARS['zpage'] . '&zID=' .
$HTTP_GET_VARS['zID'] . '&action=list&spage=' . $HTTP_GET_VARS['spage'] . '&sID=' . $new_subzone_id));
            break;
        case 'save_sub':
            $sID = tep_db_prepare_input($HTTP_GET_VARS['sID']);
            $zID = tep_db_prepare_input($HTTP_GET_VARS['zID']);
            $zone_country_id = tep_db_prepare_input($HTTP_POST_VARS['zone_country_id']);
            $zone_id = tep_db_prepare_input($HTTP_POST_VARS['zone_id']);

            tep_db_query("update " . TABLE_ZONES_TO_GEO_ZONES . " set geo_zone_id = '" . (int)$zID . ',
zone_country_id = '" . (int)$zone_country_id . "', zone_id = '" . (tep_not_null($zone_id) ? "" . (int)$zone_id .
"" : 'null') . "', last_modified = now() where association_id = '" . (int)$sID . "'");

            tep_redirect(tep_href_link(FILENAME_GEO_ZONES, 'zpage=' . $HTTP_GET_VARS['zpage'] . '&zID=' .
$HTTP_GET_VARS['zID'] . '&action=list&spage=' . $HTTP_GET_VARS['spage'] . '&sID=' .
$HTTP_GET_VARS['sID']));
            break;
        case 'deleteconfirm_sub':
            $sID = tep_db_prepare_input($HTTP_GET_VARS['sID']);

            tep_db_query("delete from " . TABLE_ZONES_TO_GEO_ZONES . " where association_id = '" . (int)$sID .
"'");
            tep_redirect(tep_href_link(FILENAME_GEO_ZONES, 'zpage=' . $HTTP_GET_VARS['zpage'] . '&zID=' .
$HTTP_GET_VARS['zID'] . '&action=list&spage=' . $HTTP_GET_VARS['spage']));
            break;
    }
}

$action = (isset($HTTP_GET_VARS['action']) ? $HTTP_GET_VARS['action'] : "");

if (tep_not_null($action)) {
    switch ($action) {
        case 'insert_zone':
            $geo_zone_name = tep_db_prepare_input($HTTP_POST_VARS['geo_zone_name']);
            $geo_zone_description = tep_db_prepare_input($HTTP_POST_VARS['geo_zone_description']);

            tep_db_query("insert into " . TABLE_GEO_ZONES . " (geo_zone_name, geo_zone_description,
date_added) values ('" . tep_db_input($geo_zone_name) . "', '" . tep_db_input($geo_zone_description) . ',
now())");
            $new_zone_id = tep_db_insert_id();

            tep_redirect(tep_href_link(FILENAME_GEO_ZONES, 'zpage=' . $HTTP_GET_VARS['zpage'] . '&zID=' .
$new_zone_id));
            break;
        case 'save_zone':
            $zID = tep_db_prepare_input($HTTP_GET_VARS['zID']);
            $geo_zone_name = tep_db_prepare_input($HTTP_POST_VARS['geo_zone_name']);
            $geo_zone_description = tep_db_prepare_input($HTTP_POST_VARS['geo_zone_description']);

            tep_db_query("update " . TABLE_GEO_ZONES . " set geo_zone_name = '" .
tep_db_input($geo_zone_name) . "', geo_zone_description = '" . tep_db_input($geo_zone_description) . ',
last_modified = now() where geo_zone_id = '" . (int)$zID . "'");
    }
}

```

```

    tep_redirect(tep_href_link(FILENAME_GEO_ZONES, 'zpage=' . $HTTP_GET_VARS['zpage'] . '&zID=' .
$HTTP_GET_VARS['zID']));
    break;
  case 'deleteconfirm_zone':
    $zID = tep_db_prepare_input($HTTP_GET_VARS['zID']);

    tep_db_query("delete from " . TABLE_GEO_ZONES . " where geo_zone_id = '" . (int)$zID . "'");
    tep_db_query("delete from " . TABLE_ZONES_TO_GEO_ZONES . " where geo_zone_id = '" . (int)$zID .
"");
}

tep_redirect(tep_href_link(FILENAME_GEO_ZONES, 'zpage=' . $HTTP_GET_VARS['zpage']));
break;
}
}

?>
<!doctype html public "-//W3C//DTD HTML 4.01 Transitional//EN">
<html <?php echo HTML_PARAMS; ?>>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=<?php echo CHARSET; ?>">
<title><?php echo TITLE; ?></title>
<link rel="stylesheet" type="text/css" href="includes/stylesheet.css">
<script language="javascript" src="includes/general.js"></script>
<?php
if (isset($HTTP_GET_VARS['zID'])) && (($saction == 'edit') || ($saction == 'new'))) {
?>
<script language="javascript"><!--
function resetZoneSelected(theForm) {
if (theForm.state.value != "") {
theForm.zone_id.selectedIndex = '0';
if (theForm.zone_id.options.length > 0) {
theForm.state.value = '<?php echo JS_STATE_SELECT; ?>';
}
}
}

function update_zone(theForm) {
var NumState = theForm.zone_id.options.length;
var SelectedCountry = "";

while(NumState > 0) {
NumState--;
theForm.zone_id.options[NumState] = null;
}

SelectedCountry = theForm.zone_country_id.options[theForm.zone_country_id.selectedIndex].value;
<?php echo tep_js_zone_list('SelectedCountry', 'theForm', 'zone_id'); ?>

}
//--></script>
<?php
?
?>
</head>
<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"
bgcolor="#FFFFFF" onload="SetFocus();">
<!-- header //-->
<?php require(DIR_WS_INCLUDES . 'header.php'); ?>
<!-- header_eof //-->

<!-- body //-->
<table border="0" width="100%" cellspacing="2" cellpadding="2">
<tr>
<td width="<?php echo BOX_WIDTH; ?>" valign="top"><table border="0" width="<?php echo
BOX_WIDTH; ?>" cellspacing="1" cellpadding="1" class="columnLeft">
<!-- left_navigation //-->
<?php require(DIR_WS_INCLUDES . 'column_left.php'); ?>
<!-- left_navigation_eof //-->
</table></td>
<!-- body_text //-->
<td width="100%" valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr>

```

```

<td width="100%"><table border="0" width="100%" cellspacing="0" cellpadding="0">
  <tr>
    <td class="pageHeading"><?php echo HEADING_TITLE; if (isset($HTTP_GET_VARS['zone'])) echo
'<br><span class="smallText">' . tep_get_geo_zone_name($HTTP_GET_VARS['zone']) . '</span>'; ?></td>
    <td class="pageHeading" align="right"><?php echo tep_draw_separator('pixel_trans.gif',
HEADING_IMAGE_WIDTH, HEADING_IMAGE_HEIGHT); ?></td>
  </tr>
</table></td>
</tr>
<tr>
  <td><table border="0" width="100%" cellspacing="0" cellpadding="0">
    <tr>
      <td valign="top">
<?php
if ($action == 'list') {
?>
      <table border="0" width="100%" cellspacing="0" cellpadding="2">
        <tr class="dataTableHeadingRow">
          <td class="dataTableHeadingContent"><?php echo TABLE_HEADING_COUNTRY; ?></td>
          <td class="dataTableHeadingContent"><?php echo TABLE_HEADING_COUNTRY_ZONE; ?></td>
          <td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_ACTION;
?>&nbsp;</td>
        </tr>
<?php
$rows = 0;
$zones_query_raw = "select a.association_id, a.zone_country_id, c.countries_name, a.zone_id,
a.geo_zone_id, a.last_modified, a.date_added, z.zone_name from ". TABLE_ZONES_TO_GEO_ZONES . " a left
join ". TABLE_COUNTRIES . " c on a.zone_country_id = c.countries_id left join ". TABLE_ZONES . " z on
a.zone_id = z.zone_id where a.geo_zone_id = " . $HTTP_GET_VARS['zID'] . " order by association_id";
$zones_split = new splitPageResults($HTTP_GET_VARS['spage'], MAX_DISPLAY_SEARCH_RESULTS,
$zones_query_raw, $zones_query_numrows);
$zones_query = tep_db_query($zones_query_raw);
while ($zones = tep_db_fetch_array($zones_query)) {
  $rows++;
  if ((!isset($HTTP_GET_VARS['sID'])) || (isset($HTTP_GET_VARS['sID']) && ($HTTP_GET_VARS['sID'] ==
$zones['association_id']))) && !isset($sInfo) && (substr($action, 0, 3) != 'new')) {
    $sInfo = new objectInfo($zones);
  }
  if (isset($sInfo) && is_object($sInfo) && ($zones['association_id'] == $sInfo->association_id)) {
    echo '
      <tr id="defaultSelected" class="dataTableRowSelected"
onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)" onclick="document.location.href='".tep_href_link(FILENAME_GEO_ZONES, 'zpage=' . $HTTP_GET_VARS['zpage'] . '&zID=' .
$HTTP_GET_VARS['zID'] . '&action=list&spage=' . $HTTP_GET_VARS['spage'] . '&sID=' . $sInfo-
>association_id . '&saction=edit') . ';">'.
      } else {
    echo '
      <tr class="dataTableRow" onmouseover="rowOverEffect(this)"
onmouseout="rowOutEffect(this)" onclick="document.location.href='".tep_href_link(FILENAME_GEO_ZONES,
'zpage=' . $HTTP_GET_VARS['zpage'] . '&zID=' . $HTTP_GET_VARS['zID'] . '&action=list&spage=' .
$HTTP_GET_VARS['spage'] . '&sID=' . $zones['association_id']) . ';">'.
      }
?>
      <td class="dataTableContent"><?php echo (($zones['countries_name']) ? $zones['countries_name'] :
TEXT_ALL_COUNTRIES); ?></td>
      <td class="dataTableContent"><?php echo (($zones['zone_id']) ? $zones['zone_name'] :
PLEASE_SELECT); ?></td>
      <td class="dataTableContent" align="right"><?php if (isset($sInfo) && is_object($sInfo) &&
($zones['association_id'] == $sInfo->association_id)) { echo tep_image(DIR_WS_IMAGES .
'icon_arrow_right.gif', ''); } else { echo '<a href="'.tep_href_link(FILENAME_GEO_ZONES, 'zpage=' .
$HTTP_GET_VARS['zpage'] . '&zID=' . $HTTP_GET_VARS['zID'] . '&action=list&spage=' .
$HTTP_GET_VARS['spage'] . '&sID=' . $zones['association_id']) . '">'. tep_image(DIR_WS_IMAGES .
'icong_info.gif', IMAGE_ICON_INFO) . '</a>'; } ?>&nbsp;</td>
    </tr>
<?php
}
?>
  <tr>
    <td colspan="3"><table border="0" width="100%" cellspacing="0" cellpadding="2">
      <tr>
        <td class="smallText" valign="top"><?php echo $zones_split-
>display_count($zones_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, $HTTP_GET_VARS['spage'],
TEXT_DISPLAY_NUMBER_OF_COUNTRIES); ?></td>

```

```

        <td class="smallText" align="right"><?php echo $zones_split-
>display_links($zones_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, MAX_DISPLAY_PAGE_LINKS,
$HTTP_GET_VARS['spage'], 'zpage=' . $HTTP_GET_VARS['zpage'] . '&zID=' . $HTTP_GET_VARS['zID'] .
'&action=list', 'spage'); ?></td>
        </tr>
    </table></td>
</tr>
<tr>
    <td align="right" colspan="3"><?php if (empty($saction)) echo '<a href="" .
tep_href_link(FILENAME_GEO_ZONES, 'zpage=' . $HTTP_GET_VARS['zpage'] . '&zID=' .
$HTTP_GET_VARS['zID']) . '">' . tep_image_button('button_back.gif', IMAGE_BACK) . '</a> <a href="" .
tep_href_link(FILENAME_GEO_ZONES, 'zpage=' . $HTTP_GET_VARS['zpage'] . '&zID=' .
$HTTP_GET_VARS['zID']) . '&action=list&spage=' . $HTTP_GET_VARS['spage'] . '&' . (isset($sInfo) ? 'sID=' .
$sInfo->association_id . '&' : '') . 'saction=new') . '">' . tep_image_button('button_insert.gif', IMAGE_INSERT)
. '</a>'; ?></td>
    </tr>
</table>
<?php
} else {
?>
<table border="0" width="100%" cellspacing="0" cellpadding="2">
    <tr class="dataTableHeadingRow">
        <td class="dataTableHeadingContent"><?php echo TABLE_HEADING_TAX_ZONES; ?></td>
        <td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_ACTION;
?>&nbsp;</td>
    </tr>
<?php
$zones_query_raw = "select geo_zone_id, geo_zone_name, geo_zone_description, last_modified,
date_added from " . TABLE_GEO_ZONES . " order by geo_zone_name";
$zones_split = new splitPageResults($HTTP_GET_VARS['zpage'], MAX_DISPLAY_SEARCH_RESULTS,
$zones_query_raw, $zones_query_numrows);
$zones_query = tep_db_query($zones_query_raw);
while ($zones = tep_db_fetch_array($zones_query)) {
    if ((!isset($HTTP_GET_VARS['zID']) || (!isset($HTTP_GET_VARS['zID']) && ($HTTP_GET_VARS['zID'] ==
$zones['geo_zone_id'])) && (!isset($zInfo) && (substr($action, 0, 3) != 'new'))) {
        $num_zones_query = tep_db_query("select count(*) as num_zones from " .
TABLE_ZONES_TO_GEO_ZONES . " where geo_zone_id = '" . (int)$zones['geo_zone_id'] . "' group by
geo_zone_id");
        $num_zones = tep_db_fetch_array($num_zones_query);

        if ($num_zones['num_zones'] > 0) {
            $zones['num_zones'] = $num_zones['num_zones'];
        } else {
            $zones['num_zones'] = 0;
        }

        $zInfo = new objectInfo($zones);
    }
    if (isset($zInfo) && is_object($zInfo) && ($zones['geo_zone_id'] == $zInfo->geo_zone_id)) {
        echo '                <tr id="defaultSelected" class="dataTableRowSelected"
onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)" onclick="document.location.href='". .
tep_href_link(FILENAME_GEO_ZONES, 'zpage=' . $HTTP_GET_VARS['zpage'] . '&zID=' . $zInfo->geo_zone_id .
'&action=list') . '">' . "\n";
    } else {
        echo '                <tr class="dataTableRow" onmouseover="rowOverEffect(this)"
onmouseout="rowOutEffect(this)" onclick="document.location.href='". . tep_href_link(FILENAME_GEO_ZONES,
'zpage=' . $HTTP_GET_VARS['zpage'] . '&zID=' . $zones['geo_zone_id']) . '">' . "\n";
    }
?>
        <td class="dataTableContent"><?php echo '<a href="'. . tep_href_link(FILENAME_GEO_ZONES,
'zpage=' . $HTTP_GET_VARS['zpage'] . '&zID=' . $zones['geo_zone_id'] . '&action=list') . '">' .
tep_image(DIR_WS_ICONS . 'folder.gif', ICON_FOLDER) . '</a>&nbsp;' . $zones['geo_zone_name']; ?></td>
        <td class="dataTableContent" align="right"><?php if (isset($zInfo) && is_object($zInfo) &&
($zones['geo_zone_id'] == $zInfo->geo_zone_id)) { echo tep_image(DIR_WS_IMAGES .
'icon_arrow_right.gif'); } else { echo '<a href="'. . tep_href_link(FILENAME_GEO_ZONES, 'zpage=' .
$HTTP_GET_VARS['zpage'] . '&zID=' . $zones['geo_zone_id']) . '">' . tep_image(DIR_WS_IMAGES .
'icon_info.gif', IMAGE_ICON_INFO) . '</a>'; } ?>&nbsp;</td>
    </tr>
<?php
}
?>
<tr>
```

```

<td colspan="2"><table border="0" width="100%" cellspacing="0" cellpadding="2">
  <tr>
    <td class="smallText"><?php echo $zones_split->display_count($zones_query_numrows,
MAX_DISPLAY_SEARCH_RESULTS, $HTTP_GET_VARS['zpage'], TEXT_DISPLAY_NUMBER_OF_TAX_ZONES);
?></td>
    <td class="smallText" align="right"><?php echo $zones_split-
>display_links($zones_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, MAX_DISPLAY_PAGE_LINKS,
$HTTP_GET_VARS['zpage'], '', 'zpage'); ?></td>
  </tr>
</table></td>
</tr>
<tr>
  <td align="right" colspan="2"><?php if (!$action) echo '<a href="" .
tep_href_link(FILENAME_GEO_ZONES, 'zpage=' . $HTTP_GET_VARS['zpage'] . '&zID=' . $zInfo->geo_zone_id .
'&action=new_zone') . '">' . tep_image_button('button_insert.gif', IMAGE_INSERT) . '</a>'; ?></td>
</tr>
</table>

<?php
}
?>
</td>
<?php
$heading = array();
$contents = array();

if ($action == 'list') {
  switch ($saction) {
    case 'new':
      $heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_NEW_SUB_ZONE . '</b>');
      $contents = array('form' => tep_draw_form('zones', FILENAME_GEO_ZONES, 'zpage=' .
$HTTP_GET_VARS['zpage'] . '&zID=' . $HTTP_GET_VARS['zID'] . '&action=list&spage=' .
$HTTP_GET_VARS['spage'] . '&' . (isset($HTTP_GET_VARS['sID']) ? 'sID=' . $HTTP_GET_VARS['sID'] . '&' : '') .
'saction=insert_sub'));
      $contents[] = array('text' => TEXT_INFO_NEW_SUB_ZONE_INTRO);
      $contents[] = array('text' => '<br>' . TEXT_INFO_COUNTRY . '<br>');
      tep_draw_pull_down_menu('zone_country_id', tep_get_countries(TEXT_ALL_COUNTRIES), '',
'onChange="update_zone(this.form);"]');
      $contents[] = array('text' => '<br>' . TEXT_INFO_COUNTRY_ZONE . '<br>');
      tep_draw_pull_down_menu('zone_id', tep_prepare_country_zones_pull_down());
      $contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_insert.gif',
IMAGE_INSERT) . '<a href="" . tep_href_link(FILENAME_GEO_ZONES, 'zpage=' . $HTTP_GET_VARS['zpage'] .
'&zID=' . $HTTP_GET_VARS['zID'] . '&action=list&spage=' . $HTTP_GET_VARS['spage'] . '&' .
(isset($HTTP_GET_VARS['sID']) ? 'sID=' . $HTTP_GET_VARS['sID'] : '') . '">' .
(tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
      break;
    case 'edit':
      $heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_EDIT_SUB_ZONE . '</b>');
      $contents = array('form' => tep_draw_form('zones', FILENAME_GEO_ZONES, 'zpage=' .
$HTTP_GET_VARS['zpage'] . '&zID=' . $HTTP_GET_VARS['zID'] . '&action=list&spage=' .
$HTTP_GET_VARS['spage'] . '&sID=' . $sInfo->association_id . '&saction=save_sub'));
      $contents[] = array('text' => TEXT_INFO_EDIT_SUB_ZONE_INTRO);
      $contents[] = array('text' => '<br>' . TEXT_INFO_COUNTRY . '<br>');
      $contents[] = array('text' => tep_get_countries(TEXT_ALL_COUNTRIES), $sInfo-
tep_draw_pull_down_menu('zone_country_id', 'zone_country_id', 'onChange="update_zone(this.form);");
      $contents[] = array('text' => '<br>' . TEXT_INFO_COUNTRY_ZONE . '<br>');
      tep_draw_pull_down_menu('zone_id', tep_prepare_country_zones_pull_down($sInfo->zone_country_id),
$sInfo->zone_id));
      $contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_update.gif',
IMAGE_UPDATE) . '<a href="" . tep_href_link(FILENAME_GEO_ZONES, 'zpage=' . $HTTP_GET_VARS['zpage'] .
'&zID=' . $HTTP_GET_VARS['zID'] . '&action=list&spage=' . $HTTP_GET_VARS['spage'] . '&sID=' . $sInfo-
'>association_id . '">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
      break;
    case 'delete':
      $heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_DELETE_SUB_ZONE . '</b>');
      $contents = array('form' => tep_draw_form('zones', FILENAME_GEO_ZONES, 'zpage=' .
$HTTP_GET_VARS['zpage'] . '&zID=' . $HTTP_GET_VARS['zID'] . '&action=list&spage=' .
$HTTP_GET_VARS['spage'] . '&sID=' . $sInfo->association_id . '&saction=deleteconfirm_sub'));
      $contents[] = array('text' => TEXT_INFO_DELETE_SUB_ZONE_INTRO);
      $contents[] = array('text' => '<br><b>' . $sInfo->countries_name . '</b>');
  }
}
?>
```

```

$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_delete.gif',
IMAGE_DELETE) . '<a href="" . tep_href_link(FILENAME_GEO_ZONES, 'zpage=' . $HTTP_GET_VARS['zpage'] .
'&zID=' . $HTTP_GET_VARS['zID'] . '&action=list&spage=' . $HTTP_GET_VARS['spage'] . '&sID=' . $sInfo-
>association_id) . ">" . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
break;
default:
if (isset($sInfo) && is_object($sInfo)) {
$heading[] = array('text' => '<b>' . $sInfo->countries_name . '</b>');

$contents[] = array('align' => 'center', 'text' => '<a href="" . tep_href_link(FILENAME_GEO_ZONES,
'zpage=' . $HTTP_GET_VARS['zpage'] . '&zID=' . $HTTP_GET_VARS['zID'] . '&action=list&spage=' .
$HTTP_GET_VARS['spage'] . '&sID=' . $sInfo->association_id . '&saction=edit') . ">" .
tep_image_button('button_edit.gif', IMAGE_EDIT) . '</a> <a href="" . tep_href_link(FILENAME_GEO_ZONES,
'zpage=' . $HTTP_GET_VARS['zpage'] . '&zID=' . $HTTP_GET_VARS['zID'] . '&action=list&spage=' .
$HTTP_GET_VARS['spage'] . '&sID=' . $sInfo->association_id . '&saction=delete') . ">" .
tep_image_button('button_delete.gif', IMAGE_DELETE) . '</a>');
$contents[] = array('text' => '<br>' . TEXT_INFO_DATE_ADDED . '' . tep_date_short($sInfo-
>date_added));
if (tep_not_null($sInfo->last_modified)) $contents[] = array('text' => TEXT_INFO_LAST_MODIFIED . '' .
tep_date_short($sInfo->last_modified));
}
break;
}
} else {
switch ($action) {
case 'new_zone':
$heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_NEW_ZONE . '</b>');

$contents = array('form' => tep_draw_form('zones', FILENAME_GEO_ZONES, 'zpage=' .
$HTTP_GET_VARS['zpage'] . '&zID=' . $HTTP_GET_VARS['zID'] . '&action=insert_zone'));
$contents[] = array('text' => TEXT_INFO_NEW_ZONE_INTRO);
$contents[] = array('text' => '<br>' . TEXT_INFO_ZONE_NAME . '<br>' .
tep_draw_input_field('geo_zone_name'));
$contents[] = array('text' => '<br>' . TEXT_INFO_ZONE_DESCRIPTION . '<br>' .
tep_draw_input_field('geo_zone_description'));
$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_insert.gif',
IMAGE_INSERT) . '<a href="" . tep_href_link(FILENAME_GEO_ZONES, 'zpage=' . $HTTP_GET_VARS['zpage'] .
'&zID=' . $HTTP_GET_VARS['zID']) . ">" . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
break;
case 'edit_zone':
$heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_EDIT_ZONE . '</b>');

$contents = array('form' => tep_draw_form('zones', FILENAME_GEO_ZONES, 'zpage=' .
$HTTP_GET_VARS['zpage'] . '&zID=' . $zInfo->geo_zone_id . '&action=save_zone'));
$contents[] = array('text' => TEXT_INFO_EDIT_ZONE_INTRO);
$contents[] = array('text' => '<br>' . TEXT_INFO_ZONE_NAME . '<br>' .
tep_draw_input_field('geo_zone_name', $zInfo->geo_zone_name));
$contents[] = array('text' => '<br>' . TEXT_INFO_ZONE_DESCRIPTION . '<br>' .
tep_draw_input_field('geo_zone_description', $zInfo->geo_zone_description));
$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_update.gif',
IMAGE_UPDATE) . '<a href="" . tep_href_link(FILENAME_GEO_ZONES, 'zpage=' . $HTTP_GET_VARS['zpage'] .
'&zID=' . $zInfo->geo_zone_id) . ">" . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
break;
case 'delete_zone':
$heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_DELETE_ZONE . '</b>');

$contents = array('form' => tep_draw_form('zones', FILENAME_GEO_ZONES, 'zpage=' .
$HTTP_GET_VARS['zpage'] . '&zID=' . $zInfo->geo_zone_id . '&action=deleteconfirm_zone'));
$contents[] = array('text' => TEXT_INFO_DELETE_ZONE_INTRO);
$contents[] = array('text' => '<br><b>' . $zInfo->geo_zone_name . '</b>');
$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_delete.gif',
IMAGE_DELETE) . '<a href="" . tep_href_link(FILENAME_GEO_ZONES, 'zpage=' . $HTTP_GET_VARS['zpage'] .
'&zID=' . $zInfo->geo_zone_id) . ">" . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
break;
default:
if (isset($zInfo) && is_object($zInfo)) {
$heading[] = array('text' => '<b>' . $zInfo->geo_zone_name . '</b>');

$contents[] = array('align' => 'center', 'text' => '<a href="" . tep_href_link(FILENAME_GEO_ZONES,
'zpage=' . $HTTP_GET_VARS['zpage'] . '&zID=' . $zInfo->geo_zone_id . '&action=edit_zone') . ">" .
tep_image_button('button_edit.gif', IMAGE_EDIT) . '</a> <a href="" . tep_href_link(FILENAME_GEO_ZONES,
'zpage=' . $HTTP_GET_VARS['zpage'] . '&zID=' . $zInfo->geo_zone_id . '&action=delete_zone') . ">" .

```

```

tep_image_button('button_delete.gif', IMAGE_DELETE) . '</a>' . ' <a href="" .
tep_href_link(FILENAME_GEO_ZONES, 'zpage=' . $HTTP_GET_VARS['zpage'] . '&zID=' . $zInfo->geo_zone_id .
'&action=list') . "">' . tep_image_button('button_details.gif', IMAGE_DETAILS) . '</a>');
    $contents[] = array('text' => '<br>' . TEXT_INFO_NUMBER_ZONES . '' . $zInfo->num_zones);
    $contents[] = array('text' => '<br>' . TEXT_INFO_DATE_ADDED . '' . tep_date_short($zInfo-
>date_added));
    if (tep_not_null($zInfo->last_modified)) $contents[] = array('text' => TEXT_INFO_LAST_MODIFIED . '' .
. tep_date_short($zInfo->last_modified));
    $contents[] = array('text' => '<br>' . TEXT_INFO_ZONE_DESCRIPTION . '<br>' . $zInfo-
>geo_zone_description);
}
break;
}
}

if ( (tep_not_null($heading)) && (tep_not_null($contents)) ) {
echo '      <td width="25%" valign="top">' . "\n";
$box = new box;
echo $box->infoBox($heading, $contents);

echo '      </td>' . "\n";
}
?>
      </tr>
    </table></td>
  </tr>
</table></td>
<!-- body_text_eof //-->
</tr>
</table>
<!-- body_eof //-->

<!-- footer //-->
<?php require(DIR_WS_INCLUDES . 'footer.php'); ?>
<!-- footer_eof //-->
</body>
</html>
<?php require(DIR_WS_INCLUDES . 'application_bottom.php'); ?>

```

5.4. Vergi Türleri (admin / tax_classes.php)

5.4.1. Vergi Türü Ekle

5.4.2. Vergi Türü Düzenle

5.4.3. Vergi Türü Sil

```

<?php
/*
$id: tax_classes.php 1739 2007-12-20 00:52:16Z hpdl $

osCommerce, Open Source E-Commerce Solutions
http://www.oscommerce.com

Copyright (c) 2003 osCommerce

Released under the GNU General Public License
*/
require('includes/application_top.php');

$action = (isset($HTTP_GET_VARS['action']) ? $HTTP_GET_VARS['action'] : "");

if (tep_not_null($action)) {
  switch ($action) {
    case 'insert':

```

```

$tax_class_title = tep_db_prepare_input($HTTP_POST_VARS['tax_class_title']);
$tax_class_description = tep_db_prepare_input($HTTP_POST_VARS['tax_class_description']);

tep_db_query("insert into " . TABLE_TAX_CLASS . " (tax_class_title, tax_class_description, date_added)
values ('" . tep_db_input($tax_class_title) . "', '" . tep_db_input($tax_class_description) . "', now())");

tep_redirect(tep_href_link(FILENAME_TAX_CLASSES));
break;
case 'save':
$tax_class_id = tep_db_prepare_input($HTTP_GET_VARS['tID']);
$tax_class_title = tep_db_prepare_input($HTTP_POST_VARS['tax_class_title']);
$tax_class_description = tep_db_prepare_input($HTTP_POST_VARS['tax_class_description']);

tep_db_query("update " . TABLE_TAX_CLASS . " set tax_class_id = '" . (int)$tax_class_id . "' ,
tax_class_title = '" . tep_db_input($tax_class_title) . "' , tax_class_description = '" .
tep_db_input($tax_class_description) . "' , last_modified = now() where tax_class_id = '" . (int)$tax_class_id .
"'");

tep_redirect(tep_href_link(FILENAME_TAX_CLASSES, 'page=' . $HTTP_GET_VARS['page'] . '&tID=' .
$tax_class_id));
break;
case 'deleteconfirm':
$tax_class_id = tep_db_prepare_input($HTTP_GET_VARS['tID']);

tep_db_query("delete from " . TABLE_TAX_CLASS . " where tax_class_id = '" . (int)$tax_class_id . "'");

tep_redirect(tep_href_link(FILENAME_TAX_CLASSES, 'page=' . $HTTP_GET_VARS['page']));
break;
}
}

?>
<!doctype html public "-//W3C//DTD HTML 4.01 Transitional//EN">
<html <?php echo HTML_PARAMS; ?>>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=<?php echo CHARSET; ?>">
<title><?php echo TITLE; ?></title>
<link rel="stylesheet" type="text/css" href="includes/stylesheet.css">
<script language="javascript" src="includes/general.js"></script>
</head>
<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"
bgcolor="#FFFFFF" onload="SetFocus();">
<!-- header //-->
<?php require(DIR_WS_INCLUDES . 'header.php'); ?>
<!-- header_eof //-->

<!-- body //-->
<table border="0" width="100%" cellspacing="2" cellpadding="2">
<tr>
<td width=<?php echo BOX_WIDTH; ?> valign="top"><table border="0" width=<?php echo
BOX_WIDTH; ?>" cellspacing="1" cellpadding="1" class="columnLeft">
<!-- left_navigation //-->
<?php require(DIR_WS_INCLUDES . 'column_left.php'); ?>
<!-- left_navigation_eof //-->
</table></td>
<!-- body_text //-->
<td width="100%" valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr>
<td class="pageHeading"><?php echo HEADING_TITLE; ?></td>
<td class="pageHeading" align="right"><?php echo tep_draw_separator('pixel_trans.gif',
HEADING_IMAGE_WIDTH, HEADING_IMAGE_HEIGHT); ?></td>
</tr>
</table></td>
</tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr>
<td valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr class="dataTableHeadingRow">
<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_TAX_CLASSES; ?></td>

```

```

<td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_ACTION;
?>&nbsp;</td>
</tr>
<?php
$classes_query_raw = "select tax_class_id, tax_class_title, tax_class_description, last_modified, date_added
from ". TABLE_TAX_CLASS . " order by tax_class_title";
$classes_split = new splitPageResults($HTTP_GET_VARS['page'], MAX_DISPLAY_SEARCH_RESULTS,
$classes_query_raw, $classes_query_numrows);
$classes_query = tep_db_query($classes_query_raw);
while ($classes = tep_db_fetch_array($classes_query)) {
if ((!isset($HTTP_GET_VARS['tID'])) || (!isset($HTTP_GET_VARS['tID']) && ($HTTP_GET_VARS['tID'] ==
$classes['tax_class_id']))) && !isset($tcInfo) && (substr($action, 0, 3) != 'new')) {
$tcInfo = new objectInfo($classes);
}
if (isset($tcInfo) && is_object($tcInfo) && ($classes['tax_class_id'] == $tcInfo->tax_class_id)) {
echo'<tr id="defaultSelected" class="dataTableRowSelected"
onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)" onclick="document.location.href=' .
tep_href_link(FILENAME_TAX_CLASSES, 'page=' . $HTTP_GET_VARS['page'] . '&tID=' . $tcInfo->tax_class_id .
'&action=edit') . '">' . "\n";
} else {
echo'<tr class="dataTableRow" onmouseover="rowOverEffect(this)"
onmouseout="rowOutEffect(this)" onclick="document.location.href=' .
tep_href_link(FILENAME_TAX_CLASSES, 'page=' . $HTTP_GET_VARS['page'] . '&tID=' .
$classes['tax_class_id']) . '">' . "\n";
}
?>
<td class="dataTableContent"><?php echo $classes['tax_class_title']; ?></td>
<td class="dataTableContent" align="right"><?php if (isset($tcInfo) && is_object($tcInfo) &&
($classes['tax_class_id'] == $tcInfo->tax_class_id)) { echo tep_image(DIR_WS_IMAGES .
'icon_arrow_right.gif', ''); } else { echo '<a href=' . tep_href_link(FILENAME_TAX_CLASSES, 'page=' .
$HTTP_GET_VARS['page'] . '&tID=' . $classes['tax_class_id']) . '">' . tep_image(DIR_WS_IMAGES .
'icon_info.gif', IMAGE_ICON_INFO) . '</a>'; } ?>&nbsp;</td>
</tr>
<?php
}
?>
<tr>
<td colspan="2"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr>
<td class="smallText" valign="top"><?php echo $classes_split-
>display_count($classes_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, $HTTP_GET_VARS['page'],
TEXT_DISPLAY_NUMBER_OF_TAX_CLASSES); ?></td>
<td class="smallText" align="right"><?php echo $classes_split-
>display_links($classes_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, MAX_DISPLAY_PAGE_LINKS,
$HTTP_GET_VARS['page']); ?></td>
</tr>
<?php
if (empty($action)) {
?>
<tr>
<td colspan="2" align="right"><?php echo '<a href=' . tep_href_link(FILENAME_TAX_CLASSES,
'page=' . $HTTP_GET_VARS['page'] . '&action=new') . '">' . tep_image_button('button_new_tax_class.gif',
IMAGE_NEW_TAX_CLASS) . '</a>'; ?></td>
</tr>
<?php
}
?>
</table></td>
</tr>
</table></td>
<?php
$heading = array();
$contents = array();

switch ($action) {
case 'new':
$heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_NEW_TAX_CLASS . '</b>');
$contents = array('form' => tep_draw_form('classes', FILENAME_TAX_CLASSES, 'page=' .
$HTTP_GET_VARS['page'] . '&action=insert'));
$contents[] = array('text' => TEXT_INFO_INSERT_INTRO);
}

```

```

$contents[] = array('text' => '<br>' . TEXT_INFO_CLASS_TITLE . '<br>' .
tep_draw_input_field('tax_class_title'));
$contents[] = array('text' => '<br>' . TEXT_INFO_CLASS_DESCRIPTION . '<br>' .
tep_draw_input_field('tax_class_description'));
$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_insert.gif',
IMAGE_INSERT) . '&nbsp;<a href="" . tep_href_link(FILENAME_TAX_CLASSES, 'page=' .
$HTTP_GET_VARS['page']) . '">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
$HTTP_GET_VARS['page']);
break;
case 'edit':
$heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_EDIT_TAX_CLASS . '</b>');
$contents = array('form' => tep_draw_form('classes', FILENAME_TAX_CLASSES, 'page=' .
$HTTP_GET_VARS['page'] . '&tID=' . $tcInfo->tax_class_id . '&action=save'));
$HTTP_GET_VARS['page']);
$contents[] = array('text' => TEXT_INFO_EDIT_INTRO);
$contents[] = array('text' => '<br>' . TEXT_INFO_CLASS_TITLE . '<br>' .
tep_draw_input_field('tax_class_title', $tcInfo->tax_class_title));
$contents[] = array('text' => '<br>' . TEXT_INFO_CLASS_DESCRIPTION . '<br>' .
tep_draw_input_field('tax_class_description', $tcInfo->tax_class_description));
$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_update.gif',
IMAGE_UPDATE) . '&nbsp;<a href="" . tep_href_link(FILENAME_TAX_CLASSES, 'page=' .
$HTTP_GET_VARS['page'] . '&tID=' . $tcInfo->tax_class_id) . '">' . tep_image_button('button_cancel.gif',
IMAGE_CANCEL) . '</a>');
break;
case 'delete':
$heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_DELETE_TAX_CLASS . '</b>');
$contents = array('form' => tep_draw_form('classes', FILENAME_TAX_CLASSES, 'page=' .
$HTTP_GET_VARS['page'] . '&tID=' . $tcInfo->tax_class_id . '&action=deleteconfirm'));
$HTTP_GET_VARS['page']);
$contents[] = array('text' => TEXT_INFO_DELETE_INTRO);
$contents[] = array('text' => '<br><b>' . $tcInfo->tax_class_title . '</b>');
$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_delete.gif',
IMAGE_DELETE) . '&nbsp;<a href="" . tep_href_link(FILENAME_TAX_CLASSES, 'page=' .
$HTTP_GET_VARS['page'] . '&tID=' . $tcInfo->tax_class_id) . '">' . tep_image_button('button_cancel.gif',
IMAGE_CANCEL) . '</a>');
break;
default:
if (isset($tcInfo) && is_object($tcInfo)) {
$heading[] = array('text' => '<b>' . $tcInfo->tax_class_title . '</b>');
$contents[] = array('align' => 'center', 'text' => '<a href="" . tep_href_link(FILENAME_TAX_CLASSES,
'page=' . $HTTP_GET_VARS['page'] . '&tID=' . $tcInfo->tax_class_id . '&action=edit') . '">' .
tep_image_button('button_edit.gif', IMAGE_EDIT) . '</a> <a href="" . tep_href_link(FILENAME_TAX_CLASSES,
'page=' . $HTTP_GET_VARS['page'] . '&tID=' . $tcInfo->tax_class_id . '&action=delete') . '">' .
tep_image_button('button_delete.gif', IMAGE_DELETE) . '</a>');
$contents[] = array('text' => '<br>' . TEXT_INFO_DATE_ADDED . ' ' . tep_date_short($tcInfo-
>date_added));
$contents[] = array('text' => '' . TEXT_INFO_LAST_MODIFIED . ' ' . tep_date_short($tcInfo-
>last_modified));
$contents[] = array('text' => '<br>' . TEXT_INFO_CLASS_DESCRIPTION . '<br>' . $tcInfo-
>tax_class_description);
}
break;
}
if ( (tep_not_null($heading)) && (tep_not_null($contents)) ) {
echo '      <td width="25%" valign="top">' . "\n";
$box = new box;
echo $box->infoBox($heading, $contents);
echo '      </td>' . "\n";
}
?>
      </tr>
    </table></td>
  </tr>
</table></td>
<!-- body_text_eof //-->
</tr>
</table>
<!-- body_eof //-->
<!-- footer //-->

```

```

<?php require(DIR_WS_INCLUDES . 'footer.php'); ?>
<!-- footer_eof //-->
</body>
</html>
<?php require(DIR_WS_INCLUDES . 'application_bottom.php'); ?>

```

5.5. Vergi Oranları (admin / tax_rates.php)

5.5.1. Vergi Oranları Ekle

5.5.2. Vergi Oranları Düzenle

5.5.3. Vergi Oranları Sil

```

<?php
/*
$Id: tax_rates.php 1739 2007-12-20 00:52:16Z hpdl $

osCommerce, Open Source E-Commerce Solutions
http://www.oscommerce.com

Copyright (c) 2003 osCommerce

Released under the GNU General Public License
*/.

require('includes/application_top.php');

$action = (isset($HTTP_GET_VARS['action']) ? $HTTP_GET_VARS['action'] : "");

if (tep_not_null($action)) {
switch ($action) {
    case 'insert':
        $tax_zone_id = tep_db_prepare_input($HTTP_POST_VARS['tax_zone_id']);
        $tax_class_id = tep_db_prepare_input($HTTP_POST_VARS['tax_class_id']);
        $tax_rate = tep_db_prepare_input($HTTP_POST_VARS['tax_rate']);
        $tax_description = tep_db_prepare_input($HTTP_POST_VARS['tax_description']);
        $tax_priority = tep_db_prepare_input($HTTP_POST_VARS['tax_priority']);

        tep_db_query("insert into " . TABLE_TAX_RATES . " (tax_zone_id, tax_class_id, tax_rate, tax_description,
tax_priority, date_added) values (" . (int)$tax_zone_id . "", "" . (int)$tax_class_id . "", "" .
tep_db_input($tax_rate) . "", "" . tep_db_input($tax_description) . "", "" . tep_db_input($tax_priority) . "",
now())");

        tep_redirect(tep_href_link(FILENAME_TAX_RATES));
        break;
    case 'save':
        $tax_rates_id = tep_db_prepare_input($HTTP_GET_VARS['tID']);
        $tax_zone_id = tep_db_prepare_input($HTTP_POST_VARS['tax_zone_id']);
        $tax_class_id = tep_db_prepare_input($HTTP_POST_VARS['tax_class_id']);
        $tax_rate = tep_db_prepare_input($HTTP_POST_VARS['tax_rate']);
        $tax_description = tep_db_prepare_input($HTTP_POST_VARS['tax_description']);
        $tax_priority = tep_db_prepare_input($HTTP_POST_VARS['tax_priority']);

        tep_db_query("update " . TABLE_TAX_RATES . " set tax_rates_id = '" . (int)$tax_rates_id . "",
tax_zone_id = '" . (int)$tax_zone_id . ", tax_class_id = '" . (int)$tax_class_id . ", tax_rate = '" .
tep_db_input($tax_rate) . ", tax_description = '" . tep_db_input($tax_description) . ", tax_priority = '" .
tep_db_input($tax_priority) . ", last_modified = now() where tax_rates_id = '" . (int)$tax_rates_id . "'");

        tep_redirect(tep_href_link(FILENAME_TAX_RATES, 'page=' . $HTTP_GET_VARS['page'] . '&tID=' .
$tax_rates_id));
        break;
    case 'deleteconfirm':
        $tax_rates_id = tep_db_prepare_input($HTTP_GET_VARS['tID']);

```

```

tep_db_query("delete from " . TABLE_TAX_RATES . " where tax_rates_id = " . (int)$tax_rates_id . "'");
tep_redirect(tep_href_link(FILENAME_TAX_RATES, 'page=' . $HTTP_GET_VARS['page']));
break;
}
?>
<!doctype html public "-//W3C//DTD HTML 4.01 Transitional//EN">
<html <?php echo HTML_PARAMS; ?>>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=<?php echo CHARSET; ?>">
<title><?php echo TITLE; ?></title>
<link rel="stylesheet" type="text/css" href="includes/stylesheet.css">
<script language="javascript" src="includes/general.js"></script>
</head>
<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"
bgcolor="#FFFFFF" onload="SetFocus();">
<!-- header //-->
<?php require(DIR_WS_INCLUDES . 'header.php'); ?>
<!-- header_eof //-->

<!-- body //-->
<table border="0" width="100%" cellspacing="2" cellpadding="2">
<tr>
<td width=<?php echo BOX_WIDTH; ?>" valign="top"><table border="0" width=<?php echo
BOX_WIDTH; ?>" cellspacing="1" cellpadding="1" class="columnLeft">
<!-- left_navigation //-->
<?php require(DIR_WS_INCLUDES . 'column_left.php'); ?>
<!-- left_navigation_eof //-->
</table></td>
<!-- body_text //-->
<td width="100%" valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr>
<td class="pageHeading"><?php echo HEADING_TITLE; ?></td>
<td class="pageHeading" align="right"><?php echo tep_draw_separator('pixel_trans.gif',
HEADING_IMAGE_WIDTH, HEADING_IMAGE_HEIGHT); ?></td>
</tr>
</table></td>
</tr>
<tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr>
<td valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr class="dataTableHeadingRow">
<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_TAX_RATE_PRIORITY;
?></td>
<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_TAX_CLASS_TITLE; ?></td>
<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_ZONE; ?></td>
<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_TAX_RATE; ?></td>
<td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_ACTION;
?>&nbsp;</td>
</tr>
<?php
$rates_query_raw = "select r.tax_rates_id, z.geo_zone_id, z.geo_zone_name, tc.tax_class_title,
tc.tax_class_id, r.tax_priority, r.tax_rate, r.tax_description, r.date_added, r.last_modified from " .
TABLE_TAX_CLASS . " tc, " . TABLE_TAX_RATES . " r left join " . TABLE_GEO_ZONES . " z on r.tax_zone_id =
z.geo_zone_id where r.tax_class_id = tc.tax_class_id";
$rates_split = new splitPageResults($HTTP_GET_VARS['page'], MAX_DISPLAY_SEARCH_RESULTS,
$rates_query_raw, $rates_query_numrows);
$rates_query = tep_db_query($rates_query_raw);
while ($rates = tep_db_fetch_array($rates_query)) {
if ((!isset($HTTP_GET_VARS['tID'])) || (isset($HTTP_GET_VARS['tID'])) && ($HTTP_GET_VARS['tID'] ==
$rates['tax_rates_id'])) && !isset($trInfo) && (substr($action, 0, 3) != 'new')) {
$trInfo = new objectInfo($rates);
}

if (isset($trInfo) && is_object($trInfo) && ($rates['tax_rates_id'] == $trInfo->tax_rates_id)) {
echo '          <tr id="defaultSelected" class="dataTableRowSelected"
onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)" onclick="document.location.href=\"

```

```

tep_href_link(FILENAME_TAX_RATES, 'page=' . $HTTP_GET_VARS['page'] . '&tID=' . $trInfo->tax_rates_id .
'&action=edit') . '">' . "\n";
} else {
echo'      <tr class="dataTableRow" onmouseover="rowOverEffect(this)">
      onmouseout="rowOutEffect(this)" onclick="document.location.href='." . tep_href_link(FILENAME_TAX_RATES,
'page=' . $HTTP_GET_VARS['page'] . '&tID=' . $rates['tax_rates_id']) . '">' . "\n";
}
?>
<td class="dataTableContent"><?php echo $rates['tax_priority']; ?></td>
<td class="dataTableContent"><?php echo $rates['tax_class_title']; ?></td>
<td class="dataTableContent"><?php echo $rates['geo_zone_name']; ?></td>
<td class="dataTableContent"><?php echo tep_display_tax_value($rates['tax_rate']); ?>%</td>
<td class="dataTableContent" align="right"><?php if (isset($trInfo) && is_object($trInfo) &&
($rates['tax_rates_id'] == $trInfo->tax_rates_id)) { echo tep_image(DIR_WS_IMAGES . 'icon_arrow_right.gif',
"); } else { echo '<a href=' . tep_href_link(FILENAME_TAX_RATES, 'page=' . $HTTP_GET_VARS['page'],
'&tID=' . $rates['tax_rates_id']) . '">' . tep_image(DIR_WS_IMAGES . 'icon_info.gif', IMAGE_ICON_INFO) .
'</a>'; } ?>&nbsp;</td>
</tr>
<?php
}
?>
<tr>
<td colspan="5"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr>
<td class="smallText" valign="top"><?php echo $rates_split-
>display_count($rates_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, $HTTP_GET_VARS['page'],
TEXT_DISPLAY_NUMBER_OF_TAX_RATES); ?></td>
<td class="smallText" align="right"><?php echo $rates_split-
>display_links($rates_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, MAX_DISPLAY_PAGE_LINKS,
$HTTP_GET_VARS['page']); ?></td>
</tr>
<?php
if (empty($action)) {
?>
<tr>
<td colspan="5" align="right"><?php echo '<a href=' . tep_href_link(FILENAME_TAX_RATES,
'page=' . $HTTP_GET_VARS['page'] . '&action=new') . '">' . tep_image_button('button_new_tax_rate.gif',
IMAGE_NEW_TAX_RATE) . '</a>'; ?></td>
</tr>
<?php
}
?>
</table></td>
</tr>
</table></td>
<?php
$heading = array();
$contents = array();

switch ($action) {
case 'new':
$heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_NEW_TAX_RATE . '</b>');
$contents = array('form' => tep_draw_form('rates', FILENAME_TAX_RATES, 'page=' .
$HTTP_GET_VARS['page'] . '&action=insert'));
$contents[] = array('text' => TEXT_INFO_INSERT_INTRO);
$contents[] = array('text' => '<br>' . TEXT_INFO_CLASS_TITLE . '<br>' .
tep_tax_classes_pull_down('name="tax_class_id" style="font-size:10px"'));
$contents[] = array('text' => '<br>' . TEXT_INFO_ZONE_NAME . '<br>' .
tep_geo_zones_pull_down('name="tax_zone_id" style="font-size:10px"'));
$contents[] = array('text' => '<br>' . TEXT_INFO_TAX_RATE . '<br>' . tep_draw_input_field('tax_rate'));
$contents[] = array('text' => '<br>' . TEXT_INFO_RATE_DESCRIPTION . '<br>' .
tep_draw_input_field('tax_description'));
$contents[] = array('text' => '<br>' . TEXT_INFO_TAX_RATE_PRIORITY . '<br>' .
tep_draw_input_field('tax_priority'));
$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_insert.gif',
IMAGE_INSERT) . '&nbsp;<a href=' . tep_href_link(FILENAME_TAX_RATES, 'page=' .
$HTTP_GET_VARS['page']) . '">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
break;
case 'edit':
$heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_EDIT_TAX_RATE . '</b>');
}

```

```

$contents = array('form' => tep_draw_form('rates', FILENAME_TAX_RATES, 'page=' .
$HTTP_GET_VARS['page'] . '&tID=' . $trInfo->tax_rates_id . '&action=save'));
$contents[] = array('text' => TEXT_INFO_EDIT_INTRO);
$contents[] = array('text' => '<br>' . TEXT_INFO_CLASS_TITLE . '<br>' .
tep_tax_classes_pull_down('name="tax_class_id" style="font-size:10px"', $trInfo->tax_class_id));
$contents[] = array('text' => '<br>' . TEXT_INFO_ZONE_NAME . '<br>' .
tep_geo_zones_pull_down('name="tax_zone_id" style="font-size:10px"', $trInfo->geo_zone_id));
$contents[] = array('text' => '<br>' . TEXT_INFO_TAX_RATE . '<br>' . tep_draw_input_field('tax_rate',
$trInfo->tax_rate));
$contents[] = array('text' => '<br>' . TEXT_INFO_RATE_DESCRIPTION . '<br>' .
tep_draw_input_field('tax_description', $trInfo->tax_description));
$contents[] = array('text' => '<br>' . TEXT_INFO_TAX_RATE_PRIORITY . '<br>' .
tep_draw_input_field('tax_priority', $trInfo->tax_priority));
$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_update.gif',
IMAGE_UPDATE) . '&nbsp;<a href=' . tep_href_link(FILENAME_TAX_RATES, 'page=' .
$HTTP_GET_VARS['page'] . '&tID=' . $trInfo->tax_rates_id) . '">' . tep_image_button('button_cancel.gif',
IMAGE_CANCEL) . '</a>');
break;
case 'delete':
$heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_DELETE_TAX_RATE . '</b>');
$contents = array('form' => tep_draw_form('rates', FILENAME_TAX_RATES, 'page=' .
$HTTP_GET_VARS['page'] . '&tID=' . $trInfo->tax_rates_id . '&action=deleteconfirm'));
$contents[] = array('text' => TEXT_INFO_DELETE_INTRO);
$contents[] = array('text' => '<br><b>' . $trInfo->tax_class_title . '' . number_format($trInfo->tax_rate,
TAX_DECIMAL_PLACES) . '%</b>');
$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_delete.gif',
IMAGE_DELETE) . '&nbsp;<a href=' . tep_href_link(FILENAME_TAX_RATES, 'page=' .
$HTTP_GET_VARS['page'] . '&tID=' . $trInfo->tax_rates_id) . '">' . tep_image_button('button_cancel.gif',
IMAGE_CANCEL) . '</a>');
break;
default:
if (is_object($trInfo)) {
    $heading[] = array('text' => '<b>' . $trInfo->tax_class_title . '</b>');
    $contents[] = array('align' => 'center', 'text' => '<a href=' . tep_href_link(FILENAME_TAX_RATES,
'page=' . $HTTP_GET_VARS['page'] . '&tID=' . $trInfo->tax_rates_id . '&action=edit') . '">' .
tep_image_button('button_edit.gif', IMAGE_EDIT) . '</a> <a href=' . tep_href_link(FILENAME_TAX_RATES,
'page=' . $HTTP_GET_VARS['page'] . '&tID=' . $trInfo->tax_rates_id . '&action=delete') . '">' .
tep_image_button('button_delete.gif', IMAGE_DELETE) . '</a>');
    $contents[] = array('text' => '<br>' . TEXT_INFO_DATE_ADDED . '' . tep_date_short($trInfo-
>date_added));
    $contents[] = array('text' => "" . TEXT_INFO_LAST_MODIFIED . '' . tep_date_short($trInfo-
>last_modified));
    $contents[] = array('text' => '<br>' . TEXT_INFO_RATE_DESCRIPTION . '<br>' . $trInfo-
>tax_description);
}
break;
}

if ( (tep_not_null($heading)) && (tep_not_null($contents)) ) {
echo '          <td width="25%" valign="top">' . "\n";
$box = new box;
echo $box->infoBox($heading, $contents);
echo '          </td>' . "\n";
}
?>
      </tr>
    </table></td>
  </tr>
</table></td>

</tr>
</table>



<?php require(DIR_WS_INCLUDES . 'footer.php'); ?>

</body>
</html>

```

```
<?php require(DIR_WS_INCLUDES . 'application_bottom.php'); ?>
```

6. 1. Para Birimleri (admin / currency.php)

6. 1.1 Para Birimi Ekle

6. 1.2. Para Birimleri Düzenle

6. 1.3. Para Birimleri Sil

```
<?php  
/*  
$Id: currencies.php 1739 2007-12-20 00:52:16Z hpdl $
```

osCommerce, Open Source E-Commerce Solutions

<http://www.oscommerce.com>

Copyright (c) 2003 osCommerce

Released under the GNU General Public License

```
*/
```

```
require('includes/application_top.php');  
  
require(DIR_WS_CLASSES . 'currencies.php');  
$currencies = new currencies();  
  
$action = (isset($HTTP_GET_VARS['action']) ? $HTTP_GET_VARS['action'] : "");  
  
if (tep_not_null($action)) {  
    switch ($action) {  
        case 'insert':  
        case 'save':  
            if (isset($HTTP_GET_VARS['cID'])) $currency_id = tep_db_prepare_input($HTTP_GET_VARS['cID']);  
            $title = tep_db_prepare_input($HTTP_POST_VARS['title']);
```

```

$code = tep_db_prepare_input($HTTP_POST_VARS['code']);
$symbol_left = tep_db_prepare_input($HTTP_POST_VARS['symbol_left']);
$symbol_right = tep_db_prepare_input($HTTP_POST_VARS['symbol_right']);
$decimal_point = tep_db_prepare_input($HTTP_POST_VARS['decimal_point']);
$thousands_point = tep_db_prepare_input($HTTP_POST_VARS['thousands_point']);
$decimal_places = tep_db_prepare_input($HTTP_POST_VARS['decimal_places']);
$value = tep_db_prepare_input($HTTP_POST_VARS['value']);

$sql_data_array = array('title' => $title,
    'code' => $code,
    'symbol_left' => $symbol_left,
    'symbol_right' => $symbol_right,
    'decimal_point' => $decimal_point,
    'thousands_point' => $thousands_point,
    'decimal_places' => $decimal_places,
    'value' => $value);

if ($action == 'insert') {
    tep_db_perform(TABLE_CURRENCIES, $sql_data_array);
    $currency_id = tep_db_insert_id();
} elseif ($action == 'save') {
    tep_db_perform(TABLE_CURRENCIES, $sql_data_array, 'update', "currencies_id = '" . (int)$currency_id .
    "'");
}

if (isset($HTTP_POST_VARS['default']) && ($HTTP_POST_VARS['default'] == 'on')) {
    tep_db_query("update " . TABLE_CONFIGURATION . " set configuration_value = '" .
    tep_db_input($code) . "' where configuration_key = 'DEFAULT_CURRENCY'");
}

tep_redirect(tep_href_link(FILENAME_CURRENCIES, 'page=' . $HTTP_GET_VARS['page'] . '&cID=' .
$currency_id));
break;
case 'deleteconfirm':
$currencies_id = tep_db_prepare_input($HTTP_GET_VARS['cID']);

```

```

$currency_query = tep_db_query("select currencies_id from " . TABLE_CURRENCIES . " where code = '" .
DEFAULT_CURRENCY . "'");

$currency = tep_db_fetch_array($currency_query);

if ($currency['currencies_id'] == $currencies_id) {

    tep_db_query("update " . TABLE_CONFIGURATION . " set configuration_value = " where
configuration_key = 'DEFAULT_CURRENCY');

}

tep_db_query("delete from " . TABLE_CURRENCIES . " where currencies_id = '" . (int)$currencies_id . "'");
}

tep_redirect(tep_href_link(FILENAME_CURRENCIES, 'page=' . $HTTP_GET_VARS['page']));

break;

case 'update':

$server_used = CURRENCY_SERVER_PRIMARY;

$currency_query = tep_db_query("select currencies_id, code, title from " . TABLE_CURRENCIES);

while ($currency = tep_db_fetch_array($currency_query)) {

$quote_function = 'quote_' . CURRENCY_SERVER_PRIMARY . '_currency';

$rate = $quote_function($currency['code']);

if (empty($rate) && (tep_not_null(CURRENCY_SERVER_BACKUP))) {

$messageStack->add_session(sprintf(WARNING_PRIMARY_SERVER_FAILED,
CURRENCY_SERVER_PRIMARY, $currency['title'], $currency['code']), 'warning');

$quote_function = 'quote_' . CURRENCY_SERVER_BACKUP . '_currency';

$rate = $quote_function($currency['code']);

$server_used = CURRENCY_SERVER_BACKUP;

}

if (tep_not_null($rate)) {

```

```

tep_db_query("update " . TABLE_CURRENCIES . " set value = '" . $rate . "', last_updated = now()
where currencies_id = '" . (int)$currency['currencies_id'] . "'");

$messageStack->add_session(sprintf(TEXT_INFO_CURRENCY_UPDATED, $currency['title'],
$currency['code'], $server_used), 'success');

} else {
    $messageStack->add_session(sprintf(ERROR_CURRENCY_INVALID, $currency['title'],
$currency['code'], $server_used), 'error');
}

}

tep_redirect(tep_href_link(FILENAME_CURRENCIES, 'page=' . $HTTP_GET_VARS['page'] . '&cID=' .
$HTTP_GET_VARS['cID']));
break;

case 'delete':
$currencies_id = tep_db_prepare_input($HTTP_GET_VARS['cID']);

$currency_query = tep_db_query("select code from " . TABLE_CURRENCIES . " where currencies_id = '" .
(int)$currencies_id . "'");
$currency = tep_db_fetch_array($currency_query);

$remove_currency = true;
if ($currency['code'] == DEFAULT_CURRENCY) {
    $remove_currency = false;
    $messageStack->add(ERROR_REMOVE_DEFAULT_CURRENCY, 'error');
}
break;
}

?>
<!doctype html public "-//W3C//DTD HTML 4.01 Transitional//EN">
<html <?php echo HTML_PARAMS; ?>>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=<?php echo CHARSET; ?>">
<title><?php echo TITLE; ?></title>

```

```

<link rel="stylesheet" type="text/css" href="includes/stylesheet.css">
<script language="javascript" src="includes/general.js"></script>
</head>

<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"
bgcolor="#FFFFFF" onload="SetFocus();">

<!-- header //-->
<?php require(DIR_WS_INCLUDES . 'header.php'); ?>
<!-- header_eof //-->

<!-- body //-->
<table border="0" width="100%" cellspacing="2" cellpadding="2">
<tr>
<td width="php echo BOX_WIDTH; ?&gt;" valign="top"&gt;&lt;table border="0" width="<?php echo
BOX_WIDTH; ?&gt;" cellspacing="1" cellpadding="1" class="columnLeft"&gt;
&lt;!-- left_navigation //--&gt;
&lt;?php require(DIR_WS_INCLUDES . 'column_left.php'); ?&gt;
&lt;!-- left_navigation_eof //--&gt;
&lt;/table&gt;&lt;/td&gt;
&lt;!-- body_text //--&gt;
&lt;td width="100%" valign="top"&gt;&lt;table border="0" width="100%" cellspacing="0" cellpadding="2"&gt;
&lt;tr&gt;
&lt;td&gt;&lt;table border="0" width="100%" cellspacing="0" cellpadding="0"&gt;
&lt;tr&gt;
&lt;td class="pageHeading"&gt;&lt;?php echo HEADING_TITLE; ?&gt;&lt;/td&gt;
&lt;td class="pageHeading" align="right"&gt;&lt;?php echo tep_draw_separator('pixel_trans.gif',
HEADING_IMAGE_WIDTH, HEADING_IMAGE_HEIGHT); ?&gt;&lt;/td&gt;
&lt;/tr&gt;
&lt;/table&gt;&lt;/td&gt;
&lt;/tr&gt;
&lt;tr&gt;
&lt;td&gt;&lt;table border="0" width="100%" cellspacing="0" cellpadding="0"&gt;
&lt;tr&gt;
&lt;td valign="top"&gt;&lt;table border="0" width="100%" cellspacing="0" cellpadding="2"&gt;
&lt;tr class="dataTableHeadingRow"&gt;
&lt;td class="dataTableHeadingContent"&gt;&lt;?php echo TABLE_HEADING_CURRENCY_NAME; ?&gt;&lt;/td&gt;
</pre

```

```

<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_CURRENCY_CODES; ?></td>
<td class="dataTableHeadingContent" align="right"><?php echo
TABLE_HEADING_CURRENCY_VALUE; ?></td>
<td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_ACTION;
?>&nbsp;</td>
</tr>

<?php
$currency_query_raw = "select currencies_id, title, code, symbol_left, symbol_right, decimal_point,
thousands_point, decimal_places, last_updated, value from " . TABLE_CURRENCIES . " order by title";
$currency_split = new splitPageResults($HTTP_GET_VARS['page'], MAX_DISPLAY_SEARCH_RESULTS,
$currency_query_raw, $currency_query_numrows);

$currency_query = tep_db_query($currency_query_raw);

while ($currency = tep_db_fetch_array($currency_query)) {
    if ((!isset($HTTP_GET_VARS['cID'])) || (isset($HTTP_GET_VARS['cID']) && ($HTTP_GET_VARS['cID'] ==
$currency['currencies_id']))) && !isset($cInfo) && (substr($action, 0, 3) != 'new')) {
        $cInfo = new objectInfo($currency);
    }

    if (isset($cInfo) && is_object($cInfo) && ($currency['currencies_id'] == $cInfo->currencies_id) ) {
        echo '          <tr id="defaultSelected" class="dataTableRowSelected"
onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)" onclick="document.location.href=\"
tep_href_link(FILENAME_CURRENCIES, \'page\'' . $HTTP_GET_VARS['page'] . '&cID=' . $cInfo->currencies_id .
'&action=edit') . '\">' . "\n";
    } else {
        echo '          <tr class="dataTableRow" onmouseover="rowOverEffect(this)"
onmouseout="rowOutEffect(this)" onclick="document.location.href=\"
tep_href_link(FILENAME_CURRENCIES,
\'page\'' . $HTTP_GET_VARS['page'] . '&cID=' . $currency['currencies_id']) . '\">' . "\n";
    }
}

if (DEFAULT_CURRENCY == $currency['code']) {
    echo '          <td class="dataTableContent"><b>' . $currency['title'] . ' (' . TEXT_DEFAULT .
')</b></td>' . "\n";
} else {
    echo '          <td class="dataTableContent">' . $currency['title'] . '</td>' . "\n";
}
?>

<td class="dataTableContent"><?php echo $currency['code']; ?></td>
<td class="dataTableContent" align="right"><?php echo number_format($currency['value'], 8);
?></td>

```

```

<td class="dataTableContent" align="right"><?php if (isset($cInfo) && is_object($cInfo) &&
($currency['currencies_id'] == $cInfo->currencies_id) ) { echo tep_image(DIR_WS_IMAGES .
'icon_arrow_right.gif'); } else { echo '<a href="' . tep_href_link(FILENAME_CURRENCIES, 'page=' .
$HTTP_GET_VARS['page'] . '&cID=' . $currency['currencies_id']) . '">' . tep_image(DIR_WS_IMAGES .
'icon_info.gif', IMAGE_ICON_INFO) . '</a>'; } ?>&nbsp;</td>

</tr>

<?php
}

?>

<tr>

<td colspan="4"><table border="0" width="100%" cellspacing="0" cellpadding="2">

<tr>

<td class="smallText" valign="top"><?php echo $currency_split-
>display_count($currency_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, $HTTP_GET_VARS['page'],
TEXT_DISPLAY_NUMBER_OF_CURRENCIES); ?></td>

<td class="smallText" align="right"><?php echo $currency_split-
>display_links($currency_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, MAX_DISPLAY_PAGE_LINKS,
$HTTP_GET_VARS['page']); ?></td>

</tr>

<?php

if (empty($action)) {

?>

<tr>

<td><?php if (CURRENCY_SERVER_PRIMARY) { echo '<a href="' .
tep_href_link(FILENAME_CURRENCIES, 'page=' . $HTTP_GET_VARS['page'] . '&cID=' . $cInfo->currencies_id .
'&action=update') . '">' . tep_image_button('button_update_currencies.gif', IMAGE_UPDATE_CURRENCIES) .
'</a>'; } ?></td>

<td align="right"><?php echo '<a href="' . tep_href_link(FILENAME_CURRENCIES, 'page=' .
$HTTP_GET_VARS['page'] . '&cID=' . $cInfo->currencies_id . '&action=new') . '">' .
tep_image_button('button_new_currency.gif', IMAGE_NEW_CURRENCY) . '</a>'; ?></td>

</tr>

<?php

}

?>

</table></td>

</tr>

</table></td>

<?php

$heading = array();

```

```

$contents = array();

switch ($action) {
    case 'new':
        $heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_NEW_CURRENCY . '</b>');
        $contents = array('form' => tep_draw_form('currencies', FILENAME_CURRENCIES, 'page=' .
$HTTP_GET_VARS['page'] . (isset($cInfo) ? '&cID=' . $cInfo->currencies_id : '') . '&action=insert'));
        $contents[] = array('text' => TEXT_INFO_INSERT_INTRO);
        $contents[] = array('text' => '<br>' . TEXT_INFO_CURRENCY_TITLE . '<br>' .
tep_draw_input_field('title'));
        $contents[] = array('text' => '<br>' . TEXT_INFO_CURRENCY_CODE . '<br>' .
tep_draw_input_field('code'));
        $contents[] = array('text' => '<br>' . TEXT_INFO_CURRENCY_SYMBOL_LEFT . '<br>' .
tep_draw_input_field('symbol_left'));
        $contents[] = array('text' => '<br>' . TEXT_INFO_CURRENCY_SYMBOL_RIGHT . '<br>' .
tep_draw_input_field('symbol_right'));
        $contents[] = array('text' => '<br>' . TEXT_INFO_CURRENCY_DECIMAL_POINT . '<br>' .
tep_draw_input_field('decimal_point'));
        $contents[] = array('text' => '<br>' . TEXT_INFO_CURRENCY_THOUSANDS_POINT . '<br>' .
tep_draw_input_field('thousands_point'));
        $contents[] = array('text' => '<br>' . TEXT_INFO_CURRENCY_DECIMAL_PLACES . '<br>' .
tep_draw_input_field('decimal_places'));
        $contents[] = array('text' => '<br>' . TEXT_INFO_CURRENCY_VALUE . '<br>' .
tep_draw_input_field('value'));
        $contents[] = array('text' => '<br>' . tep_draw_checkbox_field('default') . ' ' .
TEXT_INFO_SET_AS_DEFAULT);

        $contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_insert.gif',
IMAGE_INSERT) . ' <a href="" . tep_href_link(FILENAME_CURRENCIES, 'page=' . $HTTP_GET_VARS['page'] .
'&cID=' . $HTTP_GET_VARS['cID']) . '">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
        break;
    case 'edit':
        $heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_EDIT_CURRENCY . '</b>');
        $contents = array('form' => tep_draw_form('currencies', FILENAME_CURRENCIES, 'page=' .
$HTTP_GET_VARS['page'] . '&cID=' . $cInfo->currencies_id . '&action=save'));
        $contents[] = array('text' => TEXT_INFO_EDIT_INTRO);
        $contents[] = array('text' => '<br>' . TEXT_INFO_CURRENCY_TITLE . '<br>' . tep_draw_input_field('title',
$cInfo->title));
}

```

```

$contents[] = array('text' => '<br>' . TEXT_INFO_CURRENCY_CODE . '<br>' .
tep_draw_input_field('code', $cInfo->code));

$contents[] = array('text' => '<br>' . TEXT_INFO_CURRENCY_SYMBOL_LEFT . '<br>' .
tep_draw_input_field('symbol_left', $cInfo->symbol_left));

$contents[] = array('text' => '<br>' . TEXT_INFO_CURRENCY_SYMBOL_RIGHT . '<br>' .
tep_draw_input_field('symbol_right', $cInfo->symbol_right));

$contents[] = array('text' => '<br>' . TEXT_INFO_CURRENCY_DECIMAL_POINT . '<br>' .
tep_draw_input_field('decimal_point', $cInfo->decimal_point));

$contents[] = array('text' => '<br>' . TEXT_INFO_CURRENCY_THOUSANDS_POINT . '<br>' .
tep_draw_input_field('thousands_point', $cInfo->thousands_point));

$contents[] = array('text' => '<br>' . TEXT_INFO_CURRENCY_DECIMAL_PLACES . '<br>' .
tep_draw_input_field('decimal_places', $cInfo->decimal_places));

$contents[] = array('text' => '<br>' . TEXT_INFO_CURRENCY_VALUE . '<br>' .
tep_draw_input_field('value', $cInfo->value));

if (DEFAULT_CURRENCY != $cInfo->code) $contents[] = array('text' => '<br>' .
tep_draw_checkbox_field('default') . '' . TEXT_INFO_SET_AS_DEFAULT);

$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_update.gif',
IMAGE_UPDATE) . '<a href="" . tep_href_link(FILENAME_CURRENCIES, 'page=' . $HTTP_GET_VARS['page'] .
'&cID=' . $cInfo->currencies_id) . '">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
break;

case 'delete':
$heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_DELETE_CURRENCY . '</b>');

$contents[] = array('text' => TEXT_INFO_DELETE_INTRO);

$contents[] = array('text' => '<br><b>' . $cInfo->title . '</b>');

$contents[] = array('align' => 'center', 'text' => '<br>' . (($remove_currency) ? '<a href="" .
tep_href_link(FILENAME_CURRENCIES, 'page=' . $HTTP_GET_VARS['page'] . '&cID=' . $cInfo->currencies_id .
'&action=deleteconfirm') . '">' . tep_image_button('button_delete.gif', IMAGE_DELETE) . '</a>' : '') . '<a
action=deleteconfirm' . '">' . tep_href_link(FILENAME_CURRENCIES, 'page=' . $HTTP_GET_VARS['page'] . '&cID=' . $cInfo-
href="" . tep_href_link(FILENAME_CURRENCIES, 'page=' . $HTTP_GET_VARS['page'] . '&cID=' . $cInfo-
>currencies_id) . '">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');

break;

default:
if (is_object($cInfo)) {
$heading[] = array('text' => '<b>' . $cInfo->title . '</b>');

$contents[] = array('align' => 'center', 'text' => '<a href="" . tep_href_link(FILENAME_CURRENCIES,
'page=' . $HTTP_GET_VARS['page'] . '&cID=' . $cInfo->currencies_id . '&action=edit') . '">' .
tep_image_button('button_edit.gif', IMAGE_EDIT) . '</a> <a href="" . tep_href_link(FILENAME_CURRENCIES,
'page=' . $HTTP_GET_VARS['page'] . '&cID=' . $cInfo->currencies_id . '&action=delete') . '">' .
tep_image_button('button_delete.gif', IMAGE_DELETE) . '</a>');

$contents[] = array('text' => '<br>' . TEXT_INFO_CURRENCY_TITLE . '' . $cInfo->title);

$contents[] = array('text' => TEXT_INFO_CURRENCY_CODE . '' . $cInfo->code);

```

```

$contents[] = array('text' => '<br>' . TEXT_INFO_CURRENCY_SYMBOL_LEFT . '' . $cInfo->symbol_left);

$contents[] = array('text' => TEXT_INFO_CURRENCY_SYMBOL_RIGHT . '' . $cInfo->symbol_right);

$contents[] = array('text' => '<br>' . TEXT_INFO_CURRENCY_DECIMAL_POINT . '' . $cInfo->decimal_point);

$contents[] = array('text' => TEXT_INFO_CURRENCY_THOUSANDS_POINT . '' . $cInfo->thousands_point);

$contents[] = array('text' => TEXT_INFO_CURRENCY_DECIMAL_PLACES . '' . $cInfo->decimal_places);

$contents[] = array('text' => '<br>' . TEXT_INFO_CURRENCY_LAST_UPDATED . '' .
tep_date_short($cInfo->last_updated));

$contents[] = array('text' => TEXT_INFO_CURRENCY_VALUE . '' . number_format($cInfo->value, 8));

$ccontents[] = array('text' => '<br>' . TEXT_INFO_CURRENCY_EXAMPLE . '<br>' . $currencies-
format('30', false, DEFAULT_CURRENCY) . '=' . $currencies->format('30', true, $cInfo->code));

}

break;

}

if ( (tep_not_null($heading)) && (tep_not_null($contents)) ) {

echo '      <td width="25%" valign="top">' . "\n";

$box = new box;

echo $box->infoBox($heading, $contents);

echo '      </td>' . "\n";

}

?>

</tr>

</table></td>

</tr>

</table></td>

<!-- body_text_eof //-->

</tr>

</table>

<!-- body_eof //-->

<!-- footer //-->

```

```
<?php require(DIR_WS_INCLUDES . 'footer.php'); ?>  
<!-- footer_eof //-->  
</body>  
</html>  
<?php require(DIR_WS_INCLUDES . 'application_bottom.php'); ?>
```

6. 2. Language (admin / language.php)

6. 2.1 Language Ekle

6. 2.2. Language Düzenle

6. 2.3. Language Sil

```
<?php  
/*  
$Id: languages.php 1755 2007-12-21 14:02:36Z hpdl $
```

osCommerce, Open Source E-Commerce Solutions

<http://www.oscommerce.com>

Copyright (c) 2007 osCommerce

Released under the GNU General Public License

```
*/  
  
require('includes/application_top.php');  
  
$action = (isset($HTTP_GET_VARS['action']) ? $HTTP_GET_VARS['action'] : "");  
  
if (tep_not_null($action)) {  
    switch ($action) {  
        case 'insert':  
            $name = tep_db_prepare_input($HTTP_POST_VARS['name']);  
            $code = tep_db_prepare_input(substr($HTTP_POST_VARS['code'], 0, 2));  
    }  
}
```

```

$image = tep_db_prepare_input($_HTTP_POST_VARS['image']);
$directory = tep_db_prepare_input($_HTTP_POST_VARS['directory']);
$sort_order = (int)tep_db_prepare_input($_HTTP_POST_VARS['sort_order']);

tep_db_query("insert into " . TABLE_LANGUAGES . " (name, code, image, directory, sort_order) values ('"
. tep_db_input($name) . "", "" . tep_db_input($code) . "", "" . tep_db_input($image) . "", ""
. tep_db_input($directory) . "", "" . tep_db_input($sort_order) . "")");

$insert_id = tep_db_insert_id();

// create additional categories_description records

$categories_query = tep_db_query("select c.categories_id, cd.categories_name from "
TABLE_CATEGORIES . " c left join " . TABLE_CATEGORIES_DESCRIPTION . " cd on c.categories_id =
cd.categories_id where cd.language_id = " . (int)$languages_id . "");

while ($categories = tep_db_fetch_array($categories_query)) {
    tep_db_query("insert into " . TABLE_CATEGORIES_DESCRIPTION . " (categories_id, language_id,
categories_name) values ('" . (int)$categories['categories_id'] . "", "" . (int)$insert_id . "", ""
. tep_db_input($categories['categories_name']) . "")");

}

// create additional products_description records

$products_query = tep_db_query("select p.products_id, pd.products_name, pd.products_description,
pd.products_url from " . TABLE_PRODUCTS . " p left join " . TABLE_PRODUCTS_DESCRIPTION . " pd on
p.products_id = pd.products_id where pd.language_id = " . (int)$languages_id . "");

while ($products = tep_db_fetch_array($products_query)) {
    tep_db_query("insert into " . TABLE_PRODUCTS_DESCRIPTION . " (products_id, language_id,
products_name, products_description, products_url) values ('" . (int)$products['products_id'] . "", ""
. (int)$insert_id . "", "" . tep_db_input($products['products_name']) . "", ""
. tep_db_input($products['products_description']) . "", "" . tep_db_input($products['products_url']) . "")");

}

// create additional products_options records

$products_options_query = tep_db_query("select products_options_id, products_options_name from "
TABLE_PRODUCTS_OPTIONS . " where language_id = " . (int)$languages_id . "");

while ($products_options = tep_db_fetch_array($products_options_query)) {
    tep_db_query("insert into " . TABLE_PRODUCTS_OPTIONS . " (products_options_id, language_id,
products_options_name) values ('" . (int)$products_options['products_options_id'] . "", ""
. (int)$insert_id . "", "" . tep_db_input($products_options['products_options_name']) . "")");

}

// create additional products_options_values records

```

```

$products_options_values_query = tep_db_query("select products_options_values_id,
products_options_values_name from " . TABLE_PRODUCTS_OPTIONS_VALUES . " where language_id = '" .
(int)$languages_id . "'");

while ($products_options_values = tep_db_fetch_array($products_options_values_query)) {

    tep_db_query("insert into " . TABLE_PRODUCTS_OPTIONS_VALUES . " (products_options_values_id,
language_id, products_options_values_name) values ('" .
(int)$products_options_values['products_options_values_id'] . "', '" . (int)$insert_id . "', '" .
tep_db_input($products_options_values['products_options_values_name']) . "')");

}

// create additional manufacturers_info records

$manufacturers_query = tep_db_query("select m.manufacturers_id, mi.manufacturers_url from " .
TABLE_MANUFACTURERS . " m left join " . TABLE_MANUFACTURERS_INFO . " mi on m.manufacturers_id = mi.manufacturers_id where mi.languages_id = '" . (int)$languages_id . "'");

while ($manufacturers = tep_db_fetch_array($manufacturers_query)) {

    tep_db_query("insert into " . TABLE_MANUFACTURERS_INFO . " (manufacturers_id, languages_id,
manufacturers_url) values ('" . $manufacturers['manufacturers_id'] . "', '" . (int)$insert_id . "', '" .
tep_db_input($manufacturers['manufacturers_url']) . "')");

}

// create additional orders_status records

$orders_status_query = tep_db_query("select orders_status_id, orders_status_name from " .
TABLE_ORDERS_STATUS . " where language_id = '" . (int)$languages_id . "'");

while ($orders_status = tep_db_fetch_array($orders_status_query)) {

    tep_db_query("insert into " . TABLE_ORDERS_STATUS . " (orders_status_id, language_id,
orders_status_name) values ('" . (int)$orders_status['orders_status_id'] . "', '" . (int)$insert_id . "', '" .
tep_db_input($orders_status['orders_status_name']) . "')");

}

if (isset($_POST['default']) && ($_POST['default'] == 'on')) {

    tep_db_query("update " . TABLE_CONFIGURATION . " set configuration_value = '" .
tep_db_input($code) . "' where configuration_key = 'DEFAULT_LANGUAGE'");

}

tep_redirect(tep_href_link(FILENAME_LANGUAGES, (isset($_GET['page']) ? 'page=' .
$_GET['page'] . '&' : '') . 'IID=' . $insert_id));

break;

case 'save':

$ID = tep_db_prepare_input($_GET['ID']);

$name = tep_db_prepare_input($_POST['name']);

```

```

$code = tep_db_prepare_input(substr($HTTP_POST_VARS['code'], 0, 2));

$image = tep_db_prepare_input($HTTP_POST_VARS['image']);

$directory = tep_db_prepare_input($HTTP_POST_VARS['directory']);

$sort_order = (int)tep_db_prepare_input($HTTP_POST_VARS['sort_order']);

tep_db_query("update " . TABLE_LANGUAGES . " set name = '" . tep_db_input($name) . "', code = '" .
tep_db_input($code) . "', image = '" . tep_db_input($image) . "', directory = '" . tep_db_input($directory) . "'",
sort_order = '" . tep_db_input($sort_order) . "' where languages_id = '" . (int)$ID . "'");

if ($HTTP_POST_VARS['default'] == 'on') {
    tep_db_query("update " . TABLE_CONFIGURATION . " set configuration_value = '" .
tep_db_input($code) . "' where configuration_key = 'DEFAULT_LANGUAGE'");

}

tep_redirect(tep_href_link(FILENAME_LANGUAGES, 'page=' . $HTTP_GET_VARS['page'] . '&ID=' .
$HTTP_GET_VARS['ID']));

break;

case 'deleteconfirm':
    $ID = tep_db_prepare_input($HTTP_GET_VARS['ID']);

    $ing_query = tep_db_query("select languages_id from " . TABLE_LANGUAGES . " where code = '" .
DEFAULT_CURRENCY . "'");

    $ing = tep_db_fetch_array($ing_query);

    if ($ing['languages_id'] == $ID) {

        tep_db_query("update " . TABLE_CONFIGURATION . " set configuration_value = '' where
configuration_key = 'DEFAULT_CURRENCY'");

    }

    tep_db_query("delete from " . TABLE_CATEGORIES_DESCRIPTION . " where language_id = '" . (int)$ID . "'");

    tep_db_query("delete from " . TABLE_PRODUCTS_DESCRIPTION . " where language_id = '" . (int)$ID . "'");

    tep_db_query("delete from " . TABLE_PRODUCTS_OPTIONS . " where language_id = '" . (int)$ID . "'");

    tep_db_query("delete from " . TABLE_PRODUCTS_OPTIONS_VALUES . " where language_id = '" .
(int)$ID . "'");

    tep_db_query("delete from " . TABLE_MANUFACTURERS_INFO . " where languages_id = '" . (int)$ID . "'");

    tep_db_query("delete from " . TABLE_ORDERS_STATUS . " where language_id = '" . (int)$ID . "'");

```

```

tep_db_query("delete from " . TABLE_LANGUAGES . " where languages_id = '" . (int)$ID . "'");

tep_redirect(tep_href_link(FILENAME_LANGUAGES, 'page=' . $HTTP_GET_VARS['page']));

break;

case 'delete':
    $IID = tep_db_prepare_input($HTTP_GET_VARS['ID']);

    $lng_query = tep_db_query("select code from " . TABLE_LANGUAGES . " where languages_id = '" . (int)$ID . "'");

    $lng = tep_db_fetch_array($lng_query);

    $remove_language = true;

    if ($lng['code'] == DEFAULT_LANGUAGE) {
        $remove_language = false;
        $messageStack->add(ERROR_REMOVE_DEFAULT_LANGUAGE, 'error');
    }
    break;
}

}

?>

<!doctype html public "-//W3C//DTD HTML 4.01 Transitional//EN">

<html <?php echo HTML_PARAMS; ?>>

<head>

<meta http-equiv="Content-Type" content="text/html; charset=<?php echo CHARSET; ?>">

<title><?php echo TITLE; ?></title>

<link rel="stylesheet" type="text/css" href="includes/stylesheet.css">

<script language="javascript" src="includes/general.js"></script>

</head>

<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"
bgcolor="#FFFFFF" onload="SetFocus();">

<!-- header //-->

<?php require(DIR_WS_INCLUDES . 'header.php'); ?>

<!-- header_eof //-->

```

```

<!-- body //-->

<table border="0" width="100%" cellspacing="2" cellpadding="2">
<tr>
<td width=<?php echo BOX_WIDTH; ?> valign="top"><table border="0" width=<?php echo
BOX_WIDTH; ?>" cellspacing="1" cellpadding="1" class="columnLeft">

<!-- left_navigation //-->
<?php require(DIR_WS_INCLUDES . 'column_left.php'); ?>
<!-- left_navigation_eof //-->

</table></td>

<!-- body_text //-->
<td width="100%" valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr>
<td width="100%"><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr>
<td class="pageHeading">><?php echo HEADING_TITLE; ?></td>
<td class="pageHeading" align="right"><?php echo tep_draw_separator('pixel_trans.gif',
HEADING_IMAGE_WIDTH, HEADING_IMAGE_HEIGHT); ?></td>
</tr>
</table></td>
</tr>
<tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr>
<td valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr class="dataTableHeadingRow">
<td class="dataTableHeadingContent">><?php echo TABLE_HEADING_LANGUAGE_NAME; ?></td>
<td class="dataTableHeadingContent">><?php echo TABLE_HEADING_LANGUAGE_CODE; ?></td>
<td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_ACTION;
?>&nbsp;</td>
</tr>
<?php
$languages_query_raw = "select languages_id, name, code, image, directory, sort_order from " .
TABLE_LANGUAGES . " order by sort_order";
$languages_split = new splitPageResults($HTTP_GET_VARS['page'], MAX_DISPLAY_SEARCH_RESULTS,
$languages_query_raw, $languages_query_numrows);

```

```

$languages_query = tep_db_query($languages_query_raw);

while ($languages = tep_db_fetch_array($languages_query)) {
    if ((!isset($HTTP_GET_VARS['IID']) || (!isset($HTTP_GET_VARS['IID']) && ($HTTP_GET_VARS['IID'] == $languages['languages_id']))) && !isset($lInfo) && (substr($action, 0, 3) != 'new')) {
        $lInfo = new objectInfo($languages);
    }

    if (isset($lInfo) && is_object($lInfo) && ($languages['languages_id'] == $lInfo->languages_id) ) {
        echo '          <tr id="defaultSelected" class="dataTableRowSelected"
onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)" onclick="document.location.href=' .
tep_href_link(FILENAME_LANGUAGES, 'page=' . $HTTP_GET_VARS['page'] . '&IID=' . $lInfo->languages_id .
'&action=edit') . '!">' . "\n";
    } else {
        echo '          <tr class="dataTableRow" onmouseover="rowOverEffect(this)"
onmouseout="rowOutEffect(this)" onclick="document.location.href=' .
tep_href_link(FILENAME_LANGUAGES, 'page=' . $HTTP_GET_VARS['page'] . '&IID=' . $languages['languages_id']) . '!">' . "\n";
    }
}

if (DEFAULT_LANGUAGE == $languages['code']) {
    echo '      <td class="dataTableContent"><b>' . $languages['name'] . ' (' . TEXT_DEFAULT .
'</b></td>' . "\n";
} else {
    echo '      <td class="dataTableContent">' . $languages['name'] . '</td>' . "\n";
}

?>

<td class="dataTableContent"><?php echo $languages['code']; ?></td>
<td class="dataTableContent" align="right"><?php if (isset($lInfo) && is_object($lInfo) &&
($languages['languages_id'] == $lInfo->languages_id)) { echo tep_image(DIR_WS_IMAGES .
'icon_arrow_right.gif'); } else { echo '<a href=' . tep_href_link(FILENAME_LANGUAGES, 'page=' .
$HTTP_GET_VARS['page'] . '&IID=' . $languages['languages_id']) . '">' . tep_image(DIR_WS_IMAGES .
'icon_info.gif', IMAGE_ICON_INFO) . '</a>'; } ?>&nbsp;</td>
</tr>

<?php
}
?>

<tr>
<td colspan="3"><table border="0" width="100%" cellspacing="0" cellpadding="2">

```

```

<tr>
    <td class="smallText" valign="top"><?php echo $languages_split-
>display_count($languages_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, $HTTP_GET_VARS['page'],
TEXT_DISPLAY_NUMBER_OF_LANGUAGES); ?></td>
    <td class="smallText" align="right"><?php echo $languages_split-
>display_links($languages_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, MAX_DISPLAY_PAGE_LINKS,
$HTTP_GET_VARS['page']); ?></td>
</tr>

<?php
if (empty($action)) {

?>

<tr>
    <td align="right" colspan="2"><?php echo '<a href="' . tep_href_link(FILENAME_LANGUAGES,
'page=' . $HTTP_GET_VARS['page'] . '&ID=' . $Info->languages_id . '&action=new') . '">' .
tep_image_button('button_new_language.gif', IMAGE_NEW_LANGUAGE) . '</a>'; ?></td>
</tr>

<?php
}

?>

</table></td>
</tr>
</table></td>
<?php
$heading = array();
$contents = array();

switch ($action) {
    case 'new':
        $heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_NEW_LANGUAGE . '</b>');
        $contents = array('form' => tep_draw_form('languages', FILENAME_LANGUAGES, 'action=insert'));
        $contents[] = array('text' => TEXT_INFO_INSERT_INTRO);
        $contents[] = array('text' => '<br>' . TEXT_INFO_LANGUAGE_NAME . '<br>' .
            tep_draw_input_field('name'));
        $contents[] = array('text' => '<br>' . TEXT_INFO_LANGUAGE_CODE . '<br>' .
            tep_draw_input_field('code'));


}

```

```

$contents[] = array('text' => '<br>' . TEXT_INFO_LANGUAGE_IMAGE . '<br>' .
tep_draw_input_field('image', 'icon.gif'));

$contents[] = array('text' => '<br>' . TEXT_INFO_LANGUAGE_DIRECTORY . '<br>' .
tep_draw_input_field('directory'));

$contents[] = array('text' => '<br>' . TEXT_INFO_LANGUAGE_SORT_ORDER . '<br>' .
tep_draw_input_field('sort_order'));

$contents[] = array('text' => '<br>' . tep_draw_checkbox_field('default') . '' . TEXT_SET_DEFAULT);

$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit("button_insert.gif",
IMAGE_INSERT) . ' <a href="" . tep_href_link(FILENAME_LANGUAGES, 'page=' . $HTTP_GET_VARS['page'] .
'&ID=' . $HTTP_GET_VARS['ID']) . '">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');

break;

case 'edit':

$heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_EDIT_LANGUAGE . '</b>');

$contents = array('form' => tep_draw_form('languages', FILENAME_LANGUAGES, 'page=' .
$HTTP_GET_VARS['page'] . '&ID=' . $Info->languages_id . '&action=save'));

$contents[] = array('text' => TEXT_INFO_EDIT_INTRO);

$contents[] = array('text' => '<br>' . TEXT_INFO_LANGUAGE_NAME . '<br>' .
tep_draw_input_field('name', $Info->name));

$contents[] = array('text' => '<br>' . TEXT_INFO_LANGUAGE_CODE . '<br>' .
tep_draw_input_field('code', $Info->code));

$contents[] = array('text' => '<br>' . TEXT_INFO_LANGUAGE_IMAGE . '<br>' .
tep_draw_input_field('image', $Info->image));

$contents[] = array('text' => '<br>' . TEXT_INFO_LANGUAGE_DIRECTORY . '<br>' .
tep_draw_input_field('directory', $Info->directory));

$contents[] = array('text' => '<br>' . TEXT_INFO_LANGUAGE_SORT_ORDER . '<br>' .
tep_draw_input_field('sort_order', $Info->sort_order));

if (DEFAULT_LANGUAGE != $Info->code) $contents[] = array('text' => '<br>' .
tep_draw_checkbox_field('default') . '' . TEXT_SET_DEFAULT);

$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit("button_update.gif",
IMAGE_UPDATE) . ' <a href="" . tep_href_link(FILENAME_LANGUAGES, 'page=' . $HTTP_GET_VARS['page'] .
'&ID=' . $Info->languages_id) . '">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');

break;

case 'delete':

$heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_DELETE_LANGUAGE . '</b>');

$contents[] = array('text' => TEXT_INFO_DELETE_INTRO);

$contents[] = array('text' => '<br><b>' . $Info->name . '</b>');

$contents[] = array('align' => 'center', 'text' => '<br>' . (($remove_language) ? '<a href="" .
tep_href_link(FILENAME_LANGUAGES, 'page=' . $HTTP_GET_VARS['page'] . '&ID=' . $Info->languages_id .
'&action=deleteconfirm') . '">' . tep_image_button('button_delete.gif', IMAGE_DELETE) . '</a>' : '') . ' <a
```

```

href="" . tep_href_link(FILENAME_LANGUAGES, 'page=' . $HTTP_GET_VARS['page'] . '&ID=' . $Info->
>languages_id) . ""> . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>';

break;

default:

if (is_object($Info)) {

$heading[] = array('text' => '<b>' . $Info->name . '</b>');

$contents[] = array('align' => 'center', 'text' => '<a href="" . tep_href_link(FILENAME_LANGUAGES,
'page=' . $HTTP_GET_VARS['page'] . '&ID=' . $Info->languages_id . '&action=edit') . ""> .
tep_image_button('button_edit.gif', IMAGE_EDIT) . '</a> <a href="" . tep_href_link(FILENAME_LANGUAGES,
'page=' . $HTTP_GET_VARS['page'] . '&ID=' . $Info->languages_id . '&action=delete') . ""> .
tep_image_button('button_delete.gif', IMAGE_DELETE) . '</a> <a href="" .
tep_href_link(FILENAME_DEFINE_LANGUAGE, 'ngdir=' . $Info->directory) . ""> .
tep_image_button('button_details.gif', IMAGE_DETAILS) . '</a>');

$contents[] = array('text' => '<br>' . TEXT_INFO_LANGUAGE_NAME . '' . $Info->name);

$contents[] = array('text' => TEXT_INFO_LANGUAGE_CODE . '' . $Info->code);

$contents[] = array('text' => '<br>' . tep_image(DIR_WS_CATALOG_LANGUAGES . $Info->directory .
'/images/' . $Info->image, $Info->name));

$contents[] = array('text' => '<br>' . TEXT_INFO_LANGUAGE_DIRECTORY . '<br>' .
DIR_WS_CATALOG_LANGUAGES . '<b>' . $Info->directory . '</b>');

$contents[] = array('text' => '<br>' . TEXT_INFO_LANGUAGE_SORT_ORDER . '' . $Info->sort_order);

}

break;

}

if ( (tep_not_null($heading)) && (tep_not_null($contents)) ) {

echo '      <td width="25%" valign="top">' . "\n";

$box = new box;

echo $box->infoBox($heading, $contents);

echo '      </td>' . "\n";

}

?>

</tr>

</table></td>

</tr>

```

```
</table></td>

<!-- body_text_eof //-->
</tr>
</table>
<!-- body_eof //-->

<!-- footer //-->
<?php require(DIR_WS_INCLUDES . 'footer.php'); ?>
<!-- footer_eof //-->
</body>
</html>
<?php require(DIR_WS_INCLUDES . 'application_bottom.php'); ?>
```

6. 3. Order Payment Stiuation (admin /order_status.php)

6. 3.1 Sipariş Durumu Ekle

6. 3.2. Sipariş Durumu Düzenle

6. 3.3. Sipariş Durumu Sil

```
<?php
/*
$Id: orders_status.php 1739 2007-12-20 00:52:16Z hpdl $
```

osCommerce, Open Source E-Commerce Solutions

<http://www.oscommerce.com>

Copyright (c) 2007 osCommerce

Released under the GNU General Public License

*/

```
require('includes/application_top.php');
```

```

$action = (isset($_HTTP_GET_VARS['action'])) ? $_HTTP_GET_VARS['action'] : "";

if (tep_not_null($action)) {
    switch ($action) {
        case 'insert':
        case 'save':
            if (isset($_HTTP_GET_VARS['oID'])) $orders_status_id = tep_db_prepare_input($_HTTP_GET_VARS['oID']);

            $languages = tep_get_languages();
            for ($i=0, $n=sizeof($languages); $i<$n; $i++) {
                $orders_status_name_array = $_HTTP_POST_VARS['orders_status_name'];
                $language_id = $languages[$i]['id'];

                $sql_data_array = array('orders_status_name' =>
                    tep_db_prepare_input($orders_status_name_array[$language_id]),
                    'public_flag' => ((isset($_HTTP_POST_VARS['public_flag'])) &&
                        ($_HTTP_POST_VARS['public_flag'] == '1') ? '1' : '0'),
                    'downloads_flag' => ((isset($_HTTP_POST_VARS['downloads_flag'])) &&
                        ($_HTTP_POST_VARS['downloads_flag'] == '1') ? '1' : '0'));

                if ($action == 'insert') {
                    if (empty($orders_status_id)) {
                        $next_id_query = tep_db_query("select max(orders_status_id) as orders_status_id from " .
                            TABLE_ORDERS_STATUS . "");
                        $next_id = tep_db_fetch_array($next_id_query);
                        $orders_status_id = $next_id['orders_status_id'] + 1;
                    }
                }

                $insert_sql_data = array('orders_status_id' => $orders_status_id,
                    'language_id' => $language_id);

                $sql_data_array = array_merge($sql_data_array, $insert_sql_data);

                tep_db_perform(TABLE_ORDERS_STATUS, $sql_data_array);
            }
    }
}

```

```

} elseif ($action == 'save') {
    tep_db_perform(TABLE_ORDERS_STATUS, $sql_data_array, 'update', "orders_status_id = '' .
(int)$orders_status_id . "" and language_id = '' . (int)$language_id . """);

}

}

if (isset($HTTP_POST_VARS['default']) && ($HTTP_POST_VARS['default'] == 'on')) {
    tep_db_query("update " . TABLE_CONFIGURATION . " set configuration_value = '' .
tep_db_input($orders_status_id) . "" where configuration_key = 'DEFAULT_ORDERS_STATUS_ID'");

}

tep_redirect(tep_href_link(FILENAME_ORDERS_STATUS, 'page=' . $HTTP_GET_VARS['page'] . '&oID=' .
$orders_status_id));

break;

case 'deleteconfirm':
    $oID = tep_db_prepare_input($HTTP_GET_VARS['oID']);

    $orders_status_query = tep_db_query("select configuration_value from " . TABLE_CONFIGURATION . "
where configuration_key = 'DEFAULT_ORDERS_STATUS_ID'");

    $orders_status = tep_db_fetch_array($orders_status_query);

    if ($orders_status['configuration_value'] == $oID) {
        tep_db_query("update " . TABLE_CONFIGURATION . " set configuration_value = '' where
configuration_key = 'DEFAULT_ORDERS_STATUS_ID'");

    }

    tep_db_query("delete from " . TABLE_ORDERS_STATUS . " where orders_status_id = '' .
tep_db_input($oID) . """);

    tep_redirect(tep_href_link(FILENAME_ORDERS_STATUS, 'page=' . $HTTP_GET_VARS['page']));

    break;

case 'delete':
    $oID = tep_db_prepare_input($HTTP_GET_VARS['oID']);

    $status_query = tep_db_query("select count(*) as count from " . TABLE_ORDERS . " where orders_status
= '' . (int)$oID . """);

```

```

$status = tep_db_fetch_array($status_query);

$remove_status = true;

if ($oID == DEFAULT_ORDERS_STATUS_ID) {
    $remove_status = false;
    $messageStack->add(ERROR_REMOVE_DEFAULT_ORDER_STATUS, 'error');
} elseif ($status['count'] > 0) {
    $remove_status = false;
    $messageStack->add(ERROR_STATUS_USED_IN_ORDERS, 'error');
} else {
    $history_query = tep_db_query("select count(*) as count from " . TABLE_ORDERS_STATUS_HISTORY .
" where orders_status_id = '" . (int)$oID . "'");
    $history = tep_db_fetch_array($history_query);
    if ($history['count'] > 0) {
        $remove_status = false;
        $messageStack->add(ERROR_STATUS_USED_IN_HISTORY, 'error');
    }
}
break;
}

}

?>

<!doctype html public "-//W3C//DTD HTML 4.01 Transitional//EN">

<html <?php echo HTML_PARAMS; ?>>

<head>

<meta http-equiv="Content-Type" content="text/html; charset=<?php echo CHARSET; ?>">

<title><?php echo TITLE; ?></title>

<link rel="stylesheet" type="text/css" href="includes/stylesheet.css">

<script language="javascript" src="includes/general.js"></script>

</head>

<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"
bgcolor="#FFFFFF" onload="SetFocus();">

<!-- header //-->

<?php require(DIR_WS_INCLUDES . 'header.php'); ?>

```

```

<!-- header_eof //-->

<!-- body //-->

<table border="0" width="100%" cellspacing="2" cellpadding="2">
<tr>
<td width="php echo BOX_WIDTH; ?" valign="top"><table border="0" width="php echo BOX_WIDTH; ?" cellspacing="1" cellpadding="1" class="columnLeft">
<!-- left_navigation //-->
<?php require(DIR_WS_INCLUDES . 'column_left.php'); ?>
<!-- left_navigation_eof //-->
</table></td>
<!-- body_text //-->
<td width="100%" valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr>
<td class="pageHeading"><?php echo HEADING_TITLE; ?></td>
<td class="pageHeading" align="right"><?php echo tep_draw_separator('pixel_trans.gif',
HEADING_IMAGE_WIDTH, HEADING_IMAGE_HEIGHT); ?></td>
</tr>
</table></td>
</tr>
<td valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr>
<td valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr class="dataTableHeadingRow">
<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_ORDERS_STATUS; ?></td>
<td class="dataTableHeadingContent" align="center"><?php echo
TABLE_HEADING_PUBLIC_STATUS; ?></td>
<td class="dataTableHeadingContent" align="center"><?php echo
TABLE_HEADING_DOWNLOADS_STATUS; ?></td>
<td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_ACTION;
?>&nbsp;</td>
</tr>

```

```

<?php

$orders_status_query_raw = "select * from ".TABLE_ORDERS_STATUS." where language_id = "" .
(int)$languages_id . " order by orders_status_id";

$orders_status_split = new splitPageResults($HTTP_GET_VARS['page'], MAX_DISPLAY_SEARCH_RESULTS,
$orders_status_query_raw, $orders_status_query_numrows);

$orders_status_query = tep_db_query($orders_status_query_raw);

while ($orders_status = tep_db_fetch_array($orders_status_query)) {

    if ((!isset($HTTP_GET_VARS['oID']) || (isset($HTTP_GET_VARS['oID']) && ($HTTP_GET_VARS['oID'] == $orders_status['orders_status_id']))) && !isset($oInfo) && (substr($action, 0, 3) != 'new')) {

        $oInfo = new objectInfo($orders_status);

    }

    if (isset($oInfo) && is_object($oInfo) && ($orders_status['orders_status_id'] == $oInfo->orders_status_id)) {

        echo '<tr id="defaultSelected" class="dataTableRowSelected" onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)" onclick="document.location.href=' .
tep_href_link(FILENAME_ORDERS_STATUS, 'page=' . $HTTP_GET_VARS['page'] . '&oID=' . $oInfo-
>orders_status_id . '&action=edit') . '\'">' . "\n";

    } else {

        echo '<tr class="dataTableRow" onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)" onclick="document.location.href=' .
tep_href_link(FILENAME_ORDERS_STATUS, 'page=' . $HTTP_GET_VARS['page'] . '&oID=' .
$orders_status['orders_status_id']) . '\'">' . "\n";

    }

    if (DEFAULT_ORDERS_STATUS_ID == $orders_status['orders_status_id']) {

        echo '<td class="dataTableContent"><b>' . $orders_status['orders_status_name'] . ' (' .
TEXT_DEFAULT . ')</b></td>' . "\n";

    } else {

        echo '<td class="dataTableContent">' . $orders_status['orders_status_name'] . '</td>' . "\n";

    }

?>

        <td class="dataTableContent" align="center"><?php echo tep_image(DIR_WS_IMAGES . 'icons/' .
(($orders_status['public_flag'] == '1') ? 'tick.gif' : 'cross.gif')); ?></td>

        <td class="dataTableContent" align="center"><?php echo tep_image(DIR_WS_IMAGES . 'icons/' .
(($orders_status['downloads_flag'] == '1') ? 'tick.gif' : 'cross.gif')); ?></td>

        <td class="dataTableContent" align="right"><?php if (isset($oInfo) && is_object($oInfo) &&
($orders_status['orders_status_id'] == $oInfo->orders_status_id)) { echo tep_image(DIR_WS_IMAGES .
'icon_arrow_right.gif', ''); } else { echo '<a href=' . tep_href_link(FILENAME_ORDERS_STATUS, 'page=' .
$HTTP_GET_VARS['page'] . '&oID=' . $orders_status['orders_status_id']) . '">' . tep_image(DIR_WS_IMAGES .
'icon_info.gif', IMAGE_ICON_INFO) . '</a>'; } ?>&nbsp;</td>

```

```

</tr>

<?php
}

?>

<tr>
<td colspan="4"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr>
<td class="smallText" valign="top"><?php echo $orders_status_split-
>display_count($orders_status_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, $HTTP_GET_VARS['page'],
TEXT_DISPLAY_NUMBER_OF_ORDERS_STATUS); ?></td>
<td class="smallText" align="right"><?php echo $orders_status_split-
>display_links($orders_status_query_numrows, MAX_DISPLAY_SEARCH_RESULTS,
MAX_DISPLAY_PAGE_LINKS, $HTTP_GET_VARS['page']); ?></td>
</tr>
<?php
if (empty($action)) {
?>
<tr>
<td colspan="2" align="right"><?php echo '<a href="" .
tep_href_link(FILENAME_ORDERS_STATUS, 'page=' . $HTTP_GET_VARS['page'] . '&action=new') . '">' .
tep_image_button('button_insert.gif', IMAGE_INSERT) . '</a>'; ?></td>
</tr>
<?php
}
?>
</table></td>
</tr>
</table></td>
<?php
$heading = array();
$contents = array();

switch ($action) {
case 'new':
$heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_NEW_ORDERS_STATUS . '</b>');

```

```

$contents = array('form' => tep_draw_form('status', FILENAME_ORDERS_STATUS, 'page=' .
$HTTP_GET_VARS['page'] . '&action=insert'));

$contents[] = array('text' => TEXT_INFO_INSERT_INTRO);

$orders_status_inputs_string = "";
$languages = tep_get_languages();

for ($i=0, $n=sizeof($languages); $i<$n; $i++) {
    $orders_status_inputs_string .= '<br>' . tep_image(DIR_WS_CATALOG_LANGUAGES .
$languages[$i]['directory'] . '/images/' . $languages[$i]['image'], $languages[$i]['name']) . '&nbsp;' .
tep_draw_input_field('orders_status_name[' . $languages[$i]['id'] . ']');

}

$contents[] = array('text' => '<br>' . TEXT_INFO_ORDERS_STATUS_NAME .
$orders_status_inputs_string);

$contents[] = array('text' => '<br>' . tep_draw_checkbox_field('public_flag', '1') . '' .
TEXT_SET_PUBLIC_STATUS);

$contents[] = array('text' => tep_draw_checkbox_field('downloads_flag', '1') . '' .
TEXT_SET_DOWNLOADS_STATUS);

$contents[] = array('text' => '<br>' . tep_draw_checkbox_field('default') . '' . TEXT_SET_DEFAULT);

$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_insert.gif',
IMAGE_INSERT) . '<a href="' . tep_href_link(FILENAME_ORDERS_STATUS, 'page=' .
$HTTP_GET_VARS['page']) . '">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');

break;

case 'edit':
    $heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_EDIT_ORDERS_STATUS . '</b>');

    $contents = array('form' => tep_draw_form('status', FILENAME_ORDERS_STATUS, 'page=' .
$HTTP_GET_VARS['page'] . '&oID=' . $oInfo->orders_status_id . '&action=save'));

$contents[] = array('text' => TEXT_INFO_EDIT_INTRO);

$orders_status_inputs_string = "";
$languages = tep_get_languages();

for ($i=0, $n=sizeof($languages); $i<$n; $i++) {
    $orders_status_inputs_string .= '<br>' . tep_image(DIR_WS_CATALOG_LANGUAGES .
$languages[$i]['directory'] . '/images/' . $languages[$i]['image'], $languages[$i]['name']) . '&nbsp;' .
tep_draw_input_field('orders_status_name[' . $languages[$i]['id'] . ']', tep_get_orders_status_name($oInfo-
>orders_status_id, $languages[$i]['id']));

}

```

```

$contents[] = array('text' => '<br>' . TEXT_INFO_ORDERS_STATUS_NAME .
$orders_status_inputs_string);

$contents[] = array('text' => '<br>' . tep_draw_checkbox_field('public_flag', '1', $oInfo->public_flag) . '' .
TEXT_SET_PUBLIC_STATUS);

$contents[] = array('text' => tep_draw_checkbox_field('downloads_flag', '1', $oInfo->downloads_flag) . '' .
TEXT_SET_DOWNLOADS_STATUS);

if (DEFAULT_ORDERS_STATUS_ID != $oInfo->orders_status_id) $contents[] = array('text' => '<br>' .
tep_draw_checkbox_field('default') . '' . TEXT_SET_DEFAULT);

$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_update.gif',
IMAGE_UPDATE) . ' <a href="" . tep_href_link(FILENAME_ORDERS_STATUS, 'page=' .
$HTTP_GET_VARS['page'] . '&oID=' . $oInfo->orders_status_id) . '">' . tep_image_button('button_cancel.gif',
IMAGE_CANCEL) . '</a>');

break;

case 'delete':

$heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_DELETE_ORDERS_STATUS . '</b>');

$contents = array('form' => tep_draw_form('status', FILENAME_ORDERS_STATUS, 'page=' .
$HTTP_GET_VARS['page'] . '&oID=' . $oInfo->orders_status_id . '&action=deleteconfirm'));

$contents[] = array('text' => TEXT_INFO_DELETE_INTRO);

$contents[] = array('text' => '<br><b>' . $oInfo->orders_status_name . '</b>');

if ($remove_status) $contents[] = array('align' => 'center', 'text' => '<br>' .
tep_image_submit('button_delete.gif', IMAGE_DELETE) . ' <a href="" .
tep_href_link(FILENAME_ORDERS_STATUS, 'page=' . $HTTP_GET_VARS['page'] . '&oID=' . $oInfo-
>orders_status_id) . '">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');

break;

default:

if (isset($oInfo) && is_object($oInfo)) {

$heading[] = array('text' => '<b>' . $oInfo->orders_status_name . '</b>');

$contents[] = array('align' => 'center', 'text' => '<a href="" . tep_href_link(FILENAME_ORDERS_STATUS,
'page=' . $HTTP_GET_VARS['page'] . '&oID=' . $oInfo->orders_status_id . '&action=edit') . '">' .
tep_image_button('button_edit.gif', IMAGE_EDIT) . '</a> <a href="" .
tep_href_link(FILENAME_ORDERS_STATUS, 'page=' . $HTTP_GET_VARS['page'] . '&oID=' . $oInfo-
>orders_status_id . '&action=delete') . '">' . tep_image_button('button_delete.gif', IMAGE_DELETE) . '</a>');

$orders_status_inputs_string = "";

$languages = tep_get_languages();

for ($i = 0, $n = sizeof($languages); $i < $n; $i++) {

$orders_status_inputs_string .= '<br>' . tep_image(DIR_WS_CATALOG_LANGUAGES .
$languages[$i]['directory'] . '/images/' . $languages[$i]['image'], $languages[$i]['name']) . '&nbsp;' .
tep_get_orders_status_name($oInfo->orders_status_id, $languages[$i]['id']);
}
}

```

```
}

$contents[] = array('text' => $orders_status_inputs_string);

}

break;

}

if ( (tep_not_null($heading)) && (tep_not_null($contents)) ) {

echo '      <td width="25%" valign="top">' . "\n";

$box = new box;

echo $box->infoBox($heading, $contents);

echo '      </td>' . "\n";

}

?>

</tr>

</table></td>

</tr>

</table></td>

<!-- body_text_eof //-->

</tr>

</table>

<!-- body_eof //-->

<!-- footer //-->

<?php require(DIR_WS_INCLUDES . 'footer.php'); ?>

<!-- footer_eof //-->

</body>

</html>

<?php require(DIR_WS_INCLUDES . 'application_bottom.php'); ?>
```

7. Raporlar (admin / status_product_viewed.php)

7.1. Ürün Ziyaret Sayıları

```
<?php  
/*  
$Id: stats_products_viewed.php 1739 2007-12-20 00:52:16Z hpdl $  
  
osCommerce, Open Source E-Commerce Solutions  
http://www.oscommerce.com  
  
Copyright (c) 2003 osCommerce  
  
Released under the GNU General Public License  
*/  
  
require('includes/application_top.php');  
?  
<!doctype html public "-//W3C//DTD HTML 4.01 Transitional//EN">  
<html <?php echo HTML_PARAMS; ?>>  
<head>  
<meta http-equiv="Content-Type" content="text/html; charset=<?php echo CHARSET; ?>">  
<title><?php echo TITLE; ?></title>  
<link rel="stylesheet" type="text/css" href="includes/stylesheet.css">  
<script language="javascript" src="includes/general.js"></script>  
</head>  
<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"  
bgcolor="#FFFFFF">  
<!-- header //-->  
<?php require(DIR_WS_INCLUDES . 'header.php'); ?>  
<!-- header_eof //-->  
  
<!-- body //-->  
<table border="0" width="100%" cellspacing="2" cellpadding="2">  
  <tr>
```

```

<td width=<?php echo BOX_WIDTH; ?> valign="top"><table border="0" width=<?php echo
BOX_WIDTH; ?>" cellspacing="1" cellpadding="1" class="columnLeft">

<!-- left_navigation //-->
<?php require(DIR_WS_INCLUDES . 'column_left.php'); ?>
<!-- left_navigation_eof //-->

</table></td>

<!-- body_text //-->
<td width="100%" valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="0">

<tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr>
<td class="pageHeading"><?php echo HEADING_TITLE; ?></td>
<td class="pageHeading" align="right"><?php echo tep_draw_separator('pixel_trans.gif',
HEADING_IMAGE_WIDTH, HEADING_IMAGE_HEIGHT); ?></td>
</tr>
</table></td>
</tr>
<tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr>
<td valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr class="dataTableHeadingRow">
<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_NUMBER; ?></td>
<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_PRODUCTS; ?></td>
<td class="dataTableHeadingContent" align="center"><?php echo TABLE_HEADING_VIEWED;
?>&nbsp;</td>
</tr>
<?php
if (isset($HTTP_GET_VARS['page'])) && ($HTTP_GET_VARS['page'] > 1)) $rows = $HTTP_GET_VARS['page'] *
MAX_DISPLAY_SEARCH_RESULTS - MAX_DISPLAY_SEARCH_RESULTS;

$rows = 0;

$products_query_raw = "select p.products_id, pd.products_name, pd.products_viewed, l.name from " .
TABLE_PRODUCTS . " p, " . TABLE_PRODUCTS_DESCRIPTION . " pd, " . TABLE_LANGUAGES . " l where
p.products_id = pd.products_id and l.languages_id = pd.language_id order by pd.products_viewed DESC";
$products_split = new splitPageResults($HTTP_GET_VARS['page'], MAX_DISPLAY_SEARCH_RESULTS,
$products_query_raw, $products_query_numrows);

```

```

$products_query = tep_db_query($products_query_raw);

while ($products = tep_db_fetch_array($products_query)) {
    $rows++;

    if (strlen($rows) < 2) {
        $rows = '0' . $rows;
    }

?>

    <tr class="dataTableRow" onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)"
    onclick="document.location.href='<?php echo tep_href_link(FILENAME_CATEGORIES,
    'action=new_product_preview&read=only&pID=' . $products['products_id'] . '&origin=' .
    FILENAME_STATS_PRODUCTS_VIEWED . '?page=' . $HTTP_GET_VARS['page'], 'NONSSL'); ?>'>

        <td class="dataTableContent"><?php echo $rows; ?>.</td>

        <td class="dataTableContent"><?php echo '<a href="' . tep_href_link(FILENAME_CATEGORIES,
    'action=new_product_preview&read=only&pID=' . $products['products_id'] . '&origin=' .
    FILENAME_STATS_PRODUCTS_VIEWED . '?page=' . $HTTP_GET_VARS['page'], 'NONSSL') . '">' .
    $products['products_name'] . '</a> (' . $products['name'] . ')'; ?></td>

        <td class="dataTableContent" align="center"><?php echo $products['products_viewed'];
?>&nbsp;</td>

    </tr>

<?php

}

?>

</table></td>

</tr>

<tr>

    <td colspan="3"><table border="0" width="100%" cellspacing="0" cellpadding="2">

        <tr>

            <td class="smallText" valign="top"><?php echo $products_split-
>display_count($products_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, $HTTP_GET_VARS['page'],
TEXT_DISPLAY_NUMBER_OF_PRODUCTS); ?></td>

            <td class="smallText" align="right"><?php echo $products_split-
>display_links($products_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, MAX_DISPLAY_PAGE_LINKS,
$HTTP_GET_VARS['page']); ?></td>

        </tr>

    </table></td>

</tr>

</table></td>

```

```

        </tr>
      </table></td>
    <!-- body_text_eof //-->
    </tr>
  </table>
<!-- body_eof //-->

<!-- footer //-->
<?php require(DIR_WS_INCLUDES . 'footer.php'); ?>
<!-- footer_eof //-->
</body>
</html>
<?php require(DIR_WS_INCLUDES . 'application_bottom.php'); ?>

```

7.2. Satılan Ürünler (admin / status_product_purchased)

```

<?php
/*
$Id: stats_products_purchased.php 1739 2007-12-20 00:52:16Z hpdl $
```

osCommerce, Open Source E-Commerce Solutions

<http://www.oscommerce.com>

Copyright (c) 2003 osCommerce

Released under the GNU General Public License

*/

```

require('includes/application_top.php');

?>

<!doctype html public "-//W3C//DTD HTML 4.01 Transitional//EN">
<html <?php echo HTML_PARAMS; ?>>
<head>

<meta http-equiv="Content-Type" content="text/html; charset=<?php echo CHARSET; ?>">
```

```

<title><?php echo TITLE; ?></title>
<link rel="stylesheet" type="text/css" href="includes/stylesheet.css">
<script language="javascript" src="includes/general.js"></script>
</head>
<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"
bgcolor="#FFFFFF">
<!-- header //-->
<?php require(DIR_WS_INCLUDES . 'header.php'); ?>
<!-- header_eof //-->

<!-- body //-->
<table border="0" width="100%" cellspacing="2" cellpadding="2">
<tr>
<td width=<?php echo BOX_WIDTH; ?> valign="top"><table border="0" width=<?php echo
BOX_WIDTH; ?>" cellspacing="1" cellpadding="1" class="columnLeft">
<!-- left_navigation //-->
<?php require(DIR_WS_INCLUDES . 'column_left.php'); ?>
<!-- left_navigation_eof //-->
</table></td>
<!-- body_text //-->
<td width="100%" valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr>
<td class="pageHeading"><?php echo HEADING_TITLE; ?></td>
<td class="pageHeading" align="right"><?php echo tep_draw_separator('pixel_trans.gif',
HEADING_IMAGE_WIDTH, HEADING_IMAGE_HEIGHT); ?></td>
</tr>
</table></td>
</tr>
<tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr>
<td valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr class="dataTableHeadingRow">

```

```

<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_NUMBER; ?></td>
<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_PRODUCTS; ?></td>
<td class="dataTableHeadingContent" align="center"><?php echo TABLE_HEADING_PURCHASED;
?>&nbsp;</td>
</tr>
<?php
if (isset($_HTTP_GET_VARS['page'])) && ($HTTP_GET_VARS['page'] > 1) $rows = $_HTTP_GET_VARS['page'] *
MAX_DISPLAY_SEARCH_RESULTS - MAX_DISPLAY_SEARCH_RESULTS;

$products_query_raw = "select p.products_id, p.products_ordered, pd.products_name from " .
TABLE_PRODUCTS . " p, " . TABLE_PRODUCTS_DESCRIPTION . " pd where pd.products_id = p.products_id and
pd.language_id = '" . $languages_id. "' and p.products_ordered > 0 group by pd.products_id order by
p.products_ordered DESC, pd.products_name";

$products_split = new splitPageResults($_HTTP_GET_VARS['page'], MAX_DISPLAY_SEARCH_RESULTS,
$products_query_raw, $products_query_numrows);

$rows = 0;
$products_query = tep_db_query($products_query_raw);
while ($products = tep_db_fetch_array($products_query)) {
$rows++;

if (strlen($rows) < 2) {
$rows = '0' . $rows;
}
?>
<tr class="dataTableRow" onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)"
onclick="document.location.href='<?php echo tep_href_link(FILENAME_CATEGORIES,
'action=new_product_preview&read=only&pID=' . $products['products_id'] . '&origin=' .
FILENAME_STATS_PRODUCTS_PURCHASED . '?page=' . $_HTTP_GET_VARS['page'], 'NONSSL'); ?>'>
<td class="dataTableContent"><?php echo $rows; ?></td>
<td class="dataTableContent"><?php echo '<a href="' . tep_href_link(FILENAME_CATEGORIES,
'action=new_product_preview&read=only&pID=' . $products['products_id'] . '&origin=' .
FILENAME_STATS_PRODUCTS_PURCHASED . '?page=' . $_HTTP_GET_VARS['page'], 'NONSSL') . '">' .
$products['products_name'] . '</a>'; ?></td>
<td class="dataTableContent" align="center"><?php echo $products['products_ordered'];
?>&nbsp;</td>
</tr>
<?php
}
?>

```

```

        </table></td>

    </tr>
    <tr>
        <td colspan="3"><table border="0" width="100%" cellspacing="0" cellpadding="2">
            <tr>
                <td class="smallText" valign="top"><?php echo $products_split-
>display_count($products_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, $HTTP_GET_VARS['page'],
TEXT_DISPLAY_NUMBER_OF_PRODUCTS); ?></td>
                <td class="smallText" align="right"><?php echo $products_split-
>display_links($products_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, MAX_DISPLAY_PAGE_LINKS,
$HTTP_GET_VARS['page']); ?>&nbsp;</td>
            </tr>
        </table></td>
    </tr>
    <tr>
        <td colspan="3"><!-- body_text_eof //-->
    </td>
</tr>
</table>
<!-- body_eof //-->

<!-- footer //-->
<?php require(DIR_WS_INCLUDES . 'footer.php'); ?>
<!-- footer_eof //-->
</body>
</html>
<?php require(DIR_WS_INCLUDES . 'application_bottom.php'); ?>
```

7.3. Müşteri Siparişleri Toplamı (admin /status_customers.php)

```

<?php
/*
$Id: stats_customers.php 1739 2007-12-20 00:52:16Z hpdl $
```

http://www.oscommerce.com

Copyright (c) 2003 osCommerce

Released under the GNU General Public License

*/

```
require('includes/application_top.php');

require(DIR_WS_CLASSES . 'currencies.php');
$currencies = new currencies();

?>

<!doctype html public "-//W3C//DTD HTML 4.01 Transitional//EN">
<html <?php echo HTML_PARAMS; ?>>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=<?php echo CHARSET; ?>">
<title><?php echo TITLE; ?></title>
<link rel="stylesheet" type="text/css" href="includes/stylesheet.css">
<script language="javascript" src="includes/general.js"></script>
</head>
<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"
bgcolor="#FFFFFF">
<!-- header //-->
<?php require(DIR_WS_INCLUDES . 'header.php'); ?>
<!-- header_eof //-->

<!-- body //-->
<table border="0" width="100%" cellspacing="2" cellpadding="2">
<tr>
<td width="php echo BOX_WIDTH; ?&gt;" valign="top"&gt;&lt;table border="0" width="<?php echo
BOX_WIDTH; ?&gt;" cellspacing="1" cellpadding="1" class="columnLeft"&gt;
&lt;!-- left_navigation //--&gt;
&lt;?php require(DIR_WS_INCLUDES . 'column_left.php'); ?&gt;
&lt;!-- left_navigation_eof //--&gt;</pre
```

```

</table></td>

<!-- body_text //-->
<td width="100%" valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr>
<td class="pageHeading"><?php echo HEADING_TITLE; ?></td>
<td class="pageHeading" align="right"><?php echo tep_draw_separator('pixel_trans.gif',
HEADING_IMAGE_WIDTH, HEADING_IMAGE_HEIGHT); ?></td>
</tr>
</table></td>
</tr>
<tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr>
<td valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr class="dataTableHeadingRow">
<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_NUMBER; ?></td>
<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_CUSTOMERS; ?></td>
<td class="dataTableHeadingContent" align="right"><?php echo
TABLE_HEADING_TOTAL_PURCHASED; ?>&nbsp;</td>
</tr>
<?php
if (isset($_GET['page']) && ($HTTP_GET_VARS['page'] > 1)) $rows = $HTTP_GET_VARS['page'] *
MAX_DISPLAY_SEARCH_RESULTS - MAX_DISPLAY_SEARCH_RESULTS;
$customers_query_raw = "select c.customers_firstname, c.customers_lastname, sum(op.products_quantity *
op.final_price) as ordersum from ". TABLE_CUSTOMERS . " c, ". TABLE_ORDERS_PRODUCTS . " op, ".
TABLE_ORDERS . " o where c.customers_id = o.customers_id and o.orders_id = op.orders_id group by
c.customers_firstname, c.customers_lastname order by ordersum DESC";
$customers_split = new splitPageResults($HTTP_GET_VARS['page'], MAX_DISPLAY_SEARCH_RESULTS,
$customers_query_raw, $customers_query_numrows);
// fix counted customers
$customers_query_numrows = tep_db_query("select customers_id from ". TABLE_ORDERS . " group by
customers_id");
$customers_query_numrows = tep_db_num_rows($customers_query_numrows);

$rows = 0;

```

```

$customers_query = tep_db_query($customers_query_raw);

while ($customers = tep_db_fetch_array($customers_query)) {
    $rows++;

    if (strlen($rows) < 2) {

        $rows = '0' . $rows;

    }

?>

    <tr class="dataTableRow" onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)"
    onclick="document.location.href='<?php echo tep_href_link(FILENAME_CUSTOMERS, 'search=' .
$customers['customers_lastname'], 'NONSSL'); ?>'>

        <td class="dataTableContent"><?php echo $rows; ?>.</td>

        <td class="dataTableContent"><?php echo '<a href="' . tep_href_link(FILENAME_CUSTOMERS,
'search=' . $customers['customers_lastname'], 'NONSSL') . '">' . $customers['customers_firstname'] . ' ' .
$customers['customers_lastname'] . '</a>'; ?></td>

        <td class="dataTableContent" align="right"><?php echo $currencies-
>format($customers['ordersum']); ?>&nbsp;</td>

    </tr>

<?php

}

?>

</table></td>

</tr>

<tr>

    <td colspan="3"><table border="0" width="100%" cellspacing="0" cellpadding="2">

        <tr>

            <td class="smallText" valign="top"><?php echo $customers_split-
>display_count($customers_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, $HTTP_GET_VARS['page'],
TEXT_DISPLAY_NUMBER_OF_CUSTOMERS); ?></td>

            <td class="smallText" align="right"><?php echo $customers_split-
>display_links($customers_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, MAX_DISPLAY_PAGE_LINKS,
$HTTP_GET_VARS['page']); ?>&nbsp;</td>

        </tr>

    </table></td>

</tr>

</table></td>

</tr>

```

```

</table></td>

<!-- body_text_eof //-->
</tr>
</table>
<!-- body_eof //-->

<!-- footer //-->
<?php require(DIR_WS_INCLUDES . 'footer.php'); ?>
<!-- footer_eof //-->
</body>
</html>
<?php require(DIR_WS_INCLUDES . 'application_bottom.php'); ?>

```

8.1. Veri Tabanı Yedekleme (admin / backup.php)

```

<?php
/*
$Id: backup.php 1821 2008-01-15 09:58:55Z hpdl $

osCommerce, Open Source E-Commerce Solutions
http://www.oscommerce.com

Copyright (c) 2008 osCommerce

Released under the GNU General Public License
*/

```

require('includes/application_top.php');

\$action = (isset(\$HTTP_GET_VARS['action']) ? \$HTTP_GET_VARS['action'] : '');

```

if (tep_not_null($action)) {
switch ($action) {
case 'forget':

```

```

tep_db_query("delete from " . TABLE_CONFIGURATION . " where configuration_key =
'DB_LAST_RESTORE');

$messageStack->add_session(SUCCESS_LAST_RESTORE_CLEARED, 'success');

tep_redirect(tep_href_link(FILENAME_BACKUP));

break;

case 'backupnow':
tep_set_time_limit(0);

$backup_file = 'db_' . DB_DATABASE . '-' . date('YmdHis') . '.sql';

$fp = fopen(DIR_FS_BACKUP . $backup_file, 'w');

$schema = '# osCommerce, Open Source E-Commerce Solutions' . "\n" .
'# http://www.oscommerce.com' . "\n" .
'#' . "\n" .
'# Database Backup For ' . STORE_NAME . "\n" .
'# Copyright (c) ' . date('Y') . ' ' . STORE_OWNER . "\n" .
'#' . "\n" .
'# Database: ' . DB_DATABASE . "\n" .
'# Database Server: ' . DB_SERVER . "\n" .
'#' . "\n" .
'# Backup Date: ' . date(PHP_DATE_TIME_FORMAT) . "\n\n";
fputs($fp, $schema);

$tables_query = tep_db_query('show tables');
while ($tables = tep_db_fetch_array($tables_query)) {
list($table) = each($tables);

$schema = 'drop table if exists ' . $table . ';' . "\n" .
'create table ' . $table . ' (' . "\n";
}

$table_list = array();
$fields_query = tep_db_query("show fields from " . $table);
while ($fields = tep_db_fetch_array($fields_query)) {

```

```



```

```

$columns = implode($info['columns'], ', ');

if ($kname == 'PRIMARY') {
    $schema .= ' PRIMARY KEY (' . $columns . ')';
} elseif ( $info['fulltext'] == '1' ) {
    $schema .= ' FULLTEXT ' . $kname . ' (' . $columns . ')';
} elseif ( $info['unique'] ) {
    $schema .= ' UNIQUE ' . $kname . ' (' . $columns . ')';
} else {
    $schema .= ' KEY ' . $kname . ' (' . $columns . ')';
}

}

$schema .= "\n" . ';' . "\n\n";
fputs($fp, $schema);

// dump the data
if ( ($table != TABLE_SESSIONS) && ($table != TABLE_WHOS_ONLINE) ) {
    $rows_query = tep_db_query("select " . implode(',', $table_list) . " from " . $table);
    while ($rows = tep_db_fetch_array($rows_query)) {
        $schema = 'insert into ' . $table . ' (' . implode(',', $table_list) . ') values (';

        reset($table_list);
        while (list($i) = each($table_list)) {
            if (!isset($rows[$i])) {
                $schema .= 'NULL, ';
            } elseif (tep_not_null($rows[$i])) {
                $row = addslashes($rows[$i]);
                $row = ereg_replace("\n#", "\n.\'#", $row);

                $schema .= '"' . $row . '\', ';
            } else {
                $schema .= '\\\'', ';
            }
        }
    }
}

```

```

    }

}

$schema = ereg_replace(',$', "", $schema) . ')' . "\n";
fputs($fp, $schema);

}

}

}

fclose($fp);

if (isset($HTTP_POST_VARS['download']) && ($HTTP_POST_VARS['download'] == 'yes')) {
switch ($HTTP_POST_VARS['compress']) {

case 'gzip':
exec(LOCAL_EXE_GZIP . '' . DIR_FS_BACKUP . $backup_file);

$backup_file .= '.gz';
break;

case 'zip':
exec(LOCAL_EXE_ZIP . ' -j ' . DIR_FS_BACKUP . $backup_file . '.zip' . DIR_FS_BACKUP .
$backup_file);

unlink(DIR_FS_BACKUP . $backup_file);

$backup_file .= '.zip';

}

header('Content-type: application/x-octet-stream');

header('Content-disposition: attachment; filename=' . $backup_file);

readfile(DIR_FS_BACKUP . $backup_file);

unlink(DIR_FS_BACKUP . $backup_file);

exit;
} else {

switch ($HTTP_POST_VARS['compress']) {

case 'gzip':
exec(LOCAL_EXE_GZIP . '' . DIR_FS_BACKUP . $backup_file);

```

```

break;

case 'zip':
    exec(LOCAL_EXE_ZIP . ' -j ' . DIR_FS_BACKUP . $backup_file . '.zip ' . DIR_FS_BACKUP .
$backup_file);

    unlink(DIR_FS_BACKUP . $backup_file);

}

$messageStack->add_session(SUCCESS_DATABASE_SAVED, 'success');

}

tep_redirect(tep_href_link(FILENAME_BACKUP));

break;

case 'restorenow':
case 'restorelocalnow':
tep_set_time_limit(0);

if ($action == 'restorenow') {

$read_from = $HTTP_GET_VARS['file'];

if (file_exists(DIR_FS_BACKUP . $HTTP_GET_VARS['file'])) {

$restore_file = DIR_FS_BACKUP . $HTTP_GET_VARS['file'];
$extension = substr($HTTP_GET_VARS['file'], -3);

if ( ($extension == 'sql') || ($extension == '.gz') || ($extension == 'zip') ) {

switch ($extension) {

case 'sql':
$restore_from = $restore_file;
$remove_raw = false;
break;

case '.gz':
$restore_from = substr($restore_file, 0, -3);
exec(LOCAL_EXE_GUNZIP . ' ' . $restore_file . ' -c > ' . $restore_from);
$remove_raw = true;
break;
}
}
}
}

```

```

case 'zip':
    $restore_from = substr($restore_file, 0, -4);
    exec(LOCAL_EXE_UNZIP . '' . $restore_file . ' -d ' . DIR_FS_BACKUP);
    $remove_raw = true;
}

if (isset($restore_from) && file_exists($restore_from) && (filesize($restore_from) > 15000)) {
    $fd = fopen($restore_from, 'rb');
    $restore_query = fread($fd, filesize($restore_from));
    fclose($fd);
}
}

} elseif ($action == 'restorelocalnow') {
    $sql_file = new upload('sql_file');

    if ($sql_file->parse() == true) {
        $restore_query = fread(fopen($sql_file->tmp_filename, 'r'), filesize($sql_file->tmp_filename));
        $read_from = $sql_file->filename;
    }
}

if (isset($restore_query)) {
    $sql_array = array();
    $drop_table_names = array();
    $sql_length = strlen($restore_query);
    $pos = strpos($restore_query, ';');
    for ($i=$pos; $i<$sql_length; $i++) {
        if ($restore_query[0] == '#') {
            $restore_query = ltrim(substr($restore_query, strpos($restore_query, "\n")));
            $sql_length = strlen($restore_query);
            $i = strpos($restore_query, ';')-1;
            continue;
        }
    }
}

```

```

}

if ($restore_query[($i+1)] == "\n") {

for ($j=($i+2); $j<$sql_length; $j++) {

if (trim($restore_query[$j]) != "") {

$next = substr($restore_query, $j, 6);

if ($next[0] == '#') {

// find out where the break position is so we can remove this line (#comment line)

for ($k=$j; $k<$sql_length; $k++) {

if ($restore_query[$k] == "\n") break;

}

$query = substr($restore_query, 0, $i+1);

$restore_query = substr($restore_query, $k);

// join the query before the comment appeared, with the rest of the dump

$restore_query = $query . $restore_query;

$sql_length = strlen($restore_query);

$i = strpos($restore_query, ';')-1;

continue 2;

}

break;

}

}

if ($next == "") { // get the last insert query

$next = 'insert';

}

if ( (eregi('create', $next)) || (eregi('insert', $next)) || (eregi('drop t', $next)) ) {

$query = substr($restore_query, 0, $i);

}

$next = "";

$sql_array[] = $query;

$restore_query = ltrim(substr($restore_query, $i+1));

$sql_length = strlen($restore_query);

$i = strpos($restore_query, ';')-1;

```

```

if (eregi('^create*', $query)) {
    $table_name = trim(substr($query, strpos($query, 'table ')+6));
    $table_name = substr($table_name, 0, strpos($table_name, ' '));

    $drop_table_names[] = $table_name;
}

}

}

}

tep_db_query('drop table if exists ' . implode(', ', $drop_table_names));

for ($i=0, $n=sizeof($sql_array); $i<$n; $i++) {
    tep_db_query($sql_array[$i]);
}

tep_session_close();

tep_db_query("delete from " . TABLE_WHOS_ONLINE);
tep_db_query("delete from " . TABLE_SESSIONS);

tep_db_query("delete from " . TABLE_CONFIGURATION . " where configuration_key =
'DB_LAST_RESTORE'");

tep_db_query("insert into " . TABLE_CONFIGURATION . " values (null, 'Last Database Restore',
'DB_LAST_RESTORE', '" . $read_from . "', 'Last database restore file', '6', '0', null, now(), ", ')');

if (isset($remove_raw) && ($remove_raw == true)) {
    unlink($restore_from);
}

$messageStack->add_session(SUCCESS_DATABASE RESTORED, 'success');

}

tep_redirect(tep_href_link(FILENAME_BACKUP));

```

```

break;

case 'download':
$extension = substr($HTTP_GET_VARS['file'], -3);

if ( ($extension == 'zip') || ($extension == '.gz') || ($extension == 'sql') ) {
if ($fp = fopen(DIR_FS_BACKUP . $HTTP_GET_VARS['file'], 'rb')) {
$buffer = fread($fp, filesize(DIR_FS_BACKUP . $HTTP_GET_VARS['file']));
fclose($fp);

header('Content-type: application/x-octet-stream');
header('Content-disposition: attachment; filename=' . $HTTP_GET_VARS['file']);

echo $buffer;

exit;
}

} else {
$messageStack->add(ERROR_DOWNLOAD_LINK_NOT_ACCEPTABLE, 'error');

}

break;

case 'deleteconfirm':
if (strstr($HTTP_GET_VARS['file'], '..')) tep_redirect(tep_href_link(FILENAME_BACKUP));

tep_remove(DIR_FS_BACKUP . '/' . $HTTP_GET_VARS['file']);

if (!$tep_remove_error) {
$messageStack->add_session(SUCCESS_BACKUP_DELETED, 'success');

tep_redirect(tep_href_link(FILENAME_BACKUP));
}

break;
}
}

```

```

// check if the backup directory exists

$dir_ok = false;

if (is_dir(DIR_FS_BACKUP)) {

    if (is_writeable(DIR_FS_BACKUP)) {

        $dir_ok = true;

    } else {

        $messageStack->add(ERROR_BACKUP_DIRECTORY_NOT_WRITEABLE, 'error');

    }

} else {

    $messageStack->add(ERROR_BACKUP_DIRECTORY_DOES_NOT_EXIST, 'error');

}

?>

<!doctype html public "-//W3C//DTD HTML 4.01 Transitional//EN">

<html <?php echo HTML_PARAMS; ?>>

<head>

<meta http-equiv="Content-Type" content="text/html; charset=<?php echo CHARSET; ?>">

<title><?php echo TITLE; ?></title>

<link rel="stylesheet" type="text/css" href="includes/stylesheet.css">

<script language="javascript" src="includes/general.js"></script>

</head>

<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"
bgcolor="#FFFFFF">

<!-- header //-->

<?php require(DIR_WS_INCLUDES . 'header.php'); ?>

<!-- header_eof //-->

<!-- body //-->

<table border="0" width="100%" cellspacing="2" cellpadding="2">

<tr>

    <td width=<?php echo BOX_WIDTH; ?> valign="top"><table border="0" width=<?php echo
BOX_WIDTH; ?>" cellspacing="1" cellpadding="1" class="columnLeft">

        <!-- left_navigation //-->

        <?php require(DIR_WS_INCLUDES . 'column_left.php'); ?>

```

```

<!-- left_navigation_eof //-->

</table></td>

<!-- body_text //-->

<td width="100%" valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">

<tr>

<td><table border="0" width="100%" cellspacing="0" cellpadding="0">

<tr>

<td class="pageHeading"><?php echo HEADING_TITLE; ?></td>

<td class="pageHeading" align="right"><?php echo tep_draw_separator('pixel_trans.gif',
HEADING_IMAGE_WIDTH, HEADING_IMAGE_HEIGHT); ?></td>

</tr>

</table></td>

</tr>

<tr>

<td><table border="0" width="100%" cellspacing="0" cellpadding="0">

<tr>

<td valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">

<tr class="dataTableHeadingRow">

<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_TITLE; ?></td>

<td class="dataTableHeadingContent" align="center"><?php echo TABLE_HEADING_FILE_DATE;
?></td>

<td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_FILE_SIZE;
?></td>

<td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_ACTION;
?>&nbsp;</td>

</tr>

<?php

if ($dir_ok == true) {

$dir = dir(DIR_FS_BACKUP);

$contents = array();

while ($file = $dir->read()) {

if (!is_dir(DIR_FS_BACKUP . $file) && in_array(substr($file, -3), array('zip', 'sql', '.gz'))) {

$contents[] = $file;

}

}
}

```

```

sort($contents);

for ($i=0, $n=sizeof($contents); $i<$n; $i++) {

$entry = $contents[$i];

$check = 0;

if ((!isset($_HTTP_GET_VARS['file']) || (isset($_HTTP_GET_VARS['file']) && ($_HTTP_GET_VARS['file'] ==
$entry))) && !isset($buInfo) && ($action != 'backup') && ($action != 'restorelocal')) {

$file_array['file'] = $entry;

$file_array['date'] = date(PHP_DATE_TIME_FORMAT, filemtime(DIR_FS_BACKUP . $entry));

$file_array['size'] = number_format(filesize(DIR_FS_BACKUP . $entry)) . ' bytes';

switch (substr($entry, -3)) {

case 'zip': $file_array['compression'] = 'ZIP'; break;

case '.gz': $file_array['compression'] = 'GZIP'; break;

default: $file_array['compression'] = TEXT_NO_EXTENSION; break;

}

$buInfo = new objectInfo($file_array);

}

if (isset($buInfo) && is_object($buInfo) && ($entry == $buInfo->file)) {

echo '      <tr id="defaultSelected" class="dataTableRowSelected"
onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)">' . "\n";

$onclick_link = 'file=' . $buInfo->file . '&action=restore';

} else {

echo '      <tr class="dataTableRow" onmouseover="rowOverEffect(this)"
onmouseout="rowOutEffect(this)">' . "\n";

$onclick_link = 'file=' . $entry;

}

?>

      <td class="dataTableContent" onClick="document.location.href='<?php echo
tep_href_link(FILENAME_BACKUP, $onclick_link); ?>"><?php echo '<a href="" .
tep_href_link(FILENAME_BACKUP, 'action=download&file=' . $entry) . '">' . tep_image(DIR_WS_ICONS .
'file_download.gif', ICON_FILE_DOWNLOAD) . '</a>&ampnbsp' . $entry; ?></td>

```

```

        <td class="dataTableContent" align="center" onClick="document.location.href='<?php echo
tep_href_link(FILENAME_BACKUP, $onclick_link); ?>'><?php echo date(PHP_DATE_TIME_FORMAT,
filemtime(DIR_FS_BACKUP . $entry)); ?></td>

        <td class="dataTableContent" align="right" onClick="document.location.href='<?php echo
tep_href_link(FILENAME_BACKUP, $onclick_link); ?>'><?php echo number_format(filesize(DIR_FS_BACKUP .
$entry)); ?> bytes</td>

        <td class="dataTableContent" align="right"><?php if (isset($buInfo) && is_object($buInfo) &&
($entry == $buInfo->file)) { echo tep_image(DIR_WS_IMAGES . 'icon_arrow_right.gif', ''); } else { echo '<a
href="'. tep_href_link(FILENAME_BACKUP, 'file=' . $entry) . '">' . tep_image(DIR_WS_IMAGES . 'icon_info.gif',
IMAGE_ICON_INFO) . '</a>; } ?>&nbsp;</td>

    </tr>

<?php

}

$dir->close();

?

?>

    <tr>

        <td class="smallText" colspan="3"><?php echo TEXT_BACKUP_DIRECTORY . '' . DIR_FS_BACKUP;
?></td>

        <td align="right" class="smallText"><?php if ( ($action != 'backup') && (isset($dir)) ) echo '<a
href="'. tep_href_link(FILENAME_BACKUP, 'action=backup') . '">' . tep_image_button('button_backup.gif',
IMAGE_BACKUP) . '</a>; if ( ($action != 'restorelocal') && isset($dir) ) echo '&nbsp;&nbsp;<a href="'.
tep_href_link(FILENAME_BACKUP, 'action=restorelocal') . '">' . tep_image_button('button_restore.gif',
IMAGE_RESTORE) . '</a>; ?></td>

    </tr>

<?php

if (defined('DB_LAST_RESTORE')) {

?>

    <tr>

        <td class="smallText" colspan="4"><?php echo TEXT_LAST_RESTORATION . '' .
DB_LAST_RESTORE . ' <a href="'. tep_href_link(FILENAME_BACKUP, 'action=forget') . '">' . TEXT_FORGET .
'</a>; ?></td>

    </tr>

<?php

?

?>

    </table></td>

<?php

$heading = array();
$contents = array();

```

```

switch ($action) {

    case 'backup':

        $heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_NEW_BACKUP . '</b>');

        $contents = array('form' => tep_draw_form('backup', FILENAME_BACKUP, 'action=backupnow'));

        $contents[] = array('text' => TEXT_INFO_NEW_BACKUP);

        $contents[] = array('text' => '<br>' . tep_draw_radio_field('compress', 'no', true) . '' .
TEXT_INFO_USE_NO_COMPRESSION);

        if (file_exists(LOCAL_EXE_GZIP)) $contents[] = array('text' => '<br>' . tep_draw_radio_field('compress', 'gzip') . '' . TEXT_INFO_USE_GZIP);

        if (file_exists(LOCAL_EXE_ZIP)) $contents[] = array('text' => tep_draw_radio_field('compress', 'zip') . '' .
TEXT_INFO_USE_ZIP);

        if ($dir_ok == true) {

            $contents[] = array('text' => '<br>' . tep_draw_checkbox_field('download', 'yes') . '' .
TEXT_INFO_DOWNLOAD_ONLY . '*<br><br>*' . TEXT_INFO_BEST_THROUGH_HTTPS);

        } else {

            $contents[] = array('text' => '<br>' . tep_draw_radio_field('download', 'yes', true) . '' .
TEXT_INFO_DOWNLOAD_ONLY . '*<br><br>*' . TEXT_INFO_BEST_THROUGH_HTTPS);

        }

        $contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_backup.gif', IMAGE_BACKUP) . '&ampnbsp<a href="" . tep_href_link(FILENAME_BACKUP) . "">' .
tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');

        break;

    case 'restore':

        $heading[] = array('text' => '<b>' . $buInfo->date . '</b>');

        $contents[] = array('text' => tep_break_string(sprintf(TEXT_INFO_RESTORE, DIR_FS_BACKUP .
($buInfo->compression != TEXT_NO_EXTENSION) ? substr($buInfo->file, 0, strpos($buInfo->file, '.')) :
$buInfo->file), ($buInfo->compression != TEXT_NO_EXTENSION) ? TEXT_INFO_UNPACK : ")", 35, ' '));

        $contents[] = array('align' => 'center', 'text' => '<br><a href="" . tep_href_link(FILENAME_BACKUP,
'file=' . $buInfo->file . '&action=restorenow') . "">' . tep_image_button('button_restore.gif', IMAGE_RESTORE) .
'</a>&ampnbsp<a href="" . tep_href_link(FILENAME_BACKUP, 'file=' . $buInfo->file) . "">' .
tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');

        break;

    case 'restorelocal':

```

```

$heading[] = array('text' => '<b>' . TEXT_INFO_HEADING_RESTORE_LOCAL . '</b>');

$contents = array('form' => tep_draw_form('restore', FILENAME_BACKUP, 'action=restorelocalnow', 'post',
'enctype="multipart/form-data"'));
$contents[] = array('text' => TEXT_INFO_RESTORE_LOCAL . '<br><br>' .
TEXT_INFO_BEST_THROUGH_HTTPS);
$contents[] = array('text' => '<br>' . tep_draw_file_field('sql_file'));
$contents[] = array('text' => TEXT_INFO_RESTORE_LOCAL_RAW_FILE);
$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_restore.gif',
IMAGE_RESTORE) . '&nbsp;<a href="" . tep_href_link(FILENAME_BACKUP) . "">' .
tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
break;
case 'delete':
$heading[] = array('text' => '<b>' . $buInfo->date . '</b>');
$contents = array('form' => tep_draw_form('delete', FILENAME_BACKUP, 'file=' . $buInfo->file .
'&action=deleteconfirm'));
$contents[] = array('text' => TEXT_DELETE_INTRO);
$contents[] = array('text' => '<br><b>' . $buInfo->file . '</b>');
$contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_delete.gif',
IMAGE_DELETE) . '<a href="" . tep_href_link(FILENAME_BACKUP, 'file=' . $buInfo->file) . "">' .
tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');
break;
default:
if (isset($buInfo) && is_object($buInfo)) {
$heading[] = array('text' => '<b>' . $buInfo->date . '</b>');

$contents[] = array('align' => 'center', 'text' => '<a href="" . tep_href_link(FILENAME_BACKUP, 'file=' .
$buInfo->file . '&action=restore') . "">' . tep_image_button('button_restore.gif', IMAGE_RESTORE) . '</a> <a href="" . tep_href_link(FILENAME_BACKUP, 'file=' . $buInfo->file . '&action=delete') . "">' .
tep_image_button('button_delete.gif', IMAGE_DELETE) . '</a>');
$contents[] = array('text' => '<br>' . TEXT_INFO_DATE . ' ' . $buInfo->date);
$contents[] = array('text' => TEXT_INFO_SIZE . ' ' . $buInfo->size);
$contents[] = array('text' => '<br>' . TEXT_INFO_COMPRESSION . ' ' . $buInfo->compression);
}
break;
}

```

```

if ( (tep_not_null($heading)) && (tep_not_null($contents)) ) {

    echo '      <td width="25%" valign="top">' . "\n";

    $box = new box;

    echo $box->infoBox($heading, $contents);

}

?>

</tr>

</table></td>

</tr>

</table></td>

<!-- body_text_eof //-->

</tr>

</table>

<!-- body_eof //-->

<!-- footer //-->

<?php require(DIR_WS_INCLUDES . 'footer.php'); ?>

<!-- footer_eof //-->

</body>

</html>

<?php require(DIR_WS_INCLUDES . 'application_bottom.php'); ?>

```

8.3. E-mail Yollama (admin / mail.php)

```

<?php

/*
$Id: mail.php 1739 2007-12-20 00:52:16Z hpdl $


```

osCommerce, Open Source E-Commerce Solutions
<http://www.oscommerce.com>

Copyright (c) 2003 osCommerce

```
*/  
  
require('includes/application_top.php');  
  
$action = (isset($HTTP_GET_VARS['action']) ? $HTTP_GET_VARS['action'] : "");  
  
if ( ($action == 'send_email_to_user') && isset($HTTP_POST_VARS['customers_email_address']) &&  
!isset($HTTP_POST_VARS['back_x'])) {  
    switch ($HTTP_POST_VARS['customers_email_address']) {  
        case '***':  
            $mail_query = tep_db_query("select customers_firstname, customers_lastname,  
customers_email_address from " . TABLE_CUSTOMERS);  
            $mail_sent_to = TEXT_ALL_CUSTOMERS;  
            break;  
        case '**D':  
            $mail_query = tep_db_query("select customers_firstname, customers_lastname,  
customers_email_address from " . TABLE_CUSTOMERS . " where customers_newsletter = '1'");  
            $mail_sent_to = TEXT_NEWSLETTER_CUSTOMERS;  
            break;  
        default:  
            $customers_email_address = tep_db_prepare_input($HTTP_POST_VARS['customers_email_address']);  
  
            $mail_query = tep_db_query("select customers_firstname, customers_lastname,  
customers_email_address from " . TABLE_CUSTOMERS . " where customers_email_address = '" .  
                tep_db_input($customers_email_address) . "'");  
            $mail_sent_to = $HTTP_POST_VARS['customers_email_address'];  
            break;  
    }  
  
    $from = tep_db_prepare_input($HTTP_POST_VARS['from']);  
    $subject = tep_db_prepare_input($HTTP_POST_VARS['subject']);  
    $message = tep_db_prepare_input($HTTP_POST_VARS['message']);
```

```

//Let's build a message object using the email class

$mimemessage = new email(array('X-Mailer: osCommerce'));

// add the message to the object

$mimemessage->add_text($message);

$mimemessage->build_message();

while ($mail = tep_db_fetch_array($mail_query)) {

    $mimemessage->send($mail['customers_firstname'] . ' ' . $mail['customers_lastname'],
$mail['customers_email_address'], ", $from, $subject);

}

tep_redirect(tep_href_link(FILENAME_MAIL, 'mail_sent_to=' . urlencode($mail_sent_to)));

}

if ( ($action == 'preview') && !isset($_POST['customers_email_address']) ) {

$messageStack->add(ERROR_NO_CUSTOMER_SELECTED, 'error');

}

if (isset($_GET['mail_sent_to'])) {

$messageStack->add(sprintf(NOTICE_EMAIL_SENT_TO, $_GET['mail_sent_to']), 'success');

}

?>

<!doctype html public "-//W3C//DTD HTML 4.01 Transitional//EN">

<html <?php echo HTML_PARAMS; ?>>

<head>

<meta http-equiv="Content-Type" content="text/html; charset=<?php echo CHARSET; ?>">

<title><?php echo TITLE; ?></title>

<link rel="stylesheet" type="text/css" href="includes/stylesheet.css">

</head>

<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"
bgcolor="#FFFFFF">

<!-- header //-->

<?php require(DIR_WS_INCLUDES . 'header.php'); ?>

<!-- header_eof //-->

```

```

<!-- body //-->

<table border="0" width="100%" cellspacing="2" cellpadding="2">
  <tr>
    <td width=<?php echo BOX_WIDTH; ?> valign="top"><table border="0" width=<?php echo
BOX_WIDTH; ?>" cellspacing="1" cellpadding="1" class="columnLeft">
      <!-- left_navigation //-->
      <?php require(DIR_WS_INCLUDES . 'column_left.php'); ?>
      <!-- left_navigation_eof //-->
    </table></td>
  <!-- body_text //-->
  <td width="100%" valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="0">
    <tr>
      <td width="100%"><table border="0" width="100%" cellspacing="0" cellpadding="0">
        <tr>
          <td class="pageHeading"><?php echo HEADING_TITLE; ?></td>
          <td class="pageHeading" align="right"><?php echo tep_draw_separator('pixel_trans.gif',
HEADING_IMAGE_WIDTH, HEADING_IMAGE_HEIGHT); ?></td>
        </tr>
      </table></td>
    </tr>
    <td><table border="0" width="100%" cellspacing="0" cellpadding="2">
      <?php
      if ( ($action == 'preview') && isset($HTTP_POST_VARS['customers_email_address']) ) {
        switch ($HTTP_POST_VARS['customers_email_address']) {
          case '***':
            $mail_sent_to = TEXT_ALL_CUSTOMERS;
            break;
          case '**D':
            $mail_sent_to = TEXT_NEWSLETTER_CUSTOMERS;
            break;
          default:
            $mail_sent_to = $HTTP_POST_VARS['customers_email_address'];
            break;
        }
      }
    
```

```

}

?>

<tr><?php echo tep_draw_form('mail', FILENAME_MAIL, 'action=send_email_to_user'); ?>
<td><table border="0" width="100%" cellpadding="0" cellspacing="2">
<tr>
<td><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<tr>
<td class="smallText"><b><?php echo TEXT_CUSTOMER; ?></b><br><?php echo $mail_sent_to;
?></td>
</tr>
<tr>
<td><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<tr>
<td class="smallText"><b><?php echo TEXT_FROM; ?></b><br><?php echo
htmlspecialchars(stripslashes($HTTP_POST_VARS['from'])); ?></td>
</tr>
<tr>
<td><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<tr>
<td class="smallText"><b><?php echo TEXT SUBJECT; ?></b><br><?php echo
htmlspecialchars(stripslashes($HTTP_POST_VARS['subject'])); ?></td>
</tr>
<tr>
<td><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<tr>
<td class="smallText"><b><?php echo TEXT_MESSAGE; ?></b><br><?php echo
nl2br(htmlspecialchars(stripslashes($HTTP_POST_VARS['message']))); ?></td>
</tr>
<tr>
<td><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>

```

```

<tr>
<td>

<?php
/* Re-Post all POST'ed variables */
reset($HTTP_POST_VARS);

while (list($key, $value) = each($HTTP_POST_VARS)) {
if (!is_array($HTTP_POST_VARS[$key])) {
echo tep_draw_hidden_field($key, htmlspecialchars(stripslashes($value)));
}
}

?>

<table border="0" width="100%" cellpadding="0" cellspacing="2">
<tr>
<td><?php echo tep_image_submit('button_back.gif', IMAGE_BACK, 'name="back"'); ?></td>
<td align="right"><?php echo '<a href="' . tep_href_link(FILENAME_MAIL) . '">' .
tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a> ' . tep_image_submit('button_send_mail.gif',
IMAGE_SEND_EMAIL); ?></td>
</tr>
</table></td>
</tr>
</table></td>
</form></tr>

<?php
} else {
?>

<tr><?php echo tep_draw_form('mail', FILENAME_MAIL, 'action=preview'); ?>
<td><table border="0" cellpadding="0" cellspacing="2">
<tr>
<td colspan="2"><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<?php
$customers = array();
$customers[] = array('id' => "", 'text' => TEXT_SELECT_CUSTOMER);
$customers[] = array('id' => '****', 'text' => TEXT_ALL_CUSTOMERS);

```

```

$customers[] = array('id' => '**D', 'text' => TEXT_NEWSLETTER_CUSTOMERS);
$mail_query = tep_db_query("select customers_email_address, customers_firstname, customers_lastname
from ". TABLE_CUSTOMERS . " order by customers_lastname");
while($customers_values = tep_db_fetch_array($mail_query)) {
    $customers[] = array('id' => $customers_values['customers_email_address'],
        'text' => $customers_values['customers_lastname'] . ', ' .
        $customers_values['customers_firstname'] . '(' . $customers_values['customers_email_address'] . ')');
}
?>

<tr>
    <td class="main"><?php echo TEXT_CUSTOMER; ?></td>
    <td><?php echo tep_draw_pull_down_menu('customers_email_address', $customers,
        (isset($HTTP_GET_VARS['customer']) ? $HTTP_GET_VARS['customer'] : ''));?></td>
</tr>

<tr>
    <td colspan="2"><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>

<tr>
    <td class="main"><?php echo TEXT_FROM; ?></td>
    <td><?php echo tep_draw_input_field('from', EMAIL_FROM); ?></td>
</tr>

<tr>
    <td colspan="2"><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>

<tr>
    <td class="main"><?php echo TEXT SUBJECT; ?></td>
    <td><?php echo tep_draw_input_field('subject'); ?></td>
</tr>

<tr>
    <td colspan="2"><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>

<tr>
    <td valign="top" class="main"><?php echo TEXT_MESSAGE; ?></td>
    <td><?php echo tep_draw_textarea_field('message', 'soft', '60', '15'); ?></td>
</tr>

```

```

<tr>
    <td colspan="2"><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<tr>
    <td colspan="2" align="right"><?php echo tep_image_submit('button_send_email.gif', IMAGE_SEND_EMAIL); ?></td>
</tr>
</table></td>
</form></tr>

<?php
}

?>

<!-- body_text_eof //-->

</table></td>
</tr>
</table></td>
</tr>
</table>

<!-- body_eof //-->

<!-- footer //-->
<?php require(DIR_WS_INCLUDES . 'footer.php'); ?>
<!-- footer_eof //-->
</body>
</html>
<?php require(DIR_WS_INCLUDES . 'application_bottom.php'); ?>

```

8.4. E-mail Yönetimi (admin / newsletter.php)

```

<?php
/*
$Id: newsletters.php 1751 2007-12-21 05:26:09Z hpdl $
```

osCommerce, Open Source E-Commerce Solutions

<http://www.oscommerce.com>

Copyright (c) 2007 osCommerce

Released under the GNU General Public License

```
*/\n\nrequire('includes/application_top.php');\n\n$action = (isset($HTTP_GET_VARS['action']) ? $HTTP_GET_VARS['action'] : "");\n\nif (tep_not_null($action)) {\n    switch ($action) {\n        case 'lock':\n        case 'unlock':\n            $newsletter_id = tep_db_prepare_input($HTTP_GET_VARS['nID']);\n            $status = (($action == 'lock') ? '1' : '0');\n\n            tep_db_query("update " . TABLE_NEWSLETTERS . " set locked = '" . $status . "' where newsletters_id = '"\n            . (int)$newsletter_id . "'");\n\n            tep_redirect(tep_href_link(FILENAME_NEWSLETTERS, 'page=' . $HTTP_GET_VARS['page'] . '&nID=' .\n            $HTTP_GET_VARS['nID']));\n\n            break;\n\n        case 'insert':\n        case 'update':\n            if (isset($HTTP_POST_VARS['newsletter_id'])) $newsletter_id =\n                tep_db_prepare_input($HTTP_POST_VARS['newsletter_id']);\n\n            $newsletter_module = tep_db_prepare_input($HTTP_POST_VARS['module']);\n            $title = tep_db_prepare_input($HTTP_POST_VARS['title']);\n            $content = tep_db_prepare_input($HTTP_POST_VARS['content']);\n\n            $newsletter_error = false;\n\n            if (empty($title)) {\n                $messageStack->add(ERROR_NEWSLETTER_TITLE, 'error');\n                $newsletter_error = true;\n            }\n    }\n}\n\n\n
```

```

}

if (empty($newsletter_module)) {

    $messageStack->add(ERROR_NEWSLETTER_MODULE, 'error');

    $newsletter_error = true;

}

if ($newsletter_error == false) {

    $sql_data_array = array('title' => $title,
                           'content' => $content,
                           'module' => $newsletter_module);

    if ($action == 'insert') {

        $sql_data_array['date_added'] = 'now()';
        $sql_data_array['status'] = '0';
        $sql_data_array['locked'] = '0';

        tep_db_perform(TABLE_NEWSLETTERS, $sql_data_array);
        $newsletter_id = tep_db_insert_id();

    } elseif ($action == 'update') {

        tep_db_perform(TABLE_NEWSLETTERS, $sql_data_array, 'update', "newsletters_id = '" .
        (int)$newsletter_id . "'");

    }

    tep_redirect(tep_href_link(FILENAME_NEWSLETTERS, (isset($HTTP_GET_VARS['page'])) ? 'page=' .
    $HTTP_GET_VARS['page'] . '&' : '') . 'nID=' . $newsletter_id));

} else {

    $action = 'new';

}

break;

case 'deleteconfirm':

    $newsletter_id = tep_db_prepare_input($HTTP_GET_VARS['nID']);

    tep_db_query("delete from " . TABLE_NEWSLETTERS . " where newsletters_id = '" . (int)$newsletter_id . "'");
}

```

```

tep_redirect(tep_href_link(FILENAME_NEWSLETTERS, 'page=' . $HTTP_GET_VARS['page']));
break;

case 'delete':
case 'new': if (!isset($HTTP_GET_VARS['nID'])) break;
case 'send':
case 'confirm_send':
$newsletter_id = tep_db_prepare_input($HTTP_GET_VARS['nID']);

$check_query = tep_db_query("select locked from " . TABLE_NEWSLETTERS . " where newsletters_id = '" .
(int)$newsletter_id . "'");
$check = tep_db_fetch_array($check_query);

if ($check['locked'] < 1) {
switch ($action) {

case 'delete': $error = ERROR_REMOVE_UNLOCKED_NEWSLETTER; break;
case 'new': $error = ERROR_EDIT_UNLOCKED_NEWSLETTER; break;
case 'send': $error = ERROR_SEND_UNLOCKED_NEWSLETTER; break;
case 'confirm_send': $error = ERROR_SEND_UNLOCKED_NEWSLETTER; break;
}

$messageStack->add_session($error, 'error');

tep_redirect(tep_href_link(FILENAME_NEWSLETTERS, 'page=' . $HTTP_GET_VARS['page'] . '&nID=' .
$HTTP_GET_VARS['nID']));
}
break;
}
}
?>

<!doctype html public "-//W3C//DTD HTML 4.01 Transitional//EN">
<html <?php echo HTML_PARAMS; ?>>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=<?php echo CHARSET; ?>">

```

```

<title><?php echo TITLE; ?></title>

<link rel="stylesheet" type="text/css" href="includes/stylesheet.css">

<script language="javascript" src="includes/general.js"></script>

</head>

<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"
bgcolor="#FFFFFF">

<div id="spiffycalendar" class="text"></div>

<!-- header //-->

<?php require(DIR_WS_INCLUDES . 'header.php'); ?>

<!-- header_eof //-->

<!-- body //-->

<table border="0" width="100%" cellspacing="2" cellpadding="2">

<tr>

<td width="php echo BOX_WIDTH; ?&gt;" valign="top"&gt;&lt;table border="0" width="<?php echo
BOX_WIDTH; ?&gt;" cellspacing="1" cellpadding="1" class="columnLeft"&gt;

&lt;!-- left_navigation //--&gt;

&lt;?php require(DIR_WS_INCLUDES . 'column_left.php'); ?&gt;

&lt;!-- left_navigation_eof //--&gt;

&lt;/table&gt;&lt;/td&gt;

&lt;!-- body_text //--&gt;

&lt;td width="100%" valign="top"&gt;&lt;table border="0" width="100%" cellspacing="0" cellpadding="2"&gt;

&lt;tr&gt;

&lt;td&gt;&lt;table border="0" width="100%" cellspacing="0" cellpadding="0"&gt;

&lt;tr&gt;

&lt;td class="pageHeading"<?php echo HEADING_TITLE; ?></td>

<td class="pageHeading" align="right"><?php echo tep_draw_separator('pixel_trans.gif',
HEADING_IMAGE_WIDTH, HEADING_IMAGE_HEIGHT); ?></td>

</tr>

</table></td>

</tr>

<?php

if ($action == 'new') {

$form_action = 'insert';

```

```

$parameters = array('title' => '',
                   'content' => '',
                   'module' => '');

$nInfo = new objectInfo($parameters);

if (isset($_GET['nID'])) {
    $form_action = 'update';

    $nID = tep_db_prepare_input($_GET['nID']);

    $newsletter_query = tep_db_query("select title, content, module from " . TABLE_NEWSLETTERS . " where newsletters_id = '" . (int)$nID . "'");
    $newsletter = tep_db_fetch_array($newsletter_query);

    $nInfo->objectInfo($newsletter);
} elseif ($_POST) {
    $nInfo->objectInfo($_POST);
}

$file_extension = substr($PHP_SELF, strrpos($PHP_SELF, '.'));
$directory_array = array();
if ($dir = dir(DIR_WS_MODULES . 'newsletters/')) {
    while ($file = $dir->read()) {
        if (!is_dir(DIR_WS_MODULES . 'newsletters/' . $file)) {
            if (substr($file, strrpos($file, '.')) == $file_extension) {
                $directory_array[] = $file;
            }
        }
    }
    sort($directory_array);
    $dir->close();
}

```

```

for ($i=0, $n=sizeof($directory_array); $i<$n; $i++) {

    $modules_array[] = array('id' => substr($directory_array[$i], 0, strpos($directory_array[$i], '.')), 'text'
=> substr($directory_array[$i], 0, strpos($directory_array[$i], '.')));

}

?>

<tr>

<td><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>

</tr>

<tr><?php echo tep_draw_form('newsletter', FILENAME_NEWSLETTERS, (isset($HTTP_GET_VARS['page'])
? 'page=' . $HTTP_GET_VARS['page'] . '&' : '') . 'action=' . $form_action); if ($form_action == 'update') echo
tep_draw_hidden_field('newsletter_id', $nID); ?>

<td><table border="0" cellspacing="0" cellpadding="2">

<tr>

<td class="main"><?php echo TEXT_NEWSLETTER_MODULE; ?></td>

<td class="main"><?php echo tep_draw_pull_down_menu('module', $modules_array, $nInfo->module); ?></td>

</tr>

<tr>

<td colspan="2"><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>

</tr>

<tr>

<td class="main"><?php echo TEXT_NEWSLETTER_TITLE; ?></td>

<td class="main"><?php echo tep_draw_input_field('title', $nInfo->title, "", true); ?></td>

</tr>

<tr>

<td colspan="2"><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>

</tr>

<tr>

<td class="main" valign="top"><?php echo TEXT_NEWSLETTER_CONTENT; ?></td>

<td class="main"><?php echo tep_draw_textarea_field('content', 'soft', '100%', '20', $nInfo->content); ?></td>

</tr>

</table></td>

</tr>

<tr>

```

```

<td><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr>
<td class="main" align="right"><?php echo (($form_action == 'insert') ?
tep_image_submit('button_save.gif', IMAGE_SAVE) : tep_image_submit('button_update.gif', IMAGE_UPDATE));
'&nbsp;&nbsp;<a href="" . tep_href_link(FILENAME_NEWSLETTERS, (isset($HTTP_GET_VARS['page'])) ?
'page=' . $HTTP_GET_VARS['page'] . '&' : "") . (isset($HTTP_GET_VARS['nID'])) ? 'nID=' .
$HTTP_GET_VARS['nID'] : "") . '">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>';
?></td>
</tr>
</table></td>
</form></tr>

<?php
} elseif ($action == 'preview') {
$nID = tep_db_prepare_input($HTTP_GET_VARS['nID']);

$newsletter_query = tep_db_query("select title, content, module from " . TABLE_NEWSLETTERS . " where
newsletters_id = " . (int)$nID . "''");
$newsletter = tep_db_fetch_array($newsletter_query);

$nInfo = new objectInfo($newsletter);
?>
<tr>
<td align="right"><?php echo '<a href="" . tep_href_link(FILENAME_NEWSLETTERS, 'page=' .
$HTTP_GET_VARS['page'] . '&nID=' . $HTTP_GET_VARS['nID']) . '">' . tep_image_button('button_back.gif',
IMAGE_BACK) . '</a>'; ?></td>
</tr>
<tr>
<td><tt><?php echo nl2br($nInfo->content); ?></tt></td>
</tr>
<tr>
<td align="right"><?php echo '<a href="" . tep_href_link(FILENAME_NEWSLETTERS, 'page=' .
$HTTP_GET_VARS['page'] . '&nID=' . $HTTP_GET_VARS['nID']) . '">' . tep_image_button('button_back.gif',
IMAGE_BACK) . '</a>'; ?></td>
</tr>
<?php

```

```

} elseif ($action == 'send') {
    $nID = tep_db_prepare_input($HTTP_GET_VARS['nID']);

    $newsletter_query = tep_db_query("select title, content, module from " . TABLE_NEWSLETTERS . " where
newsletters_id = '" . (int)$nID . "'");
    $newsletter = tep_db_fetch_array($newsletter_query);

    $nInfo = new objectInfo($newsletter);

    include(DIR_WS_LANGUAGES . $language . '/modules/newsletters/' . $nInfo->module . substr($PHP_SELF,
strrpos($PHP_SELF, '.')));
    include(DIR_WS_MODULES . 'newsletters/' . $nInfo->module . substr($PHP_SELF, strrpos($PHP_SELF, '.')));
    $module_name = $nInfo->module;
    $module = new $module_name($nInfo->title, $nInfo->content);

?>

<tr>
    <td><?php if ($module->show_choose_audience) { echo $module->choose_audience(); } else { echo
$module->confirm(); } ?></td>
</tr>

<?php
} elseif ($action == 'confirm') {
    $nID = tep_db_prepare_input($HTTP_GET_VARS['nID']);

    $newsletter_query = tep_db_query("select title, content, module from " . TABLE_NEWSLETTERS . " where
newsletters_id = '" . (int)$nID . "'");
    $newsletter = tep_db_fetch_array($newsletter_query);

    $nInfo = new objectInfo($newsletter);

    include(DIR_WS_LANGUAGES . $language . '/modules/newsletters/' . $nInfo->module . substr($PHP_SELF,
strrpos($PHP_SELF, '.')));
    include(DIR_WS_MODULES . 'newsletters/' . $nInfo->module . substr($PHP_SELF, strrpos($PHP_SELF, '.')));
    $module_name = $nInfo->module;
    $module = new $module_name($nInfo->title, $nInfo->content);

?>

```

```

<tr>
<td><?php echo $module->confirm(); ?></td>
</tr>

<?php
} elseif ($action == 'confirm_send') {
$nID = tep_db_prepare_input($HTTP_GET_VARS['nID']);

$newsletter_query = tep_db_query("select newsletters_id, title, content, module from " .
TABLE_NEWSLETTERS . " where newsletters_id = '" . (int)$nID . "'");
$newsletter = tep_db_fetch_array($newsletter_query);

$nInfo = new objectInfo($newsletter);

include(DIR_WS_LANGUAGES . $language . '/modules/newsletters/' . $nInfo->module . substr($PHP_SELF,
substr($PHP_SELF, strpos($PHP_SELF, '.') + 1)));
include(DIR_WS_MODULES . 'newsletters/' . $nInfo->module . substr($PHP_SELF, strpos($PHP_SELF, '.')));
$module_name = $nInfo->module;
$module = new $module_name($nInfo->title, $nInfo->content);

?>
<tr>
<td><table border="0" cellspacing="0" cellpadding="2">
<tr>
<td class="main" valign="middle"><?php echo tep_image(DIR_WS_IMAGES . 'ani_send_email.gif',
IMAGE_ANI_SEND_EMAIL); ?></td>
<td class="main" valign="middle"><b><?php echo TEXT PLEASE_WAIT; ?></b></td>
</tr>
</table></td>
</tr>

<?php
tep_set_time_limit(0);
flush();
$module->send($nInfo->newsletters_id);

?>
<tr>
<td><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>

```

```

</tr>
<tr>
<td class="main"><font color="#ff0000"><b><?php echo TEXT_FINISHED_SENDING_EMAILS;
?></b></font></td>

</tr>
<tr>
<td><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<tr>
<td><?php echo '<a href="' . tep_href_link(FILENAME_NEWSLETTERS, 'page=' .
$HTTP_GET_VARS['page']) . '&nID=' . $HTTP_GET_VARS['nID']) . '">' . tep_image_button('button_back.gif',
IMAGE_BACK) . '</a>'; ?></td>

</tr>
<?php
} else {
?>
<tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr>
<td valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr class="dataTableHeadingRow">
<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_NEWSLETTERS; ?></td>
<td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_SIZE; ?></td>
<td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_MODULE;
?></td>
<td class="dataTableHeadingContent" align="center"><?php echo TABLE_HEADING_SENT;
?></td>
<td class="dataTableHeadingContent" align="center"><?php echo TABLE_HEADING_STATUS;
?></td>
<td class="dataTableHeadingContent" align="right"><?php echo TABLE_HEADING_ACTION;
?>&nbsp;</td>
</tr>
<?php
    $newsletters_query_raw = "select newsletters_id, title, length(content) as content_length, module,
date_added, date_sent, status, locked from " . TABLE_NEWSLETTERS . " order by date_added desc";
    $newsletters_split = new splitPageResults($HTTP_GET_VARS['page'], MAX_DISPLAY_SEARCH_RESULTS,
$newsletters_query_raw, $newsletters_query_numrows);

```

```

$newsletters_query = tep_db_query($newsletters_query_raw);
while ($newsletters = tep_db_fetch_array($newsletters_query)) {
if ((!isset($HTTP_GET_VARS['nID'])) || (isset($HTTP_GET_VARS['nID']) && ($HTTP_GET_VARS['nID'] ==
newsletters['newsletters_id']))) && !isset($nInfo) && (substr($action, 0, 3) != 'new')) {
    $nInfo = new objectInfo($newsletters);
}

if (isset($nInfo) && is_object($nInfo) && ($newsletters['newsletters_id'] == $nInfo->newsletters_id) ) {
    if (isset($nInfo) && is_object($nInfo) && ($newsletters['newsletters_id'] == $nInfo->newsletters_id) ) {
        echo '              <tr id="defaultSelected" class="dataTableRowSelected"
onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)" onclick="document.location.href=\"
tep_href_link(FILENAME_NEWSLETTERS, \'page\'' . $HTTP_GET_VARS['page'] . '&nID=' . $nInfo-
>newsletters_id . '&action=preview') . \">' . "\n";
    } else {
        echo '              <tr class="dataTableRow" onmouseover="rowOverEffect(this)"
onmouseout="rowOutEffect(this)" onclick="document.location.href=\"
tep_href_link(FILENAME_NEWSLETTERS, \'page\'' . $HTTP_GET_VARS['page'] . '&nID=' .
$newsletters['newsletters_id']) . \">' . "\n";
    }
}
?>
    <td class="dataTableContent"><?php echo '<a href="' . tep_href_link(FILENAME_NEWSLETTERS,
'page=' . $HTTP_GET_VARS['page'] . '&nID=' . $newsletters['newsletters_id'] . '&action=preview') . '">' .
tep_image(DIR_WS_ICONS . 'preview.gif', ICON_PREVIEW) . '</a>&nbsp;' . $newsletters['title']; ?></td>
    <td class="dataTableContent" align="right"><?php echo
number_format($newsletters['content_length']) . ' bytes'; ?></td>
    <td class="dataTableContent" align="right"><?php echo $newsletters['module']; ?></td>
    <td class="dataTableContent" align="right"><?php if ($newsletters['status'] == '1') { echo
            <td class="dataTableContent" align="center"><?php if ($newsletters['locked'] > 0) { echo
                tep_image(DIR_WS_ICONS . 'locked.gif', ICON_LOCKED); } else { echo tep_image(DIR_WS_ICONS .
'tick.gif', ICON_TICK); } ?></td>
            <td class="dataTableContent" align="center"><?php if ($newsletters['locked'] > 0) { echo
                tep_image(DIR_WS_ICONS . 'locked.gif', ICON_LOCKED); } else { echo tep_image(DIR_WS_ICONS .
'unlocked.gif', ICON_UNLOCKED); } ?></td>
            <td class="dataTableContent" align="right"><?php if (isset($nInfo) && is_object($nInfo) &&
($newsletters['newsletters_id'] == $nInfo->newsletters_id) ) { echo tep_image(DIR_WS_IMAGES .
'icon_arrow_right.gif', ''); } else { echo '<a href="' . tep_href_link(FILENAME_NEWSLETTERS, 'page\'
.$HTTP_GET_VARS['page'] . '&nID=' . $newsletters['newsletters_id']) . '">' . tep_image(DIR_WS_IMAGES .
'icon_info.gif', IMAGE_ICON_INFO) . '</a>'; } ?>&nbsp;</td>
        </tr>
    <?php
}
?>
    <tr>
        <td colspan="6"><table border="0" width="100%" cellspacing="0" cellpadding="2">

```

```

<tr>

    <td class="smallText" valign="top"><?php echo $newsletters_split-
>display_count($newsletters_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, $HTTP_GET_VARS['page'],
TEXT_DISPLAY_NUMBER_OF_NEWSLETTERS); ?></td>

    <td class="smallText" align="right"><?php echo $newsletters_split-
>display_links($newsletters_query_numrows, MAX_DISPLAY_SEARCH_RESULTS, MAX_DISPLAY_PAGE_LINKS,
$HTTP_GET_VARS['page']); ?></td>

</tr>

<tr>

    <td align="right" colspan="2"><?php echo '<a href="' . tep_href_link(FILENAME_NEWSLETTERS,
'&action=new') . '">' . tep_image_button('button_new_newsletter.gif', IMAGE_NEW_NEWSLETTER) . '</a>';
?></td>

</tr>

</table></td>

</tr>

</table></td>

<?php

$heading = array();
$contents = array();

switch ($action) {

    case 'delete':

        $heading[] = array('text' => '<b>' . $nInfo->title . '</b>');

        $contents = array('form' => tep_draw_form('newsletters', FILENAME_NEWSLETTERS, 'page=' .
$HTTP_GET_VARS['page'] . '&nID=' . $nInfo->newsletters_id . '&action=deleteconfirm'));

        $contents[] = array('text' => TEXT_INFO_DELETE_INTRO);

        $contents[] = array('text' => '<br><b>' . $nInfo->title . '</b>');

        $contents[] = array('align' => 'center', 'text' => '<br>' . tep_image_submit('button_delete.gif',
IMAGE_DELETE) . ' <a href="' . tep_href_link(FILENAME_NEWSLETTERS, 'page=' . $HTTP_GET_VARS['page'] .
'&nID=' . $HTTP_GET_VARS['nID']) . '">' . tep_image_button('button_cancel.gif', IMAGE_CANCEL) . '</a>');

        break;

    default:

        if (is_object($nInfo)) {

            $heading[] = array('text' => '<b>' . $nInfo->title . '</b>');

            if ($nInfo->locked > 0) {

```

```

$contents[] = array('align' => 'center', 'text' => '<a href="" . tep_href_link(FILENAME_NEWSLETTERS,
'page=' . $HTTP_GET_VARS['page'] . '&nID=' . $nInfo->newsletters_id . '&action=new') . '">' .
tep_image_button('button_edit.gif', IMAGE_EDIT) . '</a> <a href="" .
tep_href_link(FILENAME_NEWSLETTERS, 'page=' . $HTTP_GET_VARS['page'] . '&nID=' . $nInfo-
>newsletters_id . '&action=delete') . '">' . tep_image_button('button_delete.gif', IMAGE_DELETE) . '</a> <a href="" .
tep_href_link(FILENAME_NEWSLETTERS, 'page=' . $HTTP_GET_VARS['page'] . '&nID=' . $nInfo-
>newsletters_id . '&action=preview') . '">' . tep_image_button('button_preview.gif', IMAGE_PREVIEW) . '</a>
<a href="" . tep_href_link(FILENAME_NEWSLETTERS, 'page=' . $HTTP_GET_VARS['page'] . '&nID=' . $nInfo-
>newsletters_id . '&action=send') . '">' . tep_image_button('button_send.gif', IMAGE_SEND) . '</a> <a href="" .
tep_href_link(FILENAME_NEWSLETTERS, 'page=' . $HTTP_GET_VARS['page'] . '&nID=' . $nInfo-
>newsletters_id . '&action=unlock') . '">' . tep_image_button('button_unlock.gif', IMAGE_UNLOCK) . '</a>');

} else {

$contents[] = array('align' => 'center', 'text' => '<a href="" . tep_href_link(FILENAME_NEWSLETTERS,
'page=' . $HTTP_GET_VARS['page'] . '&nID=' . $nInfo->newsletters_id . '&action=preview') . '">' .
tep_image_button('button_preview.gif', IMAGE_PREVIEW) . '</a> <a href="" .
tep_href_link(FILENAME_NEWSLETTERS, 'page=' . $HTTP_GET_VARS['page'] . '&nID=' . $nInfo-
>newsletters_id . '&action=lock') . '">' . tep_image_button('button_lock.gif', IMAGE_LOCK) . '</a>');

}

$contents[] = array('text' => '<br>' . TEXT_NEWSLETTER_DATE_ADDED . '' . tep_date_short($nInfo-
>date_added));

if ($nInfo->status == '1') $contents[] = array('text' => TEXT_NEWSLETTER_DATE_SENT . '' .
tep_date_short($nInfo->date_sent));

}

break;

}

if ( (tep_not_null($heading)) && (tep_not_null($contents)) ) {

echo '      <td width="25%" valign="top">' . "\n";

$box = new box;

echo $box->infoBox($heading, $contents);

echo '      </td>' . "\n";

}

?>

</tr>

</table></td>

</tr>

<?php

}

?>

```

```
</table></td>

<!-- body_text_eof //-->

</tr>

</table>

<!-- body_eof //-->

<!-- footer //-->

<?php require(DIR_WS_INCLUDES . 'footer.php'); ?>

<!-- footer_eof //-->

</body>

</html>

<?php require(DIR_WS_INCLUDES . 'application_bottom.php'); ?>
```

8.5. Sunucu Bilgisi (admin / server_info.php)

```
<?php

/*
$Id: server_info.php 1785 2008-01-10 15:07:07Z hpdl $


osCommerce, Open Source E-Commerce Solutions
http://www.oscommerce.com

Copyright (c) 2008 osCommerce

Released under the GNU General Public License

*/



require('includes/application_top.php');

$system = tep_get_system_information();

?>

<!doctype html public "-//W3C//DTD HTML 4.01 Transitional//EN">

<html <?php echo HTML_PARAMS; ?>>

<head>
```

```

<meta http-equiv="Content-Type" content="text/html; charset=<?php echo CHARSET; ?>">
<title><?php echo TITLE; ?></title>
<link rel="stylesheet" type="text/css" href="includes/stylesheet.css">
</head>
<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"
bgcolor="#FFFFFF">
<!-- header //-->
<?php require(DIR_WS_INCLUDES . 'header.php'); ?>
<!-- header_eof //-->

<!-- body //-->
<table border="0" width="100%" cellspacing="2" cellpadding="2">
<tr>
<td width=<?php echo BOX_WIDTH; ?> valign="top"><table border="0" width=<?php echo
BOX_WIDTH; ?> cellspacing="1" cellpadding="1" class="columnLeft">
<!-- left_navigation //-->
<?php require(DIR_WS_INCLUDES . 'column_left.php'); ?>
<!-- left_navigation_eof //-->
</table></td>
<!-- body_text //-->
<td width="100%" valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr>
<td class="pageHeading"><?php echo HEADING_TITLE; ?></td>
<td class="pageHeading" align="right"><?php echo tep_draw_separator('pixel_trans.gif',
HEADING_IMAGE_WIDTH, HEADING_IMAGE_HEIGHT); ?></td>
</tr>
</table></td>
</tr>
<tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr>
<td><table border="0" cellspacing="0" cellpadding="3">
<tr>

```

<td class="smallText"><?php echo TITLE_SERVER_HOST; ?></td>			
<td class="smallText"><?php echo \$system['host'] . (' . \$system['ip'] . ')'; ?></td>			
<td class="smallText">&ampnbsp&ampnbsp&ampnbsp&ampnbsp&ampnbsp<?php echo			
TITLE_DATABASE_HOST; ?></td>			
<td class="smallText"><?php echo \$system['db_server'] . (' . \$system['db_ip'] . ')'; ?></td>			
</tr>			
<tr>			
<td class="smallText"><?php echo TITLE_SERVER_OS; ?></td>			
<td class="smallText"><?php echo \$system['system'] . '' . \$system['kernel']; ?></td>			
<td class="smallText">&ampnbsp&ampnbsp&ampnbsp&ampnbsp&ampnbsp<?php echo TITLE_DATABASE;			
?></td>			
<td class="smallText"><?php echo \$system['db_version']; ?></td>			
<td class="smallText"><?php echo \$system['db_date']; ?></td>			
</tr>			
<tr>			
<td class="smallText"><?php echo TITLE_SERVER_DATE; ?></td>			
<td class="smallText"><?php echo \$system['date']; ?></td>			
<td class="smallText">&ampnbsp&ampnbsp&ampnbsp&ampnbsp&ampnbsp<?php echo			
TITLE_DATABASE_DATE; ?></td>			
<td class="smallText"><?php echo \$system['db_date']; ?></td>			
</tr>			
<tr>			
<td class="smallText"><?php echo TITLE_SERVER_UP_TIME; ?></td>			
<td class="smallText"><?php echo \$system['uptime']; ?></td>			
<td colspan="3" class="smallText"><?php echo \$system['uptime']; ?></td>			
</tr>			
<tr>			
<td colspan="4" class="smallText"><?php echo tep_draw_separator('pixel_trans.gif', '1', '5'); ?></td>			
</tr>			
<tr>			
<td class="smallText"><?php echo TITLE_HTTP_SERVER; ?></td>			
<td class="smallText"><?php echo \$system['http_server']; ?></td>			
<td colspan="3" class="smallText"><?php echo \$system['http_server']; ?></td>			
</tr>			
<tr>			
<td class="smallText"><?php echo TITLE_PHP_VERSION; ?></td>			
<td class="smallText"><?php echo \$system['php'] . (' . TITLE ZEND VERSION . ' .			
\$system['zend'] . ')'; ?></td>			

```

</tr>
</table></td>
</tr>
</table></td>
</tr>
<tr>
<td><?php echo tep_draw_separator('pixel_trans.gif', '1', '10'); ?></td>
</tr>
<tr>
<td>
<?php
if (function_exists('ob_start')) {
?>
<style type="text/css">
body, td, th {font-family: sans-serif; font-size: 10px;}
.p {text-align: left;}
.e {background-color: #ccccff; font-weight: bold;}
.h {background-color: #9999cc; font-weight: bold;}
.v {background-color: #cccccc;}
i {color: #666666;}
hr {display: none;}
</style>
<?php
ob_start();
phpinfo();
$phpinfo = ob_get_contents();
ob_end_clean();

$phpinfo = str_replace('border: 1px', "", $phpinfo);
ereg('<body>(.*)</body>', $phpinfo, $regs);
echo '<table border="1" cellpadding="3" width="600" style="border: 0px; border-color: #000000;">' .
' </tr>' .

```

```

'</table>';

echo $regs[1];

} else {
    phpinfo();
}

?>

</td>

</tr>

</table></td>

<!-- body_text_eof //-->

</tr>

</table>

<!-- body_eof //-->

<!-- footer //-->

<?php require(DIR_WS_INCLUDES . 'footer.php'); ?>

<!-- footer_eof //-->

</body>

</html>

<?php require(DIR_WS_INCLUDES . 'application_bottom.php'); ?>

```

8.6. Online (admin /whos_online .php)

```

<?php
/*
$Id: whos_online.php 1739 2007-12-20 00:52:16Z hpdl $


```

osCommerce, Open Source E-Commerce Solutions

<http://www.oscommerce.com>

Copyright (c) 2003 osCommerce

Released under the GNU General Public License

*/

```

$xx_mins_ago = (time() - 900);

require('includes/application_top.php');

require(DIR_WS_CLASSES . 'currencies.php');
$currencies = new currencies();

// remove entries that have expired
tep_db_query("delete from " . TABLE_WHOS_ONLINE . " where time_last_click < '" . $xx_mins_ago . "'");

?>

<!doctype html public "-//W3C//DTD HTML 4.01 Transitional//EN">
<html <?php echo HTML_PARAMS; ?>>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=<?php echo CHARSET; ?>">
<title><?php echo TITLE; ?></title>
<link rel="stylesheet" type="text/css" href="includes/stylesheet.css">
<script language="javascript" src="includes/general.js"></script>
</head>
<body marginwidth="0" marginheight="0" topmargin="0" bottommargin="0" leftmargin="0" rightmargin="0"
bgcolor="#FFFFFF">
<!-- header //-->
<?php require(DIR_WS_INCLUDES . 'header.php'); ?>
<!-- header_eof //-->

<!-- body //-->
<table border="0" width="100%" cellspacing="2" cellpadding="2">
<tr>
<td width="<?php echo BOX_WIDTH; ?>" valign="top"><table border="0" width="<?php echo
BOX_WIDTH; ?>" cellspacing="1" cellpadding="1" class="columnLeft">
<!-- left_navigation //-->
<?php require(DIR_WS_INCLUDES . 'column_left.php'); ?>
<!-- left_navigation_eof //-->
</table></td>

```

```

<!-- body_text /-->

<td width="100%" valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr>
<td class="pageHeading"><?php echo HEADING_TITLE; ?></td>
<td class="pageHeading" align="right"><?php echo tep_draw_separator('pixel_trans.gif',
HEADING_IMAGE_WIDTH, HEADING_IMAGE_HEIGHT); ?></td>
</tr>
</table></td>
</tr>
<tr>
<td><table border="0" width="100%" cellspacing="0" cellpadding="0">
<tr>
<td valign="top"><table border="0" width="100%" cellspacing="0" cellpadding="2">
<tr class="dataTableHeadingRow">
<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_ONLINE; ?></td>
<td class="dataTableHeadingContent" align="center"><?php echo
TABLE_HEADING_CUSTOMER_ID; ?></td>
<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_FULL_NAME; ?></td>
<td class="dataTableHeadingContent" align="center"><?php echo TABLE_HEADING_IP_ADDRESS;
?></td>
<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_ENTRY_TIME; ?></td>
<td class="dataTableHeadingContent" align="center"><?php echo TABLE_HEADING_LAST_CLICK;
?></td>
<td class="dataTableHeadingContent"><?php echo TABLE_HEADING_LAST_PAGE_URL;
?>&nbsp;</td>
</tr>
<?php
$whos_online_query = tep_db_query("select customer_id, full_name, ip_address, time_entry, time_last_click,
last_page_url, session_id from " . TABLE_WHOS_ONLINE);

while ($whos_online = tep_db_fetch_array($whos_online_query)) {
    $time_online = (time() - $whos_online['time_entry']);
    if ((!isset($_HTTP_GET_VARS['info']) || (isset($_HTTP_GET_VARS['info'])) && ($_HTTP_GET_VARS['info'] ==
$whos_online['session_id']))) && !isset($info)) {
        $info = $whos_online['session_id'];
}

```

```

}

if ($whos_online['session_id'] == $info) {

    echo '      <tr id="defaultSelected" class="dataTableRowSelected"
onmouseover="rowOverEffect(this)" onmouseout="rowOutEffect(this)">' . "\n";
} else {

    echo '      <tr class="dataTableRow" onmouseover="rowOverEffect(this)"
onmouseout="rowOutEffect(this)" onclick="document.location.href=' .
tep_href_link(FILENAME_WHOS_ONLINE, tep_get_all_get_params(array('info', 'action')) . 'info=' .
$whos_online['session_id'], 'NONSSL') . '">' . "\n";
}

?>

<td class="dataTableContent"><?php echo gmdate('H:i:s', $time_online); ?></td>
<td class="dataTableContent" align="center"><?php echo $whos_online['customer_id']; ?></td>
<td class="dataTableContent"><?php echo $whos_online['full_name']; ?></td>
<td class="dataTableContent" align="center"><?php echo $whos_online['ip_address']; ?></td>
<td class="dataTableContent"><?php echo date('H:i:s', $whos_online['time_entry']); ?></td>
<td class="dataTableContent" align="center"><?php echo date('H:i:s',
$whos_online['time_last_click']); ?></td>

<td class="dataTableContent"><?php if (eregi('^(.*' . tep_session_name() . '=[a-f,0-9]+[&]*(.*))',
$whos_online['last_page_url'], $array)) { echo $array[1] . $array[2]; } else { echo
$whos_online['last_page_url']; } ?>&nbsp;</td>

</tr>

<?php
}
?>

<tr>

    <td class="smallText" colspan="7"><?php echo sprintf(TEXT_NUMBER_OF_CUSTOMERS,
tep_db_num_rows($whos_online_query)); ?></td>
</tr>
</table></td>

<?php
$heading = array();
$contents = array();

if (isset($info)) {
    $heading[] = array('text' => '<b>' . TABLE_HEADING_SHOPPING_CART . '</b>');
}
}

```

```

if (STORE_SESSIONS == 'mysql') {

    $session_data = tep_db_query("select value from " . TABLE_SESSIONS . " WHERE sesskey = '" . $info .
"']");
    $session_data = tep_db_fetch_array($session_data);
    $session_data = trim($session_data['value']);

} else {

    if ((file_exists(tep_session_save_path() . '/sess_' . $info)) && (filesize(tep_session_save_path() . '/sess_' .
$info) > 0)) {

        $session_data = file(tep_session_save_path() . '/sess_' . $info);
        $session_data = trim(implode("", $session_data));

    }
}

if ($length = strlen($session_data)) {

    if (PHP_VERSION < 4) {

        $start_id = strpos($session_data, 'customer_id[==]s');
        $start_cart = strpos($session_data, 'cart[==]o');
        $start_currency = strpos($session_data, 'currency[==]s');
        $start_country = strpos($session_data, 'customer_country_id[==]s');
        $start_zone = strpos($session_data, 'customer_zone_id[==]s');

    } else {

        $start_id = strpos($session_data, 'customer_id|s');
        $start_cart = strpos($session_data, 'cart|O');
        $start_currency = strpos($session_data, 'currency|s');
        $start_country = strpos($session_data, 'customer_country_id|s');
        $start_zone = strpos($session_data, 'customer_zone_id|s');

    }

    for ($i=$start_cart; $i<$length; $i++) {

        if ($session_data[$i] == '{') {

            if (isset($tag)) {

                $tag++;

            } else {


```

```

$tag = 1;

}

} elseif ($session_data[$i] == '}') {

$tag--;

} elseif ( (isset($tag)) && ($tag < 1) ) {

break;

}

}

$session_data_id = substr($session_data, $start_id, (strpos($session_data, ';', $start_id) - $start_id + 1));

$session_data_cart = substr($session_data, $start_cart, $i);

$session_data_currency = substr($session_data, $start_currency, (strpos($session_data, ';', $start_currency) - $start_currency + 1));

$session_data_country = substr($session_data, $start_country, (strpos($session_data, ';', $start_country) - $start_country + 1));

$session_data_zone = substr($session_data, $start_zone, (strpos($session_data, ';', $start_zone) - $start_zone + 1));



session_decode($session_data_id);

session_decode($session_data_currency);

session_decode($session_data_country);

session_decode($session_data_zone);

session_decode($session_data_cart);

if (PHP_VERSION < 4) {

$broken_cart = $cart;

$cart = new ShoppingCart;

$cart->unserialize($broken_cart);

}

if (is_object($cart)) {

$products = $cart->get_products();

for ($i = 0, $n = sizeof($products); $i < $n; $i++) {

$contents[] = array('text' => $products[$i]['quantity'] . ' x ' . $products[$i]['name']);

}

```

```

}

if (sizeof($products) > 0) {

    $contents[] = array('text' => tep_draw_separator('pixel_black.gif', '100%', '1'));

    $contents[] = array('align' => 'right', 'text' => TEXT_SHOPPING_CART_SUBTOTAL . '' . $currencies->format($cart->show_total(), true, $currency));

} else {

    $contents[] = array('text' => ' ');

}

}

}

}

if ( (tep_not_null($heading)) && (tep_not_null($contents)) ) {

echo '      <td width="25%" valign="top">' . "\n";

$box = new box;

echo $box->infoBox($heading, $contents);

echo '      </td>' . "\n";

}

?>

</tr>

</table></td>

</tr>

</table></td>

<!-- body_text_eof //-->

</tr>

</table>

<!-- body_eof //-->

<!-- footer //-->

<?php require(DIR_WS_INCLUDES . 'footer.php'); ?>

<!-- footer_eof //-->

```

```
</body>
</html>
<?php require(DIR_WS_INCLUDES . 'application_bottom.php'); ?>
```