

## LIST OF REFERENCES

- [1] Cluett, J, About.com: Orthopaedics, Total knee replacement, Nov 2013  
Available at:  
<http://orthopedics.about.com/cs/kneereplacement/a/kneereplacement.htm>
- [2] National Centre for Health Statistics, Rate of total knee replacements, Nov 2013  
Available at: <http://www.cdc.gov/mmwr/preview/mmwrhtm/mms407at.htm>
- [3] Zimmer, Gender solutions: Knee, Nov 2013\|  
Available at: <http://www.genderknee.com>
- [4] Indicure, Medical Specialties, Orthopaedic Surgery, Total Knee Replacement, Nov 2013, Available at: [http://www.indicure.com/knee\\_replacement.html](http://www.indicure.com/knee_replacement.html)
- [5] American Academy of Orthopaedic Surgeons, Minimally invasive total knee replacement, Nov 2013, Available at:  
[http://www.orthoinfo.aaos.org/fact/thr\\_report.cfm](http://www.orthoinfo.aaos.org/fact/thr_report.cfm)
- [6] Ranawat, C.S. (2002) History of total knee replacement. J South Orthop Assoc 11, 218-26.
- [7] Gupta, S. K., Chu, A., Ranawat, A. S., Slamin, J., and Ranawat, C. S., 2007. "Review Article: Osteolysis After Total Knee Arthroplasty," The Journal of Arthroplasty, 22(6) pp. 787- 799. DOI: 10.1016/j.arth.2007.05.041.
- [8] Van Lenthe, G. H., De Waal Malefijt, M. C., and Huiskes, R., 1997. "Stress Shielding After Total Knee Replacement may Cause Bone Resorption in the Distal Femur," Journal of Bone and Joint Surgery (British), 79(1) pp. 117-122.
- [9] American Association of Orthopaedic Surgeons, Nov. 2013. Available at [www.aaos.org](http://www.aaos.org)
- [10] Orthopaedics, Total knee replacement, Oct 2013 Available at :  
<http://orthopedics.about.com/cs/kneereplacement/a/kneereplacement.htm>
- [11] Zimmer, Gender solutions: Knee, Oct 2013\| Available at:  
<http://www.genderknee.com>
- [12] Indicure, Medical Specialties, Orthopaedic Surgery, Total Knee Replacement, Oct 2013, Available at: [http://www.indicure.com/knee\\_replacement.html](http://www.indicure.com/knee_replacement.html)
- [13] P.F.C Sigma Knee System: Technical Monograph. 2000, England: DePuy

International Ltd.

- [14] Keenan J, Chakrabarty G, Newman JH: Treatment of supracondylar femoral fracture above total knee replacement by custom made hinged prosthesis. *Knee* 2000, 7:165-170.
- [15] Sathasivam S, Walker PS, Pinder IM, Cannon SR, and Briggs TWR: Custom constrained condylar total knees using CAD-CAM. *Knee* 1999, 6:49-53.
- [16] Harrysson OLA, Robertsson O, Nayfeh JF: Higher cumulative revision rate of knee arthroplasties in younger patients with osteoarthritis. *Clin Orthop Relat Res* 2004, 421:162-168.
- [17] Taylor J, Rorabeck CH, Bourne RB, Inman K: Total knee arthroplasty in patients under the age of 50: long-term follow-up. Program and Abstracts of the 67th Annual Meeting of the American Academy of Orthopaedic Surgeons: 15–19 March 2000; Orlando, FL 2000, Paper No. 185
- [18] Krackow KA: The Technique of Total Knee Arthroplasty St. Louis: The C. V. Mosby Company; 1990.
- [19] Chaffin DB, Andersson GBJ, Martin BJ: Occupational Biomechanics New York: John Wiley & Sons, Inc; 1999.
- [20] FERHRING, T. K. and MCAVOY, G. (1996) Fluoroscopic evaluation of the painful total knee arthroplasty. *Clinical Orthopaedics and Related Research*, 331, pp. 226-233.
- [21] Taylor M, Tanner KE, Freeman M: Finite element analysis of the implanted proximal tibia: a relationship between the initial cancellous bone stresses and implant migration. *J Biomech* 1998, 31(4):303-310.
- [22] Fraser J: Knee and hip joint replacements. Longer lasting prostheses. *Aust Fam Physician* 1999, 28(11):1109-1111. 1114–1115
- [23] Walker PS, Sathasivam S: The design of guide surfaces for fixedbearing and mobile-bearing knee replacements. *J Biomech* 1999, 32(1):27-34.
- [24] Engh GA, Rao A, Louinici S, Ammeen D, Sychterz CJ: Tibial baseplate wear: a major source of debris with contemporary modular knee implants. Program and Abstracts of the 67th Annual Meeting of the American Academy of Orthopaedic Surgeons: 15–19 March 2000; Orlando, FL 2000.

- [25] Sathasivam S, Walker PS, Pinder IM, Cannon SR, Briggs TWR, "Custom constrained condylar total knees using CAD-CAM", *The Knee*, Vol 6 49-53, 1999
- [26] Thoma W, Schuster C, Schuster L, "Custom-made knee endoprosthetics using subtraction data of 3-dimensional CT scans. A new approach", *Der Orthopade*, Jul 29(7):641-4, 2000
- [27] Harrysson Ola L.A, "Customization of Knee Implants and Optimization of Bone- Implant Interface", Ph.D Thesis, University of Central Florida, 2001
- [28] Palastanga, N. and Field D., Anatomy and human movement structure and function. 4th ed. 2002: Butterworth-Heinemann.
- [29] Kutzner, I., Heinlein, B., F. Graichen, A. Bender, A. Rohlmann, A.M. Halder, A. Beier, and G. Bergmann, Loading of the knee joint during activities of daily living measured in vivo in five subjects. *J Biomech.* 2010 Aug 10;43(11):2164-73.
- [30] Taylor, R., Heller, O., Bergmann, G., Duda, N., Tibio-femoral loading during human gait and stair climbing. *Journal of Orthopaedic Research* 22 (2004) 625-632.
- [31] Carvalho, F., Tratamento da gonartrose numa abordagem cirúrgica, Dissertation for the master degree, Universidade da Beira Interior, 2010.
- [32] Levangie, P.K. and C.C. Norkin, Joint Structure and Function - A comprehensive analysis. 4th ed. 2005, Philadelphia: F. A. Davis Company.
- [33] L. Drake, Vogl W., Mitchell, A., Gray's Anatomy for students. Elsevier/Churchill Livingstone, 2007.
- [34] Knee and Thigh Region , Nov 2013, available at: <http://www.pt.ntu.edu.tw/hmchai/SurfaceAnatomy/SFAlower/KneeThigh.htm> .
- [35] Tortora, G. and Derrickson, B., Principles of anatomy and physiology. 12th ed. 2009: John Wiley & Sons, Inc.
- [36] Darrow, M., The Knee Sourcebook. 1st ed. 2002: McGraw-Hill.
- [37] Lahey Clinic Foundation, Oct 2013, Available at: <http://www.Lahey.org>
- [38] WebMD, Knee Pain Health Center, Oct 2013, available at: <http://www.webmd.com/pain-management/knee-pain/picture-of-the-knee> .

- [39] Steadman, J R, LeadingMD.com, empower your practice, Oct 2013  
Available at: <http://www.LeadingMD.com>
- [40] Lahey Clinic Foundation, Oct 2013, Available at: <http://www.Lahey.org>
- [41] Dynamic Chiropractic, Knee Osteoarthritis: Biomechanical Risks, July 2013,  
available at:  
<http://www.dynamicchiropractic.com/mpacms/dc/article.php?id=55312>
- [42] Smith, P N, Refshauge, K M, Scarvell, J M, Development of knee concepts of knee kinematics, Arch phys med rehalib, Vol 84, pp 1895 – 1902, 2003.
- [43] Siu, D, Rudon, J, Wevers, H W, Griffiths, P, Femoral Articular shape and geometry, A three dimensional computerized analysis of the knee, Journal of Arthroplasty, Vol 11, No 2, pp 166-173, 1996.
- [44] Nu\_o, N, Ahmed, A M, Three-dimensional morphometry of the femoral condyles, Clinical Biomechanics, Vol 18, pp. 924-932, 2003.
- [45] Eckhoff, D G, Bach, J M, Spitzer, V M, Reinig, K D, Bagur, M M, Balbini, T H, Flannery, N M P, Three-dimensional mechanics, Kinematics, and morphology of the knee viewed in virtual reality, The Journal of Bone and Joint Surgery, Vol 87-A, suppl. 2, pp. 71-80, 2005.
- [46] Baré, J V, Gill, H S, Beard, D J, Murray, D W, A convex lateral tibial plateau for knee replacement, The Knee, Vol 13, pp 122-126, 2006.
- [47] Hungerford, D S, Hungerford, M W, Alignment of the normal knee, Relationship to total knee replacement, Total Knee Arthroplasty, A guide to better performance, No 4, pp 25- 31, 2005.
- [48] Hehne, H J, Biomechanics of the patellofemoral joint and its clinical relevance, Clinical Orthopaedics, No 258, pp 73-85, 1990.
- [49] Stiehl, J B, A clinical overview of patellofemoral joint and application to total knee arthroplasty, Journal of Biomechanics, No 38, pp 209-214, 2005.
- [50] MORRISON, J. B. (1970) The mechanics of the knee joint in relation to normal walking,. *Journal of Biomechanics*, 3, pp. 51-61.
- [51] KUSTER, M. S., WOOD, G. A., STACHOWIAK, G. W. and GACHTER, A. (1997) Joint load considerations in total knee replacement. *Journal of Bone and Joint Surgery (Am)*, 79(1), pp. 109-113.

- [52] Tortora, G. J. & Grabowski, S.R. 2003. Principle of Anatomy & Physiology. (10th ed.). Hoboken, New Jersey, John Wiley & Sons, Inc. 1104 p.
- [53] Nigg, B.M. & Herzog, W. 1999. Biomechanics of the Musculo-skeletal System. (2nd ed.). West Sussex, England, John Wiley & Sons, Inc. 643 p.
- [54] Shier, D., Butler, J. & Lewis, R. 2002. Hole's human anatomy & physiology. (9th ed.) New York, McGraw-Hill. 1010 p.
- [55] Carter, D.R., Hayes, W.C. 1977. The compressive behavior of bone as a two-phase porous structure. Journal of Bone and Joint surgery 59, pp. 954-962.
- [56] GALIK, K. (2002) *The effect of design variations on stresses in total ankle arthroplasty*. Doctor of Philosophy Thesis, University of Pittsburgh.
- [57] Rho, J.Y., Kuhn-Spearing, L. & Ziopoulos, P. 1998. Mechanical properties and the hierarchical structure of bone. Medical Engineering & Physics 20, pp. 92-102.
- [59] Burstein, A.H., Reilly, D.T. & Martens, M. 1976. Aging of Bone Tissue: Mechanical Properties. Journal of Bone and Joint Surgery 58-A, 1, pp. 82-86.
- [60] Garnier, K.B., Dumas, R., Rumelhart, C. & Arlot, M.E. 1999. Mechanical characterization in shear of human femoral cancellous bone: torsion and shear tests. Medical Engineering & Physics 21, pp. 641-649.
- [61] Goldstein, S.A. 1987. The Mechanical Properties of Trabecular Bone: Dependence on Anatomic Location and Function. Journal of Biomechanics 20, 11-12, pp. 1055-61.
- [61] Wirtz, D.C., Schiffers, N., Pandorf, T., Radermacher, K., Weichert, D. & Forst, R. 2000. Critical evaluation of known bone material properties to realize anisotropic FE-simulation of the proximal femur. Journal of Biomechanics 33, pp. 1325-1330.
- [63] Morgan, E.F., Bayraktar, H.H. & Keaveny, T.M. 2003. Trabecular bone modulus-density relationships depend on anatomic site. Journal of Biomechanics 36, pp. 897-904.
- [64] Bayraktar, H.H., Morgan, E.F., Niebur, G.L., Morris, G.E., Wong, E.K. & Keaveny, T.M. 2004. Comparison of the elastic and yield properties of human femoral trabecular and cortical bone tissue. Journal of Biomechanics 37, pp. 27-

35.

- [65] Rho, J.Y., Hobatho, M.C. & Ashman, R.B. 1995. Relations of mechanical properties to density and CT numbers in human bone. *Medical Engineering & Physics* 17, 5, pp. 347-355.
- [66] Lotz, J.C., Gerhart, T.N. & Hayes, W.C. 1991a. Mechanical properties of metaphyseal bone in the proximal femur. *Journal of Biomechanics* 24, pp. 317-329.
- [67] Snyder, S.M. & Schneider, E. 1991 Estimation of mechanical properties of cortical bone by computed tomography. *Journal of Orthopaedic Research* 9, pp. 422-431.
- [68] Lotz, J.C., Gerhart, T.N. & Hayes, W.C. 1990a. Mechanical properties of trabecular bone from the proximal femur: a quantitative CT study. *Journal of Computer Assisted Tomography* 14, pp. 107-114.
- [69] Morgan, E.F., Bayraktar, H.H. & Keaveny, T.M. 2003. Trabecular bone modulus-density relationships depend on anatomic site. *Journal of Biomechanics* 36, pp. 897-904.
- [70] CDC, Center for Disease Control and Prevention, Prevalence of Arthritis --- United States, (<http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5017a2.htm#tab1>), 1997
- [71] Alexander Dan D, *Arthritis and Common Sense*, Witkower Press Inc., 1956
- [72] Coventry MB, Morrey BF, Chapter 1 – “The history of joint replacement arthroplasty”, *Joint replacement arthroplasty*, Churchill Livingston, 1991
- [73] Charnley J, “Anchorage of the femoral head prosthesis to the shaft of the femur”. *Journal of Bone Joint Surgery* 42B:28, 1960
- [74] Coventry MB, Finerman GAM, Riley LH, et al: “A new geometric knee for total knee arthroplasty”. *Clinical Orthopedic* 83:157, 1972
- [75] Gunston FH: Polycentric knee arthroplasty: “Prosthetic simulation of normal knee movement”, *Journal of Bone Joint Surgery* 53B:271, 1971
- [76] Galante J, Rostoker W, Lueck R, Ray RD, “Sintered fiber metal composites as a basis for attachment of implants to bone”, *Journal of Bone Joint Surgery* 53A:101, 1971

- [77] Birken LMO, et al., "Composites as bearing partner in total knee replacement: failure analysis of POLY-II components with respect to the material design", *Journal of Biomechanics*, Vol 31, 1998
- [78] Ishii Y, Terajima K, Koga Y, Takahashi HE, "Comparison of knee joint functional laxity after total knee replacement with posterior cruciate-retaining and cruciate substituting prostheses", *The Knee*, Vol 2 No.4 195-199, 1995
- [79] Worland RL, Johson G, Alemparte J, Jessup DE, Keenan J, Norambuena N, "Ten to fourteen year survival and functional analysis of the AGC total knee replacement system", *The Knee*, Vol 9 133-137, 2002
- [80] US Patent: 5,358,530: "Mobile Bearing Knee" by Hodorek; Robert A, *Zimmer, Inc, IN*
- [81] Walker Peter S, Chapter 74-“Biomechanics”, *Joint Replacement Arthroplasty*, Churchill Livingstone, 1991
- [82] Chockalingam S, Scott G, "The outcome of cemented vs. cementless fixation of a femoral component in total knee replacement (TKR) with the identification of radiological signs for the prediction of failure", *The Knee*, 7 233-238, 2000
- [83] Incavo, S J, Coughlin, K M, Beynnon, B D, Femoral component sizing in total knee arthroplasty – Size matched resection versus flexion space balancing, *The Journal of Arthroplasty*, Vol. 19, No. 4, 2004.
- [84] Erasmus, S, Biomechanics and bone cuts in TKA, Presentation.
- [85] Boldt, J G, Stielh, J B, Munzinger, U, Beverland, D, Keblish, P A, Femoral component rotation in mobile-bearing total knee arthroplasty, *The Knee*, Vol 13, pp 284-289, 2006.
- [86] Kawamura, H, Bourne, R B, Factors affecting range of flexion after total knee arthroplasty, *Journal of Orthopaedic Science*, Vol 6, pp 248-252, 2001.
- [87] Villa, T, Migliavacca, F, Gastaldi, D, Colombo, M, Contro, R, Pietrabissa, R, Computer assisted design and evaluation of the knee prosthesis, Summer bioengineering conference, June 25-29, 2003.
- [88] Heck, D.A., Melfi, C.A., Mamlin, L.A., Katz, B.P., Arthur, D.S., Dittus, R.S., and Freund, D.A. (1998) Revision rates after knee replacement in the United States. *Med Care* 36, 661-9.

- [89] Sharkey PF, Hozack WJ, Rothman RH, Shastri S, and Jacoby SM . Insall Award paper. Why are total knee arthroplasties failing today? Clin Orthop [404], 7-13. 2002.
- [90] Arcam AB, Sweden, CAD TO METAL, Nov 2013, available at: [www.arcam.com](http://www.arcam.com)
- [91] Lonner, J. H., Klotz, M., Levitz, C., and Lotke, P. A., 2001. "Changes in Bone Density After Cemented Total Knee Arthroplasty: Influence of Stem Design," The Journal of Arthroplasty, 16(1) pp. 107-111. DOI: 10.1054/arth.2001.16486.
- [92] Turner TM, Urban RM, Sumner DR, Skipor AK and Galante JO, "Bone Ingrowth into the Tibial Component of Canine Total Condylar Knee Replacement Prosthesis", Journal of Orthopedic Research Vol. 7 No.6 :893-901, 1989
- [93] Fadda M, Marcacci M, Toksvig-Larsen S, Wang T, Meneghelli R: Improving accuracy of bone resections using robotic tool holder and a high speed milling cutting tool. J Med Eng Technol 1998, 22(6):280-284.
- [94] Pokrandt P, Both A, Hekmat A: Computer assisted surgery planning and robotics by orto MAQUET. Proceedings of the 4th International Workshop on Rapid Prototyping in Medicine & Computer-Assisted Surgery: 16–18 October 1997; Erlangen, Germany 1997.
- [95] Toksvig-Larsen S, Ryd L: Surface characteristics following tibial preparation during total knee arthroplasty. J Arthroplasty 1994, 9:63-66.
- [96] Material Property Handbook – Titanium Alloys, The Materials Information Society, ASM International, 1994
- [97] B. C. Carr, and T. Goswami. "Knee Implants – Review of Models and Biomechanics". Materials & Design, 30(2):398-413, 2009.
- [98] J. B. Morrison. "The Mechanics of the Knee Joint in Relation to Normal Walking". Journal of Biomechanics, 3(1):51-61, 1970.
- [99] S. Miyoshi, T. Takahashi, M. Ohtani, H. Yamamoto and K. Kameyama. "Analysis of the Shape of the Tibial Tray in Total Knee Arthroplasty using a Three Dimension Finite Element Model". Clinical Biomechanics, 17(7):521-525, 2002.

- [100] A. C. Godest, M. Beaugonin, E. Haug, M. Taylor and P. J. Gregson. "Simulation of a Knee Joint Replacement during a Gait Cycle using Explicit Finite Element Analysis". *Journal of Biomechanics*, 35(2):267-275, 2002.
- [101] J. P. Halloran, A. J. Petrella and P. J. Rullkoetter. "Explicit Finite Element Modeling of Total Knee Replacement Mechanics". *Journal of Biomechanics*, 38(2):323-331, 2005.
- [102] T. Villa, F. Migliavacca, D. Gastaldi, M. Colombo and R. Pietrabissa. "Contact Stresses and Fatigue Life in a Knee Prosthesis: Comparison between in Vitro Measurements and Computational Simulations". *Journal of Biomechanics*, 37(1):45-53, 2004.
- [103] T. Chu. "An Investigation on Contact Stresses of New Jersey Low Contact Stress (NJLCS) Knee using Finite Element Method". *Journal of Systems Integration*, 9(2):187-199, 1999.
- [104] WINDSOR, R. E., SCUDERI, G. R., MORAN, M. C. and N., I. J. (1989) Mechanisms of failure of the femoral and tibial components in total knee arthroplasty. *Clinical Orthopaedics*, 248, pp. 15-19.
- [105] BoneSmart, The world's leading knee and hip replacement patient advocacy organization & online community, Nov 2013, available at:  
<http://bonesmart.org/knee/computer-assisted-robotic-knee-replacement-surgery/>